

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Reply To:
Response Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404-657-8600 Fax 404-657-0807

Mark Williams, Commissioner
Environmental Protection Division

Judson H. Turner, Director
Land Protection Branch

Keith M. Bentley, Branch Chief

Phone: 404/656-7802 FAX: 404/651-9425

August 7, 2012

Fulton County
c/o Doug Worsham
141 Pryor Street SW
Roswell, GA 30075

RE: Release Notification
Big Creek Water Reclamation Facility
1030 Marietta Highway
Roswell, Fulton County

Dear Mr. Worsham:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your release notification that was submitted on January 16, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having limited access, commercial use, with a release to groundwater below the Maximum Contaminant Level (MCL). Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which the title or an interest in this property is transferred.

Please direct questions regarding this matter to Elise Chew of the Response and Remediation Program at 404-463-7555

Sincerely,



David Brownlee
Unit Coordinator
Response and Remediation Program

Encl: Trip Report, RQSM Score sheet, Recommendation Memorandum
File: Non-HSI [Big Creek Water Reclamation Facility- Fulton County]

S:\RDRIVE\Elise\Release Notifications\Big Creek Water Facility\Non-HSI letter.doc

COPY

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., SE, Suite 1462 East, Atlanta, Georgia 30334
Mark Williams, Commissioner
Environmental Protection Division
Judson H. Turner, Director
Land Protection Branch
Keith M. Bentley, Chief
Phone: 404-657-8600 Fax: 404-657-0807

August 7, 2012

A&R Welding Co., Inc.
c/o Mr. Michael J. Crowe, President
552 Decatur St. SE
Atlanta, Fulton County, Georgia 30312

Re: HSRA Release Notification
A&R Welding Co., Inc.
70, 74, and 0 Howell St.; 550, 554, and 552 Decatur St.
Atlanta, Fulton County, Georgia
Fulton County Tax Parcels: 14004500040228, 14004500040210, 14004500040897,
14004500040186, 14004500040178, and 14004500040160

Dear Mr. Crowe:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated June 27, 2012; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. For the on-site pathway, the property was evaluated as being inaccessible with non-residential use, with a known release of benzo(a)pyrene to soil. The groundwater pathway was evaluated for a known release of formaldehyde to groundwater, with the nearest drinking water well located greater than a half-mile away. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to David Hayes of the Response and Remediation Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

Encl: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (A&R Welding Co., Inc., Fulton County)
S:\RDRIVE\dhayes\release notifications\pending decision\A&R Welding\decision letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334

Mark Williams, Commissioner

Environmental Protection Division

Judson H. Turner, Director

Land Protection Branch

Keith M. Bentley, Branch Chief

404-657-8600

August 8, 2012

Affordable Auto Repair
c/o Mr. Jeff Broome
2824 Highway 115 West
Cleveland, White County, Georgia 30528

Re: HSRA Release Notification
Affordable Auto Repair
2824 Highway 115 West
Cleveland, White County, Georgia 30528

Dear Mr. Broome:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated January 17, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest active downgradient drinking water well located within ½ - 1-mile from the site. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Kristen Ritter Rivera, P.G. of the Response and Remediation Program at (404) 657-8663.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

File: Non-HSI (Affordable Auto Repair, White County)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

c: Tom Harper, ETRI, Inc., via email

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Mark Williams, Commissioner

Environmental Protection Division

Judson H. Turner, Director

Land Protection Branch

Keith M. Bentley, Branch Chief

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

August 9, 2012

Homegrown Restaurant Concepts, LLC
c/o Mr. Rich Chey
619 Sherwood Road
Atlanta Georgia 30324

Re: HSRA Release Notification
832 North Highland Avenue
Atlanta, Fulton County, Georgia

Dear Mr. Chey:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.


Based upon the information available to EPD at the time this evaluation was done, including your notification dated April 16, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. As EPD has determined that a reportable quantity has not been exceeded in groundwater and the on-site pathway evaluation has been deferred, this property will not be listed on the Hazardous Site Inventory.

The on-site pathway evaluation has been deferred due to EPD's receipt of a prospective purchaser corrective action plan (CAP) for this property pursuant to the Hazardous Site Reuse and Redevelopment ("Brownfields") Act. Upon approval of the CAP and sale of the property, the purchaser will conduct soil cleanup under oversight by the Brownfields program, in accordance with an approved schedule. The on-site pathway will be evaluated after the soil cleanup is complete, unless EPD determines that the release requires an evaluation sooner.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Greg Gilmore of the Response and Remediation Program at (404) 657-8600.

Sincerely,



Jason Metzger

Unit Coordinator

Response and Remediation Program

c: Thomas R. Harper, Environmental Technology Resources, Inc.
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI - 832 North Highland Avenue, Fulton County

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Reply To:
Response Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404-657-8600 Fax 404-657-0807

Mark Williams, Commissioner
Environmental Protection Division
Judson H. Turner, Director
Land Protection Branch
Keith M. Bentley, Chief
Phone: 404/656-8600 FAX: 404/657-0807

August 17, 2012

Milkland, LLC.
c/o Mr. Chris Whiteman
2520 Wynnton Road
Columbus, Georgia 31906

Re: HSRA Release Notification
Former Kinnett Dairy
1220, 1222, 1224, 1230 and 1236 5th Avenue
Columbus, Muscogee County, Georgia 31901

Dear Mr. Whiteman:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including the Release Notification received April 30, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as non-residential use, with a known release to groundwater and a suspected release to soil. Enclosed is a copy of our trip report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to John Maddox of the Response and Remediation Program at (404) 657-8600.

Sincerely,



Jason Metzger
Unit Coordinator
Response and Remediation Program

Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

File: Non-HSI, [Muscogee County] Former Kinnett Dairy
S:\RDRIVE\Maddox\Non HSI\Former Kinnett Dairy\letter1.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Reply To:
Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Mark Williams, Commissioner
Environmental Protection Division
Judson H. Turner, Director
Land Protection Branch
Keith M. Bentley, Branch Chief

August 24, 2012

JEEBA, LLC
c/o Harry Patel
4126 Hwy 42 S.
Locust Grove, GA 30248

Re: HSRA Release Notification
Fancy Pants Dry Cleaners
4128 Hwy 42 S.
Locust Grove, GA 30248

Dear Mr. Patel:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your recent notification dated January 30, 2012, and supplemental information dated August 14, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated for a release of tetrachloroethene (CAS 127184) to the groundwater pathway, with concentration equal to or greater than the Maximum Contaminant Level and no known human exposure, and with the nearest active downgradient drinking water well located between one and two miles from the site. The on-site exposure pathway was conservatively evaluated as having a suspected release of tetrachloroethene, with unlimited access and moderate containment, and with the nearest residence less than 300 feet from the release. Enclosed is a copy of our recommendation memorandum and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Terry Allison of the Response and Remediation Program at (404) 657-8664.

Sincerely,



David Reuland
Unit Coordinator, Response and Remediation Program

c: Ms. Jenifer Conarton
File: Non-hsi (Fancy Pants Dry Cleaners, Locust Grove, Henry)
Encl.: Recommendation Memorandum; RQSM Score sheet

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr., S.E., Suite 1462 East, Atlanta, Georgia 30334

Mark Williams, Commissioner
Environmental Protection Division
Judson H. Turner, Director
Land Protection Branch
Keith M. Bentley, Branch Chief
Phone: 404/656-8600

August 27, 2012

Atlanta Life Insurance Company
c/o Leonard P. Grimes, COO
100 Auburn Avenue
Atlanta, Georgia 30303

RE: Release Notification
Atlanta Life Insurance Company
100 Auburn Avenue
Atlanta, Fulton County

Dear Mr. Grimes:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including the release notification that was submitted on May 29, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having limited access, commercial use, with the nearest drinking water well greater than 3-miles distant. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Bill Williams of the Response and Remediation Program at 404-657-7126.

Sincerely,



David Reuland
Unit Coordinator
Response and Remediation Program

Encl.: Trip Report, RQSM Score sheet, Recommendation Memorandum

File: Non-HSI [Atlanta Life Insurance Company – Fulton County]

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Reply To:

Response and Remediation Program
2 Martin Luther King, Jr. Drive, S.E.
Suite 1462, East Tower
Atlanta, Georgia 30334-9000
Office 404/657-8600 Fax 404-657-0807

Mark Williams, Commissioner
Environmental Protection Division
Judson H. Turner, Director
Land Protection Branch
Keith M. Bentley, Chief

August 30, 2012

2181 Sylvan Road Associates
c/o Moe Abourched
13636 Ventura Blvd. #461
Sherman Oaks, CA 91423

Re: HSRA Release Notification
WingFoot Commercial Tire Systems
2181 Sylvan Road
East Point, Fulton County, Georgia

Dear Mr. Abourched:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated November 9, 2011 with supplemental information dated October 31, 2011, April 2012, and August 20, 2012, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, nonresidential use, with the nearest drinking water well located greater than one mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-19-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Antonia Beavers of the Response and Remediation Program at (404) 657-8600.

Sincerely,



Jason Metzger
Unit Coordinator
Response and Remediation Program

c: Bondurant Mixson & Elmore LLP, Michael Caplan
Newfields, James Henderson (w/o attachments)
Encl.: Trip Report/RQSM Score Sheet/Recommendation Memo
File: Non-HSI (WingFoot Commercial Tire Systems, Fulton County)