ENVIRONMENTAL PROTECTION DIVISION PUBLIC ADVISORY WATERSHED PROTECTION BRANCH

September 24, 2015	<u>Newnan/</u>
Advisory Issue Date	City/County
October 26, 2015	BV-038-15-02
Advisory Close Date	Control Number

North Hills Subdivision
Activity

This <u>advisory</u> is issued to inform the public of a receipt of an <u>Application for a variance</u> submitted pursuant to a state environmental Law. The public is invited to <u>comment</u> during the <u>30</u>-day <u>period</u> on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. <u>Written comments</u> should be <u>submitted</u> to: <u>Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive, S.W., Suite 1456, Atlanta, Georgia 30334.</u>

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: H

Description and Location of Proposed Activity:

The project involves buffer encroachments necessary to construct roadways, sidewalks, greenspace and a stormwater management facility associated with a new single family residential development. The project site is located west of U.S. Highway 29 and east of Old Atlanta Highway in the City of Newnan and will require permanent impacts (pipe/fill) to 50 linear feet of buffer along an unnamed tributary to Wahoo Creek.

Name and Address of Permit Applicant:

Mr. David G. Reynolds
75 Dixon Street
Newnan, Georgia 30263

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact: Michael Berry, Environmental Specialist

EPD, Watershed Protection Branch

NonPoint Source Program

2 Martin Luther King Jr. Drive, S.W., Suite 1456

Atlanta, Georgia 30334 Telephone: 404/651-8554 FAX: 404/651-8544