

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

December 15, 2016
Notice Issue Date

City of Sandy Springs
City/County

January 16, 2017
Notice Close Date

BV-060-16-16
Control Number

Dunwoody Country Club-Streambank Stabilization & Access for Dredging
Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are immediately available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Jarell Singleton at (404) 463-2382 or e-mail jarell.singleton@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact a total of 729 linear feet (14,972 ft²) of stream buffer along an impoundment of an unnamed tributary to the Chattahoochee River to grade the streambanks, provide access for dredging activities to restore the pond to its original storage capacity and restore the streambanks to the pre-existing conditions as much as practicable for the site. The activities will take place at the Dunwoody Country Club golf course between the tee box of hole #2 and the fairway along #4. The golf course is located at the Dunwoody Country Club of Atlanta at 1600 Country Club Drive.

Name and Address of Permit Applicant:

Mr. Jon Knobbe
Dunwoody Country Club of Atlanta
1600 Country Club Drive
Atlanta, Georgia 30350

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

**Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
2 MLK Jr., Dr., SW
Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404/651-8549 FAX: 404/651-8455**