

CATEGORICAL EXCLUSION DETERMINATION

Automated Metering Infrastructure
City of Cairo (WSID# GA1310000)
Grady County, Georgia
DWSRF 16-009

The Georgia Environmental Protection Division (EPD) has conducted a review of the above subject project in accordance with the State's Environmental Review Process (SERP) for Drinking Water State Revolving Fund (DWSRF) projects. The EPD has determined that this project is eligible for a categorical exclusion. Accordingly, the EPD is exempting the project from further substantive environmental review requirements under Georgia's SERP.

The proposed DWSRF project entails installing a fixed base meter reading system, installation of approximately 925 Radio Road Meters, retrofitting approximately 3266 of existing Touch Road meters, software and hardware to operate the new system within the City limits of Cairo, GA. It is anticipated that usage will be more accurately measured, and the city will be more efficient with resources by using less time to read meters.

This project is eligible for a categorical exclusion because it meets the following specific criteria, outlined in the DWSRF SERP: Replacement of existing water lines, valves, hydrants, and appurtenances in existing right of ways for streets or utilities to serve existing customers, as well as modest growth (less than 10%) within existing service area resulting in no change in existing land use. Furthermore:

- The project will not require issuance of a new or modification of an existing ground water or surface water withdrawal permit;
- The project is not known or expected to have a significant adverse effect on the quality of the human environment, either individually, cumulatively over time, or in conjunction with other Federal, State, local or private actions;
- The project is not known or expected to directly or indirectly have a significant adverse effect on: or threatened species; or environmentally important natural resource areas, such as floodplains, wetlands, important farmlands or aquifer recharge areas; and cultural resource areas, such as archaeological and historic sites; habitats of endangered
- The action is cost-effective and is not expected to cause significant public controversy.

This determination shall become effective after thirty (30) days following its distribution by EPD and can be revoked if significant adverse information is made available. The documentation to support this decision is on file with the Georgia Environmental Protection Division and is available for public scrutiny upon request. A copy of the proposed project documentation is also available for review at the City Hall in Cairo, Georgia.

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit written comments, within thirty (30) days of the publish date of this notice to:

Georgia Environmental Protection Division
Lynn C. Ellis, Environmental Engineer
Drinking Water Permitting and Engineering Program
2 Martin Luther King, Jr. Drive, SE - Suite 1362 East
Atlanta, Georgia 30334-9000

After evaluating the comments received, EPD will make a final decision regarding approval of the project planning documents. No administrative action will be taken on the project for thirty (30) calendar days after publication of this Notice in a local newspaper that serves the Cairo area.

Publish Date: _____



Kirk Chase, Program Manager
Watershed Protection Branch Permitting Unit
Georgia Environmental Protection Division