

CATEGORICAL EXCLUSION DETERMINATION

Webster County Consolidated Government

City of Weston (WSID# GA3070001)

Webster County, Georgia

DWSRF 15-026

The Georgia Environmental Protection Division (EPD) has conducted a review of the above subject project in accordance with the State's Environmental Review Process (SERP) for Drinking Water State Revolving Fund (DWSRF) projects. The EPD has determined that this project is eligible for a categorical exclusion. Accordingly, the EPD is exempting the project from further substantive environmental review requirements under Georgia's SERP.

The proposed DWSRF project will include the rehabilitation of an existing well that has not been used for approximately 10 years to serve as a redundant water supply for the Weston distribution system. The work will include replacement of discharge piping, valves, treatment equipment, electrical upgrades, well building upgrades, telemetry equipment, and fencing for security purposes. This will provide improved water quality for the City of Weston.

This project is eligible for a categorical exclusion because it meets the following specific criteria, outlined in the DWSRF SERP: Replacement of existing waterlines and treatment improvements to serve customers. Furthermore:

- The project will not require issuance of a new or modification of an existing ground water or surface water withdrawal permit;
- The project is not known or expected to have a significant adverse effect on the quality of the human environment, either individually, cumulatively over time, or in conjunction with other Federal, State, local or private actions;
- The project is not known or expected to directly or indirectly have a significant adverse effect on: or threatened species; or environmentally important natural resource areas, such as floodplains, wetlands, important farmlands or aquifer recharge areas; and cultural resource areas, such as archaeological and historic sites; habitats of endangered
- The action is cost-effective and is not expected to cause significant public controversy.

This determination shall become effective after thirty (30) days following its distribution by EPD and can be revoked if significant adverse information is made available. The documentation to support this decision is on file with the Georgia Environmental Protection Division and is available for public scrutiny upon request. A copy of the proposed project documentation is also available for review at the City Hall in Weston, Georgia.

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit written comments, within thirty (30) days of the publish date of this notice to:

Georgia Environmental Protection Division
Lynn C. Ellis, Environmental Engineer
Drinking Water Permitting and Engineering Program
2 Martin Luther King, Jr. Drive, SE - Suite 1362 East
Atlanta, Georgia 30334-9000

After evaluating the comments received, EPD will make a final decision regarding approval of the project planning documents. No administrative action will be taken on the project for thirty (30) calendar days after publication of this Notice in a local newspaper that serves the Weston area.

Publish Date: _____



Kirk Chase, Program Manager
Watershed Protection Branch Permitting Unit
Georgia Environmental Protection Division