

Process Material Types

- 1,1,1-Trichloroethane
- 1,2,4-Trichlorobenzene
- 1,4-Butanediol
- 1,4-Dioxane
- 100% Sulfur
- 100% Sulfuric Acid
- 1-Butene
- 1-Pentene
- 2,4-Dichlorophenol
- 2-Butene
- 3/4-inch Medium Density Fiberboard
- 3/4-inch Particleboard
- 3/8-inch Oriented Strand Board
- 3/8-inch Plywood
- 37% Formaldehyde Solution
- Abrasive
- ABS Polymer
- Acetaldehyde
- Acetic Acid
- Acetic Anhydride
- Acetone
- Acetonitrile
- Acetylene
- Acid
- Acrolein
- Acrylic Acid
- Acrylic Esters
- Acrylonitrile
- Adhesive
- Adipic Acid
- Adipic Acid (Soln)
- Adiponitrile
- Aerosol
- Agent
- Air-Dried Bleached Pulp
- Air-Dried Unbleached Pulp
- Alcohol
- Aldehyde
- Alkane
- Alkene
- Alkyne
- Alloy
- Allyl Alcohol
- Allyl Chloride
- Alumina
- Aluminum
- Amine
- Ammonia
- Ammonium Bicarbonate
- Ammonium Nitrate
- Ammonium Sulfate
- Anhydride
- Anhydrous Ammonia
- Anhydrous Hydrazine
- Aniline
- Anthracite
- Anthracite Culm
- Appliance
- Aqueous Ammonia
- Area
- Area Pesticide Applied
- Area Sludge Applied
- Aromatic
- Asbestos
- Ash
- Asphalt
- Asphalt Shingles/Rolls
- Asphaltic Concrete
- Average Airflow
- Bagasse
- Bark
- Batch of Bottles
- Batteries
- Bauxite Material
- Beaded Glass
- Beans
- Beer
- Bentonite
- Benzene
- Benzyl Chloride
- Bituminous Coal
- Bituminous/Subbituminous Coal
- Black Liquor Solids
- Blast
- Board
- Boat
- Body
- Bottles
- Bread
- Brick
- Bulldozer
- Bullion
- Butadiene
- Butane
- Butyl Acetate
- Butyl Acrylate
- Butyl Carbitol
- Butyl Cellosolve
- Cans
- Caprolactum (Soln)
- Carbitol
- Carbon Black
- Carbon Dioxide
- Carbon Disulfide
- Carbon Monoxide
- Carbon Tetrachloride
- Carboxylic Acid
- Carpet
- Casein
- Cast Pipe
- Castings
- Catalyst
- Cellosolve
- Cement
- Cereal
- Charcoal
- Charge
- Chicken
- Chips
- Chlorine
- Chloroacetic Acid
- Chlorobenzene
- Chlorofluorocarbon 12/11
- Chloroform
- Chloroprene
- Chlorosolve

Process Material Types

- Chromic Acid
- Circuit Boards
- Clay
- Clinker
- Clothes
- Coal
- Coal Storage Area
- Coal Tar
- Coating
- Coating Line
- Coating Material
- Coating Mix
- Coke
- Coke Oven Gas
- Coke Oven or Blast Furnace Gas
- Coke-Free Charge
- Cold Cleaner
- Concentrate
- Concentrated Ore
- Concrete
- Condensate
- Construction Activity
- Containers
- Coolant
- Cooling Water
- Copper Sulfate
- Core Oil
- Cores
- Corn
- Corn Gluten Feed
- Corn Gluten Meal
- Cotton
- Cottonseed
- Creosote
- Cresol
- Crops
- Crude Gypsum
- Crude Oil
- Crude Ore
- Crude Terephthalic Acid
- Crushed Stone
- Cullet
- Cumene
- Current
- Cyclohexane
- Cyclohexanol
- Cyclohexanone
- Cyclopentane
- Cyclopentene
- Deadener
- Degreaser
- Dextrose
- Dibenzofuran
- Diesel
- Diesel/Kerosene
- Diethylene Glycol
- Digester Gas
- Diisopropyl Benzene
- Dimethyl Sulfoxide
- Dimethylamine
- Dimethylformamide
- Dipropylene Glycol
- Distillate
- Distillate Oil
- Distillate Oil (Diesel)
- Distillate Oil (No. 1 & 2)
- Distillate Oil (No. 1)
- Distillate Oil (No. 2)
- Distillate Oil (No. 4)
- Dodecene
- Drain
- Dried Beans
- Dried Blood Meal
- Dried Germ
- Dried Grain
- Dried Hulls
- Dried Malt
- Dried Material
- Dried Sludge
- Dried Talc
- Dried Yeast
- Drum
- Dry Material
- Dry NaHCO₃
- Dry Product
- Dry Sawdust
- Dryer Feed
- Dual Fuel (Gas/Oil)
- Dye
- Dyes/Pigments
- EAF Dust
- Electricity
- Electrode
- Employee
- Energy
- Epichlorohydrin
- Equipment
- Ester
- Etching Solution
- Ethane
- Ethanol
- Ethanolamines
- Ether
- Etherene
- Ethyl Acetate
- Ethyl Acrylate
- Ethyl Benzene
- Ethyl Chloride
- Ethyl Ether
- Ethyl Mercaptan
- Ethylbenzene/Styrene
- Ethylene
- Ethylene Dibromide
- Ethylene Dichloride
- Ethylene Dichloride-VC
- Ethylene Glycol
- Ethylene Oxide
- Ethyleneamines
- Ethylenediamine
- Exhaust Gas
- Exposed Area
- Extractor Feed Cake
- Fabric
- Facility
- Feed
- Feed Material
- Fermented Juice
- Fertilizer

Process Material Types

- Fiber
- Field Crops
- Field Weight
- Final Acid
- Finished Pellet
- Finished Product
- Fire
- Fired Ceramic
- Fish
- Fish Meal
- Fish Scrap
- Flange
- Floor Area
- Flue Dust
- Fluorine
- Fluorspar
- Fluosilicic Acid
- Forest Residues
- Forests
- Formaldehyde
- Formalin
- Formic Acid
- Freon
- Fresh Feed
- Fuel
- Gas
- Gasoline
- Glass
- Glaze
- Glycerol
- Glycol
- Glycol Ethers
- Grader
- Grain
- Gravel
- Gray Iron
- Green Beans
- Grit
- Gum Turpentine
- Halogenated Organic
- Hamburger
- Head
- Head of Cattle
- Heat
- Heavy Water
- Heptenes
- Hexachlorobenzene
- Hexamine
- Hole
- Hot Metal
- Hot Mix Asphalt
- Hydrated Lime
- Hydrazine Hydrate
- Hydrochloric Acid
- Hydrofluoric Acid
- Hydrogen
- Hydrogen Chloride
- Hydrogen Cyanide
- Hydrogen Fluoride
- Hydrogen Sulfide
- Ink
- Instant Coffee
- Iron
- Isobutyl Acrylate
- Isobutyl Alcohol
- Isobutylene
- Isobutyl-isobutyrate
- Isobutyraldehyde
- Isocyanate
- Isooctane
- Isopentane
- Isoprene
- Isopropanol
- Isopropyl Acetate
- Item
- Jet A Fuel
- Jet Fuel
- Jet Kerosene
- Jet Naphtha
- Kerosene
- Ketone
- Lamp
- Land
- Landfill
- Landfill Gas
- Landing-Takeoff Cycle
- Landing-Takeoff Cycle - Touch and Go
- Lead
- Lead in Ore
- Lead Oxide
- Lead Product
- Leaves
- Lightning Strike
- Lignite
- Lime
- Limestone
- Linear Alkylbenzene
- Liquid
- Liquid Ammonia
- Liquid Propellant
- Liquid Waste
- Liquified Petroleum Gas (LPG)
- Liquor
- Logs
- Lube Oil
- Lubrication
- Makeup
- Make-Up Solvent
- Maleic Anhydride
- Malt
- Malted Grain
- Material
- MDI
- Meal
- Meat
- Medical Waste
- Mercaptan
- Mercury
- Metal
- Methane
- Methanol
- Methyl Acetate
- Methyl Acrylate
- Methyl Amyl Ketone
- Methyl Carbitol
- Methyl Cellosolve
- Methyl Chloride
- Methyl Ethyl Ketone

Process Material Types

- Methyl Isobutyl Ketone
- Methyl Isocyanate
- Methyl Mercaptan
- Methyl Methacrylate
- Methyl Styrene
- Methylallene
- Methylamine
- Methylene Chloride
- Methyl-tert-Butyl Ether
- Mixing Material
- Molten Aluminum
- Monoethanolamine
- Monomer
- m-Xylene
- Naphtha
- Naphthalene
- Natural Gas
- Natural Gas Liquids
- n-Butyl Alcohol
- n-Butyraldehyde
- n-Decane
- n-Dodecane
- Neoprene
- n-Heptane
- n-Hexane
- Nitric Acid
- Nitrile
- Nitrobenzene
- Nitrocellulose
- Nitrogen
- Nitroglycerin
- Nonylphenol
- n-Pentane
- n-Propyl Acetate
- n-Propyl Alcohol
- o-Cresol
- o-Dichlorobenzene
- Oil
- Olefin
- Orchard Crops
- Orchard Heater
- Ore
- Oven-dried Wood
- Overburden
- o-Xylene
- P2O5
- Paint
- Paper
- Particleboard
- Parts
- p-Cresol
- p-Dichlorobenzene
- Peanuts
- Pellets
- Pentachlorophenol
- Pentadecane
- Perc & Carbon Tetrachloride
- Perc & Trichloroethylene
- Perchloroethylene
- Perchloromethyl Mercaptan
- Person
- Petroleum Distillate
- Petroleum Liquid
- Phenol
- Phosgene
- Phosphate
- Phosphate Rock
- Phosphoric Acid
- Phosphorous
- Photoresist
- Phthalic Anhydride
- Pieces
- Pig Iron
- Pigment
- Pipe
- Pipeline
- Piperylene
- Plastic
- Polychlorinated biphenyls
- Polycyclic organic matter
- Polyester/Alkyd Resin
- Polyethylene Glycol
- Polyvinyl Chloride
- Potassium Chloride
- Pressed Wet Pulp
- Primer
- Printing Line
- Process Gas
- Process Unit
- Produced Water
- Product
- Product Surface Area
- Propane
- Propane/Butane
- Propionaldehyde
- Propionic Acid
- Propylene
- Propylene Glycol
- Propylene Oxide
- Pulp
- Pure Acid
- Pure Solvent
- p-Xylene
- Raw Beets
- Raw Coke
- Raw Fish
- Raw Juice
- Raw Material
- Raw Seed
- Rayon
- Reclaimed Solvent
- Refined Oil
- Refinery Crude Feed
- Refinery Feed
- Refinery Gas
- Refuse
- Refuse Derived Fuel
- Regenerated Adsorbent
- Residual Oil
- Residual Oil (No. 5)
- Residual Oil (No. 6)
- Residual/Crude Oil
- Residues/Skimmings
- Resin
- Resin or Wax
- Rock
- Salt
- Sand
- Saturated Felt

Process Material Types

- Sawdust
- Scrap
- Scraper
- Seal
- Sealer
- sec-Butyl Alcohol
- Sewage Grease Skimmings
- Shingles
- Shot
- Silicomanganese
- Sinter
- Slab Zinc
- Slag
- Slip
- Sludge
- Sodium Bicarbonate
- Sodium Carbonate
- Soil
- Solid Propellant
- Solid Waste
- Solution
- Solvent
- Solvent in Coating
- Solvent in Drawing Compound
- Solvent in Ink
- Solvent/Water
- Solvents: All
- Solvents: NEC
- Sour Gas
- Soybean Meal
- Soybeans
- Special Naphthas
- Specialty Chemical
- Specialty Steel
- Sprayed Metal
- Starch
- Starting Monomer
- Steam
- Steel
- Stock
- Stone
- Storage Area
- Storage Pile
- Storage Tank
- Styrene
- Styrene-Butadiene Rubber
- Subbituminous Coal
- Sugar
- Sulfur
- Sulfur Dioxide
- Sulfuric Acid
- Sump Area
- Surface Area
- Syrup
- Talc
- Tank Car
- Tank Truck
- tert-Butyl Alcohol
- Tetrahydrofuran
- Thick Juice
- Thin Juice
- Thinned Resin
- Thinning Solvent
- Tile
- Tin
- Tires
- TNT
- Toluene
- Toluene Diisocyanate
- Toner
- Topsoil
- Total Cargo Capacity
- Trichloroethylene
- Trichlorotrifluoroethane
- Triethylene Glycol
- Trimethylamine
- Turpentine
- Unit
- Urea
- Vacuum Feed
- Valve
- Varnish
- Vegetation
- Vehicle
- Vine Crops
- Vinyl Acetate
- Vinyl Chloride
- Vinylidene Chloride
- VOCs
- Waferboard
- Wafers
- Wafers/Chips
- Waste
- Waste Acid
- Waste Gas
- Waste Liquid
- Waste Material
- Waste Oil
- Wastewater
- Water
- Wax
- Weeds
- Welding Rod
- Well
- Wet Coal
- Wet Mixed Slurry
- Whiskey
- Wine
- Wood
- Wood Refuse
- Wood Waste
- Wood/Bark
- Wood/Vegetation/Leaves
- Work
- X-Ray
- Xylene
- Xylenes (Mixed)
- Xylol
- Yeast
- Yeast from F4
- Yeast from F5
- Yeast from F6
- Yeast from F7
- Zinc
- Zinc Ore
- Zinc Oxide