(may be used as cleanup standards at the site based on property use)

	T	ī	(may be used as cleanup standards	at the site based on prope	erty use)			- I
			Residential RRS			Non-Residentia	IRRS	3
Substance (See Comment 5 of the EPD letter			Applicable to entire vadose zone [Higher					Entire Vadose Zone
to which this table is attached.)			Value of Type 1 and 2 RRS/ Referred to as Type 2 RRS on Revised Table 8 (second	0-2 feet (highest value of		>2 feet (Highest value of	ĺ	[lower value of the 0-2 ft and >2 ft non-residential RRS; referred to as Type 4 RRS on revised Table
	CAS #*	Units	revision) of the VIRP]	Type 3 and Type 4 RRS)	and	Type 3 and Type 4 RRS)	or	8 (second revision) of the VIRP]
Volatile Organic Compounds								
Acetone	67-64-1	mg/kg	400	400	and	400	or	400
Acetonitrile	75-05-8	mg/kg	20	20	and	20	or	20
Acetophenone	98-86-2	mg/kg	400	400	and	400	or	400
Acrolein	107-02-8	mg/kg	0.1	0.1	and	70	or	0.1
Benzene	71-43-2	mg/kg	0.5	0.5	and	0.5	or	0.5
1,1'-Biphenyl	92-52-4	mg/kg	1	1	and	1	or	1
Carbon Disulfide	75-15-0	mg/kg	400	400	and	400	or	400
Chlorobenzene	108-90-7 764-41-0	mg/kg	10 0.11	10 0.1	and	10	or	10
1,4-Dichloro-2-butene ^{1,10} trans-1,4-Dichloro-2-butene ¹	110-57-6	mg/kg mg/kg	0.11	0.14	and and	0.1	or or	0.1 0.14
1,2-Dichloropropane	78-87-5	mg/kg	0.5	0.50	and	0.50	or	0.50
Ethylbenzene	100-41-4	mg/kg	70	70	and	70	or	70.00
Ethyl Methacrylate	97-63-2	mg/kg	300	300	and	300	or	300
Isobutyl Alcohol	78-83-1	mg/kg	1000	1000	and	1000	or	1000
Methyl Ethyl Ketone	78-93-3	mg/kg	200	200	and	200	or	200
Methyl Isobutyl Ketone	108-10-1	mg/kg	200	200	and	200	or	200
Styrene	100-42-5	mg/kg	14	14	and	14	or	14
Tetrachloroethene	127-18-4 108-88-3	mg/kg	0.5 100	0.50 100	and	0.50	or or	0.50 100
Toluene Total Xylenes ¹	1330-20-7	mg/kg mg/kg	100	1000	and and	1000	or or	1000
m-Xylene ^{1,3}	108-38-3	mg/kg	20	20	and	20	or	20
o-Xylene ¹	95-47-6	mg/kg	20	20	and	20	or	20
p-Xylene ^{1,3}	106-42-3	mg/kg	20	20	and	20	or	20
Semi-Volatile Organic Compounds (excluding	ng Polynuclear Ar	omatic Hydro	ocarbons)					
Aniline	62-53-3	mg/kg	2	2.00	and	2.00	or	2.00
Bis(2-ethylhexyl)phathalate	117-81-7	mg/kg	50	50	and	50	or	50
Butyl Benzyl Phthlate	85-68-7	mg/kg	50	218.54	and	218.54	or	218.54
Total Cresols ¹	1319-77-3	mg/kg	3.8	8.1	and	8.1	or	8.1
m-Cresol ^{1,3}	108-39-4	mg/kg	3.8	4.1	and	4.1	or	4.1
o-Cresol ¹	95-48-7	mg/kg	3.8	4.1	and	4.1	or	4.1
p-Cresol ^{1,3}	106-44-5	mg/kg	3.8	8	and	8	or	8
Dibenzofuran	132-64-9	mg/kg	1 70	1.9	and	1.9	or	1.9
2,4-Dimethylphenol m-Dinitrobenzene	105-67-9 99-65-0	mg/kg	70 1.05	70 1.05	and	70 1.05	or or	70 1.05
m-Dinitropenzene Di-n-octyl Phthalate	99-65-0 117-84-0	mg/kg mg/kg	70	1.05 70	and and	70	or or	1.05 70
1,4-Dioxane	123-91-1	mg/kg	7	7	and	7	or	7
Formaldehyde	50-00-0	mg/kg	100	100	and	100	or	100
Ni-Nitroso-di-N-butylamine	924-16-3	mg/kg	1	1.00	and	1.00	or	1.00
N-Nitrosomethylethylamine	10595-95-6	mg/kg	0.68	1.00	and	1.00	or	1.00
Semi-Volatile Organic Compounds (Polynu								
Acenaphthene	83-32-9	mg/kg	300	300	and	300	or	300
Acenaphthylene	208-96-8		130	130	and and	130	or	130
Anthracene	120-12-7	mg/kg mg/kg	500	1009	and	1009	or	1009
Benz[a]anthacene	56-55-3	mg/kg	5	5	and	5	or	5
Benzo[a]pyrene	50-33-8	mg/kg	1.64	1.64	and	1.64	or	1.64
Benzo[b]fluoranthene	205-99-2	mg/kg	5	5	and	5	or	5
Benzo[g,h,i]perylene	191-24-2	mg/kg	500	500	and	500	or	500
Benzo(k)fluoranthene	207-08-9	mg/kg	13.7	46	and	46	or	46
Chrysene	218-01-9	mg/kg	43	141	and	142	or	141
Dibenz[a,h]anthracene	53-70-3	mg/kg	2	5	and	5	or	5
Fluoranthene	206-44-0	mg/kg	500	500	and	500	or	500
Fluorene Indeno(1,2,3-cd)pyrene	86-73-7 193-39-5	mg/kg mg/kg	360 5	360 15	and and	360 15	or or	360 15
Naphthalene	91-20-3	mg/kg	100	100	and	100	or	100
Phenanthrene	85-01-8	mg/kg	110	110	and	110	or	110
Pyrene	129-00-0	mg/kg	500	500	and	500	or	500
Dioxins, Chlorinated Dibenzofurans, and Dioxins	oxin-Like PCBs							
2,3,7,8-TCDD ⁶	1746-01-6	mg/kg	1.15E-04	4.40E-04	and	4.98E-03	or	4.40E-04
Pesticides								
Endrin	72-20-8	mg/kg	10	10	and	10	or	10
Endrin aldehyde	7421-93-4	mg/kg	10	10	and	10	or	10
DDT	50-29-3	mg/kg	0.84	2.8	and	3	or	2.8
Methoxychlor	72-43-5	mg/kg	10	28	and	28	or	28
Parathion	56-38-2	mg/kg	20	20	and	20	or	20
Polychlorinated Biphenyls (PCBs)		-	c					·
Total PCBs ^{4,8}	1336-36-3	mg/kg	1.55	1.55	and	1.55	or	1.55
Aroclor 1254 ^{4,8}	11097-69-1	mg/kg	1.55	1.55	and	1.55	or	1.55
Aroclor 1260 ^{4,8} Inorganics and Hazardous Waste Characteri	11096-82-5	mg/kg	1.55	1.55	and	1.55	or	1.55
Ammonia	7664-41-7	mg/kg	3000	3000	and	3000	or	3000
, annonia	, ou-r-+ 1=1	111g/kg %	1	1	unu	1	JI.	1
Asbestos ⁵	1332-21-4	or	or	or	and	or	or	or
		ppm	10,000	10,000	-	10,000	Ī	10,000
Fluoride ⁷	16984-48-8	mg/kg	NA	NA	and	NA	or	NA
pH ⁹	NA	SU	≥2 and ≤12.5	≥2 and ≤12.5	and	≥2 and ≤12.5	or	<u>></u> 2 and <u><</u> 12.5
Notes:								
Shading	_	Value is differe	ent than those proposed on revised Table 7	of the VIRP. If you have quest	tions regar	ding the source of the value :	shown	n, please contact the EPD compliance officer for the

Shading	=	Value is different than those proposed on revised Table 7 of the VIRP. If you have questions regarding the source of the value shown, please contact the EPD compliance officer for the site.
NA	=	Not applicable. Please see Notation #7 below and Comment 5.b. of the letter to which this table is attached.
1	=	Analytical results for individual isomers must be compared to the standards for the respective isomers and the total substance/mixture.
3	=	Analytical results reported as combined m- and p- isomer concentrations must be compared to the delineation standards for both of the individual isomers.
4	=	PCBs are regulated as Aroclors (mixtures of various PCB homologues/congeners), total PCBs (summation of the concentrations the 197 individual non-dioxin-like PCB congeners), and the individual regulated 12 dioxin-like PCB congeners. Detected concentrations of the dioxin-like PCB congeners should be addressed using the TEF method along with the detected dioxins and chlorinated dibenzofurans.
5	=	See Comment 15.c.iv. of the EPD letter to which this table is attached regarding reporting units and detection limits.
6	=	Summed TEF-adjusted concentrations for detected polychlorinated dioxin, furans, and dioxin-like PCBs in a single sample to be compared to these media standards.
7	=	Referenced anion not regulated in soil. However, parent compound/substance released to soil and/or groundwater may be and subject to delineation and cleanup requirements under the VRP Act. Please see Comments 5.b., 6, and 7.a.iv.5. of the letter to which this table is attached.
8	=	Values shown are consistent with Georgia Hazardous Site Response Rules. However, detections of PCBs in soil or groundwater may be subject to the Federal Toxic Substance Control Act (TSCA) and cleanup standards set forth within it. Participant should contact EPA regarding the applicability of TSCA at this site.
		Based on Hazardous Waste Characteristic as for corrosivity as defined by 40 CFR 261 Subpart C. pH readings must lie within the range shown to be considered to be in compliance with

RRS.

EPD recommends that the participant review the PQLs for this substance since the PQL shown on revised Table 8 (second revision) of the VIRP is less than the PQL for the detected isomer.

(1)	T	tandards at the site based o	on property use)	
			Residential RRS	Non-Residential RRS
Substance (See Comment 5 of the EPD letter to which this table is attached.)	CAS#	Units	Higher Value of Type 1 and 2/ Referred to as Type 2 on Revised Table 8 (second revision) of the VIRP	Higher Value of Type 3 and 4/ Referred to as Type 4 on Revised Table 8 (second revision) of the VIRP
Volatile Organic Compounds	<u> </u>		<u> </u>	
Acetone	67-64-1	mg/L	8	46
Acetonitrile	75-05-8	mg/L	0.2	0.2
Acetophenone	98-86-2	mg/L	4	10
Acrolein Benzene	107-02-8 71-43-2	mg/L mg/L	0.7 0.0054	0.7 0.0087
1,1'-Biphenyl	92-52-4	mg/L	0.004	0.01
Carbon Disulfide	75-15-0	mg/L	4	4
Chlorobenzene	108-90-7	mg/L	0.1	0.14
1,4-Dichloro-2-butene ^{1,10}	764-41-0	mg/L	0.001	0.001
trans-1,4-Dichloro-2-butene ¹	110-57-6	mg/L	0.002	0.002
1,2-Dichloropropane	78-87-5 100-41-4	mg/L	0.005 0.7	0.0074
Ethylbenzene Ethyl Methacrylate	97-63-2	mg/L mg/L	3	0.7 3
Isobutyl Alcohol	78-83-1	mg/L	10	31
Methyl Ethyl Ketone	78-93-3	mg/L	2.3	12
Methyl Isobutyl Ketone	108-10-1	mg/L	2	4.2
Styrene	100-42-5	mg/L	0.5	2.6
Tetrachloroethene	127-18-4	mg/L	0.019	0.098
Toluene	108-88-3	mg/L	1	5.2
Total Xylenes ¹	1330-20-7	mg/L	10	10
m-Xylene ^{1,3}	108-38-3	mg/L	0.058	0.29
o-Xylene ¹	95-47-6	mg/L	0.058	0.29
p-Xylene1, ³	106-42-3	mg/L	0.058	0.29
Semi-Volatile Organic Compounds (excluding Polynuclear A	<u> </u>	T		
Aniline	62-53-3	mg/L	0.11	0.5
Bis(2-ethylhexyl)phathalate	117-81-7	mg/L	0.061	0.2
Butyl Benzyl Phthlate	85-68-7	mg/L	3.129	15.061
Total Cresols ¹	1319-77-3	mg/L	1.6	10
m-Cresol ^{1,3}	108-39-4	mg/L	0.78	5.1
o-Cresol ¹	95-48-7	mg/L	0.78	5.1
p-Cresol ^{1,3}	106-44-5	mg/L	1.560	10
Dibenzofuran	132-64-9	mg/L	0.016	0.01
2,4-Dimethylphenol	105-67-9	mg/L	0.7	2
m-Dinitrobenzene	99-65-0	mg/L	0.01	0.01
Di-n-octyl-phthalate	117-84-0	mg/L	0.7	0.7
1,4-Dioxane	123-91-1	mg/L	0.07	0.07
Formaldehyde	50-00-0	mg/L	1	20
Ni-Nitroso-di-N-butylamine	924-16-3	mg/L	0.01	0.01
N-Nitrosomethylethylamine	10595-95-6	mg/L	0.01	0.01
Semi-Volatile Organic Compounds (Polynuclear/Polycyclic		IIIg/L	0.01	0.01
Acenaphthene	83-32-9	ma/l	2	6.1
Acenaphthylene		mg/L		
Anthracene	208-96-8 120-12-7	mg/L mg/L	0.01 4.7	0.01 31
Benz[a]anthacene	56-55-3	mg/L	0.01	0.01
Benzo[a]pyrene	50-32-8	mg/L	0.01	0.01
Benzo[b]fluoranthene	205-99-2	mg/L	0.01	0.01
Benzo{g,h,i]perylene	191-24-2	mg/L	0.01	0.01
Benzo[k]fluoranthene	207-08-9	mg/L	0.012	0.039
Chrysene Disperie blanthyseene	218-01-9	mg/L	0.12	0.04
Dibenz[a,h]anthracene Fluoranthene	53-70-3 206-44-0	mg/L mg/L	0.01 1	0.01 4.1
Fluoranmene	86-73-7	mg/L	1	4.1
Indeno[1,2,3-cd]pyrene	193-39-5	mg/L	0.01	0.01
Naphthalene	91-20-3	mg/L	0.02	0.02
Phenanthrene	85-01-8	mg/L	0.01	0.01
Pyrene	129-00-0	mg/L	1	3.1
Dioxins, Chlorinated Dibenzofurans, and Dioxin-Like PCBs				
2,3,7,8-TCDD ⁶	1746-01-6	mg/L	0.00001	0.00001
Pesticides		<u>*</u>		
Endrin	72-20-8	mg/L	0.0047	0.031
Endrin aldehyde (7421-93-4	mg/L	0.0001	0.0001
DDT	50-29-3	mg/L	0.0025	0.0084
Methoxychlor Porathion	72-43-5 56-38-2	mg/L	0.078 0.2	0.51 0.61
Parathion Polychlorinated Biphenyls	JU-J0-Z	mg/L	U.Z	U.0 I
Total PCBs ^{4,8}	1336-36-3	mg/L	0.0005	0.0014
Aroclor 1254 ^{4,8}	11097-69-1	mg/L	0.0005	0.0014
Aroclor 1260 ^{4,8}	11096-82-5	mg/L	0.0005	0.0014
Inorganics				
Ammonia	7664-41-7	mg/L	30	30
Asbestos ⁵	1332-21-4	million fibers/L (MFL)	7 4	7 4.1
Fluoride	16984-48-8	mg/L	4 <u>></u> 2 and <u><</u> 12.5	4.1 <u>></u> 2 and <u><</u> 12.5
pH ⁹	NA	SU	<u>-</u> ∠ and <u>-</u> 12.3	<u>-</u> Z anu <u>-</u> 12.0
Notes:				

Shading	=	Value is diff
4	_	Analytical r

Value is different than those proposed on revised Table 7 of the VIRP. If you have questions regarding the source of the value shown, please contact the EPD compliance officer for the site.

Analytical results for individual isomers must be compared to the standards for the respective isomers and the total substance/mixture

Analytical results reported as combined m- and p- isomer concentrations must be compared to the delineation standards for both of the individual isomers.

PCBs are regulated as Aroclors (mixtures of various PCB homologues/congeners), total PCBs (summation of the concentrations the 197 individual non-dioxin-like PCB congeners), and the individual regulated 12 dioxin-like PCB congeners. Detected concentrations of the dioxin-like PCB congeners should be addressed using the TEF method along with the detected dioxins and chlorinated dibenzofurans.

= See Comment 15.c.iv. of the EPD letter to which this table is attached regarding reporting units and detection limits.

Summed TEF-adjusted concentrations for detected polychlorinated dioxin, furans, and dioxin-like PCBs in a single sample to be compared to these media standards.

Values shown are consistent with Georgia Hazardous Site Response Rules. However, detections of PCBs in soil or groundwater may be subject to the Federal Toxic Substance Control Act (TSCA) and cleanup standards set forth within

it. Participant should contact EPA regarding the applicability of TSCA at this site.

Based on Hazardous Waste Characteristic as for corrosivity as defined by 40 CFR 261 Subpart C. pH readings must

e lie within the range shown to be considered to be in compliance with RRS.

EPD recommends that the participant review the PQLs for this substance since the PQL shown on revisedTable 8 (second revision) of the VIRP is less than the PQL for the detected isomer.

Table I: Acceptable Soil and Groundwater Type 1 RRS

(<u>May</u> be used as contaminant delineation standards at the VRP participating properties.

Naturally-occuring background concentrations are the applicable delineation standards for non-participating properties

ubstance (See Comment 5 of the EPD letter		Acceptable Type 1 RRS			
which this table is attached.)	CAS#	Groundwater	Soil		
olatile Organic Compounds					
cetone	67-64-1	4 mg/L	400 mg/kg		
cetonitrile	75-05-8 98-86-2	0.2 mg/L	20 mg/kg 400 mg/kg		
cetophenone crolein	107-02-8	4 mg/L 0.7 mg/L	400 mg/kg 0.1 mg/kg		
enzene	71-43-2	0.005 mg/L	0.5 mg/kg		
1'-Biphenyl	92-52-4	0.01 mg/L	1 mg/kg		
arbon Disulfide	75-15-0	4 mg/L	400 mg/kg		
hlorobenzene	108-90-7	0.1 mg/L	10 mg/kg		
4-Dichloro-2-butene ^{1,10}	764-41-0	0.001 mg/L	0.11 mg/kg		
ans-1,4-Dichloro-2-butene ¹ 2-Dichloropropane	110-57-6 78-87-5	0.002 mg/L 0.005 mg/L	0.113 mg/kg 0.5 mg/kg		
z-Dichloropropane thylbenzene	100-41-4	0.005 Hig/L 0.7 mg/L	70 mg/kg		
thyl Methacrylate	97-63-2	3 mg/L	300 mg/kg		
obutyl Alcohol	78-83-1	10 mg/L	1000 mg/kg		
ethyl Ethyl Ketone	78-93-3	2 mg/L	200 mg/kg		
ethyl Isobutyl Ketone	108-10-1	2 mg/L	200 mg/kg		
tyrene	100-42-5	0.1 mg/L	14 mg/kg		
etrachloroethene	127-18-4	0.005 mg/L	0.5 mg/kg		
bluene	108-88-3	1 mg/L	100 mg/kg		
otal Xylenes ¹	1330-20-7	10 mg/L	1000 mg/kg		
-Xylene ^{1,3}	108-38-3	0.001 (0.002) mg/L ²	20 mg/kg		
-Xylene ¹	95-47-6	0.001 mg/L	20 mg/kg		
Xylene 1,3	106-42-3	0.001 (0.002) mg/L ²	20 mg/kg		
emi-Volatile Organic Compounds (excluding					
niline	62-53-3 117-81-7	0.02 mg/L	2 mg/kg		
is(2-ethylhexyl)phathalate utyl Benzyl Phthlate	117-81-7 85-68-7	0.01 mg/L 0.1 mg/L	50 mg/kg 50 mg/kg		
otal Cresols ¹	1319-77-3	0.1 mg/L 0.01 mg/L	3.8 mg/kg		
-Cresol ^{1,3}	108-39-4	0.01 mg/L	3.8 mg/kg		
-Cresol ¹	95-48-7	0.01 mg/L	3.8 mg/kg		
·Cresol ^{1,3}	106-44-5	0.01 mg/L	3.8 mg/kg		
ibenzofuran	132-64-9	0.01 mg/L	1 mg/kg		
4-Dimethylphenol	105-67-9	0.7 mg/L	70 mg/kg		
-Dinitrobenzene	99-65-0	0.01 mg/L	1.05 mg/kg		
i-n-octyl-phthalate	117-84-0	0.7 mg/L	70 mg/kg		
4-Dioxane	123-91-1	0.07 mg/L	7 mg/kg		
ormaldehyde	50-00-0	1 mg/L	100 mg/kg		
-Nitroso-di-N-butylamine	924-16-3	0.01 mg/L	1 mg/kg		
-Nitrosomethylethylamine	10595-95-6	0.01 mg/L	0.68 mg/kg		
emi-Volatile Organic Compounds (Polynucle					
cenaphthene	83-32-9	2 mg/L	300 mg/kg		
cenaphthylene	208-96-8	0.01 mg/L	130 mg/kg		
nthracene	120-12-7	0.01 mg/L	500 mg/kg		
enz[a]anthacene enzo[a]pyrene	56-55-3 50-32-8	0.01 mg/L 0.01 mg/L	5 mg/kg 1.64 mg/kg		
enzo[a]pyrene enzo[b]fluoranthene	205-99-2	0.01 mg/L	5 mg/kg		
enzo(g,h,i)perylene	191-24-2	0.01 mg/L	500 mg/kg		
enzo[k]fluoranthene	207-08-9	0.01 mg/L	5 mg/kg		
nrysene	218-01-9	0.01 mg/L	5 mg/kg		
benz[a,h]anthracene	53-70-3	0.01 mg/L	2 mg/kg		
uoranthene	206-44-0	1 mg/L	500 mg/kg		
uorene	86-73-7	1 mg/L	360 mg/kg		
deno[1,2,3-cd]pyrene	193-39-5 91-20-3	0.01 mg/L 0.02 mg/L	5 mg/kg 100 mg/kg		
apritrialene henanthrene	85-01-8	0.02 mg/L 0.01 mg/L	110 mg/kg		
rene	129-00-0	1 mg/L	500 mg/kg		
oxins, Chlorinated Dibenzofurans, and Dioxi		·			
3,7,8-TCDD ⁶	1746-01-6	0.00001 mg/L	0.000115 mg/kg		
esticides	10 01 0		S. S. S. Ho Highly		
ndrin	72-20-8	0.002 mg/L	10 mg/kg		
ndrin aldehyde	7421-93-4	0.0001 mg/L	10 mg/kg		
DT	50-29-3	0.0001 mg/L	0.66 mg/kg		
ethoxychlor	72-43-5	0.04 mg/L	10 mg/kg		
arathion	56-38-2	0.2 mg/L	20 mg/kg		
olychlorinated Biphenyls (PCBs)	4000.00.0	0.000	1 :		
otal PCBs ^{4,8}	1336-36-3	0.0005 mg/L	1.55 mg/kg		
oclor 1254 ^{4,8}	11097-69-1	0.0005 mg/L	1.55 mg/kg		
oclor 1260 ^{4,8}	11096-82-5	0.0005 mg/L	1.55 mg/kg		
organics					
nmonia	7664-41-7	30 mg/L	3000 mg/kg		
sbestos ⁵	1332-21-4	7 million Shore II (MEL)	1 %		
SUESIUS	1332-21-4	7 million fibers/L (MFL)	or 10,000 ppm		
	16984-48-8	4 mg/L	NA		
uoride ⁷					
uoride ⁷		ů	>2 and <12.5 SU		
19	NA NA	≥2 and ≤12.5 SU	≥2 and ≤12.5 SU		
uoride ⁷ 1 ⁹ otes:	NA	ů			

Shading	=	please contact the EPD compliance officer for the site.
NA	=	Not applicable. Please see Notation #7 below and Comment 5.b. of the letter to which this table is attached.
1	=	Analytical results for individual isomers must be compared to the standards for the respective isomers and the total substance/mixture.
2	=	The applicable groundwater delineation standard for this individual isomer is 0.001 if analytical results are reported as the individual isomers. If m- and p- isomer concentrations are only reported as combined isomer concentrations, the delineation standard defaults to the detection limit/PQL of 0.002 as proposed on revised Table 8 (second revision of the VIRP).
3	=	Analytical results reported as combined m- and p- isomer concentrations must be compared to the delineation standards for both of the individual isomers.
4	=	PCBs are regulated as Aroclors (mixtures of various PCB homologues/congeners), total PCBs (summation of the concentrations the 197 individual non-dioxin-like PCB congeners), and the individual regulated 12 dioxin-like PCB congeners. Detected concentrations of the dioxin-like PCB congeners should be addressed using the TEF method along with the detected dioxins and chlorinated dibenzofurans.
5	=	See Comment 15.c.iv. of the EPD letter to which this table is attached regarding reporting units and detection limits.
6	=	Summed TEF-adjusted concentrations for detected polychlorinated dioxin, furans, and dioxin-like PCBs in a single sample to be compared to these media standards.
7	=	Referenced anion not regulated in soil. However, parent compound/substance released to soil and/or groundwater may be and subject to delineation and cleanup requirements under the VRP Act. Please see Comments 5.b., 6, and 7.a.iv.5. of the letter to which this table is attached
8	Ξ	Values shown are consistent with Georgia Hazardous Site Response Rules. However, detections of PCBs in soil or groundwater may be subject to the Federal Toxic Substance Control Act (TSCA) and cleanup standards set forth within it. Participant should contact EPA regarding the applicability of TSCA at this site.
9	=	Based on Hazardous Waste Characteristic as for corrosivity as defined by 40 CFR 261 Subpart C. pH readings must lie within the range shown to be considered to be in compliance with RRS.
10	=	EPD recommends that the participant review the PQLs for this substance since the PQL shown on revisedTable 8 (second revision) of the VIRP is less than the PQL for the detected isomer.