VOLUNTARY INVESTIGATION AND REMEDIATION PLAN

SEMI-ANNUAL PROGRESS REPORT

VOLUNTARY REMEDIATION PROGRAM

Avery Dennison Facility
4350 Avery Drive
Flowery Branch, GA

HSI #10578

June 2013

The Johnson Company

ENVIRONMENTAL SCIENCE AND ENGINEERING SOLUTIONS

PARTNERS FOR SMART THINKING AND CREATIVE STRATEGIES

TABLE OF CONTENTS

1.0 PROFESSIONAL ENGINEER CERTIFICATION 1
2.0 INTRODUCTION 2
3.0 SUMMARY OF THE DECEMBER 2012 (AND FIRST) PROGRESS REPORT 3
4.0 DESCRIPTION OF WORK PERFORMED IN THIS REPORTING PERIOD 4
4.1 POINT OF DEMONSTRATION MONITORING PLAN 4
4.2 NEGOTIATIONS TO ACQUIRE LAND PARCEL FROM WRIGLEY 5
4.3 ACTIVE VAPOR INTRUSION MITIGATION BY SOIL VAPOR EXTRACTION 6
4.4 ACTIVE VAPOR INTRUSION MITIGATION BY MULTIPHASE EXTRACTION (MPE) 8
5.0 NEXT STEPS AND SCHEDULE 11
5.1 ACQUISITION OF THE WRIGLEY PARCEL 11
5.2 CONTINUED OPERATION OF THE MPE SYSTEM IN THE SOUTHERN SOURCE AREA 11
5.3 POD MONITORING AND FATE AND TRANSPORT MODELING 11
5.4 UPDATED MILESTONE SCHEDULE 11
6.0 PROFESSIONAL SERVICE HOURS BY THE CERTIFYING ENGINEER DURING THE REPORTING PERIOD 12

LIST OF FIGURES

Figure 2-1: Location of the Property
Figure 2-2: Parcel Identification Map
Figure 3-1: Parcel to be Acquired from Wrigley Manufacturing Company, LLC
Figure 4-1: Established Zone of RRS Exceedence in Fall 2012 and Point of Demonstration
Figure 4-2: Groundwater and Surface Water VOC and 1,4-Dioxane Results: Spring 2013
Figure 4-3: Soil Vapor Extraction System Performance
Figure 4-4: Groundwater VOC and 1,4-Dioxane Concentrations Before and After SVE Operation
Figure 4-5: System and Piping Layout – MPE System
Figure 4-6: Extraction Well Details
Figure 5-1: Updated Milestone Schedule

LIST OF TABLES

Table 4-1: Summary of Concentrations of VOC and 1,4-Dioxane in Groundwater
Table 4-2: Summary of Concentrations of VOC and 1,4-Dioxane in Surface Water

LIST OF APPENDICES (ON DVD)

Appendix A – Laboratory Analytical Reports: Groundwater and Surface Water
Appendix B – Results of Groundwater and Soil Sampling and Analyses Performed at Request of Wrigley Manufacturing, LLC in March 2013
Appendix C - Example Calculations of Mass Removal by SVE
Appendix D – Laboratory Analytical Reports: Soil Vapor

1.0 PROFESSIONAL ENGINEER CERTIFICATION


I certify under penalty of law that this report and all attachments were prepared by me or under my direct supervision in accordance with the Voluntary Remediation Program Act (O.C.G.A. Section 12-8-101, et seq.). I am a professional engineer/professional geologist who is registered with the Georgia State Board of Registration for Professional Engineers and Land Surveyors/Georgia State Board of Registration for Professional Geologists and I have the necessary experience and am in charge of investigation and remediation of this release of regulated substances.

Furthermore, to document my direct oversight of the Voluntary Remediation Plan development, implementation of corrective action, and long term monitoring, I have attached a monthly summary of hours invoiced and a description of services provided by me to the Voluntary Remediation Program participant since the previous submittal to the Georgia Environmental Protection Division.

The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Joel Behrsing, Georgia PE033869

Signature and Stamp



6/19/2013

2.0 INTRODUCTION

In accordance with the requirements of the Voluntary Remediation Program (VRP), The Johnson Company, Inc. (JCO) has prepared this Voluntary Investigation and Remediation Plan (VIRP) Semiannual Progress Report (Progress Report) on behalf of Avery Dennison Corporation (Avery) for the Avery Dennison Property at 4350 Avery Drive, Flowery Branch, Hall County, Georgia (the Property).

The location of the Property is shown in Figure 2-1, and is identified on Figure 2-2 as Parcel Number 08073 000003D. A portion of the Property is currently listed on the Hazardous Site Inventory, HSI No. 10578, (the Site) for releases of chlorinated compounds in soil and groundwater. A Voluntary Investigation and Remediation Program Application (VIRPA) was submitted to the Georgia Environmental Protection Division (EPD) for the Property on December 23, 2011. On June 5, 2012, EPD approved the VIRPA with comments and entered the Property into the VRP. The first Progress Report was provided to EPD on December 5, 2012 (the December 2012 Progress Report) and, with an updated appendix, on February 22, 2013. This document is the second Progress Report, and describes the activities performed during the reporting period of December 6, 2012 to June 5, 2013.

3.0 SUMMARY OF THE DECEMBER 2012 (AND FIRST) PROGRESS REPORT

Upon approval of the VIRPA on June 5, 2012, the activities that had been identified to be performed at the Site under the VRP were outlined in the following documents:

- VIRPA, dated December 23, 2011;
- EPD VIRPA approval letter dated June 5, 2012; and the
- EPD VIRPA comment letter dated June 5, 2012.

The December 2012 Progress Report provided Avery Dennison's response to the EPD VIRPA comment letter. That detailed response from Avery Dennison included updated Risk Reduction Standards (RRS) for the Site, and a request that EPD provide final approval of those RRS. A response has not yet been received from EPD.

In addition, the first Progress Report provided the following:

- demonstration of complete horizontal and vertical delineation of Site constituents in all applicable media;
- confirmation of an established Financial Assurance Instrument for the Site;
- a progress update of Avery Dennison's ongoing negotiations to acquire a parcel of land from Wrigley Manufacturing, LLC (Wrigley), which, after its acquisition, Avery Dennison will promptly seek to include as an additional qualifying property under the VRP, and which will include all groundwater containing Site constituents at concentrations above Type 1 RRS (see Figure 3-1);
- a progress update of Avery Dennison's active and preemptive voluntary vapor intrusion mitigation efforts in the southern portion of the Site; and
- an updated milestone schedule for activities to be performed under the VRP.

Based on the updated milestone schedule provided in the December 2012 Progress Report, several activities were to be performed in this, the second, reporting period. Those activities, and an update of their status, are provided in Section 4.0.

4.0 DESCRIPTION OF WORK PERFORMED IN THIS REPORTING PERIOD

The activities that have been performed by Avery Dennison, or on Avery Dennison's behalf, from December 6, 2012 through June 5, 2013 (the reporting period) are as follows:

- groundwater and surface water sampling during spring 2013 for analyses of VOC and 1,4-dioxane, and compilation and evaluation of the data to support the Point of Demonstration (POD) monitoring plan presented herein; (*see Section 4.1*);

- extensive interaction with Wrigley as part of Avery Dennison's pending acquisition of the Wrigley parcel (see Section 3.0), and performance of additional groundwater and soil sampling during spring 2013 at the request of Wrigley to support its associated due diligence efforts (*see Section 4.2*);

- continued operation of a soil vapor extraction (SVE) system as an interim voluntary and preemptive engineering control to mitigate potential for vapor intrusion into the Avery Dennison facility (*see Section 4.3*) from the southern source area until the multi-phase extraction (MPE) system was installed in its place; and

- installation and startup of a multi-phase extraction (MPE) in the southern source area (*see Section 4.4*).

4.1 POINT OF DEMONSTRATION MONITORING PLAN

Figure 4-1 shows the zone of exceedence of Type 1 RRS in groundwater that was comprehensively delineated and presented in the December 2012 Progress Report. Figure 4-1 also shows, based on the potentiometric isocontours and the isocontours of maximum concentrations of total VOC in groundwater presented in the December 2012 Progress Report, that the apparent zone of primary contribution of Site constituents to the surface water of the unnamed tributary is proximate to the location of monitoring wells MW-42, MW-54D, BR-21, and BR-21D.[1] These four monitoring wells, which, as a set, vertically span the geologic profile from ground surface to deep bedrock, are thus established herein as the Point of Demonstration

[1] As demonstrated by the comprehensive surface water monitoring data presented in the December 2012 Progress Report, and as further demonstrated by surface water monitoring performed in May 2013 per the methods presented in the March 2010 CSR (see results in Figure 4-2, Table 4-1, Table 4-2, and Appendix A), no exceedences of the current In-Stream Water Quality Criteria (ISWQC), as defined by Georgia Rules & Regulations for Water Quality Control, Chapter 391-3-6.03, have occurred in surface water sampling at the site.

(POD) – see Figure 4-1. The Point of Exposure (POE) is also shown on Figure 4-1, and is herein established at the location of monitoring wells MW-62, BR-22S, and BR-22D, which are outside of the zone of Type 1 RRS exceedence, and located as close as is practicable to the property boundary that will be established for the Additional Qualifying Property to be purchased from Wrigley (see Section 4.2).

As discussed in Section 5.3, a groundwater fate and transport model will be established to predict the future condition at the POD, and that model will be documented in the December 2013 Progress Report. The POD Monitoring Plan will be confirmed after the results of the groundwater fate and transport model are evaluated; however, in the interim, a groundwater/surface water monitoring event will be performed in fall 2013 that will include the following sampling locations:

- all established surface water sampling locations;
- all established streambed groundwater monitoring wells; and
- the POD and POE groundwater monitoring wells.

The methods of sample collection will be as described in the March 2010 Compliance Status Report (CSR), and the samples will be sent to an accredited laboratory for analysis of volatile organic compounds by EPA Method 8260B and 1,4-dioxane by Selective Ion Monitoring (SIM).

4.2 NEGOTIATIONS TO ACQUIRE LAND PARCEL FROM WRIGLEY

On July 30, 2012, Avery and JCO met with Mr. David Brownlee and Mr. Kevin Collins of EPD to provide an update on Avery's activities at the Site. At the meeting, Avery representatives advised EPD of Avery's intent to acquire a parcel of land from Wrigley that would result in the entire area containing Site constituents at concentrations above Type 1 RRS being on land owned by Avery. The dimensions of the parcel were discussed, and EPD concurred that the dimensions of the parcel shown on Figure 3-1 would be suitable for that purpose as an additional qualifying property under the VRP.

Since the July 30, 2012 meeting at EPD, Avery and Wrigley representatives have had extensive discussions concerning the Wrigley parcel, and are now moving toward completion of the transactional documents necessary to finalize the acquisition.[2] Upon completion of the transaction, Avery Dennison will promptly seek to include the acquired parcel as a qualifying property under the VRP.

4.3 ACTIVE VAPOR INTRUSION MITIGATION BY SOIL VAPOR EXTRACTION

As described in the VIRPA, Avery Dennison proactively commenced design and installation of a multi-phase extraction (MPE) system for the southern source area, including a portion of the facility footprint, several months prior to the VIRPA acceptance by EPD. An MPE pilot test was performed, and a *Multiphase Extraction Pilot Test Report* was submitted to EPD in May 2011. The report was also provided as an appendix to the VIRPA. Following successful completion of the pilot test, Avery Dennison began negotiations with the City of Flowery Branch to accept treated groundwater from the MPE system into its Publicly Owned Treatment Works (POTW). Avery Dennison expected that the process, including approvals from City Council, would require several months. Therefore, the subsurface MPE system components, which had already been installed in anticipation of Avery Dennison obtaining a POTW discharge permit, were configured in July 2011 for interim operation as a soil vapor extraction (SVE) system, i.e., vapor extraction without groundwater extraction. The December 2012 Progress Report provided detailed information regarding the SVE system construction, components, and mode of operation.

Operation of the SVE system began on July 14, 2011 and continued until the construction of aboveground components of the MPE system began on April 29, 2013: this represents a period of SVE operation of 655 days, during which the SVE system was operational for more

[2] As a component of the pending transaction, Avery Dennison performed additional soil and groundwater sampling activities at selected locations, and analyzed the soil and groundwater samples for VOC by EPA Method 8260B. No VOC were detected in the samples – see Appendix B – consistent with the updated Site Conceptual Model presented in the December 2012 Progress Report.

than 99 percent of the time. Figure 4-3 shows the cumulative mass removal of Site constituents by the SVE system over time, and the relative molar composition of extracted soil vapor at the four SVE extraction wells that represented approximately 87 percent of the mass extracted from the entire SVE well array. The data presented in Figure 4-3 are derived from laboratory EPA Method TO-15 analyses of monthly vapor samples collected from each SVE extraction well, and individual measurements of air flow from each SVE extraction well using a hot wire anemometer. A total of approximately 1,984 pounds of VOC were removed from the southern source area by the SVE system, of which approximately 61 percent was comprised of 1,1-DCE, and approximately 31 percent was comprised of 1,1,1-TCA (see Figure 4-3). Example calculations of mass removal are provided in Appendix C. Laboratory analytical reports for the monthly analyses of extracted soil vapor from each operational SVE well are provided in Appendix D.

The mass of VOC removed by the operation of the SVE system resulted in an observed decline of VOC concentrations in shallow groundwater in much of the treatment zone – see the comparison of VOC concentrations measured in February 2011 versus May 2013 that is presented in Figure 4-4. For example, concentrations of 1,1,1-TCA and 1,1-DCE were reduced at MW-64, near the center of the SVE treatment zone, by over 99 percent and 97 percent, respectively.

As is evident from Figure 4-3, soil vapor extracted from the area proximate to extraction well SVE-1 was relatively rich in 1,1,1-TCA; whereas, extracted soil vapor from MW-64, VW-5, and MW-65S was relatively rich in 1,1,-DCE, which is the primary abiotic degradation product of 1,1,1-TCA. As is described in Section 4.4, both of these areas are within the MPE system that is now installed and being tuned for operation; thus, removal of VOC will continue, and the zone of treatment will expand to beneath the pre-MPE water table position.

None of the VOC amounts emitted to outdoor ambient air by rooftop exhaust stack are significant in comparison to the threshold criteria for treatment of VOC discharge to ambient air, which are 40,000 and 4,000 pounds per year for total VOC and individual Hazardous Air Pollutants (HAP)[3], respectively.[4]

4.4 ACTIVE VAPOR INTRUSION MITIGATION BY MULTIPHASE EXTRACTION (MPE)

After receiving approval from the City of Flowery Branch to discharge treated groundwater at its POTW, Avery Dennison filed an application with EPD for an Industrial Pretreatment Permit (the Permit). EPD approved the application for the Permit on July 17, 2012, thus allowing Avery Dennison to replace the SVE system with an MPE system that is capable of addressing the shallow groundwater zone of the southern source area (see Figure 4-1), in addition to the unsaturated zone targeted by the SVE system. Therefore, while Avery Dennison continued operation of the SVE system (see Section 4.3), design and preparations for the MPE system operation were undertaken, and groundwater treatment system components specific to the MPE application were manufactured. The MPE system construction was completed on May 5, 2013.

As shown in Figures 4-5 and 4-6, the MPE system is configured with eleven (11) multiphase extraction wells equipped with autotrackers that adjust to a fluctuating water table and can provide for combined simultaneous liquid and vapor phase extraction under vacuum provided by a liquid ring pump (LRP). The extraction wells, which are constructed with open screen intervals to a depth of at least 27 feet below ground surface (see Figure 4-6), are connected to the LRP by a common manifold, and the connections of each MPE well to the manifold are individually valved to allow for tuning of the applied vacuum distribution. The objective of the MPE system tuning operation is to achieve optimum distribution of vacuum and

[3] 1,1-DCE is classified as a HAP; 1,1,1-TCA is not.
[4] Other applicable threshold criteria for treatment of VOC discharges to ambient air are 15 pounds per day of an individual HAP, and 10,000 pounds per year for total HAP – all of which are a factor of 10 or more above the calculated emissions.

drawdown of the water table while maintaining a groundwater discharge rate that is less than the average maximum daily flow rate of 10 gallons per minute provided by the POTW and the Permit. At that design extracted groundwater flow rate, the liquid ring pump, which applies a vacuum to the system of approximately 140 to 160 inches of water at each MPE well head, is expected to achieve a total system air flow rate of approximately 80 to 90 standard cubic feet per minute.

Extracted combined soil vapor and groundwater from the MPE wells passes from the manifold to a knock-out tank where the groundwater is separated from the soil vapor. At this point, the majority of extracted VOC are transferred to soil vapor within the piping and manifold, and the extracted soil vapor is managed in accordance with Georgia Air Quality Control Rules and exits through a stack that extends above the facility roof-line. The extracted groundwater is sent to a 5,000 gallon groundwater storage equalization tank prior being pumped to an air stripper, where the groundwater is treated per the Permit to remove VOC. Then, to remove semi-volatile 1,4-dioxane, the groundwater is pumped from the air stripper to an advanced oxidation process (AOP) that uses hydrogen peroxide and ozone to create hydroxyl radicals that react with 1,4-dioxane to produce carbon dioxide and water. Excess ozone is destroyed before emission to the atmosphere, and the treated groundwater is then discharged from the AOP to the POTW per the Permit.

Startup and tuning of the MPE system began on May 23, 2013. In addition to the aforementioned objectives, the tuning involves balancing discharge rates and Process Logic Controller settings to optimize MPE system uptime and to minimize groundwater cycling within the AOP, as well as efforts to integrate the settings of the separately manufactured and controlled AOP and air stripper systems. During the first 20 days of tuning activities, more than 150,000 gallons of treated groundwater were discharged to the POTW in accordance with the Permit, and an estimated two million cubic feet of soil vapor were extracted from the subsurface by the LRP. The MPE system operations are planned to occur until May 2015, depending on observed results

that will be documented in future Progress Reports. As discussed in Section 5.0, the December 2013 Progress Report will provide an update of MPE system performance, including an estimate of cumulative VOC mass removed, the estimated zone of capture; and a description of MPE system operations, including system uptime, air stripper and AOP performance, and post-tuning system configuration.

5.0 NEXT STEPS AND SCHEDULE

5.1 ACQUISITION OF THE WRIGLEY PARCEL

As described in Section 4.2, Avery Dennison is diligently moving toward completion of the transaction to acquire a parcel of land that would result in Avery Dennison owning all of the property within which site constituents exceed Type 1 RRS in groundwater (see Figure 3-1). Following completion of the acquisition, Avery Dennison will promptly seek to include the acquired parcel as a qualifying property under the VRP.

5.2 CONTINUED OPERATION OF THE MPE SYSTEM IN THE SOUTHERN SOURCE AREA

As discussed in Section 4.4, the MPE system is currently undergoing tuning operations, after which it is planned to operate in normal mode until May 2015, if operational data indicate it is effectively removing VOC mass from the subsurface. The December 2013 Progress Report will provide an update of MPE system performance, including an estimate of cumulative VOC mass removed, the estimated zone of capture; and a description of MPE system operations, including system uptime, air stripper and AOP performance, and post-tuning MPE system configuration.

5.3 POD MONITORING AND FATE AND TRANSPORT MODELING

A groundwater model will be developed to evaluate future potential for groundwater constituents associated with the Site to discharge to the unnamed tributary to Mud Creek at concentrations that exceed applicable ISWQS. The results of the model are planned to be included in the December 2013 Progress Report, and the POD Monitoring Plan will be amended, if necessary, following evaluation of those results. In the interim, the additional groundwater and surface water monitoring activities described in Section 4.1 will be undertaken.

5.4 UPDATED MILESTONE SCHEDULE

An updated milestone schedule for the project is shown in Figure 5-1.

6.0 PROFESSIONAL SERVICE HOURS BY THE CERTIFYING ENGINEER DURING THE REPORTING PERIOD

Below is a summary and monthly breakdown of the 205.25 professional service hours provided to the project during the reporting period by the Engineer of Record, Mr. Joel Behrsing, P.E.

December 2012 – 9.5 hours.

- Conducted project management and review of vendor proposals for supplying equipment for the MPE extraction and air stripper system, and discussed with vendors.
- Completed discharge monitoring report (DMR) for EPD; no discharge occurred.

January 2013 – 27.5 hours.

- Reviewed SVE performance data and mass removal calculations.
- Developed schedule for MPE implementation, and performed design for Site work and MPE component assembly.
- Developed MPE extraction well head details and determined fittings for well head assembly.
- Prepared information package for the MPE implementation/operation and provided to the City of Flowery Branch.

February 2013 –52.5 hours.

- Reviewed SVE performance data.
- Communicated with the City of Flowery Branch engineering consultant regarding MPE operation and procedures for monitoring discharge of treated groundwater.
- Oversaw development of the update to the December 2012 Progress Report and submitted it to EPD.

March 2013 – 14.25 hours.

- Reviewed SVE performance data.
- Completed DMR and submitted to EPD; no discharge occurred.
- Communicated with the Advanced Oxidation Process (AOP) vendor and reviewed liquid oxygen connection/manifold details for the MPE system.
- Reviewed the City of Flowery Branch's requirements for monitoring of discharge and prepared a response and application for a sewer connection.
- Developed a Request for Proposal for MPE site work and assembly.
- Discussed groundwater sampling plans with staff.

April 2013 – 8 hours.


- Reviewed SVE performance data.
- Communicated with suppliers and vendors to arrange for MPE treatment system installation, and selected a treatment system Operator.
- Developed a Memorandum of Understanding with the City of Flowery Branch regarding conditions of discharge of treated groundwater.

May 2013 to June 5, 2013 – 85.75 hours.

- Provided Engineer oversight of MPE system construction and startup.
- Performed initial aspects of Progress Report preparation.
- Monitored MPE system performance following May 23 startup.

FIGURES

Cad\2008 CSR\Site Location Map 021408.mxd



0 0.5 1 2

MILES

1000 0 1000 2000 3000 4000 5000 6000 7000

FEET

CONTOUR INTERVAL: 20 FEET

KEY

LOCAL GROUNDWATER FLOW DIRECTION

REGIONAL GROUNDWATER FLOW DIRECTION

BASE MAP: USGS 7.5 Minute Topographic Quadrangle, FLOWERY BRANCH, GEORGIA (1982)

FIGURE 2-1: LOCATION MAP
AVERY DENNISON PROPERTY
FLOWERY BRANCH, GEORGIA

P:
TJKCAD
JCO
LOGO_N11x17H-3.dwg

The Johnson Company

100 State Street, Suite 600
Montpelier, VT 05602

Drawn by: DWS Date: 2/14/08
Reviewed by: GAK Date: 3/3/08
Scale: 1"=2000' Project: 1-0145-4



FIGURE 2-2: PARCEL IDENTIFICATION MAP
AVERY DENNISON AND VICINITY
FLOWERY BRANCH, GEORGIA

The Johnson Company

100 State Street, Suite 600
Montpelier, VT 05602

Drawn by: DPB	Date: 12/15/11
Chk'd by: GAK	Date: 12/15/11
App'd by: GAK	Date: 12/15/11
Scale: As Shown	Project: 1-0145-4

Base map: "Survey for The Johnson Company, Inc., Avery Dennison Facility, Avery Drive" by Transportation Systems Design, Inc. 1/24/2005

N/F
BALDOR

N/F
WRIGLEY

INTERSTATE HWY 985
SR 365

AVERY DRIVE

CURRENT AVERY DENNISON PROPERTY BOUNDARY

SUBDIVISION APPROXIMATE BOUNDARY - SUBDIVIDED SEPTEMBER 2007 (per survey by Moreland Altobelli Associates, Inc. 9/6/2007)

CONCRETE

ASPHALT PARKING

CONCRETE

ASPHALT

SOUTH MEZZANINE

NORTH MEZZANINE

ASPHALT PARKING

ASPHALT PARKING

POND

ESTIMATED ZONE OF TYPE 1 RRS EXCEEDENCE IN GROUNDWATER AS ESTABLISHED IN FALL 2012

GRAVEL DRIVE

RAILS

UNNAMED TRIBUTARY TO MUD CREEK

BARBED WIRE FENCE

BARBED WIRE FENCE

CMF

CMF

CMF

CMF

LEGEND

- BUILDING FOOTPRINT
- SURFACE WATER/DRAINAGE
- GROUND ELEVATION (10-FT. MAJOR INTERVALS)
- GROUND ELEVATION (2-FT. MINOR INTERVALS)
- IRON PIN FOUND
- CMF CONCRETE MONUMENT FOUND
- CURRENT AVERY DENNISON PROPERTY BOUNDARY
- PROPOSED LAND ACQUISITION FROM WRIGLEY AFTER 07/30/12 GAEPD MEETING (~8 acres)
- ESTIMATED ZONE OF TYPE 1 RISK REDUCTION STANDARDS EXCEEDENCE AS OF FALL 2012

SCALE IN FEET

100 0 100 200 300

GRAPHIC SCALE - FEET

REVISIONS

#	Date	Drwn	Chk'd	App'd	Description

PREPARED FOR

Avery Dennison Corporation
8080 Norton Parkway
Mentor, OH 44060

Job#: 1-0145-4

PREPARED BY

The Johnson Company
ENVIRONMENTAL SCIENCE AND ENGINEERING SOLUTIONS

100 State Street, Suite 600
Montpelier, Vermont 05602

(802) 229-4600 phone
(802) 229-5876 fax

www.johnsonco.com

DRAWING

Scale: As Shown
Drawn On: 11/23/12
Drawn By: TJK
Checked On: 11/23/12
Checked By: GAK
Print Date:

TITLE

FIGURE 3-1: PARCEL TO BE ACQUIRED FROM WRIGLEY MANUFACTURING, LLC AVERY DENNISON PROPERTY FLOWERY BRANCH, GEORGIA

SHEET 1 OF 1

K:\1-0145-4\Cad\Proposed Land Acquisition.dwg

LEGEND

- BUILDING FOOTPRINT
- SURFACE WATER/DRAINAGE
- OCT. 2012 WATER TABLE POTENTIOMETRIC CONTOUR (2 FT. INTERVALS)
- UNCONSOLIDATED DEPOSITS WELL
- BEDROCK WELL
- WEATHERED BEDROCK WELL
- TEMPORARY WELL
- STREAM BED WELL
- 99.8 TOTAL VOC DETECTED FALL 2012 (ug/L)
- ESTIMATED TOTAL VOC ISOCONTOUR FALL 2012 (ug/L)
- ESTIMATED ZONE OF TYPE 3/4 RISK REDUCTION STANDARDS EXCEEDENCE
- ESTIMATED ZONE OF TYPE 1 RISK REDUCTION STANDARDS EXCEEDENCE

Notes:
- The isocontours were drawn considering the maximum VOC concentration for paired wells
- ND = Not Detected above Laboratory PQL
- NS = Not Sampled
- Wells labeled with a date or dates following "NS" were sampled only during the indicated months
- *Acetone was the only VOC detected in well BR-1S
- All samples analyzed by EPA Method 8260B for full analyte list

PROPERTY BOUNDARY (TYP.)

POND

APPROXIMATE ZONE OF MULTIPHASE EXTRACTION SYSTEM

APPROXIMATE BOUNDARY OF SOUTHERN SOURCE AREA (NO EXCEEDENCES OF TYPE 3/4 RRS IN SOIL)

APPROXIMATE BOUNDARY OF WESTERN SOURCE AREA IN UNCONSOLIDATED DEPOSITS AND WEATHERED BEDROCK (NO EXCEEDENCES OF TYPE 3/4 RRS IN SOIL)

APPROXIMATE BOUNDARY OF TYPE 1 RISK REDUCTION STANDARDS EXCEEDENCES IN GROUNDWATER

APPROXIMATE BOUNDARY OF TYPE 3/4 RISK REDUCTION STANDARDS EXCEEDENCES IN GROUNDWATER

APPROXIMATE BOUNDARY OF TYPE 3/4 RISK REDUCTION STANDARDS EXCEEDENCES IN GROUNDWATER

APPROXIMATE BOUNDARY OF TYPE 1 RISK REDUCTION STANDARDS EXCEEDENCES IN GROUNDWATER

POINT OF EXPOSURE WELLS

POINT OF DEMONSTRATION WELLS

NO EXCEEDENCES OF IN-STREAM WATER QUALITY STANDARDS AT THE SITE

GRAVEL

DRIVE

FENCE (TYPICAL)

Rails (Typical)

SCALE IN FEET
50 0 50 100 150
GRAPHIC SCALE - FEET

K:\1-0145-4\Cad\2010 CSR\Official GW Basemap.dwg

FIGURE 4-1: ESTABLISHED ZONE OF RRS EXCEEDENCE IN FALL 2012 AND POINT OF DEMONSTRATION AVERY DENNISON FACILITY FLOWERY BRANCH, GEORGIA

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602

Drawn by: TEH	Date: 06/11/13
Reviewed by: GAK	Date: 06/17/13
Scale: 1"=100'	Project: 1-0145-4

LEGEND

- BUILDING FOOTPRINT
- SURFACE WATER/DRAINAGE
- UNCONSOLIDATED DEPOSITS WELL
- BEDROCK WELL
- WEATHERED BEDROCK WELL
- SURFACE WATER MONITORING LOCATION
- STREAM BED WELL
- ESTIMATED ZONE OF TYPE 1 RRS EXCEEDENCE (FALL 2012)

Note: All samples analyzed by EPA Method 8260B for full analyte list

Abbreviation Key

1,1,1-TCA	1,1,1-Trichloroethane
1,1,2-TCA	1,1,2-Trichloroethane
1,1-DCA	1,1-Dichloroethane
1,1-DCE	1,1-Dichloroethene
1,2-DCA	1,2-Dichloroethane
1,4-DCB	1,4-Dichlorobenzene
MEK	2-Butanone (Methyl Ethyl Ketone)
A	Acetone
B	Benzene
CCL4	Carbon Tetrachloride
CA	Chloroethane
CF	Chloroform
c1,2-DCE	cis-1,2-Dichloroethene
DCM	Dichloromethane (Methylene Chloride)
EB	Ethylbenzene
F-11	Freon-11 (Trichlorotrifluoromethane)
m,p-X	m,p-Xylene
MCH	Methylcyclohexane
o-X	o-Xylene
X	Xylenes (total)
1,4-DIOX	1,4 Dioxane
PCE	Tetrachloroethene
T	Toluene
t1,2-DCE	trans-1,2-Dichloroethene
TCE	Trichloroethene
VC	Vinyl Chloride
S	Styrene
ND	Not Detected above Laboratory PQL
NS	Not Sampled

Notes:
- All results in µg/L
- Wells shaded gray were not sampled during the Spring 2013 sampling events.
- Wells labeled with "ND" had no detections for all analytes during the Spring '12 - Spring '13 sampling rounds.

Risk Reduction Standards

	Type 1 GW (ug/L)	Type 3/4 GW (ug/L)
1,1,1-TCA	200	13600
1,1,2-TCA	5	5
1,1-DCA	4000	4000
1,1-DCE	7	520
1,2-DCA	5	5
1,4-DCB	75	75
MEK	2000	11800
A	4000	45600
CCL4	5	10
CA	NA	29200
CF	80	80
c1,2-DCE	70	200
DCM	5	450
EB	700	700
F-11	2000	2000
m,p-X	-	-
MCH	Not Regulated	Not Regulated
o-X	-	-
X	10000	10000
1,4-DIOX	70	70
PCE	5	98
T	1000	5200
t1,2-DCE	100	160
TCE	5	5
VC	2	3
S	100	2600

Note: Yellow highlighting in groundwater data indicates detection in excess of Type 3/4 risk reduction standard.

In-stream Water Quality Criteria (ug/L)

1,1-DCE	7100

Notes:
- In-stream Water Quality Criteria from *Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6-.03*
- Of the compounds detected in site surface water, only 1,1-DCE has an in-stream water quality criterion.

PROPERTY BOUNDARY (TYPICAL)

POND

GRAVEL DRIVE

Rolls (Typical)

FENCE (TYPICAL)

NO EXCEEDENCES OF IN-STREAM WATER QUALITY STANDARDS AT THE SITE

N/F WRIGLEY

GRAPHIC SCALE - FEET
60 0 60 120 180

MW-63

Date	4/12	10/12	5/13
1,1,1-TCA	52	29	19
1,1-DCA	15	6	ND < 5
1,1-DCE	300	68	13
1,4-DIOX	5.2	6.4	11

MW-65S

Date	5/13
1,1,1-TCA	620
1,1,2-TCA	19
1,1-DCA	310
1,1-DCE	10000
1,2-DCA	63
1,4-DIOX	2900
TCE	11
VC	4

MW-64

Date	5/13
1,1,1-TCA	45
1,1-DCE	48
1,4-DIOX	250

MW-3

Date	4/12	10/12	4/13
1,1-DCA	11	7	ND < 5
1,1-DCE	62	46	18
1,4-DIOX	7	4.9	8

MW-66

Date	4/12	10/12	4/13
1,4-DIOX	3.4	2.3	3

MW-5

Date	4/12	10/12	5/13
1,1-DCA	18	9	11
1,1-DCE	120	75	120
1,4-DIOX	16	3.7	9

MW-23

Date	4/12	10/12	4/13
1,1-DCA	ND < 5	25	ND < 5
1,1-DCE	ND < 2	13	ND < 2
1,4-DIOX	ND < 2	24	ND < 2
VC	ND < 2	22	ND < 2

MW-65D

Date	4/12	10/12	5/13
1,1,1-TCA	35	15	ND < 5
1,1-DCE	14	42	19
1,4-DIOX	7.3	20	16

MW-48D

Date	4/12	10/12	4/13
1,1,1-TCA	480	380	160
1,1-DCA	89	71	46
1,1-DCE	960	970	600
1,4-DIOX	410	270	300

MW-47S

Date	4/12	10/12	4/13
1,1-DCA	7	12	ND < 5
1,1-DCE	44	61	16
1,4-DIOX	23	22	14
c1,2-DCE	ND < 5	6	ND < 5
VC	11	14	9

SBW-10

Date	4/12	10/12	5/13
1,1-DCE	ND < 2	6	7
1,4-DIOX	ND < 2	ND < 2	2.1

MW-48S

Date	4/12	10/12	4/13
1,1,1-TCA	250	190	44
1,1-DCA	95	75	39
1,1-DCE	910	880	500
1,4-DIOX	280	180	120
VC	6	5	4

SBW-9

Date	4/12	10/12	5/13
1,1,1-TCA	170	220	260
1,1-DCA	32	41	41
1,1-DCE	320	490	370
1,4-DIOX	130	160	310

SBW-8

Date	4/12	10/12	5/13
1,1-DCE	4	3	3
1,4-DIOX	9	3.6	6.6

SBW-7

Date	4/12	10/12	5/13
1,1-DCA	6	7	ND < 5
1,4-DIOX	3.4	2.7	4.7

SBW-6

Date	4/12	10/12	5/13
1,1,1-TCA	14	15	8
1,1-DCA	39	78	26
1,1-DCE	18	40	13

SBW-4

Date	4/12	10/12	5/13
1,1,1-TCA	45	49	67
1,1-DCA	31	62	39
1,1-DCE	75	170	140
1,4-DIOX	2.7	4.1	5.9
VC	ND < 2	17	ND < 2

SW-4

Date	10/11	4/12	10/12	5/13
1,1-DCE	3	ND < 2	ND < 2	ND < 2
1,4-DIOX	2.6	ND < 2	ND < 2	ND < 2

SW-2

Date	10/11	4/12	10/12	5/13
1,1,1-TCA	8	ND < 5	ND < 5	ND < 5
1,1-DCE	24	6	6	3
1,4-DIOX	2.3	ND < 2	ND < 2	ND < 2

SBW-3

Date	4/12	10/12	5/13
1,1-DCE	17	22	17

SW-3

Date	10/11	4/12	10/12	5/13
1,1-DCE	2	3	4	ND < 2
1,4-DIOX	2.1	ND < 2	ND < 2	ND < 2

SW-1

Date	10/11	4/12	10/12	5/13
1,1,1-TCA	5	ND < 5	ND < 5	ND < 5
1,1-DCE	17	5	7	3
1,4-DIOX	2	ND < 2	ND < 2	ND < 2

SW-0

Date	10/11	4/12	10/12	5/13
1,1-DCE	7	3	5	2

SW-DS-2

Date	10/11	4/12	10/12	5/13
1,1-DCE	6	2	3	2
1,4-DIOX	2.1	ND < 2	ND < 2	ND < 2

SW-DS-1

Date	10/11	4/12	10/12	5/13
1,1-DCE	9	3	4	2

SW-DS-5

Date	4/12	10/12	5/13
1,1-DCE	ND < 2	2	ND < 2


FIGURE 4-2: GROUNDWATER AND SURFACE WATER VOC & 1,4-DIOXANE RESULTS: SPRING 2013
AVERY DENNISON FACILITY
FLOWERY BRANCH, GEORGIA


The Johnson Company


100 State Street, Suite 600
Montpelier, VT 05602


Drawn by: TEH Date: 06/11/13
Reviewed by: GAK Date: 06/17/13
Scale: 1"=100' Project: 1-0145-4

K:\1-0145-4\Cad\GW & SW VOC Posted Data Figures\SPRING 2013 (11x17) LT.dwg









LEGEND

- SVE EXTRACTION WELL LOCATION
- MONITORING WELL LOCATION
- AIR VENT WELL LOCATION
- VAPOR EXHAUST DUCTS ON BUILDING EXTERIOR
- ROOF DRAIN DOWNSPOUT (APPROXIMATE LOCATION)
- 6 FOOT HIGH CHAINLINK FENCE WITH PRIVACY SCREEN
- EDGE OF CONCRETE

FIGURE 4-3
SOIL VAPOR EXTRACTION SYSTEM PERFORMANCE
AVERY DENNISON FACILITY
FLOWERY BRANCH, GEORGIA

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602
(802) 229-4600

Drawn by: CFF Date: 06/13/13
Chk'd by: GAK Date: 06/17/13
Scale: 1:30 Project: 1-0145-4

K:\1-0145-4\Cad\060613 Monitoring Figures.dwg

LEGEND

- MPE EXTRACTION WELL LOCATION
- MONITORING WELL LOCATION
- AIR VENT WELL LOCATION
- VAPOR EXHAUST DUCTS ON BUILDING EXTERIOR
- BEDROCK MONITORING WELL LOCATION
- SURFACE WATER SAMPLE LOCATION
- STREAM BED MONITORING WELL LOCATION
- ROOF DRAIN DOWNSPOUT (APPROXIMATE LOCATION)
- 6 FOOT HIGH CHAINLINK FENCE WITH PRIVACY SCREEN
- SS — 3"Ø PVC SDR35 DISCHARGE PIPE
- EDGE OF CONCRETE
- SURFACE WATER WITH FLOW DIRECTION
- 10' GROUND SURFACE CONTOUR
- 2' GROUND SURFACE CONTOUR
- PORTION OF SITE CLOSED FOR REMEDIATION

30 0 15 30 60
Scale in Feet

ANALYTE KEY	
1,1,1-TCA	1,1,1-Trichloroethane
1,1,2-TCA	1,1,2-Trichloroethane
1,1-DCA	1,1-Dichloroethane
1,1-DCE	1,1-Dichloroethene
1,2-DCA	1,2-Dichloroethane
1,4-DIOX	1,4-Dioxane
TCE	Trichloroethene
VC	Vinyl Chloride
X	Xylenes (unspecified)
NOTE: All results in micrograms per liter (µg/L)	
"ND" = Non-detect for all analytes	

MW–32 ND

MW–31 ND (5/05)

ND MW–1

ND MW–2

MW–3

MW–4 ND

MW–5

MW-66 MW–66

MW-66		
VOC	2/11	10/12
1,4-DIOX	ND < 250	2.3

MW-63 MW–63

MW-63		
VOC	4/12	5/13
1,1,1-TCA	35	19
1,1-DCA	20	ND < 5
1,1-DCE	660	13
1,4-DIOX	ND < 250	11

MP-6

MP-6	
VOC	5/13
All VOCs	ND

MP–6

MP-3

MP-3	
VOC	5/13
All VOCs	ND

MP–3

AV–01

MP-7

MP-7	
VOC	5/13
1,1,1-TCA	6
1,1-DCE	2

AV–02

MP–7

MP-10

MP-10	
VOC	5/13
All VOCs	ND

MP–10

MW-64

MW-64		
VOC	2/11	5/13
1,1,1-TCA	5300	45
1,1-DCA	120	ND < 5
1,1-DCE	1900	48
1,4-DIOX	ND < 1300	250

MW–64

MP-1

MP-1	
VOC	5/13
1,1,1-TCA	34
1,1-DCA	7
1,1-DCE	89

MP–1

MP-4

MP-4	
VOC	5/13
1,1,1-TCA	10
1,1-DCE	11

MP–4

MP-8

MP-8	
VOC	5/13
1,1,1-TCA	81
1,1-DCA	130
1,1-DCE	5000
X	58

MP–8

MP-2

MP-2	
VOC	5/13
1,1-DCE	35

MP–2

AV–09

MP-11

MP-11	
VOC	5/13
1,1,1-TCA	7
1,1-DCA	9
1,1-DCE	160

MP–11

MP-5

MP-5	
VOC	4/13
1,1,1-TCA	25
1,1-DCA	7
1,1-DCE	82

MP–5

MW–65D MW–65S

AV–05 AV–06 AV–10

MW-65D

MW-65D		
VOC	2/11	5/13
1,1,1-TCA	390	ND < 5
1,1-DCA	31	ND < 5
1,1-DCE	340	19
1,4-DIOX	ND < 250	16

MW-65S

MW-65S		
VOC	2/11	5/13
1,1,1-TCA	330	620
1,1,2-TCA	11	19
1,1-DCA	290	310
1,1-DCE	11000	10000
1,2-DCA	28	63
1,4-DIOX	1300	2900
TCE	7	11
VC	9	4

MW-5

MW-5		
VOC	2/11	5/13
1,1-DCA	10	11
1,1-DCE	100	120
1,4-DIOX	ND < 250	9

EXTRACTION

MP–9

MP-9

MP-9	
VOC	4/13
1,1,1-TCA	220
1,1-DCA	100
1,1-DCE	1900
t1,2-DCE	9
VC	5

ADVANCED OXIDATION ENCLOSURE

10 FOOT WIDE DOUBLE GATE

~CONCRETE~

MW-48S

MW-48S		
VOC	2/11	5/13
1,1,1-TCA	100	44
1,1-DCA	89	39
1,1-DCE	750	500
1,4-DIOX	ND < 250	120
VC	6	4

ND BR–24 MW–48S MW–48D

MW-48D

MW-48D		
VOC	2/11	5/13
1,1,1-TCA	420	160
1,1-DCA	120	46
1,1-DCE	1400	600
1,4-DIOX	480	300
VC	3	ND < 2

MW–23 ND

ND BR–4S ND BR–4D

MW–47S MW–47D ND

MW-47S

MW-47S		
VOC	2/11	5/13
1,1-DCA	ND < 5	ND < 5
1,1-DCE	62	16
1,4-DIOX	ND < 250	14
c1,2-DCE	ND < 5	ND < 5
VC	4	9

SBW–8

SBW-8

SBW-8		
VOC	2/11	5/13
1,1-DCE	6	3
1,4-DIOX	ND < 250	6.6

SBW–9

SBW-9

SBW-9		
VOC	2/11	5/13
1,1,1-TCA	160	260
1,1-DCA	56	41
1,1-DCE	650	370
1,4-DIOX	ND < 250	310
VC	2	ND < 2

SBW–10

SBW-10

SBW-10		
VOC	2/11	5/13
1,1-DCE	ND < 2	7
1,4-DIOX	ND < 250	2.1

SW–5 ND

SW-4 ~250' Downstream

MW–33 ND


1174 1172 1170 1168 1166 1158 1162 1156 1160

FIGURE 4-4: GROUNDWATER VOC & 1,4-DIOXANE CONCENTRATIONS BEFORE AND AFTER SVE SYSTEM OPERATION AVERY DENNISON FACILITY FLOWERY BRANCH, GEORGIA

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602
(802) 229-4600

Drawn by: TEH Date: 06/11/13
Chk'd by: GAK Date: 06/15/13
Scale: As Shown Project: 1-0145-4

K: \1–0145–4\Cad\060613 Monitoring Figures.dwg



PLAN SYSTEM AND PIPING LAYOUT

SCALE: 1"=20'


1/1

K:\1-0145-4\Cad\061713 O&M Figures.dwg

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602
(802) 229-4600

Drawn by: TJK Date: 05/28/13
Chk'd by: GAK Date: 06/17/13
Scale: As Shown Project: 1-0145-04

FIGURE 4-5: SYSTEM AND PIPING LAYOUT
MULTIPHASE EXTRACTION & TREATMENT SYSTEM
AVERY DENNISON FACILITY
FLOWERY BRANCH, GEORGIA




1. TELESCOPING EXTRACTION PIPE

2. AIR INLET/MIXING VENTURI


3. CHEMICALLY–RESISTANT FLOAT

4. LIQUID ENTRANCE PORT

DEPTH OF SCREEN INTERVAL (fbgs)		
Well	Top of Screen	Bottom of Screen
MP-1	6	46
MP-2	6	37
MP-3	3	28
MP-4	4	29
MP-5	5	29
MP-6	3	27
MP-7	3	28
MP-8	4	28
MP-9	5	30
MP-10	5	30
MP-11	5	30
-fbgs - feet below ground suface		



PLAN



SECTION

NOTE: OUTSIDE UNISTRUT PIPE SUPPORTS DRIVEN MINIMUM 24" INTO GROUND.

DETAIL AUTO TRACKER 1/2

SCALE: 1"=1'

DETAIL TYPICAL EXTRACTION WELL HEAD 2/2

SCALE: 1"=1'

K:\1-0145-4\Cad\061713 O&M Figures.dwg


The Johnson Company

100 State Street, Suite 600
Montpelier, VT 05602
(802) 229-4600

Drawn by: TJK Date: 06/17/13
Chk'd by: GAK Date: 05/17/13
Scale: As Shown Project: 1-0145-04

FIGURE 4-6: EXTRACTION WELL DETAILS
MULTIPHASE EXTRACTION & TREATMENT SYSTEM
AVERY DENNISON FACILITY
FLOWERY BRANCH, GEORGIA

ID	Milestone	Date
1	Performed comprehensive groundwater and surface water monitoring event using 1,4-dioxane detection limits that are below revised applicable Risk Reduction Standards (1st event)	10/31/11
2	**Avery Dennison submitted the Voluntary Investigation and Remediation Plan Application (VIRPA) to EPD**	12/23/11
3	Performed comprehensive groundwater and surface water monitoring event using 1,4-dioxane detection limits that are below revised applicable Risk Reduction Standards (2nd event)	4/30/12
4	**Site is Enrolled in the Voluntary Remediation Program (VRP)**	6/5/12
5	EPD Provided Comments on the VIRPA	6/5/12
6	Avery Dennison met with EPD to discuss dimensions of a parcel of land to be acquired from Wrigley Manufacturing, LLC as a qualifying property under the VRP.	7/30/12
7	**Avery Dennison submitted Financial Assurance Instrument to EPD**	8/28/12
8	Performed comprehensive groundwater and surface water monitoring event using 1,4-dioxane detection limits that are below revise applicable Risk Reduction Standards (3rd event)	10/31/12
9	Completed horizontal and vertical delineation of the release and associated constituents	10/31/12
10	Submitted Progress Report including demonstration of complete horizontal and vertical delineation of the release and associated constituents	12/5/12
11	Submitted Response to the June 5, 2012 comments provided by EPD (included in 12/5/12 Progress Report)	12/5/12
12	Submitted a request to finalize cleanup standards for all regulated substances to EPD (included in 12/5/13 Progress Report)	12/5/12
13	Monitoring of surface water and selected groundwater monitoring wells for development of Point of Demonstration (POD) Monitoring Plan, and to support discussions with Wrigley.	4/30/13
14	Complete construction of, and begin operation of, the Multiphase Extraction (MPE) system in the southern source area	5/23/13
15	Submitted Progress Report, including POD Monitoring Plan, details of the MPE system, and status of acquisition of the additional property from Wrigley (see Section 4.1)	6/21/13
16	Monitoring of surface water and selected groundwater monitoring wells per Point of Demonstration (POD) Monitoring Plan	10/31/13
17	Submit Progress Report, including completion of a groundwater model to evaluate future potential for groundwater constituents associated with the Site to discharge to the unnamed tributary to Mud Creek at concentrations that exceed applicable ISWQS	12/5/13
18	Amend POD Monitoring Plan and continue semi-annual POD monitoring, if applicable (included in 12/5/13 Progress Report)	12/5/13
19	Submit Progress Report	6/5/14
20	Submit Progress Report, including a final remediation plan and associated cost estimate for implementation of remediation and associated continued actions	12/5/14
21	Evaluate shutdown of MPE system	6/5/15
22	Submit Progress Report	12/7/15
23	Submit Progress Report	6/6/16
24	Submit Progress Report	12/5/16
25	Submit VRP Compliance Status Report, including requisite certifications	6/5/17



Project: 061313 FB Project Milestones
Date: 6/18/13

Completed Milestone ◆ Milestone ◆

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602

Drawn by: CFF Date: 06/13/13
Chk'd by: GAK Date: 06/15/13
App'd by: GAK Date: 06/15/13
Scale: N/A Project: 1-0145-4

FIGURE 5-1: SUMMARY OF PROJECT MILESTONES
VOLUNTARY INVESTIGATION AND REMEDIATION PLAN
AVERY DENNISON FACILITY
FLOWERY BRANCH GEORGIA

K:\1-0145-4\Cad\Schedules.dwg

TABLES

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-1D	BR-1D	BR-1D	BR-1D	BR-1D	BR-1D	BR-1D	BR-1S	BR-1S	BR-1S	BR-1S	BR-1S	BR-1S
	Date:	6/8/2005	6/8/2005	6/20/2006	10/3/2006	2/16/2007	5/15/2007	10/24/2007	5/25/2005	6/17/2006	10/4/2006	2/17/2007	5/15/2007	10/25/2007
VOC (µg/L)	**Type 3/4 GW RRS**		Duplicate											
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	**210**	**230**	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	**98**	**170**	**210**	**120**	**150**
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-2	BR-2	BR-2	BR-2	BR-2	BR-2	BR-3	BR-3	BR-3	BR-3	BR-3	BR-4D	BR-4D
	Date:	5/23/2005	6/17/2006	10/3/2006	2/17/2007	5/15/2007	10/24/2007	6/14/2005	6/17/2006	10/5/2006	2/18/2007	5/18/2007	6/8/2005	6/20/2006
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D	BR-4D
	Date:	10/5/2006	2/19/2007	5/17/2007	10/26/2007	6/3/2009	6/3/2009	10/15/2009	10/15/2009	5/25/2010	11/3/2010	2/8/2011	10/25/2011	4/19/2012
VOC (µg/L)	**Type 3/4 GW RRS**						Duplicate		Duplicate					
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	--	--	--	--
1,4-Dioxane	70	--	--	--	--	ND < 60	ND < 60	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	--	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-4D	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S	BR-4S
	Date:	10/20/2012	5/26/2005	6/19/2006	10/6/2006	2/18/2007	5/16/2007	10/25/2007	6/3/2009	10/14/2009	5/25/2010	11/3/2010	2/5/2011	10/24/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--
1,4-Dioxane	70	ND < 2	--	--	--	--	--	--	ND < 60	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	**1.4**	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--
Methylcyclohexane	Not Regulated	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	**2.1**	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--
o-Xylene	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--
Xylenes (total)	10000	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-4S	BR-4S	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5	BR-5
	Date:	4/19/2012	10/20/2012	5/23/2005	6/22/2006	10/7/2006	2/20/2007	5/19/2007	10/27/2007	6/6/2009	10/16/2009	10/18/2011	4/24/2012	10/18/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**17**	ND < 5	**17**	ND < 5	ND < 5	**2.9**	**2.7**	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	**6.2**	**89**	**23**	**88**	**18**	**5.6**	**5.9**	**2.7**	**3**	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
1,4-Dioxane	70	ND < 2	ND < 2	--	--	--	--	--	--	ND < 150	ND < 150	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
Methylcyclohexane	Not Regulated	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--
o-Xylene	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6	BR-6
	Date:	6/8/2005	6/23/2006	10/9/2006	2/20/2007	5/19/2007	10/27/2007	10/31/2007	11/1/2007	6/4/2009	10/14/2009	10/23/2011	4/22/2012	10/20/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**220**	**12**	**12**	**15**	**19**	**5.3**	**93**	**74**	ND < 2	**4.6**	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**77**	**570**	**380**	**450**	**530**	**250**	**540**	**270**	**60**	**45.4**	**39**	**34**	**28**
1,1-Dichloroethene	520	**530**	**2800**	**2100**	**2100**	**2600**	**1300**	**3500**	**2200**	**370**	**345**	**260**	**210**	**200**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	--	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	ND < 120	ND < 150	**3.7**	**3.2**	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 25	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	--	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	**6.6**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	**3.7**	ND < 2	ND < 2	ND < 2	**2.7**	ND < 2	ND < 2	ND < 2	ND < 1	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 4	ND < 2	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1	--	--	--
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7	BR-7
	Date:	6/9/2005	6/21/2006	6/23/2006	10/9/2006	2/19/2007	5/18/2007	10/28/2007	6/8/2009	10/19/2009	5/26/2010	5/26/2010	11/4/2010	11/4/2010
VOC (µg/L)	**Type 3/4 GW RRS**											Duplicate		Duplicate
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 250
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-7	BR-7	BR-7	BR-7	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D
	Date:	2/6/2011	10/22/2011	4/26/2012	10/21/2012	6/15/2005	6/22/2006	10/7/2006	2/19/2007	5/17/2007	10/26/2007	6/4/2009	10/19/2009	5/26/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dioxane	70	ND < 250	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	ND < 60	ND < 150	ND < 250
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 25	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Freon-11	2000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2
m&p-Xylene	10000	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--
o-Xylene	10000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8D	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S
	Date:	11/4/2010	2/6/2011	10/23/2011	4/24/2012	10/19/2012	3/25/2013	5/23/2005	6/22/2006	10/7/2006	2/19/2007	5/17/2007	10/26/2007	6/3/2009
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	ND < 60
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1
m&p-Xylene	10000	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-8S	BR-9D	BR-9D	BR-9D	BR-9D	BR-9D
	Date:	10/19/2009	5/25/2010	11/3/2010	2/7/2011	10/23/2011	4/24/2012	10/19/2012	3/25/2013	6/15/2005	6/21/2006	10/8/2006	10/8/2006	2/19/2007
VOC (µg/L)	**Type 3/4 GW RRS**												Duplicate	
1,1,1-Trichloroethane	13600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	**59**	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-9D	BR-9D	BR-9D	BR-9D	BR-9D	BR-9S	BR-9S	BR-9S	BR-9S	BR-9S	BR-9S	BR-9S	BR-9S
	Date:	5/17/2007	5/17/2007	4/25/2012	10/22/2012	3/23/2013	5/23/2005	6/21/2006	10/6/2006	2/19/2007	5/17/2007	4/25/2012	10/22/2012	3/23/2013
VOC (µg/L)	**Type 3/4 GW RRS**		Duplicate											
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--
1,4-Dioxane	70	--	--	ND < 2	ND < 2	ND < 40	--	--	--	--	--	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--
o-Xylene	10000	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-10D	BR-10D	BR-10D	BR-10D	BR-10D	BR-10D	BR-10S	BR-10S	BR-10S	BR-10S	BR-10S	BR-10S	BR-11
	Date:	6/15/2005	6/20/2006	10/6/2006	2/18/2007	5/16/2007	3/23/2013	5/26/2005	6/18/2006	10/4/2006	2/17/2007	5/16/2007	3/23/2013	5/25/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5
1,4-Dioxane	70	--	--	--	--	--	ND < 2	--	--	--	--	--	ND < 2	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	**190**	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-11	BR-11	BR-11	BR-11	BR-11	BR-11	BR-12	BR-12	BR-12	BR-12	BR-12	BR-13	BR-13
	Date:	5/25/2005	6/19/2006	10/5/2006	2/18/2007	5/16/2007	3/24/2013	6/8/2005	6/19/2006	10/6/2006	2/18/2007	5/16/2007	9/19/2007	10/25/2007
VOC (µg/L)	**Type 3/4 GW RRS**	Duplicate												
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	--	ND < 2	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-14	BR-14	BR-15	BR-15	BR-15	BR-15	BR-16	BR-16	BR-16	BR-16	BR-17	BR-17	BR-17
	Date:	9/13/2007	10/25/2007	10/27/2007	10/24/2011	4/20/2012	10/20/2012	10/30/2007	10/23/2011	4/21/2012	10/20/2012	10/29/2007	6/6/2009	10/17/2009
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**26**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,1-Dichloroethane	4000	ND < 5	ND < 5	**6.2**	ND < 5	ND < 5	ND < 5	ND < 5	**9**	ND < 5	ND < 5	ND < 5	**1**	ND < 1
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	**36**	**11**	ND < 2	ND < 2	ND < 5	**1.2**	ND < 1
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1
1,4-Dioxane	70	--	--	--	ND < 2	ND < 2	ND < 2	--	ND < 2	ND < 2	ND < 2	--	ND < 150	ND < 150
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Freon-11	2000	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--	--	--	ND < 5	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	--	--	--	ND < 10	ND < 2	ND < 2
o-Xylene	10000	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-17	BR-17	BR-17	BR-18	BR-18	BR-18	BR-18	BR-18	BR-18	BR-19	BR-19	BR-19	BR-19
	Date:	10/26/2011	4/23/2012	10/18/2012	11/7/2007	6/7/2009	10/17/2009	10/19/2011	4/25/2012	10/20/2012	10/29/2007	6/6/2009	10/18/2009	10/21/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**51**	**39**	**33.8**	ND < 5	**12**	**11**	ND < 5	ND < 1	**2.1**	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	**33**	**21.4**	**17.6**	ND < 2	**7**	**7**	ND < 5	ND < 1	**10.7**	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	ND < 1	ND < 1	--
1,4-Dioxane	70	ND < 2	ND < 2	ND < 2	--	ND < 150	ND < 150	ND < 2	**2**	ND < 2	--	ND < 150	ND < 150	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	**70**	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Freon-11	2000	--	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	ND < 1	ND < 1	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	--	--	--	--	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	**1.4**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	ND < 2	ND < 2	--	--	--	ND < 10	ND < 2	ND < 2	--
o-Xylene	10000	--	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	ND < 1	ND < 1	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-19	BR-19	BR-20	BR-20	BR-20	BR-20	BR-20	BR-20	BR-20	BR-20D	BR-20D	BR-20D	BR-20D
	Date:	4/24/2012	10/22/2012	11/3/2007	6/8/2009	10/15/2009	2/7/2011	10/19/2011	4/22/2012	10/18/2012	6/9/2009	10/15/2009	10/19/2011	4/21/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	**160**	**84.5**	**81.7**	**41**	**26**	**7**	**20**	**14**	**7.5**	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethane	4000	**20**	ND < 5	**440**	**150**	**181**	**160**	**110**	**220**	**110**	**24.1**	**36.2**	**25**	**26**
1,1-Dichloroethene	520	**42**	**7**	**2800**	**1080**	**1400**	**920**	**710**	**950**	**690**	**92.1**	**101**	**36**	**22**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	**1.9**	**2.3**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 1	ND < 1	--	--	--	--	ND < 1	ND < 1	--	--
1,4-Dioxane	70	ND < 2	ND < 2	--	ND < 150	ND < 150	ND < 250	**11**	**22**	**8.9**	ND < 150	ND < 150	**2.1**	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	**77.2**	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 1	ND < 1	--	--	--	--	ND < 1	ND < 1	--	--
Methylcyclohexane	Not Regulated	--	--	ND < 5	--	--	--	--	--	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	**2.3**	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 1	**5**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	**5.2**	**2.7**	**3.1**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	**5.6**	**1.7**	ND < 1	ND < 2	ND < 2	**3**	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 2	ND < 2	--	--	--	--	ND < 2	ND < 2	--	--
o-Xylene	10000	--	--	ND < 5	ND < 1	ND < 1	--	--	--	--	ND < 1	ND < 1	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-20D	BR-21	BR-21	BR-21	BR-21	BR-21	BR-21	BR-21	BR-21	BR-21D	BR-21D	BR-21D	BR-21D
	Date:	10/22/2012	11/3/2007	6/4/2009	10/14/2009	2/7/2011	10/18/2011	4/25/2012	10/21/2012	10/21/2012	6/9/2009	10/17/2009	10/18/2011	4/23/2012
VOC (µg/L)	**Type 3/4 GW RRS**									Duplicate				
1,1,1-Trichloroethane	13600	ND < 5	**570**	**73**	**101**	**16**	**190**	**94**	**250**	**270**	ND < 1	ND < 2	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
1,1-Dichloroethane	4000	**15**	**130**	**88**	**69.4**	**61**	**66**	**110**	**70**	**74**	**81.1**	**73.6**	**37**	**39**
1,1-Dichloroethene	520	**11**	**1700**	**570**	**521**	**330**	**680**	**560**	**770**	**760**	**254**	**254**	**76**	**52**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 5	ND < 5	ND < 1	--	--	--	--	--	ND < 1	ND < 2	--	--
1,4-Dioxane	70	ND < 2	--	ND < 300	ND < 150	ND < 250	**11**	**11**	**9.4**	**8.9**	ND < 150	ND < 300	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 25	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	**383**	**280**	**91**
Acetone	45600	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 50	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 25	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 10	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Freon-11	2000	--	ND < 5	ND < 5	ND < 1	--	--	--	--	--	ND < 1	ND < 2	--	--
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	--	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 4	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	**4.5**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	**1.4**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 5	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 10	ND < 10	ND < 2	--	--	--	--	--	ND < 2	ND < 4	--	--
o-Xylene	10000	--	ND < 5	ND < 5	ND < 1	--	--	--	--	--	ND < 1	ND < 2	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-21D	BR-22D	BR-22D	BR-22D	BR-22D	BR-22D	BR-22D	BR-22D	BR-22D	BR-22S	BR-22S	BR-22S	BR-22S
	Date:	10/21/2012	6/9/2009	10/18/2009	5/26/2010	11/4/2010	2/7/2011	10/21/2011	4/24/2012	10/21/2012	6/9/2009	10/18/2009	5/26/2010	11/4/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethane	4000	**36**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethene	520	**48**	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 1	ND < 1	ND < 5	--	--	--	--	--	ND < 1	ND < 1	ND < 5	--
1,4-Dioxane	70	ND < 2	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 150	ND < 150	ND < 250	ND < 250
2-Butanone (MEK)	11800	**52**	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	**16**	**12**	ND < 10	ND < 5	ND < 5	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	--	ND < 1	ND < 1	ND < 5	--	--	--	--	--	ND < 1	ND < 1	ND < 5	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	--	--	--	--	--	--	ND < 5	--
Methylene chloride	450	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 2	ND < 2	--	--	--	--	--	--	ND < 2	ND < 2	--	--
o-Xylene	10000	--	ND < 1	ND < 1	--	--	--	--	--	--	ND < 1	ND < 1	--	--
Xylenes (total)	10000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-22S	BR-22S	BR-22S	BR-22S	BR-23	BR-23	BR-24	BR-24	BR-24	BR-24	BR-24	BR-24	BR-24
	Date:	2/7/2011	10/21/2011	4/23/2012	10/21/2012	5/31/2009	6/1/2009	6/10/2009	10/16/2009	5/26/2010	11/4/2010	2/8/2011	10/25/2011	4/18/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	**36**	**42**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	**50**	**47**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 2	**210**	**180**	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	**2**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	--	--	--	--
1,4-Dioxane	70	ND < 250	ND < 2	ND < 2	ND < 2	ND < 120	ND < 120	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	**2**
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 10	ND < 10	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	**6.6**	**12**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	ND < 4	ND < 4	ND < 2	ND < 2	--	--	--	--	--
o-Xylene	10000	--	--	--	--	ND < 2	ND < 2	ND < 1	ND < 1	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	BR-24	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1
	Date:	10/18/2012	2/2/2002	4/23/2003	8/4/2003	11/4/2004	5/18/2005	6/18/2006	10/5/2006	2/18/2007	5/16/2007	6/5/2009	10/18/2009	5/27/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 1	**1.7**	**14**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 1	**5.7**	**44**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dioxane	70	ND < 2	--	--	--	--	--	--	--	--	--	ND < 150	ND < 150	ND < 250
2-Butanone (MEK)	11800	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10
Acetone	45600	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	ND < 5	**11**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Carbon tetrachloride	10	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5
Chloroform	80	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Freon-11	2000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Methylene chloride	450	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5
Styrene	2600	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Tetrachloroethene	98	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Toluene	5200	ND < 5	**1.1**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Vinyl chloride	3	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2
m&p-Xylene	10000	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--
o-Xylene	10000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--
Xylenes (total)	10000	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-1	MW-1	MW-1	MW-1	MW-1	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2
	Date:	11/3/2010	2/5/2011	10/27/2011	4/18/2012	10/22/2012	2/2/2002	4/23/2003	8/4/2003	11/4/2004	5/19/2005	5/27/2010	11/3/2010	2/8/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	**2.4**	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--
1,4-Dioxane	70	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	--	--	--	--	--	ND < 250	ND < 250	ND < 250
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	--	--	--	--	ND < 10	ND < 10	--	--	--
o-Xylene	10000	--	--	--	--	--	--	--	--	ND < 5	ND < 5	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-2	MW-2	MW-2	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3
	Date:	10/27/2011	4/19/2012	10/22/2012	2/2/2002	4/23/2003	8/4/2003	11/4/2004	5/19/2005	6/23/2006	10/9/2006	2/21/2007	5/18/2007	10/25/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	**760**	**1200**	**590**	**300**	**740**	**150**	**71**	**820**	**95**	**110**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**250**	**240**	**330**	**210**	**290**	**230**	**190**	**120**	**160**	**69**
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	**1700**	**4000**	**2800**	**2300**	**3800**	**2300**	**2000**	**2500**	**2300**	**1000**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 50	ND < 50	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 1200	ND < 1200	ND < 2500	ND < 20	ND < 50	**64**	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 50	ND < 50	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 50	ND < 50	ND < 100	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 50	ND < 50	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 50	ND < 50	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	--	--	--	**9.2**	**8.9**	**12**	**20**	**8.3**	**9.7**	ND < 2
m&p-Xylene	10000	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 100	ND < 100	ND < 200	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-4	MW-4	MW-4	MW-4
	Date:	6/5/2009	10/18/2009	5/27/2010	11/3/2010	2/5/2011	10/27/2011	4/19/2012	10/22/2012	4/30/2013	2/2/2002	4/23/2003	8/4/2003	11/4/2004
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**629**	**424**	**60**	ND < 5	**81**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	**2.6**	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
1,1-Dichloroethane	4000	**49.1**	**30**	**69**	**23**	**13**	**21**	**11**	**7**	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,1-Dichloroethene	520	**1260**	**1140**	**690**	**220**	**320**	**180**	**62**	**46**	**18**	ND < 1	ND < 1	ND < 1	ND < 5
1,2-Dichloroethane	5	**1.9**	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 10	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5
1,4-Dioxane	70	ND < 150	ND < 1500	ND < 250	ND < 250	ND < 250	**3.4**	**7**	**4.9**	**8**	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10
Acetone	45600	ND < 25	ND < 250	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2.5**	ND < 1	ND < 1	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Chloroethane	29200	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10
Chloroform	80	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Ethyl benzene	700	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
Freon-11	2000	ND < 1	ND < 10	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5
Methylene chloride	450	ND < 2	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Styrene	2600	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Tetrachloroethene	98	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Toluene	5200	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Trichloroethene	5	**1.3**	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Vinyl chloride	3	**2.3**	ND < 10	**3**	**3**	ND < 2	**3**	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2
m&p-Xylene	10000	ND < 2	ND < 20	--	--	--	--	--	--	--	--	--	--	ND < 10
o-Xylene	10000	ND < 1	ND < 10	--	--	--	--	--	--	--	--	--	--	ND < 5
Xylenes (total)	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4
	Date:	5/19/2005	6/19/2006	10/5/2006	2/19/2007	5/17/2007	6/5/2009	6/5/2009	10/17/2009	10/17/2009	10/27/2011	4/19/2012	10/22/2012	5/1/2013
VOC (µg/L)	**Type 3/4 GW RRS**							Duplicate		Duplicate				
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	--	--	--	--
1,4-Dioxane	70	--	--	--	--	--	ND < 150	ND < 150	ND < 150	ND < 150	ND < 2	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2.6**	**2.6**	**2.9**	**3.2**	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	--	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	--	--	--	--
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5
	Date:	2/2/2002	4/23/2003	8/4/2003	11/4/2004	5/19/2005	5/19/2005	6/23/2006	10/9/2006	2/21/2007	5/17/2007	5/17/2007	10/25/2007	6/5/2009
VOC (µg/L)	**Type 3/4 GW RRS**						Duplicate					Duplicate		
1,1,1-Trichloroethane	13600	**2.3**	**1.4**	**2.6**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.2**
1,1,2-Trichloroethane	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	**1.8**	**9.1**	**10**	**8.4**	**21**	**20**	**6.3**	ND < 5	**15**	**14**	**11**	ND < 5	**17.8**
1,1-Dichloroethene	520	**3.9**	**42**	**25**	**31**	**77**	**73**	**44**	**25**	**78**	**71**	**57**	**8.2**	**123**
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	ND < 150
2-Butanone (MEK)	11800	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25
Carbon disulfide	4000	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Carbon tetrachloride	10	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	ND < 1	**2.2**	**1**	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1
Chloroform	80	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2**
Styrene	2600	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	**1.7**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1
m&p-Xylene	10000	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	ND < 2	ND < 2	ND < 2	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-5	MW-6	MW-6	MW-6	MW-6	MW-6
	Date:	10/18/2009	5/27/2010	11/4/2010	2/8/2011	10/25/2011	4/19/2012	10/23/2012	5/1/2013	2/2/2002	4/23/2003	8/4/2003	11/3/2004	5/18/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**1.3**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
1,1-Dichloroethane	4000	**9**	**34**	**13**	**10**	**6**	**18**	**9**	**11**	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethene	520	**71.3**	**260**	**65**	**100**	**28**	**120**	**75**	**120**	ND < 1	**1.4**	ND < 1	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5
1,4-Dioxane	70	ND < 150	ND < 250	ND < 250	ND < 250	**7.4**	**16**	**3.7**	**9**	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	--	--	--	--	--	--	--	--	--	--	ND < 10	ND < 10
o-Xylene	10000	ND < 1	--	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-6	MW-6	MW-6	MW-6	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7
	Date:	10/26/2007	10/24/2011	4/20/2012	10/19/2012	2/2/2002	4/23/2003	8/4/2003	11/3/2004	5/18/2005	10/26/2007	10/24/2011	4/20/2012	10/19/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	**48**	**1.9**	**9.8**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	**230**	**24**	**57**	ND < 5	ND < 5	**12**	ND < 5	**5**	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 2	ND < 2	ND < 2	**4.5**	**1.4**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--
1,4-Dioxane	70	--	**13**	**14**	**9.8**	--	--	--	--	--	--	**4.1**	**2.8**	**2.5**
2-Butanone (MEK)	11800	ND < 50	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 5	ND < 5	ND < 5	**50**	**33**	**23**	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	--	--	--
o-Xylene	10000	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8	MW-8
	Date:	2/2/2002	4/22/2003	8/6/2003	11/7/2004	5/18/2005	6/22/2006	10/7/2006	2/20/2007	5/18/2007	10/29/2007	6/7/2009	10/16/2009	10/20/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	**5**
1,1,2-Trichloroethane	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 1	**1.3**	**1.2**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	**10**
1,1-Dichloroethene	520	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	**22**
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	ND < 150	ND < 150	ND < 2
2-Butanone (MEK)	11800	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10
Acetone	45600	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Carbon tetrachloride	10	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	**1.7**	**4.1**	**6.8**	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5
Chloroform	80	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	**1.3**	ND < 5
Freon-11	2000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--
Methylene chloride	450	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5
Styrene	2600	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	**3.1**	ND < 5
Tetrachloroethene	98	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Vinyl chloride	3	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--
o-Xylene	10000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--
Xylenes (total)	10000	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-8	MW-8	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-10	MW-10
	Date:	4/22/2012	10/21/2012	2/2/2002	4/25/2003	8/5/2003	11/7/2004	5/20/2005	10/28/2007	10/20/2011	4/22/2012	10/20/2012	2/2/2002	4/25/2003
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	**9.1**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,1-Dichloroethene	520	ND < 2	**6**	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--
1,4-Dioxane	70	ND < 2	ND < 2	--	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	--	--
Acetone	45600	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	**63**	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.7**	ND < 1
Carbon tetrachloride	10	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Chloroethane	29200	ND < 5	ND < 5	ND < 1	**6.1**	**3.2**	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	**29**	**13**
Chloroform	80	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Ethyl benzene	700	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**35**	ND < 5	ND < 1	ND < 1
Freon-11	2000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Styrene	2600	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Tetrachloroethene	98	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Toluene	5200	ND < 5	ND < 5	ND < 1	**6.1**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**110**	**44**	**340**	**96**
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Trichloroethene	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Vinyl chloride	3	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--
m&p-Xylene	10000	--	--	--	--	--	ND < 10	ND < 10	ND < 10	--	--	--	--	--
o-Xylene	10000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-10	MW-10	MW-10	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-12	MW-12
	Date:	8/5/2003	11/7/2004	5/17/2005	7/2/2002	4/24/2003	8/5/2003	11/7/2004	5/16/2005	10/25/2011	4/23/2012	10/23/2012	2/2/2002	4/25/2003
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 5	ND < 5	**9.3**	**2.6**	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**19**	**1.4**
1,1,2-Trichloroethane	5	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,1-Dichloroethane	4000	ND < 1	ND < 5	ND < 5	**5**	**1.3**	ND < 2.51	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**380**	**68**
1,1-Dichloroethene	520	ND < 1	ND < 5	ND < 5	**2.1**	**1.4**	ND < 2.5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	**99**	**44**
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,4-Dichlorobenzene	75	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	--	--	--	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	--
2-Butanone (MEK)	11800	--	ND < 10	ND < 50	--	--	--	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	--	--
Acetone	45600	ND < 25	ND < 20	ND < 50	ND < 25	ND < 25	ND < 62	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25
Carbon disulfide	4000	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Carbon tetrachloride	10	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Chloroethane	29200	**1.8**	ND < 10	ND < 10	ND < 1	ND < 1	ND < 2.5	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	**180**	**48**
Chloroform	80	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
cis-1,2-Dichloroethene	200	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Freon-11	2000	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	--	--	--	--	--
Methylcyclohexane	Not Regulated	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	--	--	--	--	--
Methylene chloride	450	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Styrene	2600	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Tetrachloroethene	98	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
trans-1,2-Dichloroethene	160	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Trichloroethene	5	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Vinyl chloride	3	--	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--
m&p-Xylene	10000	--	ND < 10	ND < 10	--	--	--	ND < 10	ND < 10	--	--	--	--	--
o-Xylene	10000	--	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	--	--	--	--	--
Xylenes (total)	10000	ND < 2	--	--	ND < 2	ND < 2	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12
	Date:	8/5/2003	11/3/2004	5/20/2005	6/23/2006	10/9/2006	2/21/2007	5/19/2007	10/25/2007	6/6/2009	10/16/2009	2/8/2011	2/8/2011	10/25/2011
VOC (µg/L)	**Type 3/4 GW RRS**												Duplicate	
1,1,1-Trichloroethane	13600	ND < 2.5	**7.1**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**3.8**	ND < 1	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**54**	**140**	**15**	**63**	**25**	**58**	**69**	**41**	**60.1**	**41.7**	**9**	**8**	ND < 5
1,1-Dichloroethene	520	**28**	**38**	**16**	**20**	**14**	**23**	**35**	**34**	**10.8**	**7.7**	ND < 2	**2**	ND < 2
1,2-Dichloroethane	5	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	**7**
2-Butanone (MEK)	11800	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 62	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Chloroethane	29200	**36**	**45**	**34**	**51**	**21**	**49**	**60**	**78**	**59.5**	**41.2**	**12**	**15**	ND < 5
Chloroform	80	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
Methylcyclohexane	Not Regulated	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--
Methylene chloride	450	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5
Styrene	2600	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 2.5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**3.9**	ND < 1	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Trichloroethene	5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	--	**5.6**	**4.4**	**9.4**	**4.7**	**12**	**14**	**21**	**4.7**	ND < 1	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--
o-Xylene	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-12	MW-12	MW-12	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13
	Date:	10/25/2011	4/23/2012	4/23/2012	10/23/2012	10/23/2012	2/2/2002	4/18/2003	8/5/2003	11/3/2004	5/16/2005	6/20/2006	10/4/2006	2/17/2007
VOC (µg/L)	**Type 3/4 GW RRS**	Duplicate		Duplicate		Duplicate								
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	**7.5**	**8.8**	**8.8**	**4.8**	**4.6**	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	**5**	**6**	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-13	MW-13	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14	MW-14
	Date:	5/15/2007	10/24/2007	2/2/2002	4/22/2003	8/5/2003	11/5/2004	5/19/2005	6/23/2006	10/9/2006	2/21/2007	5/19/2007	10/29/2007	10/23/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	**2.8**	**57**	**56**	**49**	**25**	**72**	**24**	ND < 5	ND < 5	**16**	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	**14**	**33**	**36**	**35**	**21**	**62**	**26**	**6.4**	ND < 5	**22**	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	**9.4**	**28**	**26**	**27**	**15**	**31**	**19**	ND < 5	ND < 5	**16**	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5
Chloroform	80	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--
o-Xylene	10000	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-14	MW-14	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15D	MW-15S
	Date:	4/22/2012	10/20/2012	7/1/2002	4/21/2003	8/6/2003	11/5/2004	5/19/2005	6/18/2006	10/5/2006	2/18/2007	5/16/2007	3/24/2013	7/1/2002
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 1
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,4-Dioxane	70	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--	ND < 2	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	--
Acetone	45600	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	**2**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Carbon tetrachloride	10	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Chloroethane	29200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 1
Chloroform	80	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Ethyl benzene	700	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylene chloride	450	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Styrene	2600	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Tetrachloroethene	98	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Toluene	5200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Trichloroethene	5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Vinyl chloride	3	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--
m&p-Xylene	10000	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--
o-Xylene	10000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-15S	MW-15S	MW-15S	MW-15S	MW-15S	MW-16D	MW-16D	MW-16D	MW-16D	MW-16D	MW-16D	MW-16D	MW-16D
	Date:	4/18/2003	8/6/2003	11/5/2004	5/19/2005	3/23/2013	7/1/2002	4/21/2003	8/5/2003	11/4/2004	5/18/2005	6/19/2006	10/5/2006	2/19/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 1	ND < 5	ND < 5	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	ND < 2	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	--	--	ND < 10	ND < 50	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 25	ND < 20	ND < 50	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 1	ND < 10	ND < 10	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	--	--	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	--	--	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 10	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 2	ND < 2	--	--	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-16D	MW-16D	MW-16D	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S	MW-16S
	Date:	5/17/2007	3/24/2013	3/24/2013	7/1/2002	4/21/2003	8/5/2003	11/4/2004	5/18/2005	6/19/2006	10/6/2006	2/18/2007	5/16/2007	3/24/2013
VOC (µg/L)	**Type 3/4 GW RRS**			Duplicate										
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
1,4-Dioxane	70	--	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10
Acetone	45600	ND < 50	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--
o-Xylene	10000	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-17
	Date:	7/1/2002	4/22/2003	8/5/2003	11/5/2004	5/20/2005	6/23/2006	10/9/2006	2/20/2007	5/18/2007	5/18/2007	10/29/2007	10/23/2011	4/22/2012
VOC (µg/L)	**Type 3/4 GW RRS**										Duplicate			
1,1,1-Trichloroethane	13600	**390**	**210**	**220**	**6.4**	**60**	**80**	**220**	**51**	**63**	**67**	**190**	**14**	ND < 5
1,1,2-Trichloroethane	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**180**	**120**	**130**	**6.1**	**53**	**96**	**270**	**62**	**85**	**95**	**220**	**30**	ND < 5
1,1-Dichloroethene	520	**230**	**130**	**98**	**7.1**	**40**	**64**	**200**	**36**	**51**	**57**	**160**	**17**	ND < 2
1,2-Dichloroethane	5	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	ND < 2	ND < 2
2-Butanone (MEK)	11800	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10
Acetone	45600	ND < 250	ND < 250	ND < 250	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20
Carbon disulfide	4000	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5
Chloroform	80	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylene chloride	450	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--
o-Xylene	10000	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Xylenes (total)	10000	ND < 20	ND < 20	ND < 20	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-17	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D
	Date:	10/20/2012	7/2/2002	4/22/2003	8/1/2003	11/5/2004	11/5/2004	5/21/2005	5/21/2005	6/24/2006	10/9/2006	2/21/2007	5/19/2007	10/27/2007
VOC (µg/L)	**Type 3/4 GW RRS**						Duplicate		Duplicate					
1,1,1-Trichloroethane	13600	**7**	**750**	**1300**	**1100**	**1500**	**1500**	**970**	**920**	**3100**	**2000**	**2600**	**2100**	**1400**
1,1,2-Trichloroethane	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**14**	ND < 25	**26**	ND < 1	**31**	**30**	**21**	**21**	**110**	**72**	**89**	**44**	**270**
1,1-Dichloroethene	520	**8**	**680**	**1200**	**650**	**2300**	**2200**	**1100**	**990**	**3600**	**3100**	**3500**	**4100**	**3000**
1,2-Dichloroethane	5	ND < 5	ND < 25	ND < 25	**2.2**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**6.6**	**6.8**	ND < 5	**5.6**
1,4-Dichlorobenzene	75	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 2	--	--	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 10	--	--	--	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 620	ND < 620	ND < 25	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 25	ND < 25	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 25	ND < 25	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	**34**
Chloroform	80	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 25	ND < 25	ND < 25	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	**5.8**	**5.5**	ND < 5	ND < 5	**10**	**8.5**	**9.4**	ND < 5	**7.1**
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 25	ND < 25	ND < 25.2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	**10**	**7.9**	**8.4**	**8.4**	**6.4**
Vinyl chloride	3	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 50	ND < 50	ND < 50	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-18D	MW-18D	MW-18D	MW-18D	MW-18D	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S
	Date:	6/4/2009	10/14/2009	10/24/2011	4/22/2012	10/18/2012	7/1/2002	4/22/2003	8/1/2003	11/5/2004	5/17/2005	6/20/2006	10/6/2006	2/21/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**510**	**545**	**130**	**160**	**85**	**1.7**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	**12**	ND < 5
1,1,2-Trichloroethane	5	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**37**	**28.5**	**19**	**29**	**21**	**11**	**3.4**	**3.9**	ND < 5	ND < 5	ND < 5	**8.1**	ND < 5
1,1-Dichloroethene	520	**1300**	**1190**	**340**	**290**	**270**	**12**	**3.2**	**2.3**	ND < 5	ND < 5	ND < 5	**26**	ND < 5
1,2-Dichloroethane	5	ND < 10	**2.1**	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 10	ND < 1	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 600	ND < 150	**4.7**	**4.8**	**2.9**	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 5	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 50	--	ND < 5	ND < 5	ND < 5	**1**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	**62**	ND < 1	**5**	ND < 5	ND < 5	**11**	**3**	**2.9**	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 10	**2.3**	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 10	ND < 2	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 10	**4.6**	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 10	**2.7**	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 10	ND < 1	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 20	ND < 2	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 10	ND < 1	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 10	--	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-18S	MW-18S	MW-18S	MW-18S	MW-18S	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D
	Date:	5/18/2007	10/29/2007	10/22/2011	4/22/2012	10/18/2012	7/2/2002	4/22/2003	8/5/2003	11/6/2004	11/6/2004	5/20/2005	6/22/2006	10/7/2006
VOC (µg/L)	Type 3/4 GW RRS										Duplicate			
1,1,1-Trichloroethane	13600	ND < 5	**25**	ND < 5	ND < 5	ND < 5	ND < 5	**5.1**	**5.1**	**5.6**	**5.5**	**9.5**	**34**	**37**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**7.3**	ND < 5	ND < 5	ND < 5	**52**	**47**	**48**	**160**	**150**	**110**	**450**	**450**
1,1-Dichloroethene	520	ND < 5	**38**	**4**	ND < 2	ND < 2	**130**	**130**	**98**	**500**	**500**	**430**	**2300**	**2700**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	**4.5**	ND < 2	ND < 2	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 120	ND < 120	ND < 120	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5.2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	**5.6**	**5.1**
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	**4.2**	**3.7**
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 12	ND < 10	ND < 10	--	--	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19D	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S
	Date:	2/20/2007	5/19/2007	10/27/2007	6/8/2009	10/14/2009	10/18/2011	4/25/2012	10/18/2012	7/1/2002	4/22/2003	8/5/2003	11/7/2004	5/17/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**69**	**17**	ND < 5	**19.7**	**14.8**	**6**	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
1,1-Dichloroethane	4000	**440**	**430**	**220**	**85.1**	**66.8**	**73**	**58**	**28**	**1.3**	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethene	520	**2300**	**2200**	**1200**	**368**	**343**	**370**	**270**	**200**	ND < 1	**1.2**	ND < 1	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	ND < 150	ND < 150	**6.3**	**6**	**2.4**	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	--	--	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	**7**	ND < 5	ND < 1	**4.4**	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Trichloroethene	5	**5.4**	ND < 5	ND < 5	**1.1**	ND < 1	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	**3.2**	**3.5**	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D
	Date:	6/22/2006	10/7/2006	2/19/2007	5/17/2007	10/28/2007	10/18/2011	4/24/2012	10/18/2012	7/2/2002	4/22/2003	7/31/2003	11/7/2004	5/17/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	--	--	--	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D	MW-20D
	Date:	6/21/2006	10/8/2006	2/20/2007	5/18/2007	10/28/2007	6/3/2009	10/19/2009	5/26/2010	11/3/2010	2/7/2011	10/23/2011	4/25/2012	10/21/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--
1,4-Dioxane	70	--	--	--	--	--	ND < 60	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-20S	MW-20S	MW-20S	MW-20S	MW-20S	MW-20S	MW-20S	MW-20S	MW-20S	MW-21	MW-21	MW-21	MW-21
	Date:	7/1/2002	4/22/2003	7/31/2003	11/7/2004	5/17/2005	10/28/2007	10/22/2011	4/25/2012	10/18/2012	7/1/2002	4/17/2003	8/5/2003	11/7/2004
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	--	--	--
2-Butanone (MEK)	11800	--	--	--	ND < 10	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10
Acetone	45600	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
Carbon tetrachloride	10	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Chloroethane	29200	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 10
Chloroform	80	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
cis-1,2-Dichloroethene	200	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
Freon-11	2000	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5
Methylene chloride	450	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Styrene	2600	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Tetrachloroethene	98	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Trichloroethene	5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5
Vinyl chloride	3	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	ND < 10	ND < 10	--	--	--	--	--	--	ND < 10
o-Xylene	10000	--	--	--	ND < 5	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5
Xylenes (total)	10000	ND < 2	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-21	MW-22	MW-22	MW-22	MW-22	MW-22	MW-22	MW-22	MW-22	MW-22	MW-22	MW-23	MW-23
	Date:	5/17/2005	5/7/2002	4/18/2003	8/4/2003	11/3/2004	5/17/2005	6/18/2006	10/4/2006	2/17/2007	5/15/2007	10/24/2007	5/13/2003	8/4/2003
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.9**	ND < 1
1,1,2-Trichloroethane	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,1-Dichloroethane	4000	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**65**	**8.8**
1,1-Dichloroethene	520	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**290**	**33**
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
1,4-Dichlorobenzene	75	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	--	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	--	--
Acetone	45600	ND < 50	ND < 25	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25
Carbon disulfide	4000	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.1**	ND < 1
Carbon tetrachloride	10	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Chloroethane	29200	ND < 10	ND < 1	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	**5.3**	ND < 1
Chloroform	80	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
cis-1,2-Dichloroethene	200	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
Freon-11	2000	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Methylene chloride	450	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Styrene	2600	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Tetrachloroethene	98	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Toluene	5200	ND < 5	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Trichloroethene	5	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Vinyl chloride	3	ND < 2	--	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--
m&p-Xylene	10000	ND < 10	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--
o-Xylene	10000	ND < 5	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--
Xylenes (total)	10000	--	ND < 2	ND < 2	ND < 2	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23
	Date:	11/4/2004	5/20/2005	6/23/2006	10/7/2006	2/21/2007	5/17/2007	10/25/2007	6/10/2009	10/16/2009	5/26/2010	11/4/2010	2/8/2011	10/25/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**120**	**45**	**9.1**	**29**	ND < 5	ND < 5	**55**	ND < 1	**2.5**	ND < 5	**8**	ND < 5	**6**
1,1-Dichloroethene	520	**780**	**210**	**61**	**170**	ND < 5	**43**	**290**	**1.7**	**11.8**	ND < 5	**37**	ND < 2	**11**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--
1,4-Dioxane	70	--	--	--	--	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	**28**
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	**11**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	**9**
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	**16**	**8.9**	**7.7**	**6.9**	ND < 2	**5.3**	**23**	ND < 1	**9.5**	ND < 2	**13**	ND < 2	**12**
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--
Xylenes (total)	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-23	MW-23	MW-23	MW-24	MW-24	MW-24	MW-24	MW-24	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D
	Date:	4/18/2012	10/18/2012	4/30/2013	5/13/2003	8/5/2003	11/5/2004	5/18/2005	3/24/2013	11/7/2004	5/18/2005	6/24/2006	10/7/2006	2/20/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**25**	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	**13**	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 2	**24**	ND < 2	--	--	--	--	ND < 2	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	**22**	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	--	ND < 10	ND < 10	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	--	--	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-25D	MW-25D	MW-25D	MW-25D	MW-25D	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX
	Date:	5/17/2007	10/26/2007	10/26/2011	4/24/2012	10/23/2012	5/14/2003	8/1/2003	11/6/2004	5/17/2005	6/24/2006	10/7/2006	2/20/2007	5/17/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-25DRX	MW-25DRX	MW-25DRX	MW-25DRX	MW-26D	MW-26D	MW-26D	MW-26D	MW-26D	MW-26D	MW-26D	MW-26D	MW-26D
	Date:	10/26/2007	10/22/2011	4/24/2012	10/23/2012	5/14/2003	7/31/2003	11/7/2004	5/18/2005	6/23/2006	10/8/2006	2/20/2007	5/18/2007	10/27/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	ND < 20	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-26D	MW-26D	MW-26D	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S	MW-26S
	Date:	10/20/2011	4/24/2012	10/22/2012	5/14/2003	8/5/2003	11/6/2004	5/17/2005	6/22/2006	10/8/2006	2/21/2007	5/18/2007	10/27/2007	6/7/2009
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**23**	ND < 5	**11**	**2.6**	ND < 5	ND < 5	**16**	**48**	ND < 5	**25**	**150**	**4.7**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**4.3**	**1.9**	ND < 5	ND < 5	**8.4**	**10**	ND < 5	**10**	**13**	**2.3**
1,1-Dichloroethene	520	ND < 2	**57**	**10**	**10**	**2.4**	ND < 5	**10**	**27**	**85**	ND < 5	**53**	**250**	**15.3**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--	ND < 150
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1
Chloroform	80	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2
Styrene	2600	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1
m&p-Xylene	10000	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-26S	MW-26S	MW-26S	MW-26S	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D
	Date:	10/16/2009	10/20/2011	4/24/2012	10/22/2012	5/13/2003	8/5/2003	11/6/2004	5/17/2005	6/22/2006	10/8/2006	2/20/2007	5/18/2007	10/26/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	**45**	ND < 5	**35**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**1.5**	**7**	ND < 5	**6**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**49**
1,1-Dichloroethene	520	**8.2**	**160**	**7**	**130**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**13**	**7.7**	**310**
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 150	**2.6**	ND < 2	ND < 2	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-27D	MW-27D	MW-27D	MW-27D	MW-27D	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S
	Date:	6/4/2009	10/19/2009	10/20/2011	4/23/2012	10/19/2012	5/13/2003	8/5/2003	11/6/2004	5/21/2005	6/22/2006	10/8/2006	2/20/2007	5/18/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	**2.6**	**1.7**	ND < 5	ND < 5	**8**	**16**	**18**	**22**
1,1,2-Trichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	**11.5**	**7**	ND < 5	**11**	**6.6**	**3.9**	**8.8**	ND < 5	**32**	**64**	**74**	**91**
1,1-Dichloroethene	520	**4.8**	**58.6**	**50**	**15**	**91**	**2.6**	**1.4**	**11**	ND < 5	**180**	**350**	**370**	**490**
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 60	ND < 150	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	**1.5**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	ND < 2	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 1	--	ND < 5	ND < 5	ND < 5	**7.9**	ND < 2	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S	MW-27S	MW-28	MW-28	MW-28	MW-28	MW-28	MW-28	MW-28
	Date:	10/26/2007	6/4/2009	10/19/2009	10/20/2011	4/23/2012	10/19/2012	6/17/2003	7/31/2003	11/6/2004	5/17/2005	6/21/2006	10/6/2006	2/19/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**2.6**	**9.2**	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**10**	**16.2**	**5**	**12**	**20**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**12**	**59**	**119**	**39**	**65**	**130**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	ND < 60	ND < 150	ND < 2	**2**	ND < 2	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	**210**	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	**260**	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	**1.1**	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 2	ND < 2	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 1	ND < 1	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 1	--	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-28	MW-28	MW-28	MW-28	MW-28	MW-28	MW-29	MW-29	MW-29	MW-29	MW-29	MW-29	MW-29
	Date:	5/16/2007	10/27/2007	10/23/2011	4/24/2012	10/21/2012	3/25/2013	6/17/2003	8/1/2003	11/6/2004	5/18/2005	4/25/2012	10/22/2012	3/23/2013
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	--	--	--
1,4-Dioxane	70	--	--	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	--	--	--	ND < 10	ND < 10	--	--	--
o-Xylene	10000	ND < 5	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-30	MW-30	MW-30	MW-30	MW-31	MW-31	MW-31	MW-31	MW-32	MW-32	MW-32	MW-32	MW-32
	Date:	6/18/2003	8/4/2003	11/3/2004	5/16/2005	6/18/2003	8/4/2003	11/3/2004	5/19/2005	5/17/2005	6/20/2006	10/4/2006	2/17/2007	5/16/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	**1.1**	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	**15**	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butanone (MEK)	11800	--	--	ND < 10	ND < 50	--	--	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 25	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 1	ND < 10	ND < 10	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	--	--	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 10	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 2	ND < 2	ND < 5	--	ND < 2	ND < 2	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-32	MW-32	MW-32	MW-33	MW-33	MW-33	MW-33	MW-33	MW-34	MW-35	MW-35	MW-35	MW-35
	Date:	10/27/2011	4/19/2012	10/22/2012	5/19/2005	10/24/2011	4/20/2012	10/22/2012	3/24/2013	5/19/2005	5/20/2005	6/20/2006	10/6/2006	2/17/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 2	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 2	ND < 2	ND < 2	--	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-35	MW-35	MW-35	MW-35	MW-35	MW-36D	MW-36D	MW-36D	MW-36D	MW-36D	MW-36D	MW-36D	MW-36D
	Date:	5/16/2007	10/24/2011	4/20/2012	10/22/2012	3/23/2013	5/21/2005	5/21/2005	6/24/2006	10/8/2006	2/21/2007	5/19/2007	10/30/2007	6/3/2009
VOC (µg/L)	**Type 3/4 GW RRS**							Duplicate						
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**7800**	**8200**	**3900**	**2400**	**2200**	**3100**	**2400**	**820**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**460**	**450**	**500**	**360**	**460**	**690**	**660**	**560**
1,1-Dichloroethene	520	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	**7800**	**8100**	**3900**	**3400**	**2500**	**4300**	**3200**	**1200**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**17**	**18**	ND < 5	**6.8**	ND < 5	ND < 5	ND < 5	ND < 10
1,4-Dichlorobenzene	75	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
1,4-Dioxane	70	--	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 600
2-Butanone (MEK)	11800	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 50
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Chloroethane	29200	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	**12**	**21**	**17**	**31**
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Freon-11	2000	ND < 5	--	--	--	--	**14**	**13**	**7.1**	**5.7**	ND < 5	ND < 5	ND < 5	ND < 10
Methylcyclohexane	Not Regulated	ND < 5	--	--	--	--	**5.7**	**5.5**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**18**	**18**	**12**	**7.1**	**7.5**	**8.4**	**5.5**	ND < 10
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 10
m&p-Xylene	10000	ND < 10	--	--	--	--	**26**	**26**	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 20
o-Xylene	10000	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-36D	MW-36D	MW-36D	MW-36D	MW-36D	MW-36S	MW-36S	MW-36S	MW-36S	MW-36S	MW-36S	MW-36S	MW-36S
	Date:	10/15/2009	2/7/2011	10/21/2011	4/20/2012	10/21/2012	5/21/2005	6/24/2006	10/8/2006	2/20/2007	5/19/2007	5/19/2007	10/30/2007	6/3/2009
VOC (µg/L)	**Type 3/4 GW RRS**											Duplicate		
1,1,1-Trichloroethane	13600	**893**	**100**	**18**	**15**	**6**	**12**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	**951**	**580**	**260**	**250**	**230**	**130**	**87**	**110**	**65**	**93**	**75**	**98**	**16**
1,1-Dichloroethene	520	**1540**	**460**	**230**	**180**	**160**	**140**	**53**	**84**	**73**	**78**	**66**	**110**	**6.4**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	ND < 750	ND < 250	**16**	**16**	**3.6**	--	--	--	--	--	--	--	ND < 60
2-Butanone (MEK)	11800	ND < 25	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 125	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	**44.7**	**67**	**21**	**22**	**20**	**110**	**86**	**95**	**81**	**75**	**69**	**67**	**17**
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	**21.4**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	ND < 5	**4**	ND < 2	ND < 2	ND < 2	**25**	**16**	**22**	**19**	**7.4**	**14**	**14**	**1**
m&p-Xylene	10000	ND < 10	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-36S	MW-36S	MW-36S	MW-36S	MW-37	MW-37	MW-37	MW-37	MW-37	MW-37	MW-37	MW-37	MW-37
	Date:	10/15/2009	10/25/2011	4/20/2012	10/21/2012	5/21/2005	6/23/2006	10/9/2006	2/21/2007	5/19/2007	6/4/2009	10/14/2009	2/7/2011	10/18/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 5	ND < 5	ND < 5	**1000**	**2100**	**1600**	**1100**	**1600**	**400**	**291**	**180**	**130**
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
1,1-Dichloroethane	4000	**16.7**	ND < 5	ND < 5	**6**	**80**	**73**	**100**	**110**	**110**	**92**	**61.9**	**73**	**46**
1,1-Dichloroethene	520	**7.4**	ND < 2	ND < 2	ND < 2	**1100**	**2200**	**2800**	**1400**	**2800**	**780**	**586**	**430**	**320**
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	**1.2**	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	--	--
1,4-Dioxane	70	ND < 150	**25**	**24**	**19**	--	--	--	--	--	ND < 600	ND < 150	ND < 250	**3.9**
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 10	ND < 10
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 20	ND < 20
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 50	--	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**7.6**	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
Chloroethane	29200	**14.9**	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 5	ND < 5
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
Freon-11	2000	ND < 1	--	--	--	ND < 5	**7.2**	**7.9**	ND < 5	ND < 5	ND < 10	**1.1**	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 2	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	**4.4**	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**6.6**	ND < 5	ND < 5	**5.7**	ND < 10	**1.4**	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 10	ND < 1	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 20	ND < 2	--	--
o-Xylene	10000	ND < 1	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	--	--
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-37	MW-37	MW-38	MW-38	MW-38	MW-38	MW-38	MW-38	MW-38	MW-38	MW-38	MW-39D	MW-39D
	Date:	4/22/2012	10/20/2012	5/21/2005	6/18/2006	10/4/2006	2/17/2007	5/16/2007	10/24/2007	10/25/2011	4/20/2012	10/21/2012	5/20/2005	6/18/2006
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**100**	**51**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**54**	**44**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**240**	**150**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
1,4-Dioxane	70	**4.5**	**2**	--	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	ND < 10
o-Xylene	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-39D	MW-39D	MW-39D	MW-39D	MW-39S	MW-39S	MW-39S	MW-39S	MW-39S	MW-39S	MW-39S	MW-39S	MW-40D
	Date:	10/4/2006	2/17/2007	5/15/2007	10/24/2007	5/20/2005	6/17/2006	10/4/2006	2/17/2007	5/15/2007	10/24/2007	6/6/2009	10/16/2009	5/21/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	--	--	--	--	ND < 150	ND < 150	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2.4**	**6.3**	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	**1.1**	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-41	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-42	MW-43D
	Date:	5/19/2005	5/21/2005	6/22/2006	10/6/2006	2/19/2007	5/17/2007	10/27/2007	6/3/2009	2/6/2011	10/18/2011	4/23/2012	10/21/2012	9/13/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**220**	**230**	**440**	**18**	**450**	**590**	**170**	ND < 5	**330**	**73**	**230**	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**93**	**120**	**160**	**14**	**140**	**140**	**56**	ND < 5	**89**	**31**	**64**	**12**
1,1-Dichloroethene	520	ND < 5	**230**	**380**	**680**	**32**	**800**	**970**	**320**	**3**	**1000**	**180**	**560**	**6.4**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5
1,4-Dioxane	70	--	--	--	--	--	--	--	ND < 300	ND < 250	**26**	**5.4**	**10**	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	**14**	**19**	**17**	ND < 10	**14**	**16**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**5.5**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	--	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5
Xylenes (total)	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-43D	MW-43S	MW-43S	MW-44D	MW-44D	MW-44S	MW-44S	MW-45D	MW-45D	MW-45D	MW-45D	MW-45S	MW-45S
	Date:	10/25/2007	9/13/2007	10/25/2007	9/13/2007	10/28/2007	9/13/2007	10/25/2007	10/29/2007	10/24/2011	4/20/2012	10/20/2012	10/27/2007	10/24/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 5	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--
1,4-Dioxane	70	--	--	--	--	--	--	--	--	ND < 2	ND < 2	ND < 2	--	**8.3**
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--	--	--	ND < 10	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	ND < 5	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-45S	MW-45S	MW-46D	MW-46D	MW-46D	MW-46D	MW-46D	MW-46D	MW-46I	MW-46I	MW-46I	MW-46I	MW-47D
	Date:	4/20/2012	10/19/2012	10/26/2007	6/7/2009	10/17/2009	10/25/2011	4/23/2012	10/21/2012	10/26/2007	10/25/2011	4/23/2012	10/18/2012	10/26/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**13**	**6**	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 5	ND < 1	ND < 1	ND < 2	ND < 2	**4**	ND < 5	**4**	ND < 2	ND < 2	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	--	--	--	ND < 5
1,4-Dioxane	70	**8.2**	**7**	--	ND < 150	ND < 150	ND < 2	ND < 2	ND < 2	--	**3**	**3.4**	**2.1**	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 10	**13**	**7**	ND < 5	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	--	--	--	--	--	ND < 5	--	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 2	ND < 2	--	--	--	ND < 10	--	--	--	ND < 10
o-Xylene	10000	--	--	ND < 5	ND < 1	ND < 1	--	--	--	ND < 5	--	--	--	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-47D	MW-47D	MW-47D	MW-47D	MW-47D	MW-47D	MW-47D	MW-47D	MW-47D	MW-47S	MW-47S	MW-47S	MW-47S
	Date:	6/6/2009	10/13/2009	5/26/2010	11/3/2010	2/5/2011	10/25/2011	4/19/2012	10/19/2012	4/30/2013	10/25/2007	6/6/2009	10/13/2009	5/26/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1,2-Trichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**7.9**	**5.2**	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	**51**	**76.2**	**55.2**	**25**
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 1	ND < 1	ND < 5
1,4-Dioxane	70	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--	ND < 150	ND < 150	ND < 250
2-Butanone (MEK)	11800	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10
Acetone	45600	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20
Carbon disulfide	4000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Chloroethane	29200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5
Chloroform	80	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Freon-11	2000	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 1	ND < 1	ND < 5
Methylcyclohexane	Not Regulated	--	--	ND < 5	--	--	--	--	--	--	ND < 5	--	--	ND < 5
Methylene chloride	450	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5
Styrene	2600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Tetrachloroethene	98	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Trichloroethene	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5
Vinyl chloride	3	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	**2**
m&p-Xylene	10000	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 2	ND < 2	--
o-Xylene	10000	ND < 1	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 1	ND < 1	--
Xylenes (total)	10000	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-47S	MW-47S	MW-47S	MW-47S	MW-47S	MW-47S	MW-48D	MW-48D	MW-48D	MW-48D	MW-48D	MW-48D	MW-48D
	Date:	11/3/2010	2/8/2011	10/24/2011	4/19/2012	10/19/2012	4/30/2013	10/26/2007	6/2/2009	5/26/2010	11/4/2010	2/8/2011	10/25/2011	4/18/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**690**	**450**	**280**	**380**	**420**	**450**	**480**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**7**	**12**	ND < 5	**160**	**110**	**95**	**110**	**120**	**110**	**89**
1,1-Dichloroethene	520	**43**	**62**	**40**	**44**	**61**	**16**	**1500**	**1400**	**1000**	**1300**	**1400**	**1400**	**960**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	--	ND < 5	ND < 20	ND < 5	--	--	--	--
1,4-Dioxane	70	ND < 250	ND < 250	**17**	**23**	**22**	**14**	--	ND < 1200	**260**	**470**	**480**	**460**	**410**
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 100	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 100	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	**6**	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	--	ND < 5	ND < 20	ND < 5	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**9.2**	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	**4**	**3**	**11**	**14**	**9**	ND < 2	ND < 20	ND < 2	**2**	**3**	**2**	ND < 2
m&p-Xylene	10000	--	--	--	--	--	--	ND < 10	ND < 40	--	--	--	--	--
o-Xylene	10000	--	--	--	--	--	--	ND < 5	ND < 20	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-48D	MW-48D	MW-48D	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S	MW-48S
	Date:	10/18/2012	4/30/2013	4/30/2013	10/26/2007	6/2/2009	5/26/2010	11/4/2010	11/4/2010	2/8/2011	2/8/2011	10/25/2011	10/25/2011	4/18/2012
VOC (µg/L)	**Type 3/4 GW RRS**			Duplicate					Duplicate		Duplicate		Duplicate	
1,1,1-Trichloroethane	13600	**380**	**150**	**160**	**730**	**170**	**230**	**230**	**220**	**100**	**100**	**170**	**180**	**250**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**71**	**45**	**46**	**230**	**110**	**130**	**120**	**120**	**89**	**86**	**98**	**99**	**95**
1,1-Dichloroethene	520	**970**	**600**	**580**	**2200**	**1100**	**1100**	**1100**	**1100**	**750**	**670**	**1000**	**1100**	**910**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	ND < 20	ND < 5	--	--	--	--	--	--	--
1,4-Dioxane	70	**270**	**300**	**290**	--	ND < 1200	ND < 250	**460**	**450**	ND < 250	ND < 250	**280**	**260**	**250**
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 50	ND < 100	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 50	ND < 100	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 10	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	ND < 5	ND < 20	ND < 5	--	--	--	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	ND < 5	--	--	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	**5.4**	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	**7.7**	ND < 20	**6**	**6**	**6**	**6**	**5**	**6**	**6**	**6**
m&p-Xylene	10000	--	--	--	ND < 10	ND < 40	--	--	--	--	--	--	--	--
o-Xylene	10000	--	--	--	ND < 5	ND < 20	--	--	--	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-48S	MW-48S	MW-48S	MW-48S	MW-49D	MW-49D	MW-49D	MW-49D	MW-50D	MW-50D	MW-50D	MW-50D	MW-50D
	Date:	4/18/2012	10/18/2012	10/18/2012	4/30/2013	10/29/2007	10/23/2011	4/22/2012	10/20/2012	10/29/2007	6/3/2009	10/14/2009	10/24/2011	4/22/2012
VOC (µg/L)	**Type 3/4 GW RRS**	Duplicate		Duplicate										
1,1,1-Trichloroethane	13600	**250**	**190**	**190**	**44**	ND < 5	ND < 5	ND < 5	ND < 5	**430**	**92**	**48.7**	**24**	**54**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethane	4000	**95**	**75**	**74**	**39**	ND < 5	ND < 5	ND < 5	ND < 5	**17**	**8.6**	**5.6**	**11**	**24**
1,1-Dichloroethene	520	**890**	**880**	**860**	**500**	ND < 5	ND < 2	ND < 2	ND < 2	**570**	**180**	**99.2**	**75**	**100**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1	--	--
1,4-Dioxane	70	**280**	**180**	**150**	**120**	--	ND < 2	ND < 2	ND < 2	--	ND < 60	ND < 150	ND < 2	**2.5**
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 5	ND < 25	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	--	--	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Vinyl chloride	3	**6**	**5**	**5**	**4**	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	ND < 10	--	--	--	ND < 10	ND < 2	ND < 2	--	--
o-Xylene	10000	--	--	--	--	ND < 5	--	--	--	ND < 5	ND < 1	ND < 1	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-50D	MW-51D	MW-51D	MW-51D	MW-51D	MW-51D	MW-51D	MW-51D	MW-52D	MW-52D	MW-52D	MW-52D	MW-52D
	Date:	10/18/2012	10/28/2007	6/4/2009	10/15/2009	10/19/2011	10/19/2011	4/22/2012	10/18/2012	10/28/2007	6/6/2009	10/16/2009	10/18/2011	4/25/2012
VOC (µg/L)	**Type 3/4 GW RRS**						Duplicate							
1,1,1-Trichloroethane	13600	**12**	ND < 5	**31**	**62.6**	ND < 5	ND < 5	**77**	**79**	ND < 5	**2.2**	**2.6**	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,1-Dichloroethane	4000	**9**	**18**	**19**	**21.4**	**11**	**11**	**25**	**21**	ND < 5	**1.6**	**2.3**	ND < 5	ND < 5
1,1-Dichloroethene	520	**40**	ND < 5	**56**	**135**	**11**	**11**	**190**	**270**	ND < 5	**3.2**	**3.7**	**3**	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
1,4-Dichlorobenzene	75	**--**	**6.8**	**6.7**	**5.9**	**--**	**--**	**--**	**--**	ND < 5	ND < 1	ND < 1	**--**	**--**
1,4-Dioxane	70	ND < 2	**--**	ND < 60	ND < 150	**2.4**	**2.4**	**5.1**	**3.9**	**--**	ND < 150	ND < 150	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 50	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	**--**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**--**	**--**	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 10	**4.9**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Freon-11	2000	**--**	ND < 5	ND < 1	ND < 1	**--**	**--**	**--**	**--**	ND < 5	ND < 1	ND < 1	**--**	**--**
Methylcyclohexane	Not Regulated	**--**	ND < 5	**--**	**--**	**--**	**--**	**--**	**--**	ND < 5	**--**	**--**	**--**	**--**
Methylene chloride	450	ND < 5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2
m&p-Xylene	10000	**--**	ND < 10	ND < 2	ND < 2	**--**	**--**	**--**	**--**	ND < 10	ND < 2	ND < 2	**--**	**--**
o-Xylene	10000	**--**	ND < 5	ND < 1	ND < 1	**--**	**--**	**--**	**--**	ND < 5	ND < 1	ND < 1	**--**	**--**
Xylenes (total)	10000	ND < 5	ND < 5	ND < 1	**--**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**--**	**--**	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-52D	MW-54D	MW-54D	MW-54D	MW-54D	MW-54D	MW-54D	MW-55D	MW-55D	MW-55D	MW-55D	MW-56D	MW-56D
	Date:	10/18/2012	10/27/2007	6/4/2009	2/6/2011	10/18/2011	4/22/2012	10/21/2012	11/6/2007	10/19/2011	4/25/2012	10/20/2012	10/29/2007	10/21/2011
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**580**	**560**	**260**	**230**	**150**	**330**	**18**	ND < 5	**10**	**12**	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**110**	**100**	**90**	**39**	**43**	**65**	**26**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**4**	**800**	**1100**	**660**	**580**	**290**	**850**	**20**	**3**	**5**	**8**	ND < 5	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 5	ND < 10	--	--	--	--	ND < 5	--	--	--	ND < 5	--
1,4-Dioxane	70	ND < 2	--	ND < 600	ND < 250	**11**	**7.6**	**12**	--	ND < 2	ND < 2	ND < 2	--	ND < 2
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10
Acetone	45600	ND < 20	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 50	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	ND < 5	ND < 10	--	--	--	--	ND < 5	--	--	--	ND < 5	--
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	ND < 5	--	--	--	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 10	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 10	ND < 20	--	--	--	--	ND < 10	--	--	--	ND < 10	--
o-Xylene	10000	--	ND < 5	ND < 10	--	--	--	--	ND < 5	--	--	--	ND < 5	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-56D	MW-56D	MW-57D	MW-57D	MW-57D	MW-57D	MW-57D	MW-57D	MW-57I	MW-57I	MW-57I	MW-57I	MW-58D
	Date:	4/25/2012	10/22/2012	10/30/2007	6/4/2009	2/7/2011	10/20/2011	4/22/2012	10/20/2012	10/30/2007	10/20/2011	4/22/2012	10/21/2012	10/30/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	**9600**	**3300**	**430**	**330**	**970**	**1100**	**33**	**580**	**1700**	**1900**	**170**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	**260**	**320**	**230**	**110**	**250**	**440**	**5.8**	**170**	**460**	**560**	**300**
1,1-Dichloroethene	520	ND < 2	ND < 2	**16000**	**5600**	**1100**	**740**	**1700**	**2400**	**61**	**1300**	**3000**	**3600**	**520**
1,2-Dichloroethane	5	ND < 5	ND < 5	**36**	ND < 100	ND < 5	ND < 5	**5**	**7**	ND < 5	ND < 5	**13**	ND < 25	ND < 5
1,4-Dichlorobenzene	75	--	--	ND < 5	ND < 100	--	--	--	--	ND < 5	--	--	--	ND < 5
1,4-Dioxane	70	ND < 2	ND < 2	--	ND < 6000	ND < 250	**5.5**	**14**	**15**	--	**18**	**59**	**34**	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 50	ND < 500	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 50	ND < 500	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 100	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 500	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 10	ND < 100	ND < 5	ND < 5	**5**	**10**	ND < 10	ND < 5	**7**	ND < 25	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Freon-11	2000	--	--	**19**	ND < 100	--	--	--	--	ND < 5	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	--	--	**11**	--	--	--	--	--	ND < 5	--	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	**11**	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**7**	ND < 25	ND < 5
Trichloroethene	5	ND < 5	ND < 5	**39**	ND < 100	ND < 5	ND < 5	**6**	**8**	ND < 5	ND < 5	**11**	ND < 25	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 100	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 10	ND < 2
m&p-Xylene	10000	--	--	ND < 10	ND < 200	--	--	--	--	ND < 10	--	--	--	ND < 10
o-Xylene	10000	--	--	ND < 5	ND < 100	--	--	--	--	ND < 5	--	--	--	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 25	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-58D	MW-58D	MW-58D	MW-58D	MW-58D	MW-58D	MW-58S	MW-58S	MW-58S	MW-58S	MW-58S	MW-58S	MW-59D
	Date:	6/3/2009	10/14/2009	10/21/2011	4/25/2012	4/25/2012	10/23/2012	10/30/2007	6/3/2009	2/7/2011	10/21/2011	4/25/2012	10/22/2012	10/28/2007
VOC (µg/L)	**Type 3/4 GW RRS**					Duplicate								
1,1,1-Trichloroethane	13600	**24**	**14.3**	ND < 5	ND < 5	ND < 5	ND < 5	**70**	**43**	ND < 5	ND < 5	ND < 5	ND < 5	**92**
1,1,2-Trichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**190**	**140**	**120**	**110**	**110**	**76**	**320**	**1400**	**54**	**48**	**55**	**37**	**190**
1,1-Dichloroethene	520	**200**	**145**	**150**	**130**	**140**	**130**	**330**	**1500**	**76**	**71**	**69**	**56**	**130**
1,2-Dichloroethane	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 1	--	--	--	--	ND < 5	ND < 10	--	--	--	--	**5.3**
1,4-Dioxane	70	ND < 60	ND < 150	**3.3**	**3.9**	**3.6**	ND < 2	--	ND < 600	ND < 250	**2.9**	**3.3**	ND < 2	--
2-Butanone (MEK)	11800	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50
Acetone	45600	ND < 5	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50
Carbon disulfide	4000	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 50	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	**7.6**	ND < 1	**6**	**8**	**8**	ND < 5	**13**	**230**	**16**	**10**	**12**	**7**	ND < 10
Chloroform	80	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 1	--	--	--	--	ND < 5	ND < 10	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	--	--	--	--	--	ND < 5
Methylene chloride	450	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	**69**	**6**	**6**	**7**	**5**	ND < 2
m&p-Xylene	10000	ND < 2	ND < 2	--	--	--	--	ND < 10	ND < 20	--	--	--	--	ND < 10
o-Xylene	10000	ND < 1	ND < 1	--	--	--	--	ND < 5	ND < 10	--	--	--	--	ND < 5
Xylenes (total)	10000	ND < 1	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-59D	MW-59D	MW-59D	MW-59I	MW-59I	MW-59I	MW-59I	MW-60D	MW-60D	MW-60D	MW-60D	MW-60D	MW-60D
	Date:	10/20/2011	4/24/2012	10/22/2012	10/28/2007	10/20/2011	4/25/2012	10/21/2012	10/28/2007	6/4/2009	10/15/2009	2/7/2011	10/21/2011	4/22/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**250**	**210**	**300**	ND < 5	ND < 5	ND < 5	ND < 5	**3300**	**1100**	**1480**	**730**	**410**	**580**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**280**	**270**	**380**	ND < 5	ND < 5	ND < 5	ND < 5	**180**	**180**	**136**	**140**	**60**	**110**
1,1-Dichloroethene	520	**310**	**240**	**540**	ND < 5	ND < 2	ND < 2	ND < 2	**4100**	**1500**	**2250**	**1300**	**1100**	**610**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**9.4**	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	ND < 5	--	--	--	ND < 5	ND < 20	ND < 10	--	--	--
1,4-Dioxane	70	**6.3**	**4.9**	**7.2**	--	ND < 2	ND < 2	ND < 2	--	ND < 1200	ND < 1500	ND < 250	**13**	**6.6**
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 50	ND < 10	ND < 10	ND < 10	ND < 50	ND < 100	ND < 50	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 50	ND < 100	ND < 250	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 100	--	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Chloroethane	29200	**28**	**20**	**22**	ND < 10	ND < 5	ND < 5	ND < 5	ND < 10	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	ND < 5	--	--	--	**12**	ND < 20	ND < 10	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	--	--	ND < 5	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 20	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	**7**	ND < 5	**7**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Trichloroethene	5	**7**	ND < 5	**7**	ND < 5	ND < 5	ND < 5	ND < 5	**12**	ND < 20	ND < 10	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 20	ND < 10	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	ND < 10	--	--	--	ND < 10	ND < 40	ND < 20	--	--	--
o-Xylene	10000	--	--	--	ND < 5	--	--	--	ND < 5	ND < 20	ND < 10	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 20	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-60D	MW-61	MW-61	MW-61	MW-61	MW-61	MW-62	MW-62	MW-62	MW-62	MW-62	MW-62	MW-62
	Date:	10/18/2012	6/7/2009	10/17/2009	10/26/2011	4/23/2012	10/21/2012	6/9/2009	10/18/2009	5/26/2010	11/4/2010	2/6/2011	10/21/2011	4/23/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**300**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**79**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**730**	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 1	ND < 1	--	--	--	ND < 1	ND < 1	ND < 5	--	--	--	--
1,4-Dioxane	70	**6.8**	ND < 150	ND < 150	ND < 2	ND < 2	ND < 2	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2
2-Butanone (MEK)	11800	ND < 10	**32.5**	ND < 5	**15**	ND < 10	ND < 10	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	**21**
Acetone	45600	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	ND < 1	ND < 1	--	--	--	ND < 1	ND < 1	ND < 5	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	**32**
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 2	ND < 2	--	--	--	ND < 2	ND < 2	--	--	--	--	--
o-Xylene	10000	--	ND < 1	ND < 1	--	--	--	ND < 1	ND < 1	--	--	--	--	--
Xylenes (total)	10000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-62	MW-63	MW-63	MW-63	MW-63	MW-63	MW-63	MW-63	MW-63	MW-63	MW-64	MW-64	MW-64
	Date:	10/21/2012	6/8/2009	10/14/2009	5/27/2010	11/3/2010	2/4/2011	10/27/2011	4/18/2012	10/23/2012	5/1/2013	6/8/2009	10/14/2009	5/27/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**11.8**	**36.9**	**9**	**38**	**35**	**6**	**52**	**29**	**19**	**4990**	**5390**	**6100**
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2.2**	ND < 20	ND < 50
1,1-Dichloroethane	4000	ND < 5	**11.4**	**28.9**	**10**	**25**	**20**	ND < 5	**15**	**6**	ND < 5	**206**	**226**	**280**
1,1-Dichloroethene	520	ND < 2	**418**	**941**	**390**	**670**	**660**	**200**	**300**	**68**	**13**	**1960**	**2540**	**2100**
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**3.5**	ND < 20	ND < 50
1,4-Dichlorobenzene	75	--	ND < 1	ND < 2	ND < 5	--	--	--	--	--	--	ND < 1	ND < 20	ND < 50
1,4-Dioxane	70	ND < 2	ND < 150	ND < 300	ND < 250	ND < 250	ND < 250	**2.4**	**5.2**	**6.4**	**11**	**467**	ND < 3000	ND < 2500
2-Butanone (MEK)	11800	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 100	ND < 100
Acetone	45600	ND < 20	ND < 25	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 500	ND < 200
Carbon disulfide	4000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 50
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Chloroethane	29200	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Chloroform	80	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Ethyl benzene	700	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Freon-11	2000	--	ND < 1	ND < 2	ND < 5	--	--	--	--	--	--	ND < 1	ND < 20	ND < 50
Methylcyclohexane	Not Regulated	--	--	--	ND < 5	--	--	--	--	--	--	--	--	ND < 50
Methylene chloride	450	ND < 5	ND < 2	ND < 4	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**10.1**	ND < 40	ND < 50
Styrene	2600	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Tetrachloroethene	98	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.4**	ND < 20	ND < 50
Toluene	5200	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**2.5**	ND < 20	ND < 50
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 20	ND < 50
Trichloroethene	5	ND < 5	ND < 1	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**3**	ND < 20	ND < 50
Vinyl chloride	3	ND < 2	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	**1.2**	ND < 20	ND < 20
m&p-Xylene	10000	--	ND < 2	ND < 4	--	--	--	--	--	--	--	**4.4**	ND < 40	--
o-Xylene	10000	--	ND < 1	ND < 2	--	--	--	--	--	--	--	ND < 1	ND < 20	--
Xylenes (total)	10000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 50

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-64	MW-64	MW-64	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D	MW-65D
	Date:	11/3/2010	2/4/2011	5/2/2013	6/8/2009	5/27/2010	11/3/2010	2/4/2011	10/27/2011	10/27/2011	4/18/2012	4/18/2012	10/23/2012	10/23/2012
VOC (µg/L)	**Type 3/4 GW RRS**									Duplicate		Duplicate		Duplicate
1,1,1-Trichloroethane	13600	**6400**	**5300**	**45**	**178**	**590**	**320**	**390**	**37**	**39**	**34**	**35**	**15**	**13**
1,1,2-Trichloroethane	5	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**180**	**120**	ND < 5	**19.9**	**43**	**39**	**31**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**2500**	**1900**	**48**	**232**	**510**	**310**	**340**	**32**	**32**	**14**	**13**	**42**	**32**
1,2-Dichloroethane	5	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--		ND < 2	ND < 5	--	--	--	--	--	--	--	--
1,4-Dioxane	70	ND < 2500	ND < 1300	**250**	ND < 300	ND < 250	ND < 250	ND < 250	**18**	**17**	**7.3**	**6.3**	**20**	**20**
2-Butanone (MEK)	11800	ND < 100	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 200	ND < 100	ND < 20	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 50	ND < 25	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	ND < 2	ND < 5	--	--	--	--	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	--	--	--	--	--	--	--	--
Methylene chloride	450	ND < 50	ND < 25	ND < 5	ND < 4	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 50	ND < 25	ND < 5	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 20	ND < 10	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	ND < 4	--	--	--	--	--	--	--	--	--
o-Xylene	10000	--	--	--	ND < 2	--	--	--	--	--	--	--	--	--
Xylenes (total)	10000	ND < 50	ND < 25	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-65D	MW-65S	MW-65S	MW-65S	MW-65S	MW-65S	MW-66	MW-66	MW-66	MW-66	MW-66	MW-66	MW-66
	Date:	5/2/2013	6/8/2009	5/27/2010	11/3/2010	2/4/2011	5/2/2013	6/7/2009	10/14/2009	5/27/2010	11/3/2010	2/4/2011	10/19/2011	4/18/2012
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	**255**	**430**	**250**	**330**	**620**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	**6.9**	**10**	**12**	**11**	**19**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	**321**	**270**	**330**	**290**	**310**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**19**	**7970**	**10000**	**10000**	**11000**	**10000**	**1.7**	**1.8**	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	5	ND < 5	**23.7**	**31**	**38**	**28**	**63**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	ND < 1	ND < 5	--	--	--	ND < 1	ND < 1	ND < 5	--	--	--	--
1,4-Dioxane	70	**16**	**868**	**790**	**1600**	**1300**	**2900**	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	**3.1**	**3.4**
2-Butanone (MEK)	11800	ND < 10	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	ND < 1	ND < 5	--	--	--	ND < 1	ND < 1	ND < 5	--	--	--	--
Methylcyclohexane	Not Regulated	--	--	ND < 5	--	--	--	--	--	ND < 5	--	--	--	--
Methylene chloride	450	ND < 5	**3.3**	**5**	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	**1**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	**5.3**	**7**	**7**	**7**	**11**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	**12.5**	**7**	**20**	**9**	**4**	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	ND < 2	--	--	--	--	ND < 2	ND < 2	--	--	--	--	--
o-Xylene	10000	--	ND < 1	--	--	--	--	ND < 1	ND < 1	--	--	--	--	--
Xylenes (total)	10000	ND < 5	--	**8**	ND < 5	**6**	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	MW-66	MW-66	MW-W	MW-W	MW-W	MW-W	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1
	Date:	10/22/2012	4/30/2013	5/14/2003	8/1/2003	11/6/2004	5/18/2005	3/17/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007	10/23/2007	6/10/2009
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethene	520	ND < 2	ND < 2	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	**2.3**	**3**	--	--	--	--	--	--	--	--	--	--	ND < 150
2-Butanone (MEK)	11800	ND < 10	ND < 10	--	--	ND < 10	ND < 50	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 20	ND < 20	ND < 25	ND < 25	ND < 20	ND < 50	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Carbon tetrachloride	10	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1
Chloroform	80	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2
Styrene	2600	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	ND < 2	ND < 2	--	--	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1
m&p-Xylene	10000	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	ND < 5	ND < 5	ND < 2	ND < 2	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-1	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2
	Date:	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/17/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 1	ND < 5	**3**	ND < 2	**8**	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-2	SBW-3	SBW-3	SBW-3
	Date:	10/23/2007	6/10/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/17/2005	6/25/2006	10/10/2006
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**5.3**
1,1-Dichloroethene	520	ND < 5	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	**13**	**21**
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	--	--	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-3	SBW-4
	Date:	2/22/2007	5/19/2007	10/23/2007	6/10/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/17/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**100**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**6**	**12**	ND < 5	**29.7**	**19.3**	**10**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**34**
1,1-Dichloroethene	520	**24**	**50**	**24**	**121**	**92.7**	**54**	**10**	**10**	**7**	**17**	**22**	**17**	**130**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5
1,4-Dioxane	70	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	**1.5**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--	--	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 1	**1.8**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	**2.1**	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	--	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4
	Date:	3/17/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007	10/23/2007	6/10/2009	6/10/2009	10/20/2009	10/20/2009	5/27/2010	11/1/2010	11/1/2010
VOC (µg/L)	**Type 3/4 GW RRS**	Duplicate							Duplicate		Duplicate			Duplicate
1,1,1-Trichloroethane	13600	**100**	**60**	**74**	**93**	**100**	**90**	**86.9**	**85.8**	**77.3**	**79.1**	**27**	**52**	**53**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**34**	**43**	**44**	**45**	**70**	**65**	**56.1**	**52.3**	**45**	**46.5**	**26**	**38**	**38**
1,1-Dichloroethene	520	**120**	**89**	**110**	**110**	**150**	**160**	**138**	**141**	**130**	**139**	**42**	**77**	**78**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	--	--
1,4-Dioxane	70	--	--	--	--	--	--	ND < 150	ND < 150	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250
2-Butanone (MEK)	11800	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	**1.6**	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**9.7**	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	**33**	**22**
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**1.1**	**1**	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 1	ND < 1	--	--	--
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-4	SBW-5	SBW-5	SBW-5
	Date:	2/6/2011	2/6/2011	10/26/2011	10/26/2011	4/26/2012	4/26/2012	10/17/2012	10/17/2012	5/1/2013	5/1/2013	3/17/2005	6/25/2006	10/10/2006
VOC (µg/L)	**Type 3/4 GW RRS**		Duplicate		Duplicate		Duplicate		Duplicate		Duplicate			
1,1,1-Trichloroethane	13600	**51**	**51**	**54**	**57**	**45**	**44**	**49**	**47**	**67**	**65**	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**34**	**34**	**44**	**44**	**31**	**31**	**62**	**63**	**39**	**38**	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**110**	**110**	**150**	**150**	**75**	**75**	**170**	**160**	**140**	**140**	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	--	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 250	ND < 250	**5**	**5.1**	**2.7**	**2.6**	**4.1**	**3.8**	**3.8**	**5.9**	--	--	--
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	--	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	**21**	**11**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	**17**	**16**	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	--	--	--	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10
o-Xylene	10000	--	--	--	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-5	SBW-6
	Date:	2/22/2007	5/19/2007	10/23/2007	6/10/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/18/2005
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**190**
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	**1**	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**180**
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	**1**	ND < 1	ND < 5	ND < 2	**3**	ND < 2	ND < 2	ND < 2	ND < 2	**150**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5
1,4-Dioxane	70	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	--
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--	--	--	--	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 10
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	--	ND < 5
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-6	SBW-6	SBW-6	SBW-6	SBW-6	SBW-6	SBW-7	SBW-7	SBW-7	SBW-7	SBW-7	SBW-7	SBW-7
	Date:	6/25/2006	10/10/2006	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/18/2005	6/25/2006	10/11/2006	2/22/2007	5/19/2007	10/24/2007	5/27/2010
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**250**	**53**	ND < 5	**14**	**15**	**8**	**10**	**46**	**54**	**100**	**110**	**35**	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**370**	**250**	ND < 5	**39**	**78**	**26**	**37**	**170**	**160**	**230**	**290**	**190**	**14**
1,1-Dichloroethene	520	**180**	**140**	**2**	**18**	**40**	**13**	**5.4**	**22**	**28**	**45**	**53**	**23**	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	--	**3.4**	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--	ND < 250
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	**18**	**21**	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	--
o-Xylene	10000	ND < 5	ND < 5	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-7	SBW-7	SBW-7	SBW-7	SBW-7	SBW-7	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8
	Date:	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/18/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007	10/24/2007	6/10/2009
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethane	4000	**7**	**16**	**8**	**6**	**7**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,1-Dichloroethene	520	ND < 2	**3**	ND < 2	ND < 2	ND < 2	ND < 2	**6.4**	ND < 5	ND < 5	ND < 5	**5**	ND < 5	**7**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dichlorobenzene	75	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
1,4-Dioxane	70	ND < 250	ND < 250	**2.9**	**3.4**	**2.7**	**4.7**	--	--	--	--	--	--	ND < 150
2-Butanone (MEK)	11800	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 5
Acetone	45600	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 25
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Chloroethane	29200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 1
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Freon-11	2000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Methylcyclohexane	Not Regulated	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 2
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 1
m&p-Xylene	10000	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 2
o-Xylene	10000	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-8	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9
	Date:	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/18/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**25**	**82**	**150**	**200**	**260**
1,1,2-Trichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	**17**	**73**	**65**	**73**	**100**
1,1-Dichloroethene	520	**7.2**	ND < 5	**2**	**6**	**5**	**4**	**3**	**3**	**100**	**180**	**420**	**580**	**790**
1,2-Dichloroethane	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	ND < 150	ND < 250	ND < 250	ND < 250	**6.9**	**9**	**3.6**	**6.6**	--	--	--	--	--
2-Butanone (MEK)	11800	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50	ND < 50	ND < 50
Acetone	45600	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50	ND < 50	ND < 50
Carbon disulfide	4000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	--	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	**21**	**11**	**5.5**	**13**
m&p-Xylene	10000	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-9	SBW-10	SBW-10	SBW-10
	Date:	10/24/2007	6/10/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013	3/18/2005	6/25/2006	10/10/2006
VOC (µg/L)	**Type 3/4 GW RRS**													
1,1,1-Trichloroethane	13600	**90**	**174**	**121**	**130**	**130**	**160**	**130**	**170**	**220**	**260**	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	**45**	**46.3**	**29.9**	**41**	**36**	**56**	**36**	**32**	**41**	**41**	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	**260**	**499**	**389**	**430**	**340**	**650**	**400**	**320**	**490**	**370**	ND < 5	ND < 5	ND < 5
1,2-Dichloroethane	5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
1,4-Dioxane	70	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	**150**	**130**	**160**	**310**	--	--	--
2-Butanone (MEK)	11800	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 50	ND < 50
Acetone	45600	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 50	ND < 50
Carbon disulfide	4000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10
Chloroform	80	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylcyclohexane	Not Regulated	ND < 5	--	--	ND < 5	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Methylene chloride	450	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 1	**1.9**	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	**13**	**2.6**	ND < 1	ND < 2	ND < 2	**2**	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	--	ND < 10	ND < 10	ND < 10
o-Xylene	10000	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	--	ND < 5	ND < 5	ND < 5
Xylenes (total)	10000	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	--	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
2002-2013
Avery Dennison Site
Flowery Branch, Georgia

	Sample ID:	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10	SBW-10
	Date:	2/22/2007	5/19/2007	10/24/2007	6/10/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	10/26/2011	4/26/2012	10/17/2012	5/1/2013
VOC (µg/L)	**Type 3/4 GW RRS**												
1,1,1-Trichloroethane	13600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	4000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	520	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	**6**	**7**
1,2-Dichloroethane	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dichlorobenzene	75	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--
1,4-Dioxane	70	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	**2.1**
2-Butanone (MEK)	11800	ND < 50	ND < 50	ND < 50	ND < 5	ND < 5	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	45600	ND < 50	ND < 50	ND < 50	ND < 25	ND < 25	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	4000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	10	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	29200	ND < 10	ND < 10	ND < 10	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	80	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	700	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Freon-11	2000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	--	--	--	--	--	--
Methylcyclohexane	Not Regulated	ND < 5	ND < 5	ND < 5	--	--	ND < 5	--	--	--	--	--	--
Methylene chloride	450	ND < 5	ND < 5	ND < 5	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	2600	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	98	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	5200	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	160	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	3	ND < 2	ND < 2	ND < 2	ND < 1	ND < 1	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
m&p-Xylene	10000	ND < 10	ND < 10	ND < 10	ND < 2	ND < 2	--	--	--	--	--	--	--
o-Xylene	10000	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	--	--	--	--	--	--	--
Xylenes (total)	10000	ND < 5	ND < 5	ND < 5	--	--	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3)"--" = Compound was not included in the laboratory analysis.
4)Detections in excess of Type 3/4 groundwater RRS are shaded.
5) Xylenes (total) is the sum of m&p-Xylene and o-Xylene concentrations.
6) Samples collected using a polyethylene diffusion bag are indicated by (DBS).
7) B indicates that the analyte was found in the associated laboratory blank, as well as in the sample.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: / Sample Date:									
		SW-DS-5 2/15/2011	SW-DS-5 4/26/2012	SW-DS-5 10/17/2012	SW-DS-5 5/1/2013	SW-DS-4 2/15/2011	SW-DS-3 2/15/2011	SW-DS-2 2/6/2011	SW-DS-2 2/15/2011	SW-DS-2 10/26/2011	SW-DS-2 4/26/2012
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	3	ND < 2	2	ND < 2	3	4	2	4	6	2
1,4-Dioxane	-	ND < 250	ND < 2	ND < 2	ND < 2	ND < 250	ND < 250	ND < 250	ND < 250	2.1	ND < 2

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	Location ID: / Sample Date: / In-stream Water Quality Criteria	SW-DS-2 10/17/2012	SW-DS-2 5/1/2013	SW-DS-2(Before) 2/15/2011	SW-DS-1 2/6/2011	SW-DS-1 2/15/2011	SW-DS-1 10/26/2011	SW-DS-1 4/26/2012	SW-DS-1 10/17/2012	SW-DS-1 5/1/2013	SW-0 6/10/2009
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	1.8
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	1.1
1,1-Dichloroethene	7100	3	2	4	3	5	9	3	4	2	3.6
1,4-Dioxane	-	ND < 2	ND < 2	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2	ND < 150

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: SW-0 Sample Date: 10/20/2009	SW-0 5/27/2010 Duplicate	SW-0 5/27/2010	SW-0 11/1/2010	SW-0 11/1/2010 Duplicate	SW-0 2/6/2011	SW-0 2/6/2011 Duplicate	SW-0 2/15/2011	SW-0 10/26/2011	SW-0 4/26/2012
1,1,1-Trichloroethane	-	1.2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	2.8	ND < 5	ND < 5	4	4	3	3	5	7	3
1,4-Dioxane	-	ND < 150	ND < 250	ND < 250	ND < 250	ND < 250	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

	Location ID:	SW-0	SW-0	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1
	Sample Date:	10/17/2012	5/1/2013	3/15/2005	6/23/2006	10/10/2006	2/22/2007	5/19/2007	10/23/2007	6/10/2009	6/10/2009
VOC (µg/L)	**In-stream Water Quality Criteria**										Duplicate
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	8.6	ND < 5	ND < 5	7.8	9	2.5	2.5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	5.2	1.4	1.3
1,1-Dichloroethene	7100	5	2	ND < 5	10	9.4	6.5	10	19	5	5.4
1,4-Dioxane	-	ND < 2	ND < 2	--	--	--	--	--	--	ND < 150	ND < 150

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

	Location ID:	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1
	Sample Date:	10/20/2009	10/20/2009	5/27/2010	11/1/2010	2/6/2011	2/15/2011	10/26/2011	10/26/2011	4/26/2012	4/26/2012
VOC (µg/L)	**In-stream Water Quality Criteria**		Duplicate						Duplicate		Duplicate
1,1,1-Trichloroethane	-	1.2	1.3	ND < 5	ND < 5	ND < 5	ND < 5	5	5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	2.8	3	ND < 5	6	3	5	17	17	5	5
1,4-Dioxane	-	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	ND < 250	2	2	ND < 2	ND < 2

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

	Location ID:	SW-1	SW-1	SW-1	SW-1	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2
	Sample Date:	10/17/2012	10/17/2012	5/1/2013	5/1/2013	3/15/2005	6/25/2006	10/10/2006	2/22/2007	5/19/2007	10/23/2007
VOC (µg/L)	**In-stream Water Quality Criteria**		Duplicate		Duplicate						
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	7.7	ND < 5	18	25
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	5.7	12
1,1-Dichloroethene	7100	6	7	3	3	ND < 5	ND < 5	14	6.7	24	47
1,4-Dioxane	-	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: SW-2 Sample Date: 6/10/2009	SW-2 10/20/2009	SW-2 5/27/2010	SW-2 11/1/2010	SW-2 2/6/2011	SW-2 10/26/2011	SW-2 4/26/2012	SW-2 10/17/2012	SW-2 5/1/2013	SW-3 3/15/2005
1,1,1-Trichloroethane	-	3.4	1.5	ND < 5	ND < 5	ND < 5	8	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	1.8	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	6.5	3.3	ND < 5	9	4	24	6	6	3	ND < 5
1,4-Dioxane	-	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	2.3	ND < 2	ND < 2	ND < 2	--

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: / Sample Date: SW-3 6/25/2006	SW-3 10/10/2006	SW-3 2/22/2007	SW-3 5/19/2007	SW-3 10/23/2007	SW-3 6/10/2009	SW-3 10/20/2009	SW-3 5/27/2010	SW-3 11/1/2010	SW-3 2/6/2011
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	ND < 5	ND < 5	ND < 5	5.9	ND < 5	1.6	1.2	ND < 5	2	ND < 2
1,4-Dioxane	-	--	--	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	Location ID: / Sample Date: / In-stream Water Quality Criteria	SW-3 10/26/2011	SW-3 4/26/2012	SW-3 10/17/2012	SW-3 5/1/2013	SW-4 3/15/2005	SW-4 6/25/2006	SW-4 10/10/2006	SW-4 2/22/2007	SW-4 5/19/2007	SW-4 10/23/2007
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	2	3	4	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	-	2.1	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: / Sample Date: SW-4 6/10/2009	SW-4 10/20/2009	SW-4 5/27/2010	SW-4 11/1/2010	SW-4 2/6/2011	SW-4 10/26/2011	SW-4 4/26/2012	SW-4 10/17/2012	SW-4 5/1/2013	SW-5 3/15/2005
1,1,1-Trichloroethane	-	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	1.1	ND < 1	ND < 5	ND < 2	2	3	ND < 2	ND < 2	ND < 2	ND < 5
1,4-Dioxane	-	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250	2.6	ND < 2	ND < 2	ND < 2	--

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: / Sample Date: SW-5 6/25/2006	SW-5 10/10/2006	SW-5 2/22/2007	SW-5 5/19/2007	SW-5 10/23/2007	SW-5 6/10/2009	SW-5 10/20/2009	SW-5 5/27/2010	SW-5 11/1/2010	SW-5 2/6/2011
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 1	ND < 1	ND < 5	ND < 2	ND < 2
1,4-Dioxane	-	--	--	--	--	--	ND < 150	ND < 150	ND < 250	ND < 250	ND < 250

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: SW-5 Sample Date: 10/26/2011	SW-5 4/26/2012	SW-5 10/17/2012	SW-5 5/1/2013	SW-6 3/15/2005	SW-6 6/25/2006	SW-6 10/10/2006	SW-6 2/22/2007	SW-6 5/19/2007	SW-6 10/23/2007
1,1,1-Trichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100	ND < 2	ND < 2	ND < 2	ND < 2	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	-	ND < 2	ND < 2	ND < 2	ND < 2	--	--	--	--	--	--

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

Table 4-2
Summary of Concentrations of VOCs and 1,4-Dioxane in Surface Water
2005-2013
Avery Dennison Site
Flowery Branch, GA

VOC (µg/L)	In-stream Water Quality Criteria	Location ID: / Sample Date:	SW-6 10/20/2009	SW-6 5/27/2010	SW-6 11/1/2010	SW-6 2/6/2011	SW-6 10/26/2011	SW-6 4/26/2012	SW-6 10/17/2012	SW-6 5/1/2013
1,1,1-Trichloroethane	-		ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	-		ND < 1	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	7100		ND < 1	ND < 5	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
1,4-Dioxane	-		ND < 150	ND < 250	ND < 250	ND < 250	ND < 2	ND < 2	ND < 2	ND < 2

Notes:

1) All concentrations are expressed in micrograms per liter (µg/L).

2) "-" indicates no in-stream water quality criteria.

3) Non-Detects are expressed as "ND < #", where # is the laboratory PQL.

4) In-stream Water Quality Criteria from Georgia Rules & Regulations for Water Quality Control Chapter 391-3-6.03 (rev June 5, 2011).

5) Of the compounds detected in site surface water, only 1,1-Dichlorethene has an in-stream water quality criterion.

6) Detections of 1,1-Dichloroethene in excess of In-Stream Water Quality Criteria are shown in bold and shaded.

APPENDIX A

LABORATORY ANALYTICAL RESULTS: GROUNDWATER AND SURFACE WATER

eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

REVISED

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

April 25, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/26/2013
Group Number: 1378013
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Trip Blank-1 Water	6996501
BR-9S Grab Groundwater	6996502
MW-29 Grab Groundwater	6996503
MW-35 Grab Groundwater	6996504
BR-9D Grab Groundwater	6996505
MW-24 Grab Groundwater	6996506
MW-16S Grab Groundwater	6996507
BR-11 Grab Groundwater	6996508
BR-11 Matrix Spike Grab Groundwater	6996509
BR-11 Matrix Spike Dup Grab Groundwater	6996510
MW-33 Grab Groundwater	6996511
MW-15S Grab Groundwater	6996512
TB-2 Water	6996513
BR-10D Grab Groundwater	6996514
DUP-GA Grab Groundwater	6996515
MW-16D Grab Groundwater	6996516
BR-10S Grab Groundwater	6996517
MW-15D Grab Groundwater	6996518
EB-GA Grab Water	6996519
BR-8D Grab Groundwater	6996520
BR-8S Grab Groundwater	6996521
MW-28 Grab Groundwater	6996522

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC	The Johnson Company, Inc.	Attn: Tristan Hardy

REVISED

COPY TO

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

REVISED

Sample Description: Trip Blank-1 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996501
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

REVISED

Sample Description: Trip Blank-1 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996501
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:26	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:09	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:09	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 13:26	Christopher G Torres	1

REVISED

Sample Description: BR-9S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996502
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 13:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-9S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996502
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 13:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:28	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 14:28	Christopher G Torres	1

REVISED

Sample Description: MW-29 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996503
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 15:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF29

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-29 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996503
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 15:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF29

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:48	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:14	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 14:48	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:14	Jason M Long	1

REVISED

Sample Description: MW-35 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996504
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:07 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF35

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-35 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996504
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:07 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF35

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 07:54	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 14:11	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 07:54	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 14:11	Jason M Long	1

REVISED

Sample Description: BR-9D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996505
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 40	40	20

Reporting limits were raised due to interference from the sample matrix.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

REVISED

Sample Description: BR-9D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996505
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:15	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:53	Jason M Long	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:15	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:53	Jason M Long	20

REVISED

Sample Description: MW-24 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996506
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF24

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-24 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996506
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:52 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF24

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130882AA	03/29/2013 14:42	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 19:39	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 19:39	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130882AA	03/29/2013 14:42	Angela D Sneeringer	1

REVISED

Sample Description: MW-16S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996507
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 11:07 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-16S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996507
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 11:07 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF16

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:36	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:55	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:36	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:55	Jason M Long	1

REVISED

Sample Description: BR-11 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996508
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-11 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996508
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:56	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:34	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:56	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:34	Jason M Long	1

REVISED

Sample Description: BR-11 Matrix Spike Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996509
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	210	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	19	5	1
10335	Bromoform	75-25-2	15	5	1
10335	Bromomethane	74-83-9	15	5	1
10335	2-Butanone	78-93-3	170	10	1
10335	Carbon Disulfide	75-15-0	20	5	1
10335	Carbon Tetrachloride	56-23-5	22	5	1
10335	Chlorobenzene	108-90-7	21	5	1
10335	Chloroethane	75-00-3	16	5	1
10335	Chloroform	67-66-3	21	5	1
10335	Chloromethane	74-87-3	23	5	1
10335	Dibromochloromethane	124-48-1	19	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	22	2	1
10335	cis-1,2-Dichloroethene	156-59-2	23	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	17	5	1
10335	Ethylbenzene	100-41-4	22	5	1
10335	2-Hexanone	591-78-6	81	10	1
10335	4-Methyl-2-pentanone	108-10-1	83	10	1
10335	Methylene Chloride	75-09-2	20	5	1
10335	Styrene	100-42-5	21	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	19	5	1
10335	1,1,2-Trichloroethane	79-00-5	20	5	1
10335	Trichloroethene	79-01-6	22	5	1
10335	Vinyl Chloride	75-01-4	21	2	1
10335	Xylene (Total)	1330-20-7	64	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	5.4	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-11 Matrix Spike Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996509
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:17	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 20:00	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:17	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 20:00	Jason M Long	1

REVISED

Sample Description: BR-11 Matrix Spike Dup Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996510
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	210	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	19	5	1
10335	Bromoform	75-25-2	15	5	1
10335	Bromomethane	74-83-9	16	5	1
10335	2-Butanone	78-93-3	170	10	1
10335	Carbon Disulfide	75-15-0	20	5	1
10335	Carbon Tetrachloride	56-23-5	21	5	1
10335	Chlorobenzene	108-90-7	21	5	1
10335	Chloroethane	75-00-3	17	5	1
10335	Chloroform	67-66-3	21	5	1
10335	Chloromethane	74-87-3	23	5	1
10335	Dibromochloromethane	124-48-1	19	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	22	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	17	5	1
10335	Ethylbenzene	100-41-4	21	5	1
10335	2-Hexanone	591-78-6	82	10	1
10335	4-Methyl-2-pentanone	108-10-1	83	10	1
10335	Methylene Chloride	75-09-2	20	5	1
10335	Styrene	100-42-5	20	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	19	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	22	5	1
10335	Vinyl Chloride	75-01-4	21	2	1
10335	Xylene (Total)	1330-20-7	64	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	5.8	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-11 Matrix Spike Dup Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996510
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:38	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 20:20	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:38	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 20:20	Jason M Long	1

REVISED

Sample Description: MW-33 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996511
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 14:57 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF33

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-33 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996511
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 14:57 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF33

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:59	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 14:52	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:59	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 14:52	Jason M Long	1

REVISED

Sample Description: MW-15S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996512
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:22 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-15S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996512
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:22 by TH

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 10:20	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:16	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 10:20	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:16	Jason M Long	1

REVISED

Sample Description: TB-2 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996513
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: TB-2 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996513
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:46	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:30	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:30	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 13:46	Christopher G Torres	1

REVISED

Sample Description: BR-10D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996514
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:15 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-10D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996514
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:15 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 10:40	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:36	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 10:40	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:36	Jason M Long	1

REVISED

Sample Description: DUP-GA Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996515
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 12:00 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFDP

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: DUP-GA Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996515
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 12:00 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFDP

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:01	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:57	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:01	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:57	Jason M Long	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

REVISED

Sample Description: MW-16D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996516
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:35 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD16D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-16D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996516
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:35 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD16D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:22	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:17	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:22	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:17	Jason M Long	1

REVISED

Sample Description: BR-10S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996517
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:00 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-10S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996517
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:00 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:42	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:38	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:42	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:38	Jason M Long	1

REVISED

Sample Description: MW-15D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996518
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 17:10 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD15D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-15D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996518
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 17:10 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD15D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:03	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:58	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:03	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:58	Jason M Long	1

REVISED

Sample Description: EB-GA Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996519
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 07:30 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADEBL

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: EB-GA Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996519
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 07:30 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADEBL

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:07	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 12:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 12:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 14:07	Christopher G Torres	1

REVISED

Sample Description: BR-8D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996520
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 13:40 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-8D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996520
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 13:40 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:23	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:12	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:23	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:12	Jason M Long	1

REVISED

Sample Description: BR-8S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996521
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 09:22 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: BR-8S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996521
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 09:22 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:44	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:33	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:44	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:33	Jason M Long	1

REVISED

Sample Description: MW-28 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996522
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 10:27 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF28

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

REVISED

Sample Description: MW-28 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996522
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 10:27 by RP

Submitted: 03/26/2013 09:30
Reported: 04/25/2013 08:30

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF28

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:05	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 19:19	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 13:05	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 19:19	Jason M Long	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 04/25/13 at 08:30 AM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E130871AA	Sample number(s): 6996501-6996522							
1,4-Dioxane	< 2.0	2.0	ug/l	99		80-123		
Batch number: Y130871AA	Sample number(s): 6996501-6996505,6996507-6996522							
Acetone	< 20	20.	ug/l	66		49-234		
Benzene	< 5	5.	ug/l	100		77-121		
Bromodichloromethane	< 5	5.	ug/l	88		73-120		
Bromoform	< 5	5.	ug/l	70		61-120		
Bromomethane	< 5	5.	ug/l	60		51-120		
2-Butanone	< 10	10.	ug/l	77		57-141		
Carbon Disulfide	< 5	5.	ug/l	83		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	88		65-137		
Chlorobenzene	< 5	5.	ug/l	97		80-120		
Chloroethane	< 5	5.	ug/l	63		60-120		
Chloroform	< 5	5.	ug/l	92		77-122		
Chloromethane	< 5	5.	ug/l	77		54-123		
Dibromochloromethane	< 5	5.	ug/l	88		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	104		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	98		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	93		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	100		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	92		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	100		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	95		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	79		66-124		
Ethylbenzene	< 5	5.	ug/l	97		79-120		
2-Hexanone	< 10	10.	ug/l	65		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	78		65-122		
Methylene Chloride	< 5	5.	ug/l	91		84-118		
Styrene	< 5	5.	ug/l	93		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	88		70-129		
Tetrachloroethene	< 5	5.	ug/l	94		79-120		
Toluene	< 5	5.	ug/l	99		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	84		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	97		80-120		
Trichloroethene	< 5	5.	ug/l	95		80-120		
Vinyl Chloride	< 2	2.	ug/l	78		63-120		
Xylene (Total)	< 5	5.	ug/l	96		77-120		
Batch number: Y130882AA	Sample number(s): 6996506							
Acetone	< 20	20.	ug/l	80	89	49-234	10	30
Benzene	< 5	5.	ug/l	96	98	77-121	2	30
Bromodichloromethane	< 5	5.	ug/l	88	88	73-120	0	30
Bromoform	< 5	5.	ug/l	71	70	61-120	2	30

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 04/25/13 at 08:30 AM

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Bromomethane	< 5	5.	ug/l	65	63	51-120	3	30
2-Butanone	< 10	10.	ug/l	82	86	57-141	5	30
Carbon Disulfide	< 5	5.	ug/l	81	80	68-121	1	30
Carbon Tetrachloride	< 5	5.	ug/l	88	88	65-137	1	30
Chlorobenzene	< 5	5.	ug/l	95	95	80-120	1	30
Chloroethane	< 5	5.	ug/l	67	66	60-120	1	30
Chloroform	< 5	5.	ug/l	89	90	77-122	0	30
Chloromethane	< 5	5.	ug/l	87	86	54-123	1	30
Dibromochloromethane	< 5	5.	ug/l	89	88	72-120	1	30
1,1-Dichloroethane	< 5	5.	ug/l	101	101	79-120	0	30
1,2-Dichloroethane	< 5	5.	ug/l	97	97	64-130	0	30
1,1-Dichloroethene	< 2	2.	ug/l	88	90	76-124	2	30
cis-1,2-Dichloroethene	< 5	5.	ug/l	97	97	80-120	0	30
trans-1,2-Dichloroethene	< 5	5.	ug/l	89	90	80-120	1	30
1,2-Dichloropropane	< 5	5.	ug/l	97	99	80-120	2	30
cis-1,3-Dichloropropene	< 5	5.	ug/l	95	96	78-120	1	30
trans-1,3-Dichloropropene	< 5	5.	ug/l	79	80	66-124	0	30
Ethylbenzene	< 5	5.	ug/l	93	94	79-120	1	30
2-Hexanone	< 10	10.	ug/l	65	67	59-125	3	30
4-Methyl-2-pentanone	< 10	10.	ug/l	79	78	65-122	1	30
Methylene Chloride	< 5	5.	ug/l	88	88	84-118	0	30
Styrene	< 5	5.	ug/l	92	92	77-120	1	30
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	86	85	70-129	0	30
Tetrachloroethene	< 5	5.	ug/l	93	94	79-120	1	30
Toluene	< 5	5.	ug/l	95	96	79-120	1	30
1,1,1-Trichloroethane	< 5	5.	ug/l	86	87	66-126	0	30
1,1,2-Trichloroethane	< 5	5.	ug/l	95	96	80-120	1	30
Trichloroethene	< 5	5.	ug/l	93	94	80-120	1	30
Vinyl Chloride	< 2	2.	ug/l	87	86	63-120	1	30
Xylene (Total)	< 5	5.	ug/l	93	94	77-120	1	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E130871AA	Sample number(s): 6996501-6996522 UNSPK: 6996508								
1,4-Dioxane	108	117	73-138	8	30				
Batch number: Y130871AA	Sample number(s): 6996501-6996505,6996507-6996522 UNSPK: 6996508								
Acetone	143	143	33-159	0	30				
Benzene	112	112	72-134	0	30				
Bromodichloromethane	97	97	78-125	0	30				
Bromoform	75	74	48-118	1	30				
Bromomethane	77	79	47-129	2	30				
2-Butanone	116	116	57-138	0	30				
Carbon Disulfide	99	99	67-135	1	30				
Carbon Tetrachloride	108	107	72-135	0	30				
Chlorobenzene	107	106	87-124	0	30				
Chloroethane	81	83	51-145	3	30				
Chloroform	103	103	81-134	0	30				

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 04/25/13 at 08:30 AM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Chloromethane	113	113	46-137	0	30				
Dibromochloromethane	96	96	74-116	0	30				
1,1-Dichloroethane	117	117	84-129	0	30				
1,2-Dichloroethane	106	105	68-131	1	30				
1,1-Dichloroethene	110	110	75-155	1	30				
cis-1,2-Dichloroethene	113	112	80-141	1	30				
trans-1,2-Dichloroethene	105	106	81-142	1	30				
1,2-Dichloropropane	110	110	83-124	0	30				
cis-1,3-Dichloropropene	106	107	70-116	0	30				
trans-1,3-Dichloropropene	84	86	74-119	2	30				
Ethylbenzene	108	107	71-134	0	30				
2-Hexanone	81	82	55-127	1	30				
4-Methyl-2-pentanone	83	83	63-123	1	30				
Methylene Chloride	102	101	78-133	1	30				
Styrene	103	102	78-125	1	30				
1,1,2,2-Tetrachloroethane	89	88	72-128	1	30				
Tetrachloroethene	116	117	80-128	0	30				
Toluene	110	110	80-125	0	30				
1,1,1-Trichloroethane	95	96	69-140	1	30				
1,1,2-Trichloroethane	102	103	71-141	0	30				
Trichloroethene	112	112	88-133	0	30				
Vinyl Chloride	105	104	66-133	1	30				
Xylene (Total)	106	106	79-125	0	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E130871AA

	Toluene-d8
6996501	98
6996502	98
6996503	97
6996504	98
6996505	98
6996506	97
6996507	98
6996508	97
6996509	97
6996510	97
6996511	98
6996512	97
6996513	98
6996514	97
6996515	97
6996516	97

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 04/25/13 at 08:30 AM

Surrogate Quality Control

6996517	98
6996518	97
6996519	98
6996520	97
6996521	98
6996522	97
Blank	98
LCS	98
MS	97
MSD	97
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y130871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996501	97	101	101	97
6996502	97	100	101	96
6996503	98	101	101	96
6996504	97	100	102	98
6996505	97	100	102	99
6996507	98	100	102	98
6996508	97	100	101	96
6996509	96	102	103	100
6996510	97	102	103	100
6996511	96	100	102	98
6996512	96	100	101	98
6996513	97	101	101	97
6996514	97	100	101	97
6996515	96	100	101	96
6996516	97	101	101	97
6996517	97	99	101	98
6996518	97	100	102	97
6996519	98	100	102	97
6996520	97	100	102	97
6996521	97	101	101	98
6996522	97	100	101	97
Blank	96	100	102	98
LCS	95	102	103	100
MS	96	102	103	100
MSD	97	102	103	100
Limits:	80-116	77-113	80-113	78-113

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y130882AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996506	96	99	101	97
Blank	97	99	101	97
LCS	96	103	103	100
LCSD	96	102	103	101
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 04/25/13 at 08:30 AM

Surrogate Quality Control

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # ~~1376250~~ 1375013 Sample # ~~to8819-23~~ 699501-22 3/26/13 (3)

Instructions on reverse side correspond with circled numbers.

COC # 328422

(1) Client Information

Client: The Johnson Co.	Acct. #: ~~0556~~ 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy	Quote #:

Name of state where samples were collected: GA

(4) Matrix

Sediment ☐ Soil ☐ | ☒ Ground Water ☐ Potable ☐ Surface NPDES ☐ | Other: DI Water

(5) Analysis Requested

Preservation Codes: - | H

(2) Sample Identification	Collected Date	Collected Time	(3) Grab	(3) Composite	Total # of Containers	8260 VOC	1,4 Dioxane by 150 DIL SIM
Trip Blank 1	3/23/13	—	X		4	2	2
BR-9S		1352	X		6	3	3
MW-29		1552	X		6	3	3
MW-35		1707	X		6	3	3
BR-9D		1755	X		6	3	3
MW-24	3/24/12	0952	X		6	3	3
MW-16S		1107	X		6	3	3
BR-11		1312	X		18	9	9
MW-33		1457	X		6	3	3
MW-15S		1622	X		6	3	3

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Remarks

Please use a PQL of 2µg/L for Vinyl Chloride

(7) Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:

E-mail address: GAK@jcomail.com

(8) Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	3/25/13	1500			
				3/26/13	930

(9)

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS ____ FedEx X ____ Other ____

Temperature upon receipt 1.0 °C

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # 137 8013 Sample # 6998819-23 3/26/13 (3) 6996501-22

Instructions on reverse side correspond with circled numbers.

COC # 328423

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-04	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-04
Sampler: Ross Predom/TEH	Quote #:

Name of state where samples were collected: GA

4 Matrix

Soil ☐ Sediment ☐ Water: Potable ☐ Ground ☒ NPDES ☐ Surface ☐ Other: DI

5 Analysis Requested

Preservation Codes: H

For Lab Use Only

FSC:

SCR#:

Preservation Codes

H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please use a PQL of 2 µg/L for Vinyl Chloride

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC's	1,4 Dioxane
TB-2	3-23-13	—	X		4	X	X
BR-10D	3-23-13	0915	X		6	X	X
DUP-GA	3-24-13	1200	X		6	X	X
MW-16D	3-24-13	1335	X		6	X	X
BR-10S	3-24-13	1600	X		6	X	X
MW-15D	3-24-13	1710	X		6	X	X
EB-GA	3-25-13	0738	X		4	X	X
BR-8D	3-25-13	1340	X		6	X	X
BR-8S	3/25/13	0922	X		6	X	X
MW-28	3/25/13	1027	X		6	X	X

RSP 3-25-13

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: _____

E-mail address: CAK@JCOMAIL.COM

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	3-25-13	1600			
				3/26/13	930

EDD Required? Yes No

If yes, format: Excel

Site-Specific QC (MS/MSD/Dup)? Yes No

(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS _____ FedEx X Other _____

Temperature upon receipt 2.0 °C

eurofins | Lancaster Laboratories

1378013
~~1376750~~ YM 3/26/13
(3)

Environmental Sample Administration Receipt Documentation Log

Client/Project: The Johnson company

Date of Receipt: 3/26/13

Time of Receipt: 930

Source Code: SO-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.0	TB	WI	Y	B	
2	↓	1.0	↓	↓	↓	↓	
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

COC# 328421: 1#50 vial of B-28-A-0-1 = B-28-A

Unpacker Signature/Emp#: 2 - 238 **Date/Time:** 3/26/13 1235

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

April 01, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/26/2013
Group Number: 1378035
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
B-28-A-0-1 Grab Soil	6996619
B-28-A-0-1 MS Grab Soil	6996620
B-28-A-0-1 MSD Grab Soil	6996621
B-28-A-1-2 Grab Soil	6996622

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,

Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: B-28-A-0-1 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996619
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	< 27	27	0.97
10237	Benzene	71-43-2	< 7	7	0.97
10237	Bromodichloromethane	75-27-4	< 7	7	0.97
10237	Bromoform	75-25-2	< 7	7	0.97
10237	Bromomethane	74-83-9	< 7	7	0.97
10237	2-Butanone	78-93-3	< 14	14	0.97
10237	Carbon Disulfide	75-15-0	< 7	7	0.97
10237	Carbon Tetrachloride	56-23-5	< 7	7	0.97
10237	Chlorobenzene	108-90-7	< 7	7	0.97
10237	Chloroethane	75-00-3	< 7	7	0.97
10237	Chloroform	67-66-3	< 7	7	0.97
10237	Chloromethane	74-87-3	< 7	7	0.97
10237	Dibromochloromethane	124-48-1	< 7	7	0.97
10237	1,1-Dichloroethane	75-34-3	< 7	7	0.97
10237	1,2-Dichloroethane	107-06-2	< 7	7	0.97
10237	1,1-Dichloroethene	75-35-4	< 7	7	0.97
10237	cis-1,2-Dichloroethene	156-59-2	< 7	7	0.97
10237	trans-1,2-Dichloroethene	156-60-5	< 7	7	0.97
10237	1,2-Dichloropropane	78-87-5	< 7	7	0.97
10237	cis-1,3-Dichloropropene	10061-01-5	< 7	7	0.97
10237	trans-1,3-Dichloropropene	10061-02-6	< 7	7	0.97
10237	1,4-Dioxane	123-91-1	< 340	340	0.97
10237	Ethylbenzene	100-41-4	< 7	7	0.97
10237	2-Hexanone	591-78-6	< 14	14	0.97
10237	4-Methyl-2-pentanone	108-10-1	< 14	14	0.97
10237	Methylene Chloride	75-09-2	< 7	7	0.97
10237	Styrene	100-42-5	< 7	7	0.97
10237	1,1,2,2-Tetrachloroethane	79-34-5	< 7	7	0.97
10237	Tetrachloroethene	127-18-4	< 7	7	0.97
10237	Toluene	108-88-3	< 7	7	0.97
10237	1,1,1-Trichloroethane	71-55-6	< 7	7	0.97
10237	1,1,2-Trichloroethane	79-00-5	< 7	7	0.97
10237	Trichloroethene	79-01-6	< 7	7	0.97
10237	Vinyl Chloride	75-01-4	< 7	7	0.97
10237	Xylene (Total)	1330-20-7	< 7	7	0.97
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00111	Moisture	n.a.	28.5	0.50	1

"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: B-28-A-0-1 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996619
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 16:58	Chelsea B Stong	0.97
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00111	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Sample Description: B-28-A-0-1 MS Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996620
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	240	28	1
10237	Benzene	71-43-2	30	7	1
10237	Bromodichloromethane	75-27-4	24	7	1
10237	Bromoform	75-25-2	20	7	1
10237	Bromomethane	74-83-9	26	7	1
10237	2-Butanone	78-93-3	160	14	1
10237	Carbon Disulfide	75-15-0	25	7	1
10237	Carbon Tetrachloride	56-23-5	26	7	1
10237	Chlorobenzene	108-90-7	28	7	1
10237	Chloroethane	75-00-3	26	7	1
10237	Chloroform	67-66-3	30	7	1
10237	Chloromethane	74-87-3	28	7	1
10237	Dibromochloromethane	124-48-1	23	7	1
10237	1,1-Dichloroethane	75-34-3	30	7	1
10237	1,2-Dichloroethane	107-06-2	28	7	1
10237	1,1-Dichloroethene	75-35-4	32	7	1
10237	cis-1,2-Dichloroethene	156-59-2	29	7	1
10237	trans-1,2-Dichloroethene	156-60-5	30	7	1
10237	1,2-Dichloropropane	78-87-5	29	7	1
10237	cis-1,3-Dichloropropene	10061-01-5	24	7	1
10237	trans-1,3-Dichloropropene	10061-02-6	22	7	1
10237	1,4-Dioxane	123-91-1	870	350	1
10237	Ethylbenzene	100-41-4	28	7	1
10237	2-Hexanone	591-78-6	100	14	1
10237	4-Methyl-2-pentanone	108-10-1	100	14	1
10237	Methylene Chloride	75-09-2	31	7	1
10237	Styrene	100-42-5	24	7	1
10237	1,1,2,2-Tetrachloroethane	79-34-5	29	7	1
10237	Tetrachloroethene	127-18-4	29	7	1
10237	Toluene	108-88-3	30	7	1
10237	1,1,1-Trichloroethane	71-55-6	27	7	1
10237	1,1,2-Trichloroethane	79-00-5	28	7	1
10237	Trichloroethene	79-01-6	28	7	1
10237	Vinyl Chloride	75-01-4	29	7	1
10237	Xylene (Total)	1330-20-7	80	7	1
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00118	Moisture	n.a.	28.5	0.50	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-0-1 MS Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996620
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 17:21	Chelsea B Stong	1
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00118	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Sample Description: B-28-A-0-1 MSD Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996621
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	260	33	1.18
10237	Benzene	71-43-2	33	8	1.18
10237	Bromodichloromethane	75-27-4	26	8	1.18
10237	Bromoform	75-25-2	19	8	1.18
10237	Bromomethane	74-83-9	28	8	1.18
10237	2-Butanone	78-93-3	150	17	1.18
10237	Carbon Disulfide	75-15-0	29	8	1.18
10237	Carbon Tetrachloride	56-23-5	30	8	1.18
10237	Chlorobenzene	108-90-7	30	8	1.18
10237	Chloroethane	75-00-3	32	8	1.18
10237	Chloroform	67-66-3	34	8	1.18
10237	Chloromethane	74-87-3	35	8	1.18
10237	Dibromochloromethane	124-48-1	26	8	1.18
10237	1,1-Dichloroethane	75-34-3	35	8	1.18
10237	1,2-Dichloroethane	107-06-2	31	8	1.18
10237	1,1-Dichloroethene	75-35-4	37	8	1.18
10237	cis-1,2-Dichloroethene	156-59-2	33	8	1.18
10237	trans-1,2-Dichloroethene	156-60-5	34	8	1.18
10237	1,2-Dichloropropane	78-87-5	32	8	1.18
10237	cis-1,3-Dichloropropene	10061-01-5	23	8	1.18
10237	trans-1,3-Dichloropropene	10061-02-6	24	8	1.18
10237	1,4-Dioxane	123-91-1	1,100	410	1.18
10237	Ethylbenzene	100-41-4	31	8	1.18
10237	2-Hexanone	591-78-6	97	17	1.18
10237	4-Methyl-2-pentanone	108-10-1	110	17	1.18
10237	Methylene Chloride	75-09-2	36	8	1.18
10237	Styrene	100-42-5	24	8	1.18
10237	1,1,2,2-Tetrachloroethane	79-34-5	37	8	1.18
10237	Tetrachloroethene	127-18-4	32	8	1.18
10237	Toluene	108-88-3	36	8	1.18
10237	1,1,1-Trichloroethane	71-55-6	31	8	1.18
10237	1,1,2-Trichloroethane	79-00-5	32	8	1.18
10237	Trichloroethene	79-01-6	31	8	1.18
10237	Vinyl Chloride	75-01-4	36	8	1.18
10237	Xylene (Total)	1330-20-7	87	8	1.18
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00118	Moisture	n.a.	28.5	0.50	1
00121	Moisture Duplicate	n.a.	26.8	0.50	1

The duplicate moisture value is provided to assess the precision of the moisture test. For comparability purposes, the initial moisture determination is the value used to perform dry weight calculations.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-0-1 MSD Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996621
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 17:44	Chelsea B Stong	1.18
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00118	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1
00121	Moisture Duplicate	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Sample Description: B-28-A-1-2 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996622
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A12

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	< 29	29	1.18
10237	Benzene	71-43-2	< 7	7	1.18
10237	Bromodichloromethane	75-27-4	< 7	7	1.18
10237	Bromoform	75-25-2	< 7	7	1.18
10237	Bromomethane	74-83-9	< 7	7	1.18
10237	2-Butanone	78-93-3	< 15	15	1.18
10237	Carbon Disulfide	75-15-0	< 7	7	1.18
10237	Carbon Tetrachloride	56-23-5	< 7	7	1.18
10237	Chlorobenzene	108-90-7	< 7	7	1.18
10237	Chloroethane	75-00-3	< 7	7	1.18
10237	Chloroform	67-66-3	< 7	7	1.18
10237	Chloromethane	74-87-3	< 7	7	1.18
10237	Dibromochloromethane	124-48-1	< 7	7	1.18
10237	1,1-Dichloroethane	75-34-3	< 7	7	1.18
10237	1,2-Dichloroethane	107-06-2	< 7	7	1.18
10237	1,1-Dichloroethene	75-35-4	< 7	7	1.18
10237	cis-1,2-Dichloroethene	156-59-2	< 7	7	1.18
10237	trans-1,2-Dichloroethene	156-60-5	< 7	7	1.18
10237	1,2-Dichloropropane	78-87-5	< 7	7	1.18
10237	cis-1,3-Dichloropropene	10061-01-5	< 7	7	1.18
10237	trans-1,3-Dichloropropene	10061-02-6	< 7	7	1.18
10237	1,4-Dioxane	123-91-1	< 360	360	1.18
10237	Ethylbenzene	100-41-4	< 7	7	1.18
10237	2-Hexanone	591-78-6	< 15	15	1.18
10237	4-Methyl-2-pentanone	108-10-1	< 15	15	1.18
10237	Methylene Chloride	75-09-2	< 7	7	1.18
10237	Styrene	100-42-5	< 7	7	1.18
10237	1,1,2,2-Tetrachloroethane	79-34-5	< 7	7	1.18
10237	Tetrachloroethene	127-18-4	< 7	7	1.18
10237	Toluene	108-88-3	< 7	7	1.18
10237	1,1,1-Trichloroethane	71-55-6	< 7	7	1.18
10237	1,1,2-Trichloroethane	79-00-5	< 7	7	1.18
10237	Trichloroethene	79-01-6	< 7	7	1.18
10237	Vinyl Chloride	75-01-4	< 7	7	1.18
10237	Xylene (Total)	1330-20-7	< 7	7	1.18
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00111	Moisture	n.a.	18.6	0.50	1

"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-1-2 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996622
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A12

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 18:06	Chelsea B Stong	1.18
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:55	Client Supplied	1
00111	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: B130871AA	Sample number(s): 6996619-6996622							
Acetone	< 20	20.	ug/kg	195		32-209		
Benzene	< 5	5.	ug/kg	104		80-120		
Bromodichloromethane	< 5	5.	ug/kg	92		75-114		
Bromoform	< 5	5.	ug/kg	93		70-120		
Bromomethane	< 5	5.	ug/kg	90		32-162		
2-Butanone	< 10	10.	ug/kg	130		38-146		
Carbon Disulfide	< 5	5.	ug/kg	93		59-129		
Carbon Tetrachloride	< 5	5.	ug/kg	97		69-122		
Chlorobenzene	< 5	5.	ug/kg	104		80-120		
Chloroethane	< 5	5.	ug/kg	86		37-154		
Chloroform	< 5	5.	ug/kg	103		80-120		
Chloromethane	< 5	5.	ug/kg	92		56-120		
Dibromochloromethane	< 5	5.	ug/kg	93		77-120		
1,1-Dichloroethane	< 5	5.	ug/kg	105		80-120		
1,2-Dichloroethane	< 5	5.	ug/kg	103		72-126		
1,1-Dichloroethene	< 5	5.	ug/kg	109		73-129		
cis-1,2-Dichloroethene	< 5	5.	ug/kg	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/kg	104		79-120		
1,2-Dichloropropane	< 5	5.	ug/kg	103		77-120		
cis-1,3-Dichloropropene	< 5	5.	ug/kg	98		74-120		
trans-1,3-Dichloropropene	< 5	5.	ug/kg	91		77-120		
1,4-Dioxane	< 250	250.	ug/kg	99		57-131		
Ethylbenzene	< 5	5.	ug/kg	105		80-120		
2-Hexanone	< 10	10.	ug/kg	116		40-129		
4-Methyl-2-pentanone	< 10	10.	ug/kg	96		52-125		
Methylene Chloride	< 5	5.	ug/kg	105		76-124		
Styrene	< 5	5.	ug/kg	98		76-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/kg	108		71-123		
Tetrachloroethene	< 5	5.	ug/kg	105		78-126		
Toluene	< 5	5.	ug/kg	104		80-120		
1,1,1-Trichloroethane	< 5	5.	ug/kg	96		71-125		
1,1,2-Trichloroethane	< 5	5.	ug/kg	105		80-120		
Trichloroethene	< 5	5.	ug/kg	101		80-120		
Vinyl Chloride	< 5	5.	ug/kg	95		53-120		
Xylene (Total)	< 5	5.	ug/kg	102		80-120		
Batch number: 13088820005A	Sample number(s): 6996619-6996622							
Moisture				100		99-101		
Moisture				100		99-101		
Moisture Duplicate				100		99-101		

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: B130871AA	Sample number(s): 6996619-6996622 UNSPK: 6996619								
Acetone	116	104	31-195	6	30				
Benzene	105	100	55-143	11	30				
Bromodichloromethane	87	80	53-136	8	30				
Bromoform	70	58	38-124	1	30				
Bromomethane	93	86	42-168	8	30				
2-Butanone	76	62	37-163	5	30				
Carbon Disulfide	90	87	48-146	14	30				
Carbon Tetrachloride	94	91	45-153	14	30				
Chlorobenzene	99	92	49-135	9	30				
Chloroethane	93	98	39-152	22	30				
Chloroform	106	102	61-142	13	30				
Chloromethane	99	106	36-143	24	30				
Dibromochloromethane	83	78	51-128	10	30				
1,1-Dichloroethane	108	106	63-142	15	30				
1,2-Dichloroethane	101	93	49-150	8	30				
1,1-Dichloroethene	115	113	61-149	15	30				
cis-1,2-Dichloroethene	105	100	49-153	12	30				
trans-1,2-Dichloroethene	106	104	51-153	15	30				
1,2-Dichloropropane	105	98	48-145	10	30				
cis-1,3-Dichloropropene	86	68	35-151	7	30				
trans-1,3-Dichloropropene	80	74	30-149	8	30				
1,4-Dioxane	124	128	39-180	20	30				
Ethylbenzene	100	94	44-141	11	30				
2-Hexanone	71	59	32-160	3	30				
4-Methyl-2-pentanone	75	66	46-139	4	30				
Methylene Chloride	112	108	49-160	13	30				
Styrene	86	72	35-134	1	30				
1,1,2,2-Tetrachloroethane	103	113	40-152	25	30				
Tetrachloroethene	102	98	42-149	13	30				
Toluene	107	110	50-146	19	30				
1,1,1-Trichloroethane	95	94	43-150	15	30				
1,1,2-Trichloroethane	100	98	47-161	15	30				
Trichloroethene	99	93	53-144	10	30				
Vinyl Chloride	102	110	50-154	24	30				
Xylene (Total)	95	87	44-136	8	30				
Batch number: 13088820005A	Sample number(s): 6996619-6996622 BKG: 6996619								
Moisture						28.5	26.8	6	13
Moisture						28.5	26.8	6	15
Moisture Duplicate						28.5	26.8	6	15

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Surrogate Quality Control

Analysis Name: 8260 Ext. Soil Master w/GRO
Batch number: B130871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996619	96	97	109	82
6996620	97	99	108	91
6996621	98	97	117	81
6996622	95	96	103	99
Blank	96	99	100	95
LCS	99	101	103	96
MS	97	99	108	91
MSD	98	97	117	81
Limits:	50-141	54-135	52-141	50-131

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # 137835 Sample # 299666 19-22

Instructions on reverse side correspond with circled numbers.

COC # 328421

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☒ Water: Potable ☐ Ground ☐ NPDES ☐ Surface ☐ Other: ____

5 Analysis Requested

Preservation Codes: DI | M | —

2 Sample Identification / Collected / 3 Grab / Composite / Total # of Containers / 6 Remarks

Sample Identification	Collected Date	Collected Time	3 Grab	Composite	Soil	Total # of Containers	8260 VOC (DI)	8260 VOC (M)	Moisture (—)	MS/MSD	6 Remarks
B-28-A-0-1	3/25/13	1250	X		X	10	6	3	1	X	MS/MSD
B-28-A-1-2	3/25/13	1255	X		X	4	2	1	1		

M = MeOH

For Lab Use Only
FSC: ____
SCR#: ____

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: ____

E-mail address: ____

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	3/25/13	1500			
				3/26/13	930

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS ____ FedEx X Other ____

Temperature upon receipt 2.0° °C

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

1378035

Client/Project: The Johnson Company

Date of Receipt: 3/26/13

Time of Receipt: 930

Source Code: SO-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.0	TB	WI	Y	B	
2	↓	1.0	↓	↓	↓	↓	
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

COC# 328421: 1#50 vial of B-28-A-0-1 = B-28-A

Unpacker Signature/Emp#: 238 **Date/Time:** 3/26/13 1235

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 14, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/02/2013
Group Number: 1387090
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SW-DS-5 Grab Surface Water	7042414
SW-DS-2 Grab Surface Water	7042415
SW-DS-1 Grab Surface Water	7042416
SW-0 Grab Surface Water	7042417
SW-1 Grab Surface Water	7042418
SW-1 MS Grab Surface Water	7042419
SW-1 MSD Grab Surface Water	7042420
SW-2 Grab Surface Water	7042421
SW-3 Grab Surface Water	7042422
SW-4 Grab Surface Water	7042423
SW-5 Grab Surface Water	7042424
SW-6 Grab Surface Water	7042425
SW-DUP Grab Surface Water	7042426
SW-Trip-Blank Water	7042427

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: SW-DS-5 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042414
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:50 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD55

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-DS-5 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042414
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:50 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD55

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 12:08	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 23:34	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 12:08	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 23:34	Sara E Johnson	1

Sample Description: SW-DS-2 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042415
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:05 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD52

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-DS-2 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042415
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:05 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD52

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 12:29	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 22:54	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 12:29	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 22:54	Sara E Johnson	1

Sample Description: SW-DS-1 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042416
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD51

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-DS-1 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042416
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADD51

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 12:50	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 23:14	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 12:50	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 23:14	Sara E Johnson	1

Sample Description: SW-0 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042417
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:20 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW0

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-0 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042417
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:20 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW0

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 13:11	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 00:15	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 13:11	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 00:15	Sara E Johnson	1

Sample Description: SW-1 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042418
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	3	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-1 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042418
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 11:05	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 23:54	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 11:05	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 23:54	Sara E Johnson	1

Sample Description: SW-1 MS Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042419
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	220	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	21	5	1
10335	Bromoform	75-25-2	19	5	1
10335	Bromomethane	74-83-9	15	5	1
10335	2-Butanone	78-93-3	180	10	1
10335	Carbon Disulfide	75-15-0	21	5	1
10335	Carbon Tetrachloride	56-23-5	23	5	1
10335	Chlorobenzene	108-90-7	22	5	1
10335	Chloroethane	75-00-3	17	5	1
10335	Chloroform	67-66-3	22	5	1
10335	Chloromethane	74-87-3	18	5	1
10335	Dibromochloromethane	124-48-1	21	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	26	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	22	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	19	5	1
10335	Ethylbenzene	100-41-4	22	5	1
10335	2-Hexanone	591-78-6	98	10	1
10335	4-Methyl-2-pentanone	108-10-1	92	10	1
10335	Methylene Chloride	75-09-2	21	5	1
10335	Styrene	100-42-5	22	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	22	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	20	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	23	5	1
10335	Vinyl Chloride	75-01-4	20	2	1
10335	Xylene (Total)	1330-20-7	67	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	5.8	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-1 MS Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042419
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 11:47	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 01:37	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 11:47	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 01:37	Sara E Johnson	1

Sample Description: SW-1 MSD Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042420
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	220	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	20	5	1
10335	Bromoform	75-25-2	19	5	1
10335	Bromomethane	74-83-9	15	5	1
10335	2-Butanone	78-93-3	180	10	1
10335	Carbon Disulfide	75-15-0	21	5	1
10335	Carbon Tetrachloride	56-23-5	23	5	1
10335	Chlorobenzene	108-90-7	22	5	1
10335	Chloroethane	75-00-3	16	5	1
10335	Chloroform	67-66-3	22	5	1
10335	Chloromethane	74-87-3	18	5	1
10335	Dibromochloromethane	124-48-1	21	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	26	2	1
10335	cis-1,2-Dichloroethene	156-59-2	23	5	1
10335	trans-1,2-Dichloroethene	156-60-5	22	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	20	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	19	5	1
10335	Ethylbenzene	100-41-4	22	5	1
10335	2-Hexanone	591-78-6	100	10	1
10335	4-Methyl-2-pentanone	108-10-1	92	10	1
10335	Methylene Chloride	75-09-2	21	5	1
10335	Styrene	100-42-5	22	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	21	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	20	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	23	5	1
10335	Vinyl Chloride	75-01-4	20	2	1
10335	Xylene (Total)	1330-20-7	67	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	6.2	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-1 MSD Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042420
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 09:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 11:26	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 01:57	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 11:26	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 01:57	Sara E Johnson	1

Sample Description: SW-2 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042421
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:35 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	3	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-2 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042421
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:35 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 13:32	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 01:16	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 13:32	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 01:16	Sara E Johnson	1

Sample Description: SW-3 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042422
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:50 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-3 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042422
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:50 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 13:52	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 00:35	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 13:52	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 00:35	Sara E Johnson	1

Sample Description: SW-4 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042423
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-4 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042423
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 14:13	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 00:56	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 14:13	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 00:56	Sara E Johnson	1

Sample Description: SW-5 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042424
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-5 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042424
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW5

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 14:34	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 21:52	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 14:34	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 21:52	Sara E Johnson	1

Sample Description: SW-6 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042425
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:35 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-6 Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042425
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:35 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSW6

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 14:55	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 22:13	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 14:55	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 22:13	Sara E Johnson	1

Sample Description: SW-DUP Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042426
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSWD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	3	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-DUP Grab Surface Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042426
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSWD

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 15:16	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 21:12	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 15:16	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 21:12	Sara E Johnson	1

Sample Description: SW-Trip-Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042427
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSWT

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: SW-Trip-Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042427
LLI Group # 1387090
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSWT

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 10:23	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 20:31	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 10:23	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 20:31	Sara E Johnson	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387090
Reported: 05/14/13 at 12:50 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E131231AA	Sample number(s): 7042414-7042427							
1,4-Dioxane	< 2.0	2.0	ug/l	110		80-123		
Batch number: Y131231AA	Sample number(s): 7042414-7042427							
Acetone	< 20	20.	ug/l	100		35-181		
Benzene	< 5	5.	ug/l	101		77-121		
Bromodichloromethane	< 5	5.	ug/l	95		73-120		
Bromoform	< 5	5.	ug/l	89		61-120		
Bromomethane	< 5	5.	ug/l	69		51-120		
2-Butanone	< 10	10.	ug/l	96		57-141		
Carbon Disulfide	< 5	5.	ug/l	92		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	99		65-137		
Chlorobenzene	< 5	5.	ug/l	101		80-120		
Chloroethane	< 5	5.	ug/l	68		60-120		
Chloroform	< 5	5.	ug/l	101		77-122		
Chloromethane	< 5	5.	ug/l	88		54-123		
Dibromochloromethane	< 5	5.	ug/l	97		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	103		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	102		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	101		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	100		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	103		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	96		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	88		66-124		
Ethylbenzene	< 5	5.	ug/l	100		79-120		
2-Hexanone	< 10	10.	ug/l	88		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	89		65-122		
Methylene Chloride	< 5	5.	ug/l	98		84-118		
Styrene	< 5	5.	ug/l	100		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	105		70-129		
Tetrachloroethene	< 5	5.	ug/l	98		79-120		
Toluene	< 5	5.	ug/l	101		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	87		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	101		80-120		
Trichloroethene	< 5	5.	ug/l	100		80-120		
Vinyl Chloride	< 2	2.	ug/l	86		63-120		
Xylene (Total)	< 5	5.	ug/l	101		77-120		

Sample Matrix Quality Control

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387090
Reported: 05/14/13 at 12:50 PM
Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E131231AA	Sample number(s): 7042414-7042427 UNSPK: 7042418								
1,4-Dioxane	115	124	73-138	7	30				
Batch number: Y131231AA	Sample number(s): 7042414-7042427 UNSPK: 7042418								
Acetone	149	150	33-159	0	30				
Benzene	110	110	72-134	1	30				
Bromodichloromethane	103	102	78-125	1	30				
Bromoform	94	95	48-118	2	30				
Bromomethane	74	77	47-129	4	30				
2-Butanone	121	121	57-138	0	30				
Carbon Disulfide	104	106	67-135	2	30				
Carbon Tetrachloride	114	114	72-135	1	30				
Chlorobenzene	110	111	87-124	1	30				
Chloroethane	83	80	51-145	3	30				
Chloroform	109	110	81-134	0	30				
Chloromethane	89	91	46-137	2	30				
Dibromochloromethane	103	104	74-116	1	30				
1,1-Dichloroethane	115	115	84-129	0	30				
1,2-Dichloroethane	107	107	68-131	0	30				
1,1-Dichloroethene	114	115	75-155	1	30				
cis-1,2-Dichloroethene	112	113	80-141	1	30				
trans-1,2-Dichloroethene	111	112	81-142	1	30				
1,2-Dichloropropane	110	111	83-124	1	30				
cis-1,3-Dichloropropene	103	102	70-116	0	30				
trans-1,3-Dichloropropene	93	93	74-119	0	30				
Ethylbenzene	110	111	71-134	1	30				
2-Hexanone	98	100	55-127	2	30				
4-Methyl-2-pentanone	92	92	63-123	1	30				
Methylene Chloride	105	106	78-133	1	30				
Styrene	108	110	78-125	1	30				
1,1,2,2-Tetrachloroethane	108	107	72-128	1	30				
Tetrachloroethene	113	114	80-128	1	30				
Toluene	110	111	80-125	0	30				
1,1,1-Trichloroethane	98	97	69-140	1	30				
1,1,2-Trichloroethane	106	106	71-141	1	30				
Trichloroethene	113	113	88-133	0	30				
Vinyl Chloride	99	100	66-133	2	30				
Xylene (Total)	111	112	79-125	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E131231AA

	Toluene-d8
7042414	91

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387090
Reported: 05/14/13 at 12:50 PM

Surrogate Quality Control

7042415	91
7042416	91
7042417	91
7042418	91
7042419	91
7042420	91
7042421	91
7042422	91
7042423	91
7042424	91
7042425	91
7042426	91
7042427	91
Blank	92
LCS	92
MS	91
MSD	91
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y131231AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7042414	98	99	99	96
7042415	99	100	98	94
7042416	99	101	99	94
7042417	99	101	98	94
7042418	98	100	99	95
7042419	98	102	100	99
7042420	98	102	101	98
7042421	98	100	98	93
7042422	100	102	98	93
7042423	100	101	99	93
7042424	100	101	98	92
7042425	99	102	98	93
7042426	100	102	98	92
7042427	98	101	99	95
Blank	97	100	100	97
LCS	98	104	101	99
MS	98	102	100	99
MSD	98	102	101	98
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387090 Sample # 7042414-27
Instructions on reverse side correspond with circled numbers.

COC # 325225

1 Client Information

Client: The Johnson Co (JCO)	Acct. #: 6556
Project Name/#: AD-GA	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-04
Sampler: Bob Osborne TPO	Quote #:

Name of state where samples were collected: GA

4 Matrix: Soil ☐ Sediment ☐ Water ☐ Ground ☒ Surface ☐ Potable ☐ NPDES ☐ Other: ____

5 Analysis Requested — Preservation Codes: — | H

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC	1,4 Dioxane via ISO DLC SIM
SW-DS-5	5/1/13	0850	X		6	3	3
SW-DS-2		0905	X		6		
SW-DS-1		0915	X		6		
SW-0		0920	X		6		
SW-1		0940	X		6	3	3
SW-1 ms/msD		0940	X		12	6	6
SW-2		1035	X		6	3	3
SW-3		1150	X		6		
SW-4		12:15	X		6		
SW-5		1315	X		6		

For Lab Use Only
FSC: ____
SCR#: ____

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks
Please use a PQL of 2µg/L for Vinyl Chloride

7 Turnaround Time (TAT) Requested (please circle)
Standard Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: ____

E-mail address: GAK@jcomail.com

8 Data Package Options (circle if required)
Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	5/1/13	1430			
			Pat Gu	5/2/13	0910

9

EDD Required? (Yes) No
If yes, format: Excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS ____ FedEx X Other ____

Temperature upon receipt 1.2-2.1 °C

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387090 Sample # 7042414-27
Instructions on reverse side correspond with circled numbers.

COC # 325178

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Bob Osborne TRO	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☐ Water: Ground ☐ Potable ☐ NPDES ☒ Surface ☐ Other: Lab DI

5 Analysis Requested

Preservation Codes: — | H

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC	1,4 Dioxane by 1630 DL SIM
SW-6		1235	X		6	3	3
SW-DUP		0800	X		6	3	3
SW-Trip-Blank	5/1/13	—	X		4	2	2

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please use a PQL of 2 µg/L for vinyl Chloride

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: _____

E-mail address: GAK@scomail.com

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	5/1/13	1430			
			Pat Sh	5/2/13	0910

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS _____ FedEx X Other _____

Temperature upon receipt 1.2-2.1 °C

eurofins | Lancaster Laboratories

Grp #1387090

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 5/2/13

Time of Receipt: 0910

Source Code: SO

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.1	TB	WI	y	B	
2	↓	1.2	↓	↓	↓	↓	
3	↓	1.4	↓	↓	↓	↓	
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Sample SBW-4 time = 1045

Unpacker Signature/Emp#: Pat Gh 3472 **Date/Time:** 5/2/13 1120

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 14, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/02/2013
Group Number: 1387091
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Trip Blank Water	7042428
MW-48D Grab Groundwater	7042429
MW-48S Grab Groundwater	7042430
MW-DUP Grab Groundwater	7042431
MW-23 Grab Groundwater	7042432
MW-47S Grab Groundwater	7042433
MW-47D Grab Groundwater	7042434
MW-3 Grab Groundwater	7042435
MW-66 Grab Groundwater	7042436

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: Trip Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042428
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADTB-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: Trip Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042428
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADTB-

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 10:44	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 20:51	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 10:44	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 20:51	Sara E Johnson	1

Sample Description: MW-48D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042429
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 12:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD48D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	45	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	600	20	10
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	150	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	300	100	50

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-48D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042429
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 12:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD48D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 15:36	Angela D Sneeringer	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 18:23	Angela D Sneeringer	10
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 03:18	Sara E Johnson	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 15:36	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y131231AA	05/03/2013 18:23	Angela D Sneeringer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	3	E131231AA	05/04/2013 03:18	Sara E Johnson	50

Sample Description: MW-48S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042430
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 13:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD48S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	39	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	500	20	10
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	44	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	4	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	120	40	20

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-48S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042430
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 13:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD48S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 15:57	Angela D Sneeringer	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 18:44	Angela D Sneeringer	10
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 03:38	Sara E Johnson	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 15:57	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y131231AA	05/03/2013 18:44	Angela D Sneeringer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	3	E131231AA	05/04/2013 03:38	Sara E Johnson	20

Sample Description: MW-DUP Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042431
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 13:00 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADDUP

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	46	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	580	20	10
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	160	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	290	40	20

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-DUP Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042431
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 13:00 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADDUP

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 16:18	Angela D Sneeringer	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 19:05	Angela D Sneeringer	10
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 03:59	Sara E Johnson	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 16:18	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y131231AA	05/03/2013 19:05	Angela D Sneeringer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	3	E131231AA	05/04/2013 03:59	Sara E Johnson	20

Sample Description: MW-23 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042432
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 14:47 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADM23

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-23 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042432
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 14:47 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADM23

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 16:39	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 17:31	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 16:39	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 17:31	Jason M Long	1

Sample Description: MW-47S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042433
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 15:59 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD47S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	16	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	9	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	14	10	5

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-47S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042433
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 15:59 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD47S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 17:00	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 02:58	Sara E Johnson	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 17:00	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 02:58	Sara E Johnson	5

Sample Description: MW-47D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042434
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 17:27 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD47D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-47D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042434
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 17:27 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD47D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 17:21	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/03/2013 22:33	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 17:21	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/03/2013 22:33	Sara E Johnson	1

Sample Description: MW-3 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042435
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 18:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMW3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	18	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	8.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-3 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042435
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 18:42 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMW3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 17:42	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131231AA	05/04/2013 02:17	Sara E Johnson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 17:42	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131231AA	05/04/2013 02:17	Sara E Johnson	1

Sample Description: MW-66 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042436
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 18:58 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADM66

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	3.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-66 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042436
LLI Group # 1387091
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 18:58 by TH

Submitted: 05/02/2013 09:10
Reported: 05/14/2013 12:51

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADM66

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y131231AA	05/03/2013 18:03	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 16:11	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y131231AA	05/03/2013 18:03	Angela D Sneeringer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 16:11	Jason M Long	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387091
Reported: 05/14/13 at 12:51 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E131231AA	Sample number(s): 7042428-7042431,7042433-7042435							
1,4-Dioxane	< 2.0	2.0	ug/l	110		80-123		
Batch number: E131261AA	Sample number(s): 7042432,7042436							
1,4-Dioxane	< 2.0	2.0	ug/l	111		80-123		
Batch number: Y131231AA	Sample number(s): 7042428-7042436							
Acetone	< 20	20.	ug/l	100		35-181		
Benzene	< 5	5.	ug/l	101		77-121		
Bromodichloromethane	< 5	5.	ug/l	95		73-120		
Bromoform	< 5	5.	ug/l	89		61-120		
Bromomethane	< 5	5.	ug/l	69		51-120		
2-Butanone	< 10	10.	ug/l	96		57-141		
Carbon Disulfide	< 5	5.	ug/l	92		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	99		65-137		
Chlorobenzene	< 5	5.	ug/l	101		80-120		
Chloroethane	< 5	5.	ug/l	68		60-120		
Chloroform	< 5	5.	ug/l	101		77-122		
Chloromethane	< 5	5.	ug/l	88		54-123		
Dibromochloromethane	< 5	5.	ug/l	97		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	103		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	102		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	101		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	100		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	103		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	96		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	88		66-124		
Ethylbenzene	< 5	5.	ug/l	100		79-120		
2-Hexanone	< 10	10.	ug/l	88		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	89		65-122		
Methylene Chloride	< 5	5.	ug/l	98		84-118		
Styrene	< 5	5.	ug/l	100		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	105		70-129		
Tetrachloroethene	< 5	5.	ug/l	98		79-120		
Toluene	< 5	5.	ug/l	101		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	87		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	101		80-120		
Trichloroethene	< 5	5.	ug/l	100		80-120		
Vinyl Chloride	< 2	2.	ug/l	86		63-120		
Xylene (Total)	< 5	5.	ug/l	101		77-120		

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387091
Reported: 05/14/13 at 12:51 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E131231AA	Sample number(s): 7042428-7042431,7042433-7042435 UNSPK: P042418								
1,4-Dioxane	115	124	73-138	7	30				
Batch number: E131261AA	Sample number(s): 7042432,7042436 UNSPK: P042443								
1,4-Dioxane	113	131	73-138	9	30				
Batch number: Y131231AA	Sample number(s): 7042428-7042436 UNSPK: P042418								
Acetone	149	150	33-159	0	30				
Benzene	110	110	72-134	1	30				
Bromodichloromethane	103	102	78-125	1	30				
Bromoform	94	95	48-118	2	30				
Bromomethane	74	77	47-129	4	30				
2-Butanone	121	121	57-138	0	30				
Carbon Disulfide	104	106	67-135	2	30				
Carbon Tetrachloride	114	114	72-135	1	30				
Chlorobenzene	110	111	87-124	1	30				
Chloroethane	83	80	51-145	3	30				
Chloroform	109	110	81-134	0	30				
Chloromethane	89	91	46-137	2	30				
Dibromochloromethane	103	104	74-116	1	30				
1,1-Dichloroethane	115	115	84-129	0	30				
1,2-Dichloroethane	107	107	68-131	0	30				
1,1-Dichloroethene	114	115	75-155	1	30				
cis-1,2-Dichloroethene	112	113	80-141	1	30				
trans-1,2-Dichloroethene	111	112	81-142	1	30				
1,2-Dichloropropane	110	111	83-124	1	30				
cis-1,3-Dichloropropene	103	102	70-116	0	30				
trans-1,3-Dichloropropene	93	93	74-119	0	30				
Ethylbenzene	110	111	71-134	1	30				
2-Hexanone	98	100	55-127	2	30				
4-Methyl-2-pentanone	92	92	63-123	1	30				
Methylene Chloride	105	106	78-133	1	30				
Styrene	108	110	78-125	1	30				
1,1,2,2-Tetrachloroethane	108	107	72-128	1	30				
Tetrachloroethene	113	114	80-128	1	30				
Toluene	110	111	80-125	0	30				
1,1,1-Trichloroethane	98	97	69-140	1	30				
1,1,2-Trichloroethane	106	106	71-141	1	30				
Trichloroethene	113	113	88-133	0	30				
Vinyl Chloride	99	100	66-133	2	30				
Xylene (Total)	111	112	79-125	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387091
Reported: 05/14/13 at 12:51 PM

Surrogate Quality Control

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E131231AA

	Toluene-d8
7042428	91
7042429	91
7042430	91
7042431	91
7042433	91
7042434	91
7042435	91
Blank	92
LCS	92
MS	91
MSD	91
Limits:	80-120

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E131261AA

	Toluene-d8
7042432	99
7042436	99
Blank	99
LCS	99
MS	99
MSD	99
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y131231AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7042428	98	101	99	95
7042429	102	102	99	93
7042430	101	102	98	92
7042431	102	101	98	92
7042432	100	100	98	92
7042433	101	102	98	92
7042434	101	101	98	92
7042435	101	102	97	91
7042436	101	103	98	91
Blank	97	100	100	97
LCS	98	104	101	99
MS	98	102	100	99
MSD	98	102	101	98
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387091 Sample # 7042428-36
Instructions on reverse side correspond with circled numbers.

COC # 325224

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy / Bob Osborne	Quote #:

Name of state where samples were collected: GA

4 Matrix: Sediment ☐ Soil ☐ | Ground ☒ Potable ☐ Water | Surface ☐ NPDES ☐ | Other: Lab DI

5 Analysis Requested — Preservation Codes: – | H

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks
Please use a PQL of 2 µg/L for Vinyl chloride

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC	1,4 Dioxane by 1SO DIL SIM
Trip Blank	4/30/13	—	X		4	2	2
MW-48D		1242	X		6	3	3
MW-48S		1342	X		6	3	3
MW-DUP		1300	X		6	3	3
MW-23		1447	X		6	3	3
MW-47S		1559	X		6	3	3
MW-47D		1727	X		6	3	3
MW-3		1842	X		6	3	3
MW-66		1858	X		6	3	3

7 Turnaround Time (TAT) Requested (please circle)
(Standard) Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: —

E-mail address: GAK@JCOmail.com

8 Data Package Options (circle if required)
Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	5/1/13	1430			
				5/2/13	0910

9

EDD Required? (Yes) No
If yes, format: Excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS ____ FedEx X Other ____

Temperature upon receipt 1.2 -2.1 °C

eurofins | Lancaster Laboratories

Grp # 1387091

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 5/2/13

Time of Receipt: 0910

Source Code: SO

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.1	TB	WI	y	B	
2	↓	1.2	↓	↓	↓	↓	
3	↓	1.4	↓	↓	↓	↓	
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Sample SBW-4 time = 1045

Unpacker Signature/Emp#: Pat Gh 3472 **Date/Time:** 5/2/13 1120

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 09, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/02/2013
Group Number: 1387092
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP-9 Grab Groundwater	7042437
MP-5 Grab Groundwater	7042438

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,

Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: MP-9 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042437
LLI Group # 1387092
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 14:08 by TH

Submitted: 05/02/2013 09:10
Reported: 05/09/2013 19:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMP9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	100	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	1,900	20	10
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	9	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	220	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	5	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

Sample Description: MP-9 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042437
LLI Group # 1387092
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 14:08 by TH

Submitted: 05/02/2013 09:10
Reported: 05/09/2013 19:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMP9

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 18:12	Sarah A Guill	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/06/2013 01:57	Sarah A Guill	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 18:12	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	T131251AA	05/06/2013 01:57	Sarah A Guill	10

Sample Description: MP-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042438
LLI Group # 1387092
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 17:07 by TH

Submitted: 05/02/2013 09:10
Reported: 05/09/2013 19:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMP5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	7	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	82	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	25	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MP-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042438
LLI Group # 1387092
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 04/30/2013 17:07 by TH

Submitted: 05/02/2013 09:10
Reported: 05/09/2013 19:50

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADMP5

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 18:36	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 18:36	Sarah A Guill	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387092
Reported: 05/09/13 at 07:50 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: T131251AA	Sample number(s): 7042437-7042438							
Acetone	< 20	20.	ug/l	100		35-181		
Benzene	< 5	5.	ug/l	99		77-121		
Bromodichloromethane	< 5	5.	ug/l	93		73-120		
Bromoform	< 5	5.	ug/l	99		61-120		
Bromomethane	< 5	5.	ug/l	88		51-120		
2-Butanone	< 10	10.	ug/l	90		57-141		
Carbon Disulfide	< 5	5.	ug/l	66*		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	101		65-137		
Chlorobenzene	< 5	5.	ug/l	102		80-120		
Chloroethane	< 5	5.	ug/l	76		60-120		
Chloroform	< 5	5.	ug/l	99		77-122		
Chloromethane	< 5	5.	ug/l	82		54-123		
Dibromochloromethane	< 5	5.	ug/l	96		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	97		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	95		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	86		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	98		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	100		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	102		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	93		66-124		
Ethylbenzene	< 5	5.	ug/l	98		79-120		
2-Hexanone	< 10	10.	ug/l	68		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	76		65-122		
Methylene Chloride	< 5	5.	ug/l	98		84-118		
Styrene	< 5	5.	ug/l	103		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	97		70-129		
Tetrachloroethene	< 5	5.	ug/l	100		79-120		
Toluene	< 5	5.	ug/l	102		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	99		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	101		80-120		
Trichloroethene	< 5	5.	ug/l	99		80-120		
Vinyl Chloride	< 2	2.	ug/l	81		63-120		
Xylene (Total)	< 5	5.	ug/l	101		77-120		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup RPD

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387092
Reported: 05/09/13 at 07:50 PM

Analysis Name	%REC	%REC	Limits	RPD	MAX	Conc	Conc	RPD	Max
Batch number: T131251AA	Sample number(s): 7042437-7042438 UNSPK: P042443								
Acetone	102	91	33-159	12	30				
Benzene	108	132	72-134	21	30				
Bromodichloromethane	101	126*	78-125	22	30				
Bromoform	100	119*	48-118	18	30				
Bromomethane	99	118	47-129	18	30				
2-Butanone	90	89	57-138	1	30				
Carbon Disulfide	76	93	67-135	21	30				
Carbon Tetrachloride	126	158*	72-135	22	30				
Chlorobenzene	108	132*	87-124	20	30				
Chloroethane	86	107	51-145	20	30				
Chloroform	110	134	81-134	20	30				
Chloromethane	95	119	46-137	22	30				
Dibromochloromethane	102	124*	74-116	20	30				
1,1-Dichloroethane	100	172*	84-129	22	30				
1,2-Dichloroethane	106	127	68-131	18	30				
1,1-Dichloroethene	82 (2)	296 (2)	75-155	24	30				
cis-1,2-Dichloroethene	111	141	80-141	24	30				
trans-1,2-Dichloroethene	115	141	81-142	21	30				
1,2-Dichloropropane	109	132*	83-124	19	30				
cis-1,3-Dichloropropene	109	134*	70-116	21	30				
trans-1,3-Dichloropropene	98	119	74-119	20	30				
Ethylbenzene	107	133	71-134	22	30				
2-Hexanone	67	70	55-127	5	30				
4-Methyl-2-pentanone	75	80	63-123	7	30				
Methylene Chloride	107	128	78-133	18	30				
Styrene	108	133*	78-125	21	30				
1,1,2,2-Tetrachloroethane	99	114	72-128	14	30				
Tetrachloroethene	115	140*	80-128	20	30				
Toluene	109	137*	80-125	23	30				
1,1,1-Trichloroethane	108	186*	69-140	16	30				
1,1,2-Trichloroethane	105	125	71-141	17	30				
Trichloroethene	115	141*	88-133	20	30				
Vinyl Chloride	96	121	66-133	22	30				
Xylene (Total)	107	135*	79-125	23	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: T131251AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7042437	98	103	98	97
7042438	99	101	100	99
Blank	99	103	98	97
LCS	98	98	99	102
MS	100	100	101	103
MSD	101	101	100	102
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387092
Reported: 05/09/13 at 07:50 PM

Surrogate Quality Control

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387092 Sample # 7042437-38
Instructions on reverse side correspond with circled numbers.

COC # 325223

1 Client Information

Client: The Johnson Co	Acct. #: 6556
Project Name/#: Avery Dennison, Flowery Branch, GA	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-04(007)
Sampler: Bob Osborne (TRC)	Quote #:

Name of state where samples were collected: GA

4 Matrix

Soil ☐ Sediment ☐ Water ☒ Ground ☐ Potable ☐ Surface ☐ NPDES ☐ Other: ____

5 Analysis Requested

Preservation Codes: 0

For Lab Use Only

FSC:
SCR#: 138363

Preservation Codes

H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please report separately from COC 325224

2 Sample Identification	Collected Date	Collected Time	3 Grab	Composite	Total # of Containers	8260B VOCs
MP-9	4/30/13	14:08	X		3	X
MP-5	4/30/13	1707	X		3	X

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: _____

E-mail address: _____

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
[signature]	4/23/13	15:20	[signature]	4/29/13	1830
[signature]	5/1/13	1430			
			[signature]	5/2/13	0910

9

EDD Required? Yes No
If yes, format: _____

Site-Specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS _____ FedEx X Other _____

Temperature upon receipt 1.2 -2.1 °C

eurofins | Lancaster Laboratories

Grp # 1387092

Environmental Sample Administration Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 5/2/13

Time of Receipt: 0910

Source Code: 50

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.1	TB	WI	y	B	
2	↓	1.2	↓	↓	↓	↓	
3		1.4					
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Sample SBW-4 time = 1045

Unpacker Signature/Emp#: Pat Gh 3472 Date/Time: 5/2/13 1120

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 13, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/02/2013
Group Number: 1387093
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SBW-Trip-Blank Water	7042439
SBW-1 Grab Groundwater	7042440
SBW-2 Grab Groundwater	7042441
SBW-3 Grab Groundwater	7042442
SBW-4 Grab Groundwater	7042443
SBW-4 MS Grab Groundwater	7042444
SBW-4 MSD Grab Groundwater	7042445
SBW-DUP Grab Groundwater	7042446
SBW-5 Grab Groundwater	7042447
SBW-6 Grab Groundwater	7042448
SBW-7 Grab Groundwater	7042449
SBW-8 Grab Groundwater	7042450
SBW-9 Grab Groundwater	7042451
SBW-10 Grab Groundwater	7042452

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: SBW-Trip-Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042439
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSBT

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-Trip-Blank Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042439
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSBT

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 19:00	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 14:09	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 19:00	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 14:09	Jason M Long	1

Sample Description: SBW-1 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042440
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-1 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042440
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 19:23	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 14:29	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 19:23	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 14:29	Jason M Long	1

Sample Description: SBW-2 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042441
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-2 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042441
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:15 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 19:47	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 14:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 19:47	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 14:50	Jason M Long	1

Sample Description: SBW-3 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042442
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	17	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-3 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042442
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 20:10	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 15:10	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 20:10	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 15:10	Jason M Long	1

Sample Description: SBW-4 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042443
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	39	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	140	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	67	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	3.8	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-4 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042443
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 20:34	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 17:52	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 20:34	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 17:52	Jason M Long	1

Sample Description: SBW-4 MS Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042444
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	150	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	20	5	1
10335	Bromoform	75-25-2	20	5	1
10335	Bromomethane	74-83-9	20	5	1
10335	2-Butanone	78-93-3	130	10	1
10335	Carbon Disulfide	75-15-0	15	5	1
10335	Carbon Tetrachloride	56-23-5	25	5	1
10335	Chlorobenzene	108-90-7	22	5	1
10335	Chloroethane	75-00-3	19	5	1
10335	Chloroform	67-66-3	22	5	1
10335	Chloromethane	74-87-3	19	5	1
10335	Dibromochloromethane	124-48-1	20	5	1
10335	1,1-Dichloroethane	75-34-3	59	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	160	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	23	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	22	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	20	5	1
10335	Ethylbenzene	100-41-4	21	5	1
10335	2-Hexanone	591-78-6	67	10	1
10335	4-Methyl-2-pentanone	108-10-1	75	10	1
10335	Methylene Chloride	75-09-2	21	5	1
10335	Styrene	100-42-5	22	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	20	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	89	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	23	5	1
10335	Vinyl Chloride	75-01-4	21	2	1
10335	Xylene (Total)	1330-20-7	64	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	9.5	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-4 MS Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042444
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 20:58	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 18:12	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 20:58	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 18:12	Jason M Long	1

Sample Description: SBW-4 MSD Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042445
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	140	20	1
10335	Benzene	71-43-2	26	5	1
10335	Bromodichloromethane	75-27-4	25	5	1
10335	Bromoform	75-25-2	24	5	1
10335	Bromomethane	74-83-9	24	5	1
10335	2-Butanone	78-93-3	130	10	1
10335	Carbon Disulfide	75-15-0	19	5	1
10335	Carbon Tetrachloride	56-23-5	32	5	1
10335	Chlorobenzene	108-90-7	26	5	1
10335	Chloroethane	75-00-3	23	5	1
10335	Chloroform	67-66-3	27	5	1
10335	Chloromethane	74-87-3	24	5	1
10335	Dibromochloromethane	124-48-1	25	5	1
10335	1,1-Dichloroethane	75-34-3	74	5	1
10335	1,2-Dichloroethane	107-06-2	25	5	1
10335	1,1-Dichloroethene	75-35-4	200	2	1
10335	cis-1,2-Dichloroethene	156-59-2	28	5	1
10335	trans-1,2-Dichloroethene	156-60-5	28	5	1
10335	1,2-Dichloropropane	78-87-5	26	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	27	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	24	5	1
10335	Ethylbenzene	100-41-4	27	5	1
10335	2-Hexanone	591-78-6	70	10	1
10335	4-Methyl-2-pentanone	108-10-1	80	10	1
10335	Methylene Chloride	75-09-2	26	5	1
10335	Styrene	100-42-5	27	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	23	5	1
10335	Tetrachloroethene	127-18-4	28	5	1
10335	Toluene	108-88-3	27	5	1
10335	1,1,1-Trichloroethane	71-55-6	100	5	1
10335	1,1,2-Trichloroethane	79-00-5	25	5	1
10335	Trichloroethene	79-01-6	28	5	1
10335	Vinyl Chloride	75-01-4	26	2	1
10335	Xylene (Total)	1330-20-7	81	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	10	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-4 MSD Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042445
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 10:40 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 22:00	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 18:32	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 22:00	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 18:32	Jason M Long	1

Sample Description: SBW-DUP Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042446
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSBD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	38	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	140	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	65	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	5.9	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-DUP Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042446
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 08:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSBD

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 22:23	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 18:52	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 22:23	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 18:52	Jason M Long	1

Sample Description: SBW-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042447
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:30 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042447
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 11:30 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB5

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 22:47	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 15:30	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 22:47	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 15:30	Jason M Long	1

Sample Description: SBW-6 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042448
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	26	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	13	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	8	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-6 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042448
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB6

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 23:11	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 16:31	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 23:11	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 16:31	Jason M Long	1

Sample Description: SBW-7 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042449
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	4.7	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-7 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042449
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 12:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB7

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 23:34	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 16:51	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 23:34	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 16:51	Jason M Long	1

Sample Description: SBW-8 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042450
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	3	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	6.6	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-8 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042450
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:00 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB8

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/05/2013 23:58	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 17:11	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/05/2013 23:58	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 17:11	Jason M Long	1

Sample Description: SBW-9 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042451
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	41	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	370	50	10
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	260	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	310	40	20

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-9 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042451
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:10 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADSB9

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/06/2013 00:21	Sarah A Guill	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131271AA	05/07/2013 14:55	Anita M Dale	10
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 19:12	Jason M Long	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/06/2013 00:21	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 19:12	Jason M Long	20
01163	GC/MS VOA Water Prep	SW-846 5030B	3	T131271AA	05/07/2013 14:55	Anita M Dale	10

Sample Description: SBW-10 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042452
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:25 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADS10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	7	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: carbon disulfide.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	2.1	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: SBW-10 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7042452
LLI Group # 1387093
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 13:25 by BO

Submitted: 05/02/2013 09:10
Reported: 05/13/2013 19:08

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADS10

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	T131251AA	05/06/2013 00:45	Sarah A Guill	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131261AA	05/06/2013 15:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T131251AA	05/06/2013 00:45	Sarah A Guill	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131261AA	05/06/2013 15:50	Jason M Long	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387093
Reported: 05/13/13 at 07:08 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E131261AA	Sample number(s): 7042439-7042452							
1,4-Dioxane	< 2.0	2.0	ug/l	111		80-123		
Batch number: T131251AA	Sample number(s): 7042439-7042452							
Acetone	< 20	20.	ug/l	100		35-181		
Benzene	< 5	5.	ug/l	99		77-121		
Bromodichloromethane	< 5	5.	ug/l	93		73-120		
Bromoform	< 5	5.	ug/l	99		61-120		
Bromomethane	< 5	5.	ug/l	88		51-120		
2-Butanone	< 10	10.	ug/l	90		57-141		
Carbon Disulfide	< 5	5.	ug/l	66*		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	101		65-137		
Chlorobenzene	< 5	5.	ug/l	102		80-120		
Chloroethane	< 5	5.	ug/l	76		60-120		
Chloroform	< 5	5.	ug/l	99		77-122		
Chloromethane	< 5	5.	ug/l	82		54-123		
Dibromochloromethane	< 5	5.	ug/l	96		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	97		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	95		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	86		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	98		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	100		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	102		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	93		66-124		
Ethylbenzene	< 5	5.	ug/l	98		79-120		
2-Hexanone	< 10	10.	ug/l	68		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	76		65-122		
Methylene Chloride	< 5	5.	ug/l	98		84-118		
Styrene	< 5	5.	ug/l	103		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	97		70-129		
Tetrachloroethene	< 5	5.	ug/l	100		79-120		
Toluene	< 5	5.	ug/l	102		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	99		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	101		80-120		
Trichloroethene	< 5	5.	ug/l	99		80-120		
Vinyl Chloride	< 2	2.	ug/l	81		63-120		
Xylene (Total)	< 5	5.	ug/l	101		77-120		
Batch number: T131271AA	Sample number(s): 7042451							
1,1-Dichloroethene	< 5	5.	ug/l	99		76-124		

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387093
Reported: 05/13/13 at 07:08 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E131261AA	Sample number(s): 7042439-7042452 UNSPK: 7042443								
1,4-Dioxane	113	131	73-138	9	30				
Batch number: T131251AA	Sample number(s): 7042439-7042452 UNSPK: 7042443								
Acetone	102	91	33-159	12	30				
Benzene	108	132	72-134	21	30				
Bromodichloromethane	101	126*	78-125	22	30				
Bromoform	100	119*	48-118	18	30				
Bromomethane	99	118	47-129	18	30				
2-Butanone	90	89	57-138	1	30				
Carbon Disulfide	76	93	67-135	21	30				
Carbon Tetrachloride	126	158*	72-135	22	30				
Chlorobenzene	108	132*	87-124	20	30				
Chloroethane	86	107	51-145	20	30				
Chloroform	110	134	81-134	20	30				
Chloromethane	95	119	46-137	22	30				
Dibromochloromethane	102	124*	74-116	20	30				
1,1-Dichloroethane	100	172*	84-129	22	30				
1,2-Dichloroethane	106	127	68-131	18	30				
1,1-Dichloroethene	82 (2)	296 (2)	75-155	24	30				
cis-1,2-Dichloroethene	111	141	80-141	24	30				
trans-1,2-Dichloroethene	115	141	81-142	21	30				
1,2-Dichloropropane	109	132*	83-124	19	30				
cis-1,3-Dichloropropene	109	134*	70-116	21	30				
trans-1,3-Dichloropropene	98	119	74-119	20	30				
Ethylbenzene	107	133	71-134	22	30				
2-Hexanone	67	70	55-127	5	30				
4-Methyl-2-pentanone	75	80	63-123	7	30				
Methylene Chloride	107	128	78-133	18	30				
Styrene	108	133*	78-125	21	30				
1,1,2,2-Tetrachloroethane	99	114	72-128	14	30				
Tetrachloroethene	115	140*	80-128	20	30				
Toluene	109	137*	80-125	23	30				
1,1,1-Trichloroethane	108	186*	69-140	16	30				
1,1,2-Trichloroethane	105	125	71-141	17	30				
Trichloroethene	115	141*	88-133	20	30				
Vinyl Chloride	96	121	66-133	22	30				
Xylene (Total)	107	135*	79-125	23	30				
Batch number: T131271AA	Sample number(s): 7042451 UNSPK: P044115								
1,1-Dichloroethene	109	109	75-155	0	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387093
Reported: 05/13/13 at 07:08 PM

Surrogate Quality Control

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E131261AA

	Toluene-d8
7042439	99
7042440	99
7042441	99
7042442	99
7042443	99
7042444	99
7042445	99
7042446	99
7042447	99
7042448	99
7042449	99
7042450	99
7042451	99
7042452	99
Blank	99
LCS	99
MS	99
MSD	99
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: T131251AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7042439	101	103	100	98
7042440	101	102	101	101
7042441	99	101	101	100
7042442	100	103	99	101
7042443	102	101	100	101
7042444	100	100	101	103
7042445	101	101	100	102
7042446	99	98	99	97
7042447	101	101	101	100
7042448	100	102	100	104
7042449	99	102	100	101
7042450	102	102	100	102
7042451	102	101	101	102
7042452	102	101	102	102
Blank	99	103	98	97
LCS	98	98	99	102
MS	100	100	101	103
MSD	101	101	100	102
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1387093 Sample # 7042439-52
For Eurofins Lancaster Laboratories use only
Instructions on reverse side correspond with circled numbers.

COC # 325191

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Bob Osborne	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☐ | ☒ Ground ☐ Potable ☐ Surface ☐ NPDES ☐ Water | Other: 4x6 VI

5 Analysis Requested

Preservation Codes: — | H

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC	1,4-Dioxane via 150 DLSIM	MS/MSD
SBW-Trip-Blank	5/1/13	—	X		4	2	2	
SBW-1		1000			6	3	3	
SBW-2		1015			6	3	3	
SBW-3		11:00			6	3	3	
SBW-4		1040			18	9	9	X
SBW-DUP		0810			6	3	3	
SBW-5		11:30			6	3	3	
SBW-6		12:10			6	3	3	
SBW-7		12:00			2			
SBW-8	↓	1300	↓		6	3	3	

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please use a PQL of 2µg/L for Vinyl Chloride

MS/MSD

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is ~~subject to~~ Lancaster Laboratories approval and surcharge.)

Date results are needed:

E-mail address: GAK@jcomail.com

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	5/1/13	1430			
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	5/2/13	0910

9

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS _____ FedEx _____ Other _____

Temperature upon receipt 1.2-2.1 °C

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387093 Sample # 7042439-52
Instructions on reverse side correspond with circled numbers.

COC # 325190

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Bob Osborne	Quote #:

Name of state where samples were collected: GA

4 Matrix

Soil ☐ Sediment ☐ Water ☒ Ground ☐ Potable ☐ NPDES ☐ Surface ☐ Other: ____

5 Analysis Requested

Preservation Codes

2 Sample Identification	Collected Date	Collected Time	3 Grab	Composite	Total # of Containers	8260 VOC	1,4-Dioxane by 8270 SIM
SBW-9	5/1/13	1310	X		6	3	3
SBW-10	5/1/13	1325	X		6	3	3

For Lab Use Only
FSC: ____
SCR#: ____

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please use a PQL of 2 µg/L for vinyl chloride

7 Turnaround Time (TAT) Requested (please circle)

(Standard) Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: ____

E-mail address: GAK@JCOmail.com

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
[signature]	5/1/13	1430	[signature]		
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by [signature]	5/2/13	0910

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS ____ FedEx X Other ____

Temperature upon receipt 1.2-2.1 °C

eurofins | Lancaster Laboratories

Grp # 1387093

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 5/2/13

Time of Receipt: 0910

Source Code: SO

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.1	TB	WI	y	B	
2	↓	1.2	↓	↓	↓	↓	
3		1.4					
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Sample SBW-4 time = 1045

Unpacker Signature/Emp#: Pat Gh 3472 **Date/Time:** 5/2/13 1120

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 10, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/03/2013
Group Number: 1387530
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Trip Blank-MW Water	7044634
MW-4 Grab Groundwater	7044635
MW-4 MS Grab Groundwater	7044636
MW-4 MSD Grab Groundwater	7044637
MW-5 Grab Groundwater	7044638
MW-64 Grab Groundwater	7044639
MW-63 Grab Groundwater	7044640
MW-65S Grab Groundwater	7044641
MW-65D Grab Groundwater	7044642
EB-01 Grab Water	7044643

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: Trip Blank-MW Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044634
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: Trip Blank-MW Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044634
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 12:21	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 11:48	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 11:48	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 12:21	Kerri E Legerlotz	1

Sample Description: MW-4 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044635
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-4 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044635
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 12:44	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 12:08	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 12:08	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 12:44	Kerri E Legerlotz	1

Sample Description: MW-4 MS Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044636
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	110	20	1
10335	Benzene	71-43-2	19	5	1
10335	Bromodichloromethane	75-27-4	22	5	1
10335	Bromoform	75-25-2	19	5	1
10335	Bromomethane	74-83-9	17	5	1
10335	2-Butanone	78-93-3	120	10	1
10335	Carbon Disulfide	75-15-0	18	5	1
10335	Carbon Tetrachloride	56-23-5	25	5	1
10335	Chlorobenzene	108-90-7	20	5	1
10335	Chloroethane	75-00-3	16	5	1
10335	Chloroform	67-66-3	26	5	1
10335	Chloromethane	74-87-3	14	5	1
10335	Dibromochloromethane	124-48-1	21	5	1
10335	1,1-Dichloroethane	75-34-3	20	5	1
10335	1,2-Dichloroethane	107-06-2	26	5	1
10335	1,1-Dichloroethene	75-35-4	21	2	1
10335	cis-1,2-Dichloroethene	156-59-2	21	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	18	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	20	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	19	5	1
10335	Ethylbenzene	100-41-4	20	5	1
10335	2-Hexanone	591-78-6	77	10	1
10335	4-Methyl-2-pentanone	108-10-1	81	10	1
10335	Methylene Chloride	75-09-2	19	5	1
10335	Styrene	100-42-5	19	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	21	5	1
10335	Toluene	108-88-3	20	5	1
10335	1,1,1-Trichloroethane	71-55-6	23	5	1
10335	1,1,2-Trichloroethane	79-00-5	19	5	1
10335	Trichloroethene	79-01-6	21	5	1
10335	Vinyl Chloride	75-01-4	17	2	1
10335	Xylene (Total)	1330-20-7	59	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	6.8	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-4 MS Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044636
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 13:08	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 15:32	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 13:08	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131271AA	05/07/2013 15:32	Jason M Long	1

Sample Description: MW-4 MSD Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044637
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	110	20	1
10335	Benzene	71-43-2	19	5	1
10335	Bromodichloromethane	75-27-4	21	5	1
10335	Bromoform	75-25-2	19	5	1
10335	Bromomethane	74-83-9	17	5	1
10335	2-Butanone	78-93-3	110	10	1
10335	Carbon Disulfide	75-15-0	17	5	1
10335	Carbon Tetrachloride	56-23-5	24	5	1
10335	Chlorobenzene	108-90-7	19	5	1
10335	Chloroethane	75-00-3	15	5	1
10335	Chloroform	67-66-3	25	5	1
10335	Chloromethane	74-87-3	13	5	1
10335	Dibromochloromethane	124-48-1	21	5	1
10335	1,1-Dichloroethane	75-34-3	20	5	1
10335	1,2-Dichloroethane	107-06-2	25	5	1
10335	1,1-Dichloroethene	75-35-4	21	2	1
10335	cis-1,2-Dichloroethene	156-59-2	20	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	18	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	20	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	19	5	1
10335	Ethylbenzene	100-41-4	20	5	1
10335	2-Hexanone	591-78-6	75	10	1
10335	4-Methyl-2-pentanone	108-10-1	77	10	1
10335	Methylene Chloride	75-09-2	19	5	1
10335	Styrene	100-42-5	18	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	21	5	1
10335	Toluene	108-88-3	19	5	1
10335	1,1,1-Trichloroethane	71-55-6	23	5	1
10335	1,1,2-Trichloroethane	79-00-5	19	5	1
10335	Trichloroethene	79-01-6	21	5	1
10335	Vinyl Chloride	75-01-4	17	2	1
10335	Xylene (Total)	1330-20-7	58	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	6.8	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-4 MSD Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044637
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 13:32	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 15:52	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 13:32	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131271AA	05/07/2013 15:52	Jason M Long	1

Sample Description: MW-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044638
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 17:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	11	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	120	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	9.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-5 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044638
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 17:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 13:56	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 13:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 13:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 13:56	Kerri E Legerlotz	1

Sample Description: MW-64 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044639
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 08:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	48	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	45	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	250	40	20

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-64 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044639
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 08:27 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 14:20	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 15:11	Jason M Long	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 14:20	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E131271AA	05/07/2013 15:11	Jason M Long	20

Sample Description: MW-63 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044640
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:57 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	13	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	19	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	11	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-63 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044640
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:57 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA5

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 14:44	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 14:10	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 14:10	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 14:44	Kerri E Legerlotz	1

Sample Description: MW-65S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044641
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 09:37 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	310	50	10
10335	1,2-Dichloroethane	107-06-2	63	5	1
10335	1,1-Dichloroethene	75-35-4	10,000	200	100
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	620	50	10
10335	1,1,2-Trichloroethane	79-00-5	19	5	1
10335	Trichloroethene	79-01-6	11	5	1
10335	Vinyl Chloride	75-01-4	4	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the NELAC Standards. The following analytes are accepted based on this allowance: 1,2-dichloroethane.

GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	2,900	400	200

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: MW-65S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044641
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 09:37 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA6

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 15:08	Kerri E Legerlotz	1
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 15:32	Kerri E Legerlotz	10
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 21:30	Kerri E Legerlotz	100
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 14:51	Jason M Long	200
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 14:51	Jason M Long	200
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 15:08	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	3	W131271AA	05/07/2013 15:32	Kerri E Legerlotz	10
01163	GC/MS VOA Water Prep	SW-846 5030B	4	W131271AA	05/07/2013 21:30	Kerri E Legerlotz	100

Sample Description: MW-65D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044642
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 11:07 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	19	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	16	10	5

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-65D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044642
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 11:07 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA7

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 16:44	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 14:30	Jason M Long	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 14:30	Jason M Long	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 16:44	Kerri E Legerlotz	1

Sample Description: EB-01 Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044643
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 10:25 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: EB-01 Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044643
LLI Group # 1387530
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 10:25 by TH

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:56

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADGA8

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 17:07	Kerri E Legerlotz	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E131271AA	05/07/2013 11:28	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E131271AA	05/07/2013 11:28	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W131271AA	05/07/2013 17:07	Kerri E Legerlotz	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387530
Reported: 05/10/13 at 05:56 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E131271AA	Sample number(s): 7044634-7044643							
1,4-Dioxane	< 2.0	2.0	ug/l	111		80-123		
Batch number: W131271AA	Sample number(s): 7044634-7044643							
Acetone	< 20	20.	ug/l	76		35-181		
Benzene	< 5	5.	ug/l	100		77-121		
Bromodichloromethane	< 5	5.	ug/l	115		73-120		
Bromoform	< 5	5.	ug/l	101		61-120		
Bromomethane	< 5	5.	ug/l	86		51-120		
2-Butanone	< 10	10.	ug/l	84		57-141		
Carbon Disulfide	< 5	5.	ug/l	90		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	126		65-137		
Chlorobenzene	< 5	5.	ug/l	106		80-120		
Chloroethane	< 5	5.	ug/l	75		60-120		
Chloroform	< 5	5.	ug/l	112		77-122		
Chloromethane	< 5	5.	ug/l	64		54-123		
Dibromochloromethane	< 5	5.	ug/l	118		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	106		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	135*		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	104		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	110		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	109		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	94		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	110		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	107		66-124		
Ethylbenzene	< 5	5.	ug/l	104		79-120		
2-Hexanone	< 10	10.	ug/l	83		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	86		65-122		
Methylene Chloride	< 5	5.	ug/l	101		84-118		
Styrene	< 5	5.	ug/l	99		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	99		70-129		
Tetrachloroethene	< 5	5.	ug/l	109		79-120		
Toluene	< 5	5.	ug/l	102		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	120		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	102		80-120		
Trichloroethene	< 5	5.	ug/l	111		80-120		
Vinyl Chloride	< 2	2.	ug/l	83		63-120		
Xylene (Total)	< 5	5.	ug/l	102		77-120		

Sample Matrix Quality Control

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387530
Reported: 05/10/13 at 05:56 PM
Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E131271AA	Sample number(s): 7044634-7044643 UNSPK: 7044635								
1,4-Dioxane	137	137	73-138	0	30				
Batch number: W131271AA	Sample number(s): 7044634-7044643 UNSPK: 7044635								
Acetone	75	70	33-159	6	30				
Benzene	95	95	72-134	0	30				
Bromodichloromethane	108	107	78-125	1	30				
Bromoform	97	94	48-118	4	30				
Bromomethane	87	86	47-129	1	30				
2-Butanone	80	77	57-138	5	30				
Carbon Disulfide	88	86	67-135	3	30				
Carbon Tetrachloride	126	122	72-135	3	30				
Chlorobenzene	99	97	87-124	3	30				
Chloroethane	79	74	51-145	7	30				
Chloroform	110	107	81-134	2	30				
Chloromethane	69	66	46-137	5	30				
Dibromochloromethane	106	106	74-116	0	30				
1,1-Dichloroethane	102	101	84-129	1	30				
1,2-Dichloroethane	128	124	68-131	3	30				
1,1-Dichloroethene	104	105	75-155	1	30				
cis-1,2-Dichloroethene	104	102	80-141	2	30				
trans-1,2-Dichloroethene	103	103	81-142	1	30				
1,2-Dichloropropane	88	88	83-124	1	30				
cis-1,3-Dichloropropene	102	102	70-116	0	30				
trans-1,3-Dichloropropene	97	95	74-119	3	30				
Ethylbenzene	98	98	71-134	1	30				
2-Hexanone	77	75	55-127	3	30				
4-Methyl-2-pentanone	81	77	63-123	4	30				
Methylene Chloride	96	93	78-133	3	30				
Styrene	94	92	78-125	2	30				
1,1,2,2-Tetrachloroethane	92	89	72-128	4	30				
Tetrachloroethene	107	107	80-128	0	30				
Toluene	98	95	80-125	3	30				
1,1,1-Trichloroethane	117	116	69-140	1	30				
1,1,2-Trichloroethane	93	94	71-141	1	30				
Trichloroethene	107	106	88-133	1	30				
Vinyl Chloride	83	83	66-133	1	30				
Xylene (Total)	98	97	79-125	2	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E131271AA

	Toluene-d8
7044634	98

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387530
Reported: 05/10/13 at 05:56 PM

Surrogate Quality Control

7044635	98
7044636	98
7044637	98
7044638	98
7044639	98
7044640	98
7044641	98
7044642	98
7044643	98
Blank	98
LCS	99
MS	98
MSD	98
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: W131271AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7044634	112	106	100	96
7044635	111	105	100	101
7044636	113	103	103	103
7044637	111	106	102	103
7044638	110	105	99	99
7044639	115	105	100	100
7044640	115	108	100	102
7044641	113	110	98	100
7044642	116	102	99	102
7044643	116	103	97	96
Blank	111	105	99	98
LCS	109	104	103	102
MS	113	103	103	103
MSD	111	106	102	103
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1387530 Sample # 7044634-43
For Eurofins Lancaster Laboratories use only
Instructions on reverse side correspond with circled numbers.

COC # 325179

1 Client Information

Client: The Johnson Co	Acct. #: 06556
Project Name/#: AP-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy / Bob Osborne	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☐ | Ground ☒ Potable ☐ Surface ☐ NPDES ☐ Water | Other: Lab DI

5 Analysis Requested

Preservation Codes: — | H

2 Sample Identification	Collected Date	Collected Time	3 Grab	Composite	Total # of Containers	8260 VOCs	1,4 Dioxane by 1SO DL SIM	MS/MSD	Remarks
Trip Blank-MW	5/1/13	—	X		4	2	2		
MW-4	5/1/13	1627	X		18	9	9	X	MS/MSD
MW-5	5/1/13	1727	X		6	3	3		
MW-64	5/2/13	0827	X		6	3	3		
MW-63	5/1/13	1657	X		6	3	3		
MW-65S	5/2/13	0937	X		6	3	3		
MW-65D	5/2/13	1107	X		6	3	3		
EB-01	5/2/13	1025	X		6	3	3		

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks
Please use a PQL of 2 µg/L for Vinyl Chloride

7 Turnaround Time (TAT) Requested (please circle)
Standard Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:

E-mail address: GAK@comail.com

8 Data Package Options (circle if required)
Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	5/2/13	1335			
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	Date	Time
Relinquished by	Date	Time	Received by	5/3/13	930

9

EDD Required? Yes No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS ____ FedEx X Other ____

Temperature upon receipt 2.5 °C

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log 1387530

Client/Project: The Johnson Company

Date of Receipt: 5/3/13

Time of Receipt: 930

Source Code: 50-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	DT121	2.5	TB	WI	Y	B	
2	↓	0.8	↓	↓	↓	↓	
3		1.3					
4		0.8					
5			\				
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

3 rec'd 5/3/13

COC # 329053: ~~for~~ JOH-BR02 5/1/13 1435 labeled JOH-BR01 5/1/13 1435

COC # 329059: ~~samples~~ with dates of 5/30/13. date actually is 5/1/13

N/A for 6# 1387530

WAK 5/8/13

Unpacker Signature/Emp#: 32-236 Date/Time: 5/3/13 1539

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

May 10, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/03/2013
Group Number: 1387531
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Trip Blank-MP Water	7044644
MP-4 Grab Groundwater	7044645
MP-4 MS Grab Groundwater	7044646
MP-4 MSD Grab Groundwater	7044647
MP-11 Grab Groundwater	7044648
MP-2 Grab Groundwater	7044649
MP-10 Grab Groundwater	7044650
MP-8 Grab Groundwater	7044651
MP-1 Grab Groundwater	7044652
MP-6 Grab Groundwater	7044653
MP-7 Grab Groundwater	7044654
MP-DUP Grab Groundwater	7044655
MP-3 Grab Groundwater	7044656

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: Trip Blank-MP Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044644
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

TB-MP

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 17:31	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 17:31	Kerri E Legerlotz	1

Sample Description: MP-4 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044645
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:42 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	11	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	10	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 14:39	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 14:39	Linda C Pape	1

Sample Description: MP-4 MS Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044646
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:42 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	130	20	1
10335	Benzene	71-43-2	21	5	1
10335	Bromodichloromethane	75-27-4	21	5	1
10335	Bromoform	75-25-2	21	5	1
10335	Bromomethane	74-83-9	18	5	1
10335	2-Butanone	78-93-3	110	10	1
10335	Carbon Disulfide	75-15-0	24	5	1
10335	Carbon Tetrachloride	56-23-5	25	5	1
10335	Chlorobenzene	108-90-7	23	5	1
10335	Chloroethane	75-00-3	17	5	1
10335	Chloroform	67-66-3	22	5	1
10335	Chloromethane	74-87-3	16	5	1
10335	Dibromochloromethane	124-48-1	22	5	1
10335	1,1-Dichloroethane	75-34-3	25	5	1
10335	1,2-Dichloroethane	107-06-2	22	5	1
10335	1,1-Dichloroethene	75-35-4	52	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	23	5	1
10335	1,2-Dichloropropane	78-87-5	20	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	20	5	1
10335	Ethylbenzene	100-41-4	21	5	1
10335	2-Hexanone	591-78-6	75	10	1
10335	4-Methyl-2-pentanone	108-10-1	78	10	1
10335	Methylene Chloride	75-09-2	22	5	1
10335	Styrene	100-42-5	22	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	25	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	48	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	23	5	1
10335	Vinyl Chloride	75-01-4	18	2	1
10335	Xylene (Total)	1330-20-7	67	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 15:02	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 15:02	Linda C Pape	1

Sample Description: MP-4 MSD Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044647
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/01/2013 16:42 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	120	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	21	5	1
10335	Bromoform	75-25-2	22	5	1
10335	Bromomethane	74-83-9	19	5	1
10335	2-Butanone	78-93-3	110	10	1
10335	Carbon Disulfide	75-15-0	24	5	1
10335	Carbon Tetrachloride	56-23-5	25	5	1
10335	Chlorobenzene	108-90-7	23	5	1
10335	Chloroethane	75-00-3	19	5	1
10335	Chloroform	67-66-3	23	5	1
10335	Chloromethane	74-87-3	17	5	1
10335	Dibromochloromethane	124-48-1	23	5	1
10335	1,1-Dichloroethane	75-34-3	25	5	1
10335	1,2-Dichloroethane	107-06-2	22	5	1
10335	1,1-Dichloroethene	75-35-4	52	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	24	5	1
10335	1,2-Dichloropropane	78-87-5	21	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	22	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	21	5	1
10335	Ethylbenzene	100-41-4	22	5	1
10335	2-Hexanone	591-78-6	78	10	1
10335	4-Methyl-2-pentanone	108-10-1	80	10	1
10335	Methylene Chloride	75-09-2	23	5	1
10335	Styrene	100-42-5	23	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	26	5	1
10335	Toluene	108-88-3	23	5	1
10335	1,1,1-Trichloroethane	71-55-6	48	5	1
10335	1,1,2-Trichloroethane	79-00-5	22	5	1
10335	Trichloroethene	79-01-6	23	5	1
10335	Vinyl Chloride	75-01-4	20	2	1
10335	Xylene (Total)	1330-20-7	69	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 15:25	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 15:25	Linda C Pape	1

Sample Description: MP-11 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044648
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 10:02 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

-MP11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	9	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	160	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	7	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 19:07	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 19:07	Kerri E Legerlotz	1

Sample Description: MP-2 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044649
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 11:37 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	35	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 19:31	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 19:31	Kerri E Legerlotz	1

Sample Description: MP-10 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044650
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 13:47 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

-MP10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 19:54	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 19:54	Kerri E Legerlotz	1

Sample Description: MP-8 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044651
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 16:27 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 100	100	5
10335	Benzene	71-43-2	< 25	25	5
10335	Bromodichloromethane	75-27-4	< 25	25	5
10335	Bromoform	75-25-2	< 25	25	5
10335	Bromomethane	74-83-9	< 25	25	5
10335	2-Butanone	78-93-3	< 50	50	5
10335	Carbon Disulfide	75-15-0	< 25	25	5
10335	Carbon Tetrachloride	56-23-5	< 25	25	5
10335	Chlorobenzene	108-90-7	< 25	25	5
10335	Chloroethane	75-00-3	< 25	25	5
10335	Chloroform	67-66-3	< 25	25	5
10335	Chloromethane	74-87-3	< 25	25	5
10335	Dibromochloromethane	124-48-1	< 25	25	5
10335	1,1-Dichloroethane	75-34-3	130	25	5
10335	1,2-Dichloroethane	107-06-2	< 25	25	5
10335	1,1-Dichloroethene	75-35-4	5,000	100	50
10335	cis-1,2-Dichloroethene	156-59-2	< 25	25	5
10335	trans-1,2-Dichloroethene	156-60-5	< 25	25	5
10335	1,2-Dichloropropane	78-87-5	< 25	25	5
10335	cis-1,3-Dichloropropene	10061-01-5	< 25	25	5
10335	trans-1,3-Dichloropropene	10061-02-6	< 25	25	5
10335	Ethylbenzene	100-41-4	< 25	25	5
10335	2-Hexanone	591-78-6	< 50	50	5
10335	4-Methyl-2-pentanone	108-10-1	< 50	50	5
10335	Methylene Chloride	75-09-2	< 25	25	5
10335	Styrene	100-42-5	< 25	25	5
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 25	25	5
10335	Tetrachloroethene	127-18-4	< 25	25	5
10335	Toluene	108-88-3	< 25	25	5
10335	1,1,1-Trichloroethane	71-55-6	81	25	5
10335	1,1,2-Trichloroethane	79-00-5	< 25	25	5
10335	Trichloroethene	79-01-6	< 25	25	5
10335	Vinyl Chloride	75-01-4	< 10	10	5
10335	Xylene (Total)	1330-20-7	58	25	5

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 16:59	Linda C Pape	5
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 17:23	Linda C Pape	50

Sample Description: MP-8 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044651
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 16:27 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP8

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 16:59	Linda C Pape	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	N131282AA	05/08/2013 17:23	Linda C Pape	50

Sample Description: MP-1 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044652
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 16:47 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	7	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	89	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	34	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	W131271AA	05/07/2013 20:42	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W131271AA	05/07/2013 20:42	Kerri E Legerlotz	1

Sample Description: MP-6 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044653
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 13:02 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 14:14	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 14:14	Linda C Pape	1

Sample Description: MP-7 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044654
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 15:07 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	6	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 15:49	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 15:49	Linda C Pape	1

Sample Description: MP-DUP Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044655
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 08:00 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MFD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	6	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	79	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	27	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 16:12	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 16:12	Linda C Pape	1

Sample Description: MP-3 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 7044656
LLI Group # 1387531
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/02/2013 16:52 by BO

Submitted: 05/03/2013 09:30
Reported: 05/10/2013 17:57

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

--MP3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	N131282AA	05/08/2013 16:36	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	N131282AA	05/08/2013 16:36	Linda C Pape	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387531
Reported: 05/10/13 at 05:57 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: N131282AA	Sample number(s): 7044645-7044647,7044651,7044653-7044656							
Acetone	< 20	20.	ug/l	81		35-181		
Benzene	< 5	5.	ug/l	104		77-121		
Bromodichloromethane	< 5	5.	ug/l	104		73-120		
Bromoform	< 5	5.	ug/l	109		61-120		
Bromomethane	< 5	5.	ug/l	95		51-120		
2-Butanone	< 10	10.	ug/l	77		57-141		
Carbon Disulfide	< 5	5.	ug/l	113		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	120		65-137		
Chlorobenzene	< 5	5.	ug/l	111		80-120		
Chloroethane	< 5	5.	ug/l	94		60-120		
Chloroform	< 5	5.	ug/l	111		77-122		
Chloromethane	< 5	5.	ug/l	83		54-123		
Dibromochloromethane	< 5	5.	ug/l	113		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	105		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	109		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	117		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	108		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	111		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	101		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	107		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	100		66-124		
Ethylbenzene	< 5	5.	ug/l	103		79-120		
2-Hexanone	< 10	10.	ug/l	76		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	81		65-122		
Methylene Chloride	< 5	5.	ug/l	110		84-118		
Styrene	< 5	5.	ug/l	109		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	91		70-129		
Tetrachloroethene	< 5	5.	ug/l	115		79-120		
Toluene	< 5	5.	ug/l	107		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	124		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	104		80-120		
Trichloroethene	< 5	5.	ug/l	109		80-120		
Vinyl Chloride	< 2	2.	ug/l	96		63-120		
Xylene (Total)	< 5	5.	ug/l	108		77-120		
Batch number: W131271AA	Sample number(s): 7044644,7044648-7044650,7044652							
Acetone	< 20	20.	ug/l	76		35-181		
Benzene	< 5	5.	ug/l	100		77-121		
Bromodichloromethane	< 5	5.	ug/l	115		73-120		
Bromoform	< 5	5.	ug/l	101		61-120		
Bromomethane	< 5	5.	ug/l	86		51-120		
2-Butanone	< 10	10.	ug/l	84		57-141		
Carbon Disulfide	< 5	5.	ug/l	90		68-121		

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387531
Reported: 05/10/13 at 05:57 PM

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Carbon Tetrachloride	< 5	5.	ug/l	126		65-137		
Chlorobenzene	< 5	5.	ug/l	106		80-120		
Chloroethane	< 5	5.	ug/l	75		60-120		
Chloroform	< 5	5.	ug/l	112		77-122		
Chloromethane	< 5	5.	ug/l	64		54-123		
Dibromochloromethane	< 5	5.	ug/l	118		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	106		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	135*		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	104		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	110		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	109		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	94		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	110		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	107		66-124		
Ethylbenzene	< 5	5.	ug/l	104		79-120		
2-Hexanone	< 10	10.	ug/l	83		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	86		65-122		
Methylene Chloride	< 5	5.	ug/l	101		84-118		
Styrene	< 5	5.	ug/l	99		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	99		70-129		
Tetrachloroethene	< 5	5.	ug/l	109		79-120		
Toluene	< 5	5.	ug/l	102		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	120		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	102		80-120		
Trichloroethene	< 5	5.	ug/l	111		80-120		
Vinyl Chloride	< 2	2.	ug/l	83		63-120		
Xylene (Total)	< 5	5.	ug/l	102		77-120		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: N131282AA	Sample number(s): 7044645-7044647,7044651,7044653-7044656 UNSPK: 7044645								
Acetone	84	81	33-159	3	30				
Benzene	107	109	72-134	2	30				
Bromodichloromethane	105	106	78-125	1	30				
Bromoform	107	109	48-118	2	30				
Bromomethane	88	93	47-129	6	30				
2-Butanone	75	76	57-138	1	30				
Carbon Disulfide	118	118	67-135	0	30				
Carbon Tetrachloride	125	127	72-135	1	30				
Chlorobenzene	114	117	87-124	2	30				
Chloroethane	87	95	51-145	9	30				
Chloroform	112	114	81-134	2	30				
Chloromethane	78	87	46-137	11	30				
Dibromochloromethane	111	116	74-116	4	30				
1,1-Dichloroethane	118	120	84-129	1	30				
1,2-Dichloroethane	109	110	68-131	1	30				
1,1-Dichloroethene	203*	204*	75-155	1	30				
cis-1,2-Dichloroethene	111	111	80-141	1	30				

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387531
Reported: 05/10/13 at 05:57 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
trans-1,2-Dichloroethene	117	119	81-142	2	30				
1,2-Dichloropropane	101	105	83-124	4	30				
cis-1,3-Dichloropropene	107	111	70-116	4	30				
trans-1,3-Dichloropropene	99	104	74-119	6	30				
Ethylbenzene	107	110	71-134	3	30				
2-Hexanone	75	78	55-127	4	30				
4-Methyl-2-pentanone	78	80	63-123	3	30				
Methylene Chloride	112	115	78-133	3	30				
Styrene	111	116	78-125	4	30				
1,1,2,2-Tetrachloroethane	89	89	72-128	1	30				
Tetrachloroethene	123	128	80-128	4	30				
Toluene	109	116	80-125	6	30				
1,1,1-Trichloroethane	191*	189*	69-140	1	30				
1,1,2-Trichloroethane	105	111	71-141	5	30				
Trichloroethene	114	116	88-133	2	30				
Vinyl Chloride	91	101	66-133	11	30				
Xylene (Total)	111	115	79-125	4	30				
Batch number: W131271AA	Sample number(s): 7044644,7044648-7044650,7044652 UNSPK: P044635								
Acetone	75	70	33-159	6	30				
Benzene	95	95	72-134	0	30				
Bromodichloromethane	108	107	78-125	1	30				
Bromoform	97	94	48-118	4	30				
Bromomethane	87	86	47-129	1	30				
2-Butanone	80	77	57-138	5	30				
Carbon Disulfide	88	86	67-135	3	30				
Carbon Tetrachloride	126	122	72-135	3	30				
Chlorobenzene	99	97	87-124	3	30				
Chloroethane	79	74	51-145	7	30				
Chloroform	110	107	81-134	2	30				
Chloromethane	69	66	46-137	5	30				
Dibromochloromethane	106	106	74-116	0	30				
1,1-Dichloroethane	102	101	84-129	1	30				
1,2-Dichloroethane	128	124	68-131	3	30				
1,1-Dichloroethene	104	105	75-155	1	30				
cis-1,2-Dichloroethene	104	102	80-141	2	30				
trans-1,2-Dichloroethene	103	103	81-142	1	30				
1,2-Dichloropropane	88	88	83-124	1	30				
cis-1,3-Dichloropropene	102	102	70-116	0	30				
trans-1,3-Dichloropropene	97	95	74-119	3	30				
Ethylbenzene	98	98	71-134	1	30				
2-Hexanone	77	75	55-127	3	30				
4-Methyl-2-pentanone	81	77	63-123	4	30				
Methylene Chloride	96	93	78-133	3	30				
Styrene	94	92	78-125	2	30				
1,1,2,2-Tetrachloroethane	92	89	72-128	4	30				
Tetrachloroethene	107	107	80-128	0	30				
Toluene	98	95	80-125	3	30				
1,1,1-Trichloroethane	117	116	69-140	1	30				
1,1,2-Trichloroethane	93	94	71-141	1	30				
Trichloroethene	107	106	88-133	1	30				
Vinyl Chloride	83	83	66-133	1	30				

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1387531
Reported: 05/10/13 at 05:57 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Xylene (Total)	98	97	79-125	2	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: N131282AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7044645	103	102	99	93
7044646	102	98	100	100
7044647	100	96	101	101
7044651	102	100	98	97
7044653	102	100	98	95
7044654	101	100	100	96
7044655	103	101	100	95
7044656	103	103	99	94
Blank	101	100	100	97
LCS	102	101	101	102
MS	102	98	100	100
MSD	100	96	101	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: W131271AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7044644	116	105	98	99
7044648	115	105	100	100
7044649	115	105	98	99
7044650	116	106	97	99
7044652	116	109	97	99
Blank	111	105	99	98
LCS	109	104	103	102
MS	113	103	103	103
MSD	111	106	102	103
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387531 Sample # 7044644-56
Instructions on reverse side correspond with circled numbers.

COC # 325180

1 Client Information

Client: The Johnson Co (JCO) | Acct. #: 6556
Project Name/#: AD-GA | PWSID #:
Project Manager: Glen Kirkpatrick | P.O. #: 1-0145-04
Sampler: Bob Osborne (JCO) + Tristan Hardy | Quote #:
Name of state where samples were collected: GA

4 Matrix: Sediment ☐ Soil ☐ | Ground ☒ Potable ☐ Water | Surface ☐ NPDES ☐ | Other: Lab DI

5 Analysis Requested — Preservation Codes: 0

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOCs
Trip Blank - MP	5/1/13	—			2	X
MP-4	5/1/13	16:42	X		3	X
MP-4 ms/msD	5/1/13	16:42	X		6	X
MP-11	5/2/13	10:02	X		3	X
MP-2		11:37	X		3	X
MP-10		1347	X		3	X
MP-8		1627	X		3	X
MP-1		1647	X		3	X
MP-6		1302	X		3	X
MP-7	5/2/13	1507	X		3	X

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

7 Turnaround Time (TAT) Requested (please circle)
Standard Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:
E-mail address: GAK@jcomail.com

8 Data Package Options (circle if required)
Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	5/2/13	1710			
				5/3/13	930

9

EDD Required? (Yes) No
If yes, format: excel
Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS ____ FedEx X Other ____
Temperature upon receipt 0.8 °C

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Eurofins Lancaster Laboratories use only Group # 1387531 Sample # 7044644-56
Instructions on reverse side correspond with circled numbers.

COC # 325182

1 Client Information

Client: The Johnson Co (TJCO)	Acct. #: 6556
Project Name/#: AD-GA	PWSID #:
Project Manager: Glen KirkPatrick	P.O. #: 1-0145-04
Sampler: Bob Osborne (TRC) + TRISTAN HARDY	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☐ | Ground ☒ Potable ☐ Water | Surface ☐ NPDES ☐ | Other: ☐

5 Analysis Requested

Preservation Codes: O

For Lab Use Only

FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOCs
MP-Dup	5/2/13	800	X		3	X
MP-3	5/2/13	1652	X		3	X

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: _____

E-mail address: GAK@jcomail.com

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)
Type III (Reduced non-CLP) TX TRRP-13
Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	5/2/13	1710			
				5/3/13	930

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS _____ FedEx X Other _____

Temperature upon receipt 0.8 °C

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log 1387531

Client/Project: The Johnson company

Date of Receipt: 5/3/13

Time of Receipt: 930

Source Code: 50-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	DT121	2.5	TB	WI	Y	B	
2	↓	0.8	↓	↓	↓	↓	
3	↓	1.3	↓	↓	↓	↓	
4	↓	0.8	↓	↓	↓	↓	
5			\				
6			\				

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

3 VOA 5/3/13

Coc# 329053: ~~JO2~~ JO4-BR02 5/1/13 1435 labeled JO4-BR01 5/1/13 1435

Coc# 329059: samples with dates of 5/30/13 date actually is 5/1/13

N/A for 6# 1387531

mak 5/8/13

Unpacker Signature/Emp#: 32-2316 **Date/Time:** 5/3/13 1539

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

APPENDIX B

RESULTS OF GROUNDWATER AND SOIL SAMPLING AND ANALYSES PERFORMED AT REQUEST OF WRIGLEY MANUFACTURING, LLC IN MARCH 2013

The Johnson Company ENVIRONMENTAL SCIENCE AND ENGINEERING SOLUTIONS

ph (802) 229-4600
fax (802) 229-5876
100 State Street, Suite 600
Montpelier, VT 05602
www.johnsonco.com

April 8, 2013 by email to bruce.martin@averydennison.com

Mr. Bruce Martin
Corporate Manager, Environmental and Remediation Services
Avery Dennison Corporation
8080 Norton Parkway
Mentor, OH 44060

Re: Results of Additional Soil and Groundwater Characterization Requested by Wrigley
Avery Dennison Flowery Branch (Gainesville), Georgia Facility
JCO # 1-0145-4

Dear Mr. Martin:

At your request, The Johnson Company, Inc. (JCO) performed additional soil and groundwater characterization activities during the period March 22-25, 2013 at the Avery Dennison facility near Gainesville (Flowery Branch), Georgia (the Site). The activities performed were those requested by Wm. Wrigley Jr. Company (Wrigley) in its March 14, 2013 communication to Avery Dennison:

- Collect groundwater samples from nine bedrock monitoring wells and seven unconsolidated deposits monitoring wells[a], and analyze the groundwater samples for volatile organic compounds (VOC) by EPA Method 8260B and for 1,4-dioxane by selective ion monitoring (SIM).
- Collect soil samples from a single boring to be located between soil boring location GP-02 and B-28, as shown on the figure provided by Wrigley, and analyze the soil samples for VOC by EPA Method 8260B.

The groundwater and soil samples were collected per the Site procedures described in the March 2010 Compliance Status Report.

Table 1 (attached) summarizes the analytical results for the collected groundwater samples - *no VOC were detected.* Laboratory analytical reports for the groundwater samples are provided in Attachment 1.

Figure 1 shows the location of the soil boring, B-28-A, that was established on Avery Dennison property between locations B-28 and GP-02, as requested by Wrigley. *No VOC were detected* in the two soil samples collected from the boring. Laboratory analytical reports for the soil samples are provided in Attachment 2.

If you have any questions regarding the work performed, please do not hesitate to contact me.

---

[a] Bedrock monitoring wells BR-8S, BR-8D, BR-9S, BR-9D, BR-10S, BR-10D, BR-11, MW-15D, and MW-16D; and unconsolidated deposits monitoring wells MW-15S, MW-16S, MW-24, MW-28, MW-29, MW-33, and MW-35.

Sincerely,

THE JOHNSON COMPANY, INC.

By: _____
Glen Kirkpatrick, P.G. (TX)
Vice President/Principal Hydrogeologist

cc: Mr. Joel Behrsing, P.E. (GA), The Johnson Company

Attachments:

1 – Laboratory analytical results for groundwater samples
2 – Laboratory analytical results for soil samples

Table 1
Summary of Concentrations of VOCs and 1,4-Dioxane in Groundwater
March 2013
Avery Dennison Site
Flowery Branch, Georgia

Location ID:	BR-8D	BR-8S	BR-9D	BR-9S	BR-10D	BR-10S	BR-11	MW-15D	MW-15S	MW-16D	MW-16D	MW-16S	MW-24	MW-28	MW-29	MW-33	MW-35
Sample Date:	3/25/2013	3/25/2013	3/23/2013	3/23/2013	3/24/2013	3/24/2013	3/24/2013	3/24/2013	3/24/2013	3/24/2013	3/24/2013 Duplicate	3/24/2013	3/24/2013	3/25/2013	3/23/2013	3/24/2013	3/23/2013
VOC (µg/L)																	
1,1,1-Trichloroethane	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1,2-Trichloroethane	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethane	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,1-Dichloroethene	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
1,2-Dichloroethane	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
1,4-Dioxane	ND < 2	ND < 2	ND < 40	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
2-Butanone (MEK)	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Acetone	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Carbon disulfide	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Carbon tetrachloride	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroethane	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Chloroform	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
cis-1,2-Dichloroethene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Methylene chloride	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Ethyl benzene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Styrene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Tetrachloroethene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Toluene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
trans-1,2-Dichloroethene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Trichloroethene	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5
Vinyl chloride	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2
Xylenes (unspecified)	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5	ND < 5

Notes:
1) Only compounds historically detected above laboratory quantitation limits (PQL) are shown.
2) Non-detects are presented as "ND < ##", where ## is the laboratory PQL.
3) Xylenes (unspecified) is the sum of m&p-Xylene and o-Xylene concentrations.

Abbrev.	Compound
1,1,1-TCA	1,1,1-Trichloroethane
1,1,2-TCA	1,1,2-Trichloroethane
1,1-DCA	1,1-Dichloroethane
1,1-DCE	1,1-Dichloroethene
1,2-DCA	1,2-Dichloroethane
MEK	2-Butanone (Methyl Ethyl Ketone)
A	Acetone
CA	Chloroethane
CD	Carbon Disulfide
CF	Chloroform
c1,2-DCE	cis-1,2-Dichloroethene
DCM	Dichloromethane (Methylene Chloride)
EB	Ethylbenzene
F-11	Freon-11 (Trichlorotrifluoromethane)
PCE	Tetrachloroethene
T	Toluene
t1,2-DCE	trans-1,2-Dichloroethene
TCE	Trichloroethene
X	Xylenes (total)

Notes:
- ND = Not detected above laboratory practical quantitation limit
- All concentrations in µg/Kg
- Only results for detected compounds are shown
- Sample dates as shown, e.g. 3/05 = March 2005

PROPERTY BOUNDARY (TYPICAL)

POND

WATER TANK

SUBDIVISION - APPROXIMATE BOUNDARY - 09/07

GRAVEL DRIVE

Rails (Typical)

FENCE (TYPICAL)

B-33	0-2'	6-8'
	9/92	9/92
1,1,1-TCA	ND	6

B-32	4-6'	8-10'
	9/92	9/92
T	14	ND

JCO-15	5.0'	7.0'
	3/05	3/05
1,1-DCA	11	6.1
1,1-DCE	ND	14
A	ND	160
CA	ND	67
T	ND	14

B-31	2-4'	8-10'
	9/92	9/92
1,1,1-TCA	3000	14
1,1-DCA	ND	5
T	3600	6

B-30	2-4'	8-10'
	9/92	9/92
1,1,1-TCA	11000	13
T	9800	8
X	900	ND

JCO-96	4'
	6/05
1,1-DCA	6.2

JCO-65	9'	12'
	3/05	3/05
MEK	48	ND
A	290	ND

JCO-64	8.0'
	3/05
A	230
T	12

B-20	3.5-5.5'
	9/92
1,1,1-TCA	30
1,1-DCA	12

B-19	3.5-5.5'
	9/92
1,1,1-TCA	5
1,1-DCA	7

B-21	6-8'
	9/92
1,1,1-TCA	14
T	6

JCO-13	5.0'
	3/05
T	7.2

JCO-41	9.0'	13.5'
	3/05	3/05
1,1-DCE	44	14
CD	ND	16
CA	17	ND
T	19	24

B-17	0-2'	3.5-5.5'
	9/92	9/92
1,1,1-TCA	ND	17
T	ND	5

B-18	3.5-5.5'	8.5-10.5'
	9/92	9/92
T	ND	6

JCO-67	2.0'	12.0'
	3/05	3/05
CF	8.2	10

JCO-68	2.0'	9.0'
	3/05	3/05
CF	ND	13

JCO-70	1.0'	8.0'
	3/05	3/05
CF	26	14

JCO-69	1.0'	12.0'
	3/05	3/05
CF	ND	97

JCO-71	4.0'	10.0'
	3/05	3/05
CF	190	49
DCM	13	ND

JCO-57	6'	14'
	3/05	3/05
c1,2-DCE	ND	53
t1,2-DCE	ND	41
TCE	ND	16

JCO-84	14'	17'
	6/05	6/05
c1,2-DCE	110	ND
t1,2-DCE	58	ND
TCE	7	ND

JCO-56	9'	14'
	3/05	3/05
c1,2-DCE	ND	13
t1,2-DCE	ND	7.2

JCO-9	5.0'	13.0'
	3/05	3/05
T	120	ND

JCO-30	1.0'	2.0'
	3/05	3/05
1,1,1-TCA	6.5	ND
1,1-DCA	6.5	10

JCO-11	5.0'	11.0'
	3/05	3/05
T	11	ND

HAB-2	2-3'
	9/92
1,1,1-TCA	190
1,1-DCA	21

B-6	2-4'	6-8'	8-10'
	9/92	9/92	9/92
1,1,1-TCA	6	ND	ND

JCO-97	3'	5'
	6/05	6/05
1,1,1-TCA	210	180
1,1-DCE	110	130

B-11	2-4'	4-6'	6-8'	8-10'
	9/92	9/92	9/92	9/92
1,1,1-TCA	4700	1700	52	ND
1,1,2-TCA	ND	7	ND	ND
1,2-DCA	ND	9	ND	ND
EB	ND	6	ND	ND
T	6800	2500	18	ND
X	ND	33	ND	ND

JCO-127	16-17'	19-20'
	10/07	10/07
TCE	8.1	ND

GP-09	0-2'	2-4'
	2/02	2/02
A	120	ND

B-10	2-4'	6-8'	8-10'
	9/92	9/92	9/92
1,1,1-TCA	5	ND	ND
T	5	ND	ND

B-9	2-4'	6-8'	8-10'
	9/92	9/92	9/92
1,1,1-TCA	15	ND	9

JCO-5	0-5'	5-10'
	3/05	3/05
T	ND	14

JCO-6	8.0'	12.0'
	3/05	3/05
EB	ND	12
PCE	9.8	ND

B-28	0-2'	2-4'
	9/92	9/92
1,1,1-TCA	ND	10
A	ND	110

B-27	0-2'	8-10'
	9/92	9/92
1,1,1-TCA	ND	5

B-26	2-4'	4-6'
	9/92	9/92
1,1,1-TCA	17	ND

B-24	0-2'
	9/92
1,1,1-TCA	9

B-23	0-2'
	9/92
1,1,1-TCA	20
1,1-DCE	18

B-22	0-2'	4-6'
	9/92	9/92
1,1,1-TCA	9	8
1,1-DCA	ND	15
CD	ND	78

JCO-40	7.0'	10.0'
	3/05	3/05
1,1-DCE	6.5	ND
T	7.3	ND

JCO-38	7.0'	9.0'
	3/05	3/05
1,1-DCA	ND	18
1,1-DCE	ND	7.9

GP-03	0-2'	2-4'
	2/02	2/02
A	100	ND

GP-06	0-2'	2-4'
	2/02	2/02
A	86	ND

GP-07	0-2'	2-4'
	2/02	2/02
A	110	ND

LEGEND
- BUILDING FOOTPRINT
- SURFACE WATER/DRAINAGE
- SOIL BORING (JCO, 2013)
- SOIL BORING (JCO, 2005-2009)
- SOIL BORING (ERM, SEPT. 1992)
- HAND AUGER SOIL BORING (ERM, SEPT. 1992)
- GEOPROBE SOIL BORING (PREMIER, 1992)
- COMPOSITE SOIL SAMPLE (PREMIER, 1992)

Note: All samples analyzed by EPA Method 8260B. Depths indicated are feet below ground surface.

SCALE IN FEET
50 0 50 100 150
GRAPHIC SCALE - FEET

K:\1-0145-4\Cad\2010 CSR\Official SOIL Basemap.dwg

FIGURE 1
SOIL VOC RESULTS 1992-2013
AVERY DENNISON FACILITY
FLOWERY BRANCH, GEORGIA

The Johnson Company
100 State Street, Suite 600
Montpelier, VT 05602

Drawn by: TEH Date: 04/05/13
Reviewed by: GAK Date: 04/05/13
Scale: As Shown Project: 1-0145-4

ATTACHMENT 1

LABORATORY ANALYTICAL REPORTS: GROUNDWATER SAMPLES

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

March 30, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/26/2013
Group Number: 1378013
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Trip Blank-1 Water	6996501
BR-9S Grab Groundwater	6996502
MW-29 Grab Groundwater	6996503
MW-35 Grab Groundwater	6996504
BR-9D Grab Groundwater	6996505
MW-24 Grab Groundwater	6996506
MW-16S Grab Groundwater	6996507
BR-11 Grab Groundwater	6996508
BR-11 Matrix Spike Grab Groundwater	6996509
BR-11 Matrix Spike Dup Grab Groundwater	6996510
MW-33 Grab Groundwater	6996511
MW-15S Grab Groundwater	6996512
TB-2 Water	6996513
BR-10D Grab Groundwater	6996514
DUP-GA Grab Groundwater	6996515
MW-16D Grab Groundwater	6996516
BR-10S Grab Groundwater	6996517
MW-15D Grab Groundwater	6996518
EB-GA Grab Water	6996519
BR-8D Grab Groundwater	6996520
BR-8S Grab Groundwater	6996521
MW-28 Grab Groundwater	6996522

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
COPY TO		
ELECTRONIC	The Johnson Company, Inc.	Attn: Tristan Hardy

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

COPY TO

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: Trip Blank-1 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996501
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: Trip Blank-1 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996501
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:26	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:09	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:09	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 13:26	Christopher G Torres	1

Sample Description: BR-9S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996502
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 13:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-9S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996502
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 13:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:28	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:50	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 14:28	Christopher G Torres	1

Sample Description: MW-29 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996503
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 15:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF29

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-29 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996503
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 15:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF29

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:48	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:14	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 14:48	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:14	Jason M Long	1

Sample Description: MW-35 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996504
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:07 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF35

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-35 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996504
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:07 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF35

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 07:54	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 14:11	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 07:54	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 14:11	Jason M Long	1

Sample Description: BR-9D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996505
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:55 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 40	40	20

Reporting limits were raised due to interference from the sample matrix.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: BR-9D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996505
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013 17:55 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF9D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:15	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:53	Jason M Long	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:15	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:53	Jason M Long	20

Sample Description: MW-24 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996506
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF24

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-24 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996506
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:52 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF24

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130882AA	03/29/2013 14:42	Angela D Sneeringer	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 19:39	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 19:39	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130882AA	03/29/2013 14:42	Angela D Sneeringer	1

Sample Description: MW-16S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996507
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 11:07 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-16S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996507
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 11:07 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF16

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:36	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:55	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:36	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:55	Jason M Long	1

Sample Description: BR-11 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996508
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-11 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996508
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 08:56	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 16:34	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 08:56	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 16:34	Jason M Long	1

Sample Description: BR-11 Matrix Spike Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996509
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	210	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	19	5	1
10335	Bromoform	75-25-2	15	5	1
10335	Bromomethane	74-83-9	15	5	1
10335	2-Butanone	78-93-3	170	10	1
10335	Carbon Disulfide	75-15-0	20	5	1
10335	Carbon Tetrachloride	56-23-5	22	5	1
10335	Chlorobenzene	108-90-7	21	5	1
10335	Chloroethane	75-00-3	16	5	1
10335	Chloroform	67-66-3	21	5	1
10335	Chloromethane	74-87-3	23	5	1
10335	Dibromochloromethane	124-48-1	19	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	22	2	1
10335	cis-1,2-Dichloroethene	156-59-2	23	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	17	5	1
10335	Ethylbenzene	100-41-4	22	5	1
10335	2-Hexanone	591-78-6	81	10	1
10335	4-Methyl-2-pentanone	108-10-1	83	10	1
10335	Methylene Chloride	75-09-2	20	5	1
10335	Styrene	100-42-5	21	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	19	5	1
10335	1,1,2-Trichloroethane	79-00-5	20	5	1
10335	Trichloroethene	79-01-6	22	5	1
10335	Vinyl Chloride	75-01-4	21	2	1
10335	Xylene (Total)	1330-20-7	64	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	4.7	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-11 Matrix Spike Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996509
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:17	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 20:00	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:17	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 20:00	Jason M Long	1

Sample Description: BR-11 Matrix Spike Dup Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996510
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	210	20	1
10335	Benzene	71-43-2	22	5	1
10335	Bromodichloromethane	75-27-4	19	5	1
10335	Bromoform	75-25-2	15	5	1
10335	Bromomethane	74-83-9	16	5	1
10335	2-Butanone	78-93-3	170	10	1
10335	Carbon Disulfide	75-15-0	20	5	1
10335	Carbon Tetrachloride	56-23-5	21	5	1
10335	Chlorobenzene	108-90-7	21	5	1
10335	Chloroethane	75-00-3	17	5	1
10335	Chloroform	67-66-3	21	5	1
10335	Chloromethane	74-87-3	23	5	1
10335	Dibromochloromethane	124-48-1	19	5	1
10335	1,1-Dichloroethane	75-34-3	23	5	1
10335	1,2-Dichloroethane	107-06-2	21	5	1
10335	1,1-Dichloroethene	75-35-4	22	2	1
10335	cis-1,2-Dichloroethene	156-59-2	22	5	1
10335	trans-1,2-Dichloroethene	156-60-5	21	5	1
10335	1,2-Dichloropropane	78-87-5	22	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	21	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	17	5	1
10335	Ethylbenzene	100-41-4	21	5	1
10335	2-Hexanone	591-78-6	82	10	1
10335	4-Methyl-2-pentanone	108-10-1	83	10	1
10335	Methylene Chloride	75-09-2	20	5	1
10335	Styrene	100-42-5	20	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	18	5	1
10335	Tetrachloroethene	127-18-4	23	5	1
10335	Toluene	108-88-3	22	5	1
10335	1,1,1-Trichloroethane	71-55-6	19	5	1
10335	1,1,2-Trichloroethane	79-00-5	21	5	1
10335	Trichloroethene	79-01-6	22	5	1
10335	Vinyl Chloride	75-01-4	21	2	1
10335	Xylene (Total)	1330-20-7	64	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	5.1	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-11 Matrix Spike Dup Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996510
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:12 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF11

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:38	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 20:20	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:38	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 20:20	Jason M Long	1

Sample Description: MW-33 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996511
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 14:57 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF33

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-33 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996511
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 14:57 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF33

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 09:59	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 14:52	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 09:59	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 14:52	Jason M Long	1

Sample Description: MW-15S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996512
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:22 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-15S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996512
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:22 by TH

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 10:20	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:16	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 10:20	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:16	Jason M Long	1

Sample Description: TB-2 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996513
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: TB-2 Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996513
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/23/2013

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFT2

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:46	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 13:30	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 13:30	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 13:46	Christopher G Torres	1

Sample Description: BR-10D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996514
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:15 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-10D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996514
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 09:15 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 10:40	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:36	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 10:40	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:36	Jason M Long	1

Sample Description: DUP-GA Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996515
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 12:00 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFDP

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: DUP-GA Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996515
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 12:00 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADFDP

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:01	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 17:57	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:01	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 17:57	Jason M Long	1

Sample Description: MW-16D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996516
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:35 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD16D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-16D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996516
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 13:35 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD16D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:22	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:17	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:22	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:17	Jason M Long	1

Sample Description: BR-10S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996517
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:00 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-10S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996517
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 16:00 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD10S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 11:42	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:38	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 11:42	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:38	Jason M Long	1

Sample Description: MW-15D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996518
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 17:10 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD15D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-15D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996518
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/24/2013 17:10 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

AD15D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:03	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 18:58	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:03	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 18:58	Jason M Long	1

Sample Description: EB-GA Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996519
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 07:30 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADEBL

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: EB-GA Grab Water
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996519
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 07:30 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADEBL

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 14:07	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 12:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	E130871AA	03/28/2013 12:49	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Y130871AA	03/28/2013 14:07	Christopher G Torres	1

Sample Description: BR-8D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996520
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 13:40 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8D

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-8D Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996520
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 13:40 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8D

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:23	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:12	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:23	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:12	Jason M Long	1

Sample Description: BR-8S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996521
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 09:22 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8S

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: BR-8S Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996521
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 09:22 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF8S

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 12:44	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 15:33	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 12:44	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 15:33	Jason M Long	1

Sample Description: MW-28 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996522
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 10:27 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF28

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	
10335	Acetone	67-64-1	< 20	20	1
10335	Benzene	71-43-2	< 5	5	1
10335	Bromodichloromethane	75-27-4	< 5	5	1
10335	Bromoform	75-25-2	< 5	5	1
10335	Bromomethane	74-83-9	< 5	5	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	Carbon Disulfide	75-15-0	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 5	5	1
10335	Chlorobenzene	108-90-7	< 5	5	1
10335	Chloroethane	75-00-3	< 5	5	1
10335	Chloroform	67-66-3	< 5	5	1
10335	Chloromethane	74-87-3	< 5	5	1
10335	Dibromochloromethane	124-48-1	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 5	5	1
10335	1,2-Dichloroethane	107-06-2	< 5	5	1
10335	1,1-Dichloroethene	75-35-4	< 2	2	1
10335	cis-1,2-Dichloroethene	156-59-2	< 5	5	1
10335	trans-1,2-Dichloroethene	156-60-5	< 5	5	1
10335	1,2-Dichloropropane	78-87-5	< 5	5	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 5	5	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 5	5	1
10335	Ethylbenzene	100-41-4	< 5	5	1
10335	2-Hexanone	591-78-6	< 10	10	1
10335	4-Methyl-2-pentanone	108-10-1	< 10	10	1
10335	Methylene Chloride	75-09-2	< 5	5	1
10335	Styrene	100-42-5	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 5	5	1
10335	Tetrachloroethene	127-18-4	< 5	5	1
10335	Toluene	108-88-3	< 5	5	1
10335	1,1,1-Trichloroethane	71-55-6	< 5	5	1
10335	1,1,2-Trichloroethane	79-00-5	< 5	5	1
10335	Trichloroethene	79-01-6	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 2	2	1
10335	Xylene (Total)	1330-20-7	< 5	5	1
GC/MS Volatiles	**SW-846 8260B SIM**		**ug/l**	**ug/l**	
00527	1,4-Dioxane	123-91-1	< 2.0	2.0	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor

Sample Description: MW-28 Grab Groundwater
Avery Dennison / Flowery Branch, GA

LLI Sample # WW 6996522
LLI Group # 1378013
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 10:27 by RP

Submitted: 03/26/2013 09:30
Reported: 03/30/2013 23:27

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

ADF28

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	8260 Ext. Water Master w/GRO	SW-846 8260B	1	Y130871AA	03/28/2013 13:05	Christopher G Torres	1
00527	1,4-Dioxane by Isotope Dil SIM	SW-846 8260B SIM	1	E130871AA	03/28/2013 19:19	Jason M Long	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Y130871AA	03/28/2013 13:05	Christopher G Torres	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	E130871AA	03/28/2013 19:19	Jason M Long	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 03/30/13 at 11:27 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: E130871AA	Sample number(s): 6996501-6996522							
1,4-Dioxane	< 2.0	2.0	ug/l	86		80-123		
Batch number: Y130871AA	Sample number(s): 6996501-6996505,6996507-6996522							
Acetone	< 20	20.	ug/l	66		49-234		
Benzene	< 5	5.	ug/l	100		77-121		
Bromodichloromethane	< 5	5.	ug/l	88		73-120		
Bromoform	< 5	5.	ug/l	70		61-120		
Bromomethane	< 5	5.	ug/l	60		51-120		
2-Butanone	< 10	10.	ug/l	77		57-141		
Carbon Disulfide	< 5	5.	ug/l	83		68-121		
Carbon Tetrachloride	< 5	5.	ug/l	88		65-137		
Chlorobenzene	< 5	5.	ug/l	97		80-120		
Chloroethane	< 5	5.	ug/l	63		60-120		
Chloroform	< 5	5.	ug/l	92		77-122		
Chloromethane	< 5	5.	ug/l	77		54-123		
Dibromochloromethane	< 5	5.	ug/l	88		72-120		
1,1-Dichloroethane	< 5	5.	ug/l	104		79-120		
1,2-Dichloroethane	< 5	5.	ug/l	98		64-130		
1,1-Dichloroethene	< 2	2.	ug/l	93		76-124		
cis-1,2-Dichloroethene	< 5	5.	ug/l	100		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/l	92		80-120		
1,2-Dichloropropane	< 5	5.	ug/l	100		80-120		
cis-1,3-Dichloropropene	< 5	5.	ug/l	95		78-120		
trans-1,3-Dichloropropene	< 5	5.	ug/l	79		66-124		
Ethylbenzene	< 5	5.	ug/l	97		79-120		
2-Hexanone	< 10	10.	ug/l	65		59-125		
4-Methyl-2-pentanone	< 10	10.	ug/l	78		65-122		
Methylene Chloride	< 5	5.	ug/l	91		84-118		
Styrene	< 5	5.	ug/l	93		77-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	88		70-129		
Tetrachloroethene	< 5	5.	ug/l	94		79-120		
Toluene	< 5	5.	ug/l	99		79-120		
1,1,1-Trichloroethane	< 5	5.	ug/l	84		66-126		
1,1,2-Trichloroethane	< 5	5.	ug/l	97		80-120		
Trichloroethene	< 5	5.	ug/l	95		80-120		
Vinyl Chloride	< 2	2.	ug/l	78		63-120		
Xylene (Total)	< 5	5.	ug/l	96		77-120		
Batch number: Y130882AA	Sample number(s): 6996506							
Acetone	< 20	20.	ug/l	80	89	49-234	10	30
Benzene	< 5	5.	ug/l	96	98	77-121	2	30
Bromodichloromethane	< 5	5.	ug/l	88	88	73-120	0	30
Bromoform	< 5	5.	ug/l	71	70	61-120	2	30

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 03/30/13 at 11:27 PM

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Bromomethane	< 5	5.	ug/l	65	63	51-120	3	30
2-Butanone	< 10	10.	ug/l	82	86	57-141	5	30
Carbon Disulfide	< 5	5.	ug/l	81	80	68-121	1	30
Carbon Tetrachloride	< 5	5.	ug/l	88	88	65-137	1	30
Chlorobenzene	< 5	5.	ug/l	95	95	80-120	1	30
Chloroethane	< 5	5.	ug/l	67	66	60-120	1	30
Chloroform	< 5	5.	ug/l	89	90	77-122	0	30
Chloromethane	< 5	5.	ug/l	87	86	54-123	1	30
Dibromochloromethane	< 5	5.	ug/l	89	88	72-120	1	30
1,1-Dichloroethane	< 5	5.	ug/l	101	101	79-120	0	30
1,2-Dichloroethane	< 5	5.	ug/l	97	97	64-130	0	30
1,1-Dichloroethene	< 2	2.	ug/l	88	90	76-124	2	30
cis-1,2-Dichloroethene	< 5	5.	ug/l	97	97	80-120	0	30
trans-1,2-Dichloroethene	< 5	5.	ug/l	89	90	80-120	1	30
1,2-Dichloropropane	< 5	5.	ug/l	97	99	80-120	2	30
cis-1,3-Dichloropropene	< 5	5.	ug/l	95	96	78-120	1	30
trans-1,3-Dichloropropene	< 5	5.	ug/l	79	80	66-124	0	30
Ethylbenzene	< 5	5.	ug/l	93	94	79-120	1	30
2-Hexanone	< 10	10.	ug/l	65	67	59-125	3	30
4-Methyl-2-pentanone	< 10	10.	ug/l	79	78	65-122	1	30
Methylene Chloride	< 5	5.	ug/l	88	88	84-118	0	30
Styrene	< 5	5.	ug/l	92	92	77-120	1	30
1,1,2,2-Tetrachloroethane	< 5	5.	ug/l	86	85	70-129	0	30
Tetrachloroethene	< 5	5.	ug/l	93	94	79-120	1	30
Toluene	< 5	5.	ug/l	95	96	79-120	1	30
1,1,1-Trichloroethane	< 5	5.	ug/l	86	87	66-126	0	30
1,1,2-Trichloroethane	< 5	5.	ug/l	95	96	80-120	1	30
Trichloroethene	< 5	5.	ug/l	93	94	80-120	1	30
Vinyl Chloride	< 2	2.	ug/l	87	86	63-120	1	30
Xylene (Total)	< 5	5.	ug/l	93	94	77-120	1	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: E130871AA	Sample number(s): 6996501-6996522 UNSPK: 6996508								
1,4-Dioxane	94	101	73-138	8	30				
Batch number: Y130871AA	Sample number(s): 6996501-6996505,6996507-6996522 UNSPK: 6996508								
Acetone	143	143	33-159	0	30				
Benzene	112	112	72-134	0	30				
Bromodichloromethane	97	97	78-125	0	30				
Bromoform	75	74	48-118	1	30				
Bromomethane	77	79	47-129	2	30				
2-Butanone	116	116	57-138	0	30				
Carbon Disulfide	99	99	67-135	1	30				
Carbon Tetrachloride	108	107	72-135	0	30				
Chlorobenzene	107	106	87-124	0	30				
Chloroethane	81	83	51-145	3	30				
Chloroform	103	103	81-134	0	30				

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 03/30/13 at 11:27 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Chloromethane	113	113	46-137	0	30				
Dibromochloromethane	96	96	74-116	0	30				
1,1-Dichloroethane	117	117	84-129	0	30				
1,2-Dichloroethane	106	105	68-131	1	30				
1,1-Dichloroethene	110	110	75-155	1	30				
cis-1,2-Dichloroethene	113	112	80-141	1	30				
trans-1,2-Dichloroethene	105	106	81-142	1	30				
1,2-Dichloropropane	110	110	83-124	0	30				
cis-1,3-Dichloropropene	106	107	70-116	0	30				
trans-1,3-Dichloropropene	84	86	74-119	2	30				
Ethylbenzene	108	107	71-134	0	30				
2-Hexanone	81	82	55-127	1	30				
4-Methyl-2-pentanone	83	83	63-123	1	30				
Methylene Chloride	102	101	78-133	1	30				
Styrene	103	102	78-125	1	30				
1,1,2,2-Tetrachloroethane	89	88	72-128	1	30				
Tetrachloroethene	116	117	80-128	0	30				
Toluene	110	110	80-125	0	30				
1,1,1-Trichloroethane	95	96	69-140	1	30				
1,1,2-Trichloroethane	102	103	71-141	0	30				
Trichloroethene	112	112	88-133	0	30				
Vinyl Chloride	105	104	66-133	1	30				
Xylene (Total)	106	106	79-125	0	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 1,4-Dioxane by Isotope Dil SIM
Batch number: E130871AA

	Toluene-d8
6996501	103
6996502	102
6996503	102
6996504	103
6996505	102
6996506	102
6996507	102
6996508	102
6996509	102
6996510	102
6996511	103
6996512	102
6996513	103
6996514	102
6996515	102
6996516	102

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 03/30/13 at 11:27 PM

Surrogate Quality Control

6996517	102
6996518	102
6996519	103
6996520	102
6996521	102
6996522	102
Blank	102
LCS	103
MS	102
MSD	102
Limits:	80-120

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y130871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996501	97	101	101	97
6996502	97	100	101	96
6996503	98	101	101	96
6996504	97	100	102	98
6996505	97	100	102	99
6996507	98	100	102	98
6996508	97	100	101	96
6996509	96	102	103	100
6996510	97	102	103	100
6996511	96	100	102	98
6996512	96	100	101	98
6996513	97	101	101	97
6996514	97	100	101	97
6996515	96	100	101	96
6996516	97	101	101	97
6996517	97	99	101	98
6996518	97	100	102	97
6996519	98	100	102	97
6996520	97	100	102	97
6996521	97	101	101	98
6996522	97	100	101	97
Blank	96	100	102	98
LCS	95	102	103	100
MS	96	102	103	100
MSD	97	102	103	100
Limits:	80-116	77-113	80-113	78-113

Analysis Name: 8260 Ext. Water Master w/GRO
Batch number: Y130882AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996506	96	99	101	97
Blank	97	99	101	97
LCS	96	103	103	100
LCSD	96	102	103	101
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378013
Reported: 03/30/13 at 11:27 PM

Surrogate Quality Control

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # ~~1376250~~ 1375013 Sample # ~~to8819-23~~ 699501-22 3/26/13 (3)

Instructions on reverse side correspond with circled numbers.

COC # 328422

(1) Client Information

Client: The Johnson Co.	Acct. #: ~~0556~~ 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy	Quote #:

Name of state where samples were collected: GA

(4) Matrix

Sediment ☐ Soil ☐ | ☒ Ground Water ☐ Potable ☐ Surface NPDES ☐ | Other: DI Water

(5) Analysis Requested

Preservation Codes: - | H

(2) Sample Identification	Collected Date	Collected Time	(3) Grab	(3) Composite	Total # of Containers	8260 VOC	1,4 Dioxane by 150 DIL SIM
Trip Blank 1	3/23/13	—	X		4	2	2
BR-9S		1352	X		6	3	3
MW-29		1552	X		6	3	3
MW-35		1707	X		6	3	3
BR-9D		1755	X		6	3	3
MW-24	3/24/12	0952	X		6	3	3
MW-16S		1107	X		6	3	3
BR-11		1312	X		18	9	9
MW-33		1457	X		6	3	3
MW-15S		1622	X		6	3	3

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Remarks

Please use a PQL of 2µg/L for Vinyl Chloride

(7) Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:

E-mail address: GAK@jcomail.com

(8) Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

Relinquished by	Date	Time	Received by	Date	Time
	3/25/13	1500			
				3/26/13	930

(9)

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier:
UPS ____ FedEx X ____ Other ____

Temperature upon receipt 1.0 °C

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # 137 8013 Sample # 6998819-23 3/26/13 (3) 6996501-22

Instructions on reverse side correspond with circled numbers.

COC # 328423

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-04	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-04
Sampler: Ross Predom/TEH	Quote #:

Name of state where samples were collected: GA

4 Matrix

Soil ☐ Sediment ☐ Water: Potable ☐ Ground ☒ NPDES ☐ Surface ☐ Other: DI

5 Analysis Requested

Preservation Codes: H

For Lab Use Only

FSC:

SCR#:

Preservation Codes

H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

6 Remarks

Please use a PQL of 2 µg/L for Vinyl Chloride

2 Sample Identification	Collected Date	Collected Time	3 Grab	3 Composite	Total # of Containers	8260 VOC's	1,4 Dioxane
TB-2	3-23-13	—	X		4	X	X
BR-10D	3-23-13	0915	X		6	X	X
DUP-GA	3-24-13	1200	X		6	X	X
MW-16D	3-24-13	1335	X		6	X	X
BR-10S	3-24-13	1600	X		6	X	X
MW-15D	3-24-13	1710	X		6	X	X
EB-GA	3-25-13	0738	X		4	X	X
BR-8D	3-25-13	1340	X		6	X	X
BR-8S	3/25/13	0922	X		6	X	X
MW-28	3/25/13	1027	X		6	X	X

RSP 3-25-13

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: _____

E-mail address: CAK@JCOMAIL.COM

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	3-25-13	1600			
				3/26/13	930

EDD Required? Yes No

If yes, format: Excel

Site-Specific QC (MS/MSD/Dup)? Yes No

(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS _____ FedEx X Other _____

Temperature upon receipt 2.0 °C

eurofins | Lancaster Laboratories

1378013
~~1376750~~ YM 3/26/13
(3)

Environmental Sample Administration Receipt Documentation Log

Client/Project: The Johnson company

Date of Receipt: 3/26/13

Time of Receipt: 930

Source Code: SO-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.0	TB	WI	Y	B	
2	↓	1.0	↓	↓	↓	↓	
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

COC# 328421: 1#50 vial of B-28-A-0-1 = B-28-A

Unpacker Signature/Emp#: 2 - 238 **Date/Time:** 3/26/13 1235

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT 2

LABORATORY ANALYTICAL REPORTS: SOIL SAMPLES

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

April 01, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/26/2013
Group Number: 1378035
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
B-28-A-0-1 Grab Soil	6996619
B-28-A-0-1 MS Grab Soil	6996620
B-28-A-0-1 MSD Grab Soil	6996621
B-28-A-1-2 Grab Soil	6996622

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Glen Kirkpatrick
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Tristan Hardy

Respectfully Submitted,

Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: B-28-A-0-1 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996619
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	< 27	27	0.97
10237	Benzene	71-43-2	< 7	7	0.97
10237	Bromodichloromethane	75-27-4	< 7	7	0.97
10237	Bromoform	75-25-2	< 7	7	0.97
10237	Bromomethane	74-83-9	< 7	7	0.97
10237	2-Butanone	78-93-3	< 14	14	0.97
10237	Carbon Disulfide	75-15-0	< 7	7	0.97
10237	Carbon Tetrachloride	56-23-5	< 7	7	0.97
10237	Chlorobenzene	108-90-7	< 7	7	0.97
10237	Chloroethane	75-00-3	< 7	7	0.97
10237	Chloroform	67-66-3	< 7	7	0.97
10237	Chloromethane	74-87-3	< 7	7	0.97
10237	Dibromochloromethane	124-48-1	< 7	7	0.97
10237	1,1-Dichloroethane	75-34-3	< 7	7	0.97
10237	1,2-Dichloroethane	107-06-2	< 7	7	0.97
10237	1,1-Dichloroethene	75-35-4	< 7	7	0.97
10237	cis-1,2-Dichloroethene	156-59-2	< 7	7	0.97
10237	trans-1,2-Dichloroethene	156-60-5	< 7	7	0.97
10237	1,2-Dichloropropane	78-87-5	< 7	7	0.97
10237	cis-1,3-Dichloropropene	10061-01-5	< 7	7	0.97
10237	trans-1,3-Dichloropropene	10061-02-6	< 7	7	0.97
10237	1,4-Dioxane	123-91-1	< 340	340	0.97
10237	Ethylbenzene	100-41-4	< 7	7	0.97
10237	2-Hexanone	591-78-6	< 14	14	0.97
10237	4-Methyl-2-pentanone	108-10-1	< 14	14	0.97
10237	Methylene Chloride	75-09-2	< 7	7	0.97
10237	Styrene	100-42-5	< 7	7	0.97
10237	1,1,2,2-Tetrachloroethane	79-34-5	< 7	7	0.97
10237	Tetrachloroethene	127-18-4	< 7	7	0.97
10237	Toluene	108-88-3	< 7	7	0.97
10237	1,1,1-Trichloroethane	71-55-6	< 7	7	0.97
10237	1,1,2-Trichloroethane	79-00-5	< 7	7	0.97
10237	Trichloroethene	79-01-6	< 7	7	0.97
10237	Vinyl Chloride	75-01-4	< 7	7	0.97
10237	Xylene (Total)	1330-20-7	< 7	7	0.97
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00111	Moisture	n.a.	28.5	0.50	1

"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: B-28-A-0-1 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996619
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 16:58	Chelsea B Stong	0.97
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00111	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

MATRIX SPIKE

Sample Description: B-28-A-0-1 MS Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996620
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	240	28	1
10237	Benzene	71-43-2	30	7	1
10237	Bromodichloromethane	75-27-4	24	7	1
10237	Bromoform	75-25-2	20	7	1
10237	Bromomethane	74-83-9	26	7	1
10237	2-Butanone	78-93-3	160	14	1
10237	Carbon Disulfide	75-15-0	25	7	1
10237	Carbon Tetrachloride	56-23-5	26	7	1
10237	Chlorobenzene	108-90-7	28	7	1
10237	Chloroethane	75-00-3	26	7	1
10237	Chloroform	67-66-3	30	7	1
10237	Chloromethane	74-87-3	28	7	1
10237	Dibromochloromethane	124-48-1	23	7	1
10237	1,1-Dichloroethane	75-34-3	30	7	1
10237	1,2-Dichloroethane	107-06-2	28	7	1
10237	1,1-Dichloroethene	75-35-4	32	7	1
10237	cis-1,2-Dichloroethene	156-59-2	29	7	1
10237	trans-1,2-Dichloroethene	156-60-5	30	7	1
10237	1,2-Dichloropropane	78-87-5	29	7	1
10237	cis-1,3-Dichloropropene	10061-01-5	24	7	1
10237	trans-1,3-Dichloropropene	10061-02-6	22	7	1
10237	1,4-Dioxane	123-91-1	870	350	1
10237	Ethylbenzene	100-41-4	28	7	1
10237	2-Hexanone	591-78-6	100	14	1
10237	4-Methyl-2-pentanone	108-10-1	100	14	1
10237	Methylene Chloride	75-09-2	31	7	1
10237	Styrene	100-42-5	24	7	1
10237	1,1,2,2-Tetrachloroethane	79-34-5	29	7	1
10237	Tetrachloroethene	127-18-4	29	7	1
10237	Toluene	108-88-3	30	7	1
10237	1,1,1-Trichloroethane	71-55-6	27	7	1
10237	1,1,2-Trichloroethane	79-00-5	28	7	1
10237	Trichloroethene	79-01-6	28	7	1
10237	Vinyl Chloride	75-01-4	29	7	1
10237	Xylene (Total)	1330-20-7	80	7	1
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00118	Moisture	n.a.	28.5	0.50	1

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-0-1 MS Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996620
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 17:21	Chelsea B Stong	1
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00118	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

MATRIX SPIKE DUPLICATE

Sample Description: B-28-A-0-1 MSD Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996621
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	260	33	1.18
10237	Benzene	71-43-2	33	8	1.18
10237	Bromodichloromethane	75-27-4	26	8	1.18
10237	Bromoform	75-25-2	19	8	1.18
10237	Bromomethane	74-83-9	28	8	1.18
10237	2-Butanone	78-93-3	150	17	1.18
10237	Carbon Disulfide	75-15-0	29	8	1.18
10237	Carbon Tetrachloride	56-23-5	30	8	1.18
10237	Chlorobenzene	108-90-7	30	8	1.18
10237	Chloroethane	75-00-3	32	8	1.18
10237	Chloroform	67-66-3	34	8	1.18
10237	Chloromethane	74-87-3	35	8	1.18
10237	Dibromochloromethane	124-48-1	26	8	1.18
10237	1,1-Dichloroethane	75-34-3	35	8	1.18
10237	1,2-Dichloroethane	107-06-2	31	8	1.18
10237	1,1-Dichloroethene	75-35-4	37	8	1.18
10237	cis-1,2-Dichloroethene	156-59-2	33	8	1.18
10237	trans-1,2-Dichloroethene	156-60-5	34	8	1.18
10237	1,2-Dichloropropane	78-87-5	32	8	1.18
10237	cis-1,3-Dichloropropene	10061-01-5	23	8	1.18
10237	trans-1,3-Dichloropropene	10061-02-6	24	8	1.18
10237	1,4-Dioxane	123-91-1	1,100	410	1.18
10237	Ethylbenzene	100-41-4	31	8	1.18
10237	2-Hexanone	591-78-6	97	17	1.18
10237	4-Methyl-2-pentanone	108-10-1	110	17	1.18
10237	Methylene Chloride	75-09-2	36	8	1.18
10237	Styrene	100-42-5	24	8	1.18
10237	1,1,2,2-Tetrachloroethane	79-34-5	37	8	1.18
10237	Tetrachloroethene	127-18-4	32	8	1.18
10237	Toluene	108-88-3	36	8	1.18
10237	1,1,1-Trichloroethane	71-55-6	31	8	1.18
10237	1,1,2-Trichloroethane	79-00-5	32	8	1.18
10237	Trichloroethene	79-01-6	31	8	1.18
10237	Vinyl Chloride	75-01-4	36	8	1.18
10237	Xylene (Total)	1330-20-7	87	8	1.18
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00118	Moisture	n.a.	28.5	0.50	1
00121	Moisture Duplicate	n.a.	26.8	0.50	1

The duplicate moisture value is provided to assess the precision of the moisture test. For comparability purposes, the initial moisture determination is the value used to perform dry weight calculations.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-0-1 MSD Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996621
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:50 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 17:44	Chelsea B Stong	1.18
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:50	Client Supplied	1
00118	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1
00121	Moisture Duplicate	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Sample Description: B-28-A-1-2 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996622
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A12

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/kg**	**ug/kg**	
10237	Acetone	67-64-1	< 29	29	1.18
10237	Benzene	71-43-2	< 7	7	1.18
10237	Bromodichloromethane	75-27-4	< 7	7	1.18
10237	Bromoform	75-25-2	< 7	7	1.18
10237	Bromomethane	74-83-9	< 7	7	1.18
10237	2-Butanone	78-93-3	< 15	15	1.18
10237	Carbon Disulfide	75-15-0	< 7	7	1.18
10237	Carbon Tetrachloride	56-23-5	< 7	7	1.18
10237	Chlorobenzene	108-90-7	< 7	7	1.18
10237	Chloroethane	75-00-3	< 7	7	1.18
10237	Chloroform	67-66-3	< 7	7	1.18
10237	Chloromethane	74-87-3	< 7	7	1.18
10237	Dibromochloromethane	124-48-1	< 7	7	1.18
10237	1,1-Dichloroethane	75-34-3	< 7	7	1.18
10237	1,2-Dichloroethane	107-06-2	< 7	7	1.18
10237	1,1-Dichloroethene	75-35-4	< 7	7	1.18
10237	cis-1,2-Dichloroethene	156-59-2	< 7	7	1.18
10237	trans-1,2-Dichloroethene	156-60-5	< 7	7	1.18
10237	1,2-Dichloropropane	78-87-5	< 7	7	1.18
10237	cis-1,3-Dichloropropene	10061-01-5	< 7	7	1.18
10237	trans-1,3-Dichloropropene	10061-02-6	< 7	7	1.18
10237	1,4-Dioxane	123-91-1	< 360	360	1.18
10237	Ethylbenzene	100-41-4	< 7	7	1.18
10237	2-Hexanone	591-78-6	< 15	15	1.18
10237	4-Methyl-2-pentanone	108-10-1	< 15	15	1.18
10237	Methylene Chloride	75-09-2	< 7	7	1.18
10237	Styrene	100-42-5	< 7	7	1.18
10237	1,1,2,2-Tetrachloroethane	79-34-5	< 7	7	1.18
10237	Tetrachloroethene	127-18-4	< 7	7	1.18
10237	Toluene	108-88-3	< 7	7	1.18
10237	1,1,1-Trichloroethane	71-55-6	< 7	7	1.18
10237	1,1,2-Trichloroethane	79-00-5	< 7	7	1.18
10237	Trichloroethene	79-01-6	< 7	7	1.18
10237	Vinyl Chloride	75-01-4	< 7	7	1.18
10237	Xylene (Total)	1330-20-7	< 7	7	1.18
Wet Chemistry	**SM 2540 G-1997**		**%**	**%**	
00111	Moisture	n.a.	18.6	0.50	1

"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Sample Description: B-28-A-1-2 Grab Soil
Avery Dennison / Flowery Branch, GA

LLI Sample # SW 6996622
LLI Group # 1378035
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/25/2013 12:55 by TH

Submitted: 03/26/2013 09:30
Reported: 04/01/2013 10:28

The Johnson Company, Inc.
Suite 600
100 State Street
Montpelier VT 05602

28A12

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	8260 Ext. Soil Master w/GRO	SW-846 8260B	1	B130871AA	03/28/2013 18:06	Chelsea B Stong	1.18
06176	GC/MS - LL Water Prep	SW-846 5035A	1	201308630526	03/27/2013 09:10	Larry E Bevins	1
06176	GC/MS - LL Water Prep	SW-846 5035A	2	201308630526	03/27/2013 09:10	Larry E Bevins	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201308630526	03/25/2013 12:55	Client Supplied	1
00111	Moisture	SM 2540 G-1997	1	13088820005A	03/29/2013 18:45	Scott W Freisher	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: B130871AA	Sample number(s): 6996619-6996622							
Acetone	< 20	20.	ug/kg	195		32-209		
Benzene	< 5	5.	ug/kg	104		80-120		
Bromodichloromethane	< 5	5.	ug/kg	92		75-114		
Bromoform	< 5	5.	ug/kg	93		70-120		
Bromomethane	< 5	5.	ug/kg	90		32-162		
2-Butanone	< 10	10.	ug/kg	130		38-146		
Carbon Disulfide	< 5	5.	ug/kg	93		59-129		
Carbon Tetrachloride	< 5	5.	ug/kg	97		69-122		
Chlorobenzene	< 5	5.	ug/kg	104		80-120		
Chloroethane	< 5	5.	ug/kg	86		37-154		
Chloroform	< 5	5.	ug/kg	103		80-120		
Chloromethane	< 5	5.	ug/kg	92		56-120		
Dibromochloromethane	< 5	5.	ug/kg	93		77-120		
1,1-Dichloroethane	< 5	5.	ug/kg	105		80-120		
1,2-Dichloroethane	< 5	5.	ug/kg	103		72-126		
1,1-Dichloroethene	< 5	5.	ug/kg	109		73-129		
cis-1,2-Dichloroethene	< 5	5.	ug/kg	103		80-120		
trans-1,2-Dichloroethene	< 5	5.	ug/kg	104		79-120		
1,2-Dichloropropane	< 5	5.	ug/kg	103		77-120		
cis-1,3-Dichloropropene	< 5	5.	ug/kg	98		74-120		
trans-1,3-Dichloropropene	< 5	5.	ug/kg	91		77-120		
1,4-Dioxane	< 250	250.	ug/kg	99		57-131		
Ethylbenzene	< 5	5.	ug/kg	105		80-120		
2-Hexanone	< 10	10.	ug/kg	116		40-129		
4-Methyl-2-pentanone	< 10	10.	ug/kg	96		52-125		
Methylene Chloride	< 5	5.	ug/kg	105		76-124		
Styrene	< 5	5.	ug/kg	98		76-120		
1,1,2,2-Tetrachloroethane	< 5	5.	ug/kg	108		71-123		
Tetrachloroethene	< 5	5.	ug/kg	105		78-126		
Toluene	< 5	5.	ug/kg	104		80-120		
1,1,1-Trichloroethane	< 5	5.	ug/kg	96		71-125		
1,1,2-Trichloroethane	< 5	5.	ug/kg	105		80-120		
Trichloroethene	< 5	5.	ug/kg	101		80-120		
Vinyl Chloride	< 5	5.	ug/kg	95		53-120		
Xylene (Total)	< 5	5.	ug/kg	102		80-120		
Batch number: 13088820005A	Sample number(s): 6996619-6996622							
Moisture				100		99-101		
Moisture				100		99-101		
Moisture Duplicate				100		99-101		

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: B130871AA	Sample number(s): 6996619-6996622 UNSPK: 6996619								
Acetone	116	104	31-195	6	30				
Benzene	105	100	55-143	11	30				
Bromodichloromethane	87	80	53-136	8	30				
Bromoform	70	58	38-124	1	30				
Bromomethane	93	86	42-168	8	30				
2-Butanone	76	62	37-163	5	30				
Carbon Disulfide	90	87	48-146	14	30				
Carbon Tetrachloride	94	91	45-153	14	30				
Chlorobenzene	99	92	49-135	9	30				
Chloroethane	93	98	39-152	22	30				
Chloroform	106	102	61-142	13	30				
Chloromethane	99	106	36-143	24	30				
Dibromochloromethane	83	78	51-128	10	30				
1,1-Dichloroethane	108	106	63-142	15	30				
1,2-Dichloroethane	101	93	49-150	8	30				
1,1-Dichloroethene	115	113	61-149	15	30				
cis-1,2-Dichloroethene	105	100	49-153	12	30				
trans-1,2-Dichloroethene	106	104	51-153	15	30				
1,2-Dichloropropane	105	98	48-145	10	30				
cis-1,3-Dichloropropene	86	68	35-151	7	30				
trans-1,3-Dichloropropene	80	74	30-149	8	30				
1,4-Dioxane	124	128	39-180	20	30				
Ethylbenzene	100	94	44-141	11	30				
2-Hexanone	71	59	32-160	3	30				
4-Methyl-2-pentanone	75	66	46-139	4	30				
Methylene Chloride	112	108	49-160	13	30				
Styrene	86	72	35-134	1	30				
1,1,2,2-Tetrachloroethane	103	113	40-152	25	30				
Tetrachloroethene	102	98	42-149	13	30				
Toluene	107	110	50-146	19	30				
1,1,1-Trichloroethane	95	94	43-150	15	30				
1,1,2-Trichloroethane	100	98	47-161	15	30				
Trichloroethene	99	93	53-144	10	30				
Vinyl Chloride	102	110	50-154	24	30				
Xylene (Total)	95	87	44-136	8	30				
Batch number: 13088820005A	Sample number(s): 6996619-6996622 BKG: 6996619								
Moisture						28.5	26.8	6	13
Moisture						28.5	26.8	6	15
Moisture Duplicate						28.5	26.8	6	15

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1378035
Reported: 04/01/13 at 10:28 AM

Surrogate Quality Control

Analysis Name: 8260 Ext. Soil Master w/GRO
Batch number: B130871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6996619	96	97	109	82
6996620	97	99	108	91
6996621	98	97	117	81
6996622	95	96	103	99
Blank	96	99	100	95
LCS	99	101	103	96
MS	97	99	108	91
MSD	98	97	117	81
Limits:	50-141	54-135	52-141	50-131

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 06556 For Eurofins Lancaster Laboratories use only Group # 137835 Sample # 299666 19-22

Instructions on reverse side correspond with circled numbers.

COC # 328421

1 Client Information

Client: The Johnson Co.	Acct. #: 06556
Project Name/#: AD-GA / 1-0145-4	PWSID #:
Project Manager: Glen Kirkpatrick	P.O. #: 1-0145-4
Sampler: Tristan Hardy	Quote #:

Name of state where samples were collected: GA

4 Matrix

Sediment ☐ Soil ☒ Water: Potable ☐ Ground ☐ NPDES ☐ Surface ☐ Other: ____

5 Analysis Requested

Preservation Codes: DI | M | —

2 Sample Identification / Collected / 3 Grab / Composite / Total # of Containers / 6 Remarks

Sample Identification	Collected Date	Collected Time	3 Grab	Composite	Soil	Total # of Containers	8260 VOC (DI)	8260 VOC (M)	Moisture (—)	MS/MSD	6 Remarks
B-28-A-0-1	3/25/13	1250	X		X	10	6	3	1	X	MS/MSD
B-28-A-1-2	3/25/13	1255	X		X	4	2	1	1		

M = MeOH

For Lab Use Only
FSC: ____
SCR#: ____

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

7 Turnaround Time (TAT) Requested (please circle)

Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: ____

E-mail address: ____

8 Data Package Options (circle if required)

Type I (Validation/non-CLP) Type VI (Raw Data Only)

Type III (Reduced non-CLP) TX TRRP-13

Type IV (CLP SOW) MA MCP CT RCP

9

Relinquished by	Date	Time	Received by	Date	Time
	3/25/13	1500			
				3/26/13	930

EDD Required? (Yes) No
If yes, format: excel

Site-Specific QC (MS/MSD/Dup)? (Yes) No
(If yes, indicate QC sample and submit triplicate sample volume.)

Relinquished by Commercial Carrier: UPS ____ FedEx X Other ____

Temperature upon receipt 2.0° °C

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

1378035

Client/Project: The Johnson Company

Date of Receipt: 3/26/13

Time of Receipt: 930

Source Code: SO-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: (Chilled) Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	2737	2.0	TB	WI	Y	B	
2	↓	1.0	↓	↓	↓	↓	
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

COC# 328421: 1#50 vial of B-28-A-0-1 = B-28-A

Unpacker Signature/Emp#: 238 **Date/Time:** 3/26/13 1235

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

APPENDIX C

EXAMPLE CALCULATIONS OF VOC MASS REMOVAL BY SOIL VAPOR EXTRACTION (SVE)

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145-4
SHEET NO. 1 OF 4
CALCULATED BY PCS DATE 11/26/12
CHECKED BY JS DATE 11/26/2012
SCALE None

Goal: Calculate the flow rate of vapor extracted by the interim soil vapor extraction system (the System) based on the June 7, 2012 field data.

Background: As of May 2012, the System included 22 vapor extraction points, connected to a blower via solid PVC header pipes, combined into a manifold connected to the blower suction. Vacuum and vapor velocity measurement ports were installed in the vapor collections pipes near each extraction point and in the header pipes connected to the manifold.

During the June 7, 2012 Operator Site visit, vacuums, vapor velocities, and valve positions were recorded from measuring ports throughout the System, the completed Operator Field Form is attached to this calculation (Attachment 1).

Approach: The soil vapor extraction points connected to the System can be categorized as points directly connected to the manifold near the blower, or as extraction points connected to a common header pipe, which in turn connects to the blower manifold.

For extraction points connected directly to the manifold near the blower (MP-2, MP-4, MP-5, MP-9, MP-11), the extracted vapor flow rates can be calculated using the measured soil vapor velocities, the pipe geometry, and the ideal gas law, using the following steps:
1.) Calculate the vapor flow rate based on the velocity measurement and pipe cross-sectional area.
2.) Calculate an absolute pressure based on the vacuum measurement.
3.) Calculate the vapor flow rate for standard conditions using the ideal gas law.

1.) Vapor Flow Rate Calculation:

Based on the nominal pipe diameter of 2-inches for pipes connected to extraction points, the cross-sectional area (A_1) is:

$$A_1 = \pi * (\frac{d}{2})^2 \quad (1)$$

$$A_1 = \pi * \left(\frac{2}{12*2}\right)^2 = 3.14159 * \left(\frac{1}{144}\right) = 0.0218\ ft^2 \quad (2)$$

The vapor flow rate for any given extraction point (Q_x) is calculated using the cross-sectional area of the pipe, and the vapor velocity measured (V_x) at the extraction point:

$$Q_x = A_1 * V_x \quad (3)$$

Using the field data from 6/7/12 (Attachment 1), the vapor flow rate for MP-2 is calculated as follows:

$$Q_{MP-2} = A_1 * V_{MP-2} = 0.0218\ ft^2 * 787\ \frac{ft}{min} = 17.16\ \frac{ft^3}{min} \quad (4)$$

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145 - 4
SHEET NO. 2 OF 4
CALCULATED BY PCS DATE 11/26/2012
CHECKED BY JTJ DATE 11/26/2012
SCALE None

This calculated flow rate is for vapor at a vacuum of 63 inches of water (the vacuum measured for MP-2, see Attachment 1).

2.) Convert the measured vacuum to absolute pressure:

The field vacuum measurements were recorded in units of inches of water. Given there are 406.7825 inches of water per atmosphere (atm), the vacuum measurement (P_x) is converted to an absolute pressure ($P_{x,A}$)as follows:

$$P_{x,A} = 1\ atm - P_X * \frac{1\ atm}{406.7825\ in\ H_2O} \quad (5)$$

Using the vacuum measurement collected near MP-2 on 6/7/12 with equation 5 yields:

$$P_{MP-2,A} = 1\ atm - 63\ in\ H_2O * \frac{1\ atm}{406.7825\ in\ H_2O} = 1\ atm - 0.1549\ atm = 0.845\ atm \quad (6)$$

3.) Use the ideal gas law to calculate the vapor flow rate at atmospheric conditions:

The ideal gas law is:

$$P * V = \eta * R * T \quad (7)$$

where

P = pressure,

η= number of moles,

R = ideal gas constant, and

T = temperature.

The ideal gas law may be used to calculate the volume of gas that would be present at standard conditions (subscript sc) (20 degrees Celsius, 1 atmosphere of pressure), given measurements performed at other conditions (subscript m):

$$P_m * V_m = \eta_m * R * T_m \quad (8)$$

$$P_{sc} * V_{sc} = \eta_{sc} * R * T_{sc} \quad (9)$$

Dividing equation 8 by equation 9 yields:

$$\frac{P_m}{P_{sc}} * \frac{V_m}{V_{sc}} = \frac{\eta_m}{\eta_{sc}} * R * \frac{T_m}{T_{sc}} \quad (10)$$

Equation 10 is being employed to evaluate the change in volume related to changing temperature and pressure. Therefore, the number of moles of gas present will remain unchanged, $\eta_m = \eta_{sc}$. The hot-wire anemometer automatically reports vapor velocities in units of feet per minute at standard temperature (per phone conversations with technical support at Dwyer, the anemometer manufacturer). Therefore, $T_m = T_{sc}$. Therefore, equation 10 simplifies to:

$$\frac{P_m}{P_{sc}} * \frac{V_m}{V_{sc}} = 1 \quad (10)$$

$$V_{sc} = \frac{P_m}{P_{sc}} * V_m \quad (11)$$

The above equations apply to a fixed volume of gas (V) as well as a volumetric flow rate of gas (Q). Applying a direct substitution of Q for V, and substituting 1 atm for P_{sc} (standard pressure is 1 atm) in equation 11 yields:

$$Q_{sc} = \frac{P_m}{1\ atm} * Q_m \quad (12)$$

Equation 12 may be employed to calculate the flow rate of a gas under standard pressure conditions, given a measured volumetric flow rate and pressure. Given the previously calculated flow rate and pressure for MP-2 (17.16 ft^3/min, 0.845 atm), the MP-2 vapor flow rate for standard conditions ($Q_{sc\ MP\text{-}2}$) is calculated:

$$Q_{sc,\ MP-2} = \frac{0.845\ atm}{1\ atm} * 17.16 \frac{ft^3}{min} = 14.5\ SCFM\ (standard\ cubic\ feet\ per\ minute) \quad (13)$$

This method was used to calculate the extracted vapor flow rates for the four extraction points connected directly to the blower manifold (MP-2, MP-4, MP-5, and MP-9). Table 1 presents a spreadsheet calculation of the vapor flow rates for each of these four extraction points.

The remaining eighteen soil vapor extraction points are connected to the blower via a common header pipe that conveys extracted vapor from two extraction points. Vapor velocity and vacuum measurement ports were installed in these common header pipes, facilitating calculation of extracted vapor flow rates based on either the measurements collected from the individual extraction points, or the measurements collected from the header pipes. Extracted vapor velocities were calculated using both the header pipe and extraction point data by employing equations 3, 4, and 13 as described above. Table 2 presents a spreadsheet with calculations of the extracted vapor flow rates using measurements performed near the extraction points, Table 3 presents a spreadsheet with calculations of the extracted vapor flow rates calculated based on common header pipe measurements.

The flow rates calculated based data from the extraction points (Table 2) are significantly higher than the flow rates calculated based on header pipe data (Table 3). The combined flow rate of soil vapor extracted by the System was calculated by summing the vapor flow rates calculated in Table 2 or Table 3 with the flow rates calculated in Table 1. The resulting combined total System flow rate calculated based on data from extraction points is 257 SCFM, the resulting combined total System flow rate calculated based on header pipe measurements is 144 SCFM. The manufacturer's performance curve for the blower (Attachment 2) indicates that at the System operating vacuum of 82 inches of water (post-filter vacuum data on the completed field form – Attachment 1), the blower will generate a flow rate of about 200 SCFM. The combined

total system flow rate calculated based on header pipe measurements is 203 SCFM (total flow rate from Table 1 + total flow rate from Table 3), which is similar to the blower flow rate indicated by the performance curve. The combined total system flow rate calculated based on measurements from individual extraction points is approximately 317 SCFM, which is significantly higher than the flow rate determined based on the blower performance curve. Based on the similarity between the blower performance curve and the total system flow calculated based on header pipe measurements, the header pipe measurements were considered to be representative of the extracted vapor flow rate passing through the header pipe. The measurements collected from individual extraction points were used to calculate the proportion of extracted vapor flows in the header pipe that came from each connected point connected to the header pipe, as shown in the following example:

Extraction points MP-6 and MW64 are both connected to the blower manifold via a common header pipe.

Header pipe field measurements result in a calculated vapor flow rate of 16.6 SCFM (Table 3), measurements from the extraction points yielded calculated flow rates of 15.2 SCFM for MP-6 and 14.8 SCFM for MW64 (Table 2).

Given that the header pipe flow rate is representative of the combined vapor flow rate from both extraction points:

$16.6\ SCFM = Q_{MP\text{-}6} + Q_{MW64}$ (14)

$Q_{MP\text{-}6}/Q_{MW64} = 15.2\ SCFM / 14.8\ SCFM = 1.027$ (15)

$Q_{MP\text{-}6} = 1.027 * Q_{MW64}$ (16)

Substituting into Equation 14:

$16.6\ SCFM = 1.027Q_{MW64} + Q_{MW64}$ (17)

$16.6\ SCFM = 2.027\ Q_{MW64}$ (18)

$Q_{MW64} = 8.19\ SCFM$ (19)

$Q_{MP\text{-}6} = 1.027* 8.14\ SCFM = 8.41\ SCFM$ (20)

The above approach was used to calculate extracted vapor flow rates for each extraction point connected to a header pipe. See Table 4 for a spreadsheet calculation.

The total flow of extracted vapor flowing through the system was calculated as the sum of the vapor flow rates presented in Table 1 and Table 4 (59.3 SCFM + 144 SCFM = 203 SCFM), resulting in a total extracted flow rate of 203 SCFM.

TABLES

Table 1: Flow Rate Calculations Based on Measurements Taken Near Extraction Points for Vapor Wells Connected Directly to the Blower Pipe Manifold

Measurement Point	Soil vapor velocity measurements near extraction points	Pipe cross-sectional area	Calculated vapor flow rate	Measured vacuum	Absolute pressure of vacuum	Calculated vapor flow rates
	fpm	ft^2	cfm	inches of H_2O	atm	SCFM
MP-2	787	0.0218	17.2	63.0	0.8	14.5
MP-4	677	0.0218	14.8	63.0	0.8	12.5
MP-5	838	0.0218	18.3	63.0	0.8	15.5
MP-9	914	0.0218	19.9	63.0	0.8	16.9
Total						**59.3**
Column Index	1	2	3	4	5	6
Calculation Reference	Attachment 1	Pipes are 2 inches in diameter	Column 1 X column 2	Attachment 1	1-(Column 4 X 1 / 406.76)	Column 3 X Column 5

Table 2: Flow Rate Calculations Based on Measurements Taken Near Extraction Points, for Vapor Wells Connected to Header Pipes that Connect to the Blower Pipe Manifold

Measurement Point	Soil vapor velocity measurements near extraction points	Pipe cross-sectional area	Calculated vapor flow rate	Measured vacuum	Absolute pressure of vacuum	Calculated vapor flow rates
	fpm	ft2	cfm	inches of H_2O	atm	SCFM
MP-3	797	0.0218	17.4	62.9	0.8	14.7
MP-6	823	0.0218	18.0	61.8	0.8	15.2
MP-7	745	0.0218	16.3	62.6	0.8	13.8
MP-8	878	0.0218	19.2	62.8	0.8	16.2
MP-10	800	0.0218	17.5	63.0	0.8	14.8
MP-11	775	0.0218	16.9	63.0	0.8	14.3
VW3	722	0.0218	15.8	63.0	0.8	13.3
VW5	688	0.0218	15.0	62.7	0.8	12.7
VW6	725	0.0218	15.8	63.0	0.8	13.4
MW64	799	0.0218	17.4	62.2	0.8	14.8
MW65S	806	0.0218	17.6	62.8	0.8	14.9
SVE-1	732	0.0218	16.0	63.0	0.8	13.5
SVE-2	722	0.0218	15.8	63.0	0.8	13.3
SVE-3	766	0.0218	16.7	62.9	0.8	14.1
SVE-4	718	0.0218	15.7	62.9	0.8	13.2
SVE-5	871	0.0218	19.0	62.9	0.8	16.1
SVE-6	733	0.0218	16.0	62.6	0.8	13.5
SVE-7	845	0.0218	18.4	63.0	0.8	15.6
Total						**257.3**
Column Index	1	2	3	4	5	6
Calculation Reference	Attachment 1	Pipes are 2 inches in diameter	Column 1 X column 2	Attachment 1	1-(Column 4 X 1 / 406.76)	Column 3 X Column 5

Table 3: Flow Rate Calculations Based on Measurements Taken From Header Pipes

Header pipe	Soil vapor velocity measurements near extraction points	Pipe cross-sectional area	Calculated vapor flow rate	Measured vacuum	Absolute pressure of vacuum	Calculated vapor flow rates
	fpm	ft^2	cfm	inches of H_2O	atm	SCFM
MP-3 VW-6	938	0.0218	20.5	63	0.85	17.3
MP-06 MW-64	898	0.0218	19.6	62.9	0.85	16.6
MP-07 VW-5	871	0.0218	19.0	62.9	0.85	16.1
MP-08 MW-65S	719	0.0218	15.7	62.8	0.85	13.3
MP-10 VW-3	1015	0.0218	22.1	62.9	0.85	18.7
SVE-1 SVE-2	827	0.0218	18.0	63	0.85	15.2
SVE-3 SVE-4	821	0.0218	17.9	63.0	0.85	15.1
SVE-5 SVE-6	820	0.0218	17.9	62.9	0.85	15.1
MP-11 SVE-7	900	0.0218	19.6	62.9	0.85	16.6
Total						**144.0**
Column Index	1	2	3	4	5	6
Calculation Reference	Attachment 1	Pipes are 2 inches in diameter	Column 1 X column 2	Attachment 1	1-(Column 4 X 1 / 406.76)	Column 3 X Column 5

Table 4: Flow Rate Calculations Based on Header Pipe Flow Rates and Ratios of Calculated Flow Rates Based on Extraction Point Measurements

Header Pipe	Calculated vapor flow rates	Ratio of Flow Rates	Header pipe vapor flow rate	Calculated Extraction point flow rate based on ratio and header pipe flow rate
	SCFM	unitless	SCFM	SCFM
MP-3	14.7	1.0996	17.3	9.1
VW6	13.4			8.2
MP-6	15.2	1.0312	16.6	8.4
MW64	14.8			8.2
MP-7	13.8	1.0832	16.1	8.4
VW5	12.7			7.7
MP-8	16.2	1.0893	13.3	6.9
MW65S	14.9			6.3
MP-10	14.8	1.1080	18.7	9.8
VW3	13.3			8.9
MP-11	14.3	0.9172	15.2	7.3
SVE-7	15.6			8.0
SVE-1	13.5	1.0139	15.1	7.6
SVE-2	13.3			7.5
SVE-3	14.1	1.0669	15.1	7.8
SVE-4	13.2			7.3
SVE-5	16.1	1.1872	16.6	9.0
SVE-6	13.5			7.6
Total				**144**

ATTACHMENT 1
FIELD MEASUREMENTS TAKEN ON JUNE 7, 2012

Interim Soil Vapor Extraction System - Wellfield Data
Avery Dennison Facility, Flowery Branch, GA

Date: 6/7/12 Field Representative(s): Calvin

Measurements Collected from Common Header Pipes

Location:	MP-3 / VW-6	MP-06 / MW-64	MP-07 / VW-5	MP-08 / MW-65s	MP-10 / VW-3	SVE-1 / SVE-2	SVE-3 / SVE-4	SVE-5 / SVE-6	Undiluted	Blower Exhaust	MP-11 SVE7
Time											
Well Status (% Open)											
Vacuum ("H2O)	-62.9	62.9	-62.9	-62.8	-62.9	63.0	-63.0	-62.9	-63.2	1.1	-62.9
Temperature (°F)	76.0	76.4	76.6	76.6	75.6	76.6	76.6	76.6	76.2	151.5	76.0
Velocity (ft/min)	938	868	871	719	1015	827	821	820	814	2737	900
PID Conc. (ppmv)											

Comments:

Interim Soil Vapor Extraction System - Wellfield Data
Avery Dennison Facility, Flowery Branch, GA

Date: 6/7/12 Field Representative(s): _____

Measurements Collected from Locations near Wellheads

Extraction Well ID	MP-02	MP-03	MP-04	MP-05	MP-06	MP-07	MP-08	MP-09	MP-10	MP-11
Time										
Well Status (% Open)										
Vacuum ("H2O)	-63.0	-62.9	-63.0	-63.0	-61.8	-62.6	-62.8	-63.0	-63.0	-63.0
Temperature (°F)	80.4	76.6	76.6	76.6	76.4	76.2	76.2	77.6	81.1	80.0
Velocity (ft/min)	787	797	677	834	823	745	878	914	900	775
PID Conc. (ppmv)										

Extraction Well ID		VW-6			MW-64	VW-5	MW-65s		VW-3	
Time										
Well Status (% Open)										
Vacuum ("H2O)		-63.0			-62.2	-62.7	-62.8		-63.0	
Temperature (°F)		76.5			76.5	76.6	76.6		80.4	
Velocity (ft/min)		725			799	684	806		722	
PID Conc. (ppmv)										

Extraction Well ID	SVE-1	SVE-2	SVE-3	SVE-4	SVE-5	SVE-6	SVE7
Time							
Well Status (% Open)							
Vacuum ("H2O)	-63.0	-63.0	-62.9	-62.9	-62.6	-62.6	-63.0
Temperature (°F)	76.6	76.6	77.3	78.2	76.4	76.6	79.3
Velocity (ft/min)	732	722	766	718	871	733	845
PID Conc. (ppmv)							

Comments

VW-2 - 0.4
MP-1 -23.6
VW-4-24.4
MW-3 - 1.0
MW63 - 10.3

Interim Soil Vapor Extraction System - System Data
Avery Dennison Facility, Flowery Branch, GA

Date: 6/7/12 Field Representative(s): _____

Collected Condensate	
Water Depth in Holding Tank	Water Volume Removed From Exhaust Stack
7"	0

Knockout Tank Dilution Valve (% Open)	Separator Vacuum ("H2O)	Pre-Filter Vacuum ("H2O)	Post-Filter Vacuum ("H2O)
	67	76	82

Electrical Meter Reading (kWhr)
54134

Field Instruments Used to Measure Parameters						
Parameter	Instrument Make	Instrument Model	Instrument Serial No.	Calibration Gas Type & Concentration	Pre-Measurement Calibration Check (ppmV)	Post-Measurement Calibration Check (ppmV)
VOCs						
Vacuum	Dwyer	477-3-FM	N21W			
Vacuum	Dwyer	477-0-FM	N29W			
Velocity/Temperature	Dwyer	471-1	N26W			

Comments:

ATTACHMENT 2
BLOWER PERFORMANCE CURVE

SectionC 2004.qxd 6/26/04 10:53 AM Page C-25

EN 858 & CP 858
Sealed Regenerative Blower w/Explosion-Proof Motor

FEATURES
- Manufactured in the USA – ISO 9001 compliant
- Maximum flow: 400 SCFM
- Maximum pressure: 120 IWG
- Maximum vacuum: 98 IWG
- Standard motor: 10 HP, explosion-proof
- Cast aluminum blower housing, cover, impeller & manifold; cast iron flanges (threaded); teflon lip seal
- UL & CSA approved motor with permanently sealed ball bearings for explosive gas atmospheres Class I Group D minimum
- Sealed blower assembly
- Quiet operation within OSHA standards


MOTOR OPTIONS
- International voltage & frequency (Hz)
- Chemical duty, high efficiency, inverter duty or industry-specific designs
- Various horsepowers for application-specific needs


BLOWER OPTIONS
- Corrosion resistant surface treatments & sealing options
- Remote drive (motorless) models
- Slip-on or face flanges for application-specific needs

ACCESSORIES (See Catalog Accessory Section)
- Flowmeters reading in SCFM
- Filters & moisture separators
- Pressure gauges, vacuum gauges & relief valves
- Switches – air flow, pressure, vacuum or temperature
- External mufflers for additional silencing
- Air knives (used on blow-off applications)
- Variable frequency drive package



BLOWER PERFORMANCE AT STANDARD CONDITIONS






Rev. 2/04

AMETEK Technical and Industrial Products, Kent, OH 44240 • e mail: rotronindustrial@ametek.com • internet: www.ametektmd.com

EN 858 & CP 858
Sealed Regenerative Blower w/Explosion-Proof Motor

Scale CAD drawing available upon request.



DIMENSIONS: IN / MM
TOLERANCES: .XX ± .1 / 2.5
(UNLESS OTHERWISE NOTED)

A 0.75" NPT CONDUIT CONNECTION AT 12 O'CLOCK POSITION

SPECIFICATIONS

MODEL	EN858BD72WL		EN858BD86WL	EN858BA72WL		CP858FZ72WLR
Part No.	038744		038745	080070		038980
Motor Enclosure – Shaft Material	Explosion-proof – **CS**		Explosion-proof – **CS**	Explosion-proof – **CS**		Chem XP – **SS**
Horsepower	10.0		10.0	7.5		Same as EN858BD72WL – 038744 except add Chemical Processing (CP) features from catalog inside front cover
Phase – Frequency [1]	Three - 60 Hz		Three - 60 Hz	Three - 60 Hz		
Voltage [1]	230	460	575	230	460	
Motor Nameplate Amps	24	12	9.6	17	8.5	
Max. Blower Amps [3]	24	12	11.6	26	13	
Inrush Amps	162	81	93	126	63	
Starter Size	2	1	1	1	1	
Service Factor	1.0		1.0	1.0		
Thermal Protection [2]	Class B - Pilot Duty		Class B - Pilot Duty	Class B - Pilot Duty		
XP Motor Class – Group	I-D, II-F&G		I-D, II-F&G	I-D, II-F&G		
Shipping Weight	332 lb (151 kg)		332 lb (151 kg)	320 lb (145 kg)		

[1] Rotron motors are designed to handle a broad range of world voltages and power supply variations. Our dual voltage 3 phase motors are factory tested and certified to operate on both: **208-230/415-460 VAC-3 ph-60 Hz** and **190-208/380-415 VAC-3 ph-50 Hz**. Our dual voltage 1 phase motors are factory tested and certified to operate on both: **104-115/208-230 VAC-1 ph-60 Hz** and **100-110/200-220 VAC-1 ph-50 Hz**. All voltages above can handle a ±10% voltage fluctuation. Special wound motors can be ordered for voltages outside our certified range.

[2] Maximum operating temperature: Motor winding temperature (winding rise plus ambient) should not exceed 140°C for Class F rated motors or 120°C for Class B rated motors. Blower outlet air temperature should not exceed 140°C (air temperature rise plus inlet temperature). Performance curve maximum pressure and suction points are based on a 40°C inlet and ambient temperature. Consult factory for inlet or ambient temperatures above 40°C.

[3] Maximum blower amps corresponds to the performance point at which the motor or blower temperature rise with a 40°C inlet and/or ambient temperature reaches the maximum operating temperature.

Specifications subject to change without notice. Please consult your Local Field Sales Engineer for specification updates.

Rev. 2/04

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145-4 SVE System
SHEET NO. 1 OF 2
CALCULATED BY PCS DATE 11/26/12
CHECKED BY JTJ DATE 11/26/2012
SCALE None

Goal: Calculate the mass flow rate of volatile organic compounds removed by the interim soil vapor extraction system (the System) based on the June 7, 2012 field data and analytical laboratory data from samples collected on May 31, 2012.

Background: A separate calculation described the process for calculating the extracted vapor flow rates for the System based on field measurements performed on June 7, 2012. Extracted soil vapor samples were collected from the System on May 31, 2012, and submitted to an analytical laboratory for analysis of target volatile organic compounds (VOC). The laboratory report (Attachment 1) reported target VOC concentrations in units of parts per billion by volume, and micrograms per cubic meter.

Approach: Total VOC Concentrations for each extraction point may be calculated by summing each reported concentration of a target analyte that is greater than the laboratory detection limit, and assuming a concentration of zero for any analyte not detected by the laboratory. Table 1 presents the total VOC concentration calculated for samples collected from piping near each extraction point connected to the SVE system. Table 2 presents the previously calculated soil vapor flow rates for each extraction point using the field data recorded on June 7, 2012. Assuming that the VOC concentrations remain constant between sampling events, the laboratory data reported for the May 31, 2012 sampling event was used in conjunction with the calculated flow rates for each extraction point to calculate a mass flow rate of VOC for each extraction point and the combined mass flow of VOC from by the system

The mass flow rate of total VOC from each extraction point can be calculated using the soil vapor flow rates for each extraction point (see Attachment 1) and the total VOC concentrations from Table 1. The VOC mass flow for any extraction point (M_x) is calculated as

$$\dot{M}_X = C_{voc,x} * Q_x \quad (1)$$

This calculation requires converting the vapor flow rate from units of standard cubic feet per minute (SCFM) to standard cubic meters per day (SCMD):

$$Q\ SCMD = Q\ SCFM\ X\ \frac{1440\ min}{day}\ X\ \frac{1\ m^3}{35.31\ ft^3} \quad (2)$$

$$Q\ SCMD = Q\ SCFM * 40.782 \quad (3)$$

For example, to calculate the VOC mass flow rate for MW64 using the data from Table 1 and Table 2 (8.14 SCFM, Cvoc = 2,096,000 µg/m^3):

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145-4 SVE System
SHEET NO. 1 OF 2
CALCULATED BY PCS DATE 11/26/12
CHECKED BY SB DATE 11/26/2012
SCALE None

$$Q_{MW64} = 8.14\ SCFM\ X\ 40.782 = 331.97\ \frac{standard\ m^3}{day} \quad (4)$$

$$\dot{M}_{MW64} = 331.97\ \frac{standard\ m^3}{day}\ X\ \frac{2{,}096{,}000\ \mu g}{m^3}\ X\ \frac{1\ mg}{1{,}000\ \mu g}\ X\ \frac{1\ g}{1{,}000\ mg} \quad (5)$$

$$\dot{M}_{MW64} = \frac{696 g}{day}\ X\ \frac{1\ kg}{1{,}000\ g}\ X\ \frac{2.2\ lb}{1\ kg} \quad (6)$$

$$\dot{M}_{MW64} = \frac{1.53\ lb}{day} \quad (7)$$

The above calculations were performed for each extraction point, Table 2 presents a spreadsheet calculation of the mass flow rate of VOC from each extraction point connected to the System. The total combined mass flow of VOCs through the system was calculated as the sum of the VOC flow rates calculated for each extraction point (see Table 2), resulting in a total VOC mass flow rate of 3.5 pounds per day.

TABLES

Table 1: Calculation of Total Volatile Organic Compound Concentrations for Samples Collected on May 31, 2012

Analyte	MP-2 µg/m³	MP-3 µg/m³	MP-4 µg/m³	MP-5 µg/m³	MP-6 µg/m³	MP-7 µg/m³	MP-8 µg/m³	MP-9 µg/m³	MP-10 µg/m³	MP-11 µg/m³	VW-3 µg/m³	VW-5 µg/m³	VW-6 µg/m³
1,1,1,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,1,1-Trichloroethane	4,500	6,100	1.3	1.1	410	2,200	960	33	200	3,600	6,400	41,000	64
1,1,2,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,1,2-Trichloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,1-Dichloroethane	170	61	1.9	0	24	70	12	0	37	23	0	4100	180
1,1-Dichloroethene	9,200	1,400	8.8	120	1,400	4,600	2,800	37	65	6,200	8,500	340,000	3,400
1,2,3-Trichloropropane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,2,4-Trimethylbenzene	130	0	0	1	0	0	0	1.3	3.2	0	0	0	0
1,2-Dibromoethane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,2-Dichlorobenzene	0	0	0	0	0	0	0	0	3.1	0	0	1400	0
1,2-Dichloroethane	0	0	0	0	0	0	1.5	0	0	0	0	0	0
1,2-Dichloropropane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,3,5-Trimethylbenzene	0	0	0	0	0	0	0	0	1.8	0	0	0	0
1,3-Butadiene	0	0	0	0	0	0	0	0	0	0	0	0	0
1,3-Dichlorobenzene	0	0	0	0	0	0	0	0	2.9	0	0	0	0
1,4-Dichlorobenzene	0	0	0	0	0	0	0	0	2.9	0	0	0	0
2-Butanone	16,000	0	5.6	5	0	0	4	210	27	1,100	16,000	2,200	27
2-Hexanone	0	0	0	0	0	0	0	0	0	0	0	0	0
3-Chloropropene	0	0	0	0	0	0	0	0	0	0	0	0	0
4-Ethyltoluene	0	0	0	0	0	0	0	0	1.7	0	0	0	0
4-Methyl-2-Pentanone	850	0	0	0	0	0	0	29	5.5	99	0	0	0
Acetone	15,000	0	17	15	19	17	20	400	40	1,100	17,000	3,900	66
Benzene	0	0	0	0	0	0	0.71	0	1	0	0	0	0
Bromobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0
Bromodichloromethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Bromoform	0	0	0	0	0	0	0	0	0	0	0	0	0
Bromomethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Carbon Disulfide	940	0	1.8	2.4	0	0	0	7.5	3.6	20	820	0	0
Carbon Tetrachloride	0	0	0	0	0	0	0	0	0	0	0	0	0
Chlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0
Chlorodifluoromethane	240	8.7	4.9	4.4	0	8.2	5.4	1.2	0	0	330	0	0
Chloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Chloroform	0	0	0	0	0	0	0	260	10	0	0	0	0
Chloromethane	59	0	0.7	0	0	0	0	0	0	0	0	0	0
cis-1,2-Dichloroethene	0	0	0	0	0	0	0	0	0	0	0	0	0
cis-1,3-Dichloropropene	0	0	0	0	0	0	0	0	0	0	0	0	0
Cumene	0	0	3.8	7.4	0	0	14	4.1	5.1	0	0	0	0
Dibromochloromethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Dibromomethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Dichlorodifluoromethane	0	0	3	2.9	0	0	2.9	2.7	2.5	0	0	0	0
Dichlorofluoromethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Ethylbenzene	130	0	0	0	0	0	0	0.92	3.8	0	110	0	0
Freon 113	0	0	0	0	0	0	0	0	0	0	0	0	0
Freon 114	0	0	4.4	0	0	0	3.1	0	0	0	0	0	0
Heptane	0	0	0	0	0	0	0	0	0	0	0	0	0
Hexachloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Hexane	410	150	0	0	73	41	1.4	0.87	1,700	0	1,400	770	0
Isooctane	0	0	0	0	0	0	0	0	0	0	0	0	0
m/p-Xylene	200	0	0.9	1.2	0	24	1	2.5	8.7	13	150	0	0
Methyl t-Butyl Ether	0	0	0	0	0	0	0	0	0	0	0	0	0
Methylene Chloride	910	0	0	0	0	15	6.2	0.71	1.6	0	440	920	8.1
Octane	0	0	0	0	0	0	0	0	1.9	0	0	0	0
o-Xylene	0	0	0	0	0	11	0	1.2	5.3	0	0	0	0
Pentane	180	340	5.5	1.9	170	99	5.5	7.2	4,200	0	2,900	1,200	0
Styrene	480	0	0	0	0	0	0	0	0.93	0	470	0	0
Tetrachloroethene	0	17	2.5	2.1	0	0	1.4	0	1.8	0	0	1,700	16
Toluene	490	110	1.1	1.6	86	490	7.6	2.8	2.5	0	280	1,000	0
trans-1,2-Dichloroethene	0	0	0	0	0	0	0	0	0	0	0	0	0
trans-1,3-Dichloropropene	0	0	0	0	0	0	0	0	0	0	0	0	0
Trichloroethene	0	0	0	0	0	0	2.5	0	0	0	0	0	0
Trichlorofluoromethane	0	91	90	72	130	120	91	2.4	3.1	0	0	0	110
Vinyl Chloride	0	0	0	0	0	0	0	0	0	0	0	0	0
Total VOC, µg/m³	49,889	8,278	153	238	2,312	7,695	3,940	1,004	6,342	12,155	54,800	398,190	3,871
Total VOC, mg/m³	**50**	**8**	**0**	**0**	**2**	**8**	**4**	**1**	**6**	**12**	**55**	**398**	**4**

Notes:

1) See Attachment 1 for the analytical laboratory report

2) Concentrations reported as "ND" in the laboratory report were considered to be 0 for these calculations.

Table 1: Calculation of Total Volatile Organic Compound Concentrations for Samples Collected on May 31, 2012

Analyte	MW-64	MW-65S	SVE-1	SVE-2	SVE-3	SVE-4	SVE-5	SVE-6	SVE-7
	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³
1,1,1,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0
1,1,1-Trichloroethane	750,000	160,000	620,000	9,000	210	5.4	2,100	6,500	4,200
1,1,2,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0
1,1,2-Trichloroethane	0	0	0	0	0	0	0	0	0
1,1-Dichloroethane	35000	1400	0	710	100	3	58	66	0
1,1-Dichloroethene	1,300,000	1,600,000	36,000	14,000	530	0	2,200	730	2,300
1,2,3-Trichloropropane	0	0	0	0	0	0	0	0	0
1,2,4-Trimethylbenzene	0	0	0	0	0	0	1.7	0	0
1,2-Dibromoethane	0	0	0	0	0	0	0	0	0
1,2-Dichlorobenzene	0	0	0	0	0	0	1.6	0	0
1,2-Dichloroethane	0	0	0	0	0	0	1.4	0	0
1,2-Dichloropropane	0	0	0	0	0	0	0	0	0
1,3,5-Trimethylbenzene	0	0	0	0	0	0	1	0	0
1,3-Butadiene	0	0	0	0	0	0	0	0	0
1,3-Dichlorobenzene	0	0	0	0	0	0	1.6	0	0
1,4-Dichlorobenzene	0	0	0	0	0	1.3	1.9	0	0
2-Butanone	0	2,200	0	150	20	3.3	2.4	0	2,500
2-Hexanone	0	0	0	0	0	0	0	0	0
3-Chloropropene	0	0	0	0	0	0	0	0	0
4-Ethyltoluene	0	0	0	0	0	0	0	0	0
4-Methyl-2-Pentanone	0	0	0	0	0	0	0	0	24
Acetone	2,100	3,600	1,500	1,400	76	11	12	24	2,400
Benzene	0	0	0	0	0	0	0.91	0	0
Bromobenzene	0	0	0	0	0	0	0	0	0
Bromodichloromethane	0	0	0	0	0	0	0	0	0
Bromoform	0	0	0	0	0	0	0	0	0
Bromomethane	0	0	0	0	0	0	0	0	0
Carbon Disulfide	0	0	0	590	0	2.1	2	0	0
Carbon Tetrachloride	0	0	0	0	0	0	0	0	0
Chlorobenzene	0	0	0	0	0	0	0	0	0
Chlorodifluoromethane	0	0	0	510	0	2.9	12	0	0
Chloroethane	0	0	0	0	0	0	0	0	0
Chloroform	0	0	0	0	0	2.2	0	0	51
Chloromethane	0	0	0	0	0	0	0	0	0
cis-1,2-Dichloroethene	0	0	0	0	0	0	0	0	0
cis-1,3-Dichloropropene	0	0	0	0	0	0	0	0	0
Cumene	0	0	0	0	0	2.7	4	0	29
Dibromochloromethane	0	0	0	0	0	0	0	0	0
Dibromomethane	0	0	0	0	0	0	0	0	0
Dichlorodifluoromethane	0	0	0	0	0	2.7	3	0	0
Dichlorofluoromethane	0	0	0	0	0	0	0	0	0
Ethylbenzene	0	0	0	150	0	0	2.5	0	0
Freon 113	0	0	0	0	0	0	0	0	0
Freon 114	0	0	0	0	0	1.6	4.1	0	0
Heptane	0	0	0	0	0	0	0	0	0
Hexachloroethane	0	0	0	0	0	0	0	0	0
Hexane	0	0	12,000	8,000	0	0	35	600	0
Isooctane	0	0	0	0	0	0	0	0	0
m/p-Xylene	0	0	960	260	0	0	5.9	0	0
Methyl t-Butyl Ether	0	0	0	0	0	0	0	0	0
Methylene Chloride	2,200	840	990	450	0	0	0.98	7.6	0
Octane	0	0	0	0	0	0	0	0	0
o-Xylene	0	0	0	120	0	0	3.6	0	0
Pentane	0	0	33,000	19,000	0	1.4	80	1,300	0
Styrene	0	0	0	560	0	0	0	0	0
Tetrachloroethene	1,700	0	0	0	0	0	7.8	18	0
Toluene	2,800	0	31,000	8,300	20	0	39	10	0
trans-1,2-Dichloroethene	0	0	0	0	0	0	0	0	0
trans-1,3-Dichloropropene	0	0	0	0	0	0	0	0	0
Trichloroethene	2,200	0	0	0	0	0	1.8	0	0
Trichlorofluoromethane	0	0	0	0	31	29	67	97	0
Vinyl Chloride	0	0	0	0	0	0	0.94	0	0
Total VOC, µg/m³	2,096,000	1,768,040	735,450	63,200	987	69	4,652	9,353	11,504
Total VOC, mg/m³	**2,096**	**1,768**	**735**	**63**	**1**	**0**	**5**	**9**	**12**

Notes:

1) See Attachment 1 for the analytical laboratory report

2) Concentrations reported as "ND" in the laboratory report were considered to be 0 for these calculations.

Table 2: Example Calculation of VOC Mass Flow Rates for Measurements Collected June 7, 2012

Extraction Point	Soil Vapor Flow Rate		Total VOC Concentration	VOC Mass Flow		
	SCFM	sm^3/d	mg/m^3	mg/d	kg/d	lb/d
MP-2	14.5	592	49.9	29,518	0.030	0.06
MP-3	9.1	369	8.3	3,058	0.003	0.01
MP-4	12.5	509	0.2	78	0.000	0.00
MP-5	15.5	630	0.2	150	0.000	0.00
MP-6	8.4	343	2.3	793	0.001	0.00
MP-7	8.4	341	7.7	2,621	0.003	0.01
MP-8	6.9	282	3.9	1,111	0.001	0.00
MP-9	16.9	687	1.0	690	0.001	0.00
MP-10	9.8	401	6.3	2,544	0.003	0.01
MP-11	7.9	324	12.2	3,936	0.004	0.01
VW3	8.9	362	54.8	19,843	0.020	0.04
VW5	7.7	314	398	125,204	0.125	0.28
VW6	8.2	336	3.9	1,301	0.001	0.00
MW64	8.2	332	2,096	696,854	0.697	1.53
MW65s	6.3	259	1,768	457,693	0.458	1.01
SVE-1	7.7	313	735	230,204	0.230	0.51
SVE-2	7.6	309	63.2	19,512	0.020	0.04
SVE-3	7.8	319	1.0	314	0.000	0.00
SVE-4	7.3	299	0.1	20	0.000	0.00
SVE-5	8.2	335	4.7	1,557	0.002	0.00
SVE-6	6.9	282	9.4	2,637	0.003	0.01
SVE-7	8.7	353	11.5	4,061	0.004	0.01
Total	**203.3**	**8,290**	**5,238**	**1,603,700**	**1.60**	**3.5**
Column Index	1	2	3	4	5	6
Reference	Attachment 1	Column 1 X 40.78	Table 1	Column 2 X Column 3	Column 4 / 1,000,000	Column 5 X 2.2

ATTACHMENT 1
ANALYTICAL LABORATORY REPORT

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

June 14, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 06/05/2012
Group Number: 1313430
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE 6 Grab Air	6676435
VW 6 Grab Air	6676436
MP 07 Grab Air	6676437
SVE 4 Grab Air	6676438
MP 08 Grab Air	6676439
MW 65S Grab Air	6676440
MW 64 Grab Air	6676441
MP 03 Grab Air	6676442
MP 04 Grab Air	6676443
SVE 5 Grab Air	6676444
SVE 3 Grab Air	6676445
MP 05 Grab Air	6676446
SVE 2 Grab Air	6676447
SVE 7 Grab Air	6676448
MP 11 Grab Air	6676449
MP 09 Grab Air	6676450
SVE 1 Grab Air	6676451
MP 06 Grab Air	6676452
Undiluted Grab Air	6676453
VW 3 Grab Air	6676454
MP 02 Grab Air	6676455
MP 10 Grab Air	6676456
VW 5 Grab Air	6676457

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Grab Air
Summa #110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676435
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:59 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10	J	5.0	24	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	66		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	190		2.0	730		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	170		2.0	600		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.6	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	450		2.0	1,300		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.6	J	2.0	18	J	14	10

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: VW 6 Grab Air
Summa #886
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676436
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:47 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	28		5.0	66		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	9.3	J	5.0	27	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	44		2.0	180		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	850		40	3,400		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.3	J	2.0	8.1	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Grab Air
Summa #838
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676437
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:10 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.2	J	5.0	17	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.3	J	2.0	8.2	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	17		2.0	70		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,200		4.0	4,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	12		2.0	41		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.4	J	2.0	15	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	33		2.0	99		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Grab Air
Summa #876
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676438
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:50 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.8		0.50	11		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.66	J	0.50	2.1	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.82	J	0.20	2.9	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.46	J	0.20	2.2	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.55	J	0.20	2.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.22	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.74	J	0.20	3.0	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.22	J	0.20	1.6	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.46	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Grab Air
Summa #1110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676439
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:24 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.3		0.50	20		1.2	1
05298	Benzene	71-43-2	0.22	J	0.20	0.71	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.5		0.20	5.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.9		0.20	14		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.9		0.20	12		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.36	J	0.20	1.5	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	720		4.0	2,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.45	J	0.20	3.1	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.39	J	0.20	1.4	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.8		0.20	6.2		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.9		0.20	5.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.20	J	0.20	1.4	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Grab Air
Summa #1117
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676440
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,500	J	500	3,600	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	740	J	500	2,200	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	360	J	200	1,400	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	420,000		10,000	1,600,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	240	J	200	840	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Grab Air
Summa #899
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676441
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:15 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	870	J	500	2,100	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	8,600		200	35,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	320,000		10,000	1,300,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	640	J	200	2,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	260	J	200	1,700	J	1,400	1000

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MP 03 Grab Air
Summa #504
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676442
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.4	J	2.0	8.7	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	15		2.0	61		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	340		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	42		2.0	150		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	120		2.0	340		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.5	J	2.0	17	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Grab Air
Summa #854
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676443
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.0		0.50	17		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.9	J	0.50	5.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.59	J	0.50	1.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.4		0.20	4.9		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.34	J	0.20	0.70	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.77	J	0.20	3.8	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.46	J	0.20	1.9	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	2.2		0.20	8.8		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.63	J	0.20	4.4	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.9		0.20	5.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.37	J	0.20	2.5	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa #1084
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676444
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:54 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.2		0.50	12		1.2	1
05298	Benzene	71-43-2	0.28	J	0.20	0.91	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.83	J	0.50	2.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.64	J	0.50	2.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	3.3		0.20	12		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.81	J	0.20	4.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.32	J	0.20	1.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	14		0.20	58		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.34	J	0.20	1.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	560		4.0	2,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.57	J	0.20	2.5	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.59	J	0.20	4.1	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	9.9		0.20	35		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.28	J	0.20	0.98	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	27		0.20	80		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	7.8		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Grab Air
Summa #877
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676445
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:46 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	32		5.0	76		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	6.7	J	5.0	20	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	26		2.0	100		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	130		2.0	530		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Grab Air
Summa #818
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676446
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.1		0.50	15		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.7	J	0.50	5.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.77	J	0.50	2.4	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.2		0.20	4.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.5		0.20	7.4		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	31		0.20	120		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.63	J	0.20	1.9	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.31	J	0.20	2.1	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Grab Air
Summa #328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676447
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	600		50	1,400		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	50	J	50	150	J	150	100
05298	Carbon Disulfide	75-15-0	190		50	590		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	140		20	510		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	170		20	710		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	3,600		20	14,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	35	J	20	150	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	2,300		20	8,000		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	130		20	450		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	6,600		20	19,000		59	100
05298	Styrene	100-42-5	130		20	560		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: SVE 7 Grab Air
Summa #293
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676448
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:17 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,000		100	2,400		240	200
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	840		100	2,500		290	200
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	11		2.0	51		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	5.8	J	2.0	29	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	570		40	2,300		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	5.9	J	5.0	24	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MP 11 Grab Air
Summa #860
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676449
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:12 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	460		5.0	1,100		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	390		5.0	1,100		15	10
05298	Carbon Disulfide	75-15-0	6.3	J	5.0	20	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.7	J	2.0	23	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,600		5.0	6,200		20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	24		5.0	99		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Grab Air
Summa #881
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676450
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:22 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	170		5.0	400		12	10
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	71		0.50	210		1.5	1
05298	Carbon Disulfide	75-15-0	2.4		0.50	7.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.33	J	0.20	1.2	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	53		2.0	260		9.8	10
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.84	J	0.20	4.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	9.3		0.20	37		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.21	J	0.20	0.92	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.25	J	0.20	0.87	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	7.1		0.50	29		2.0	1
05298	Methylene Chloride	75-09-2	0.20	J	0.20	0.71	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	2.4		0.20	7.2		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Grab Air
Summa #526
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676451
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	610	J	500	1,500	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	9,100		200	36,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	3,300		200	12,000		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	280	J	200	990	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	11,000		200	33,000		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Grab Air
Summa #95
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676452
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:04 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.8	J	5.0	19	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	6.0	J	2.0	24	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	360		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	21		2.0	73		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	59		2.0	170		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Summa #812
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676453
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:28 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13	J	5.0	31	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	12		2.0	48		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	560		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	47		2.0	160		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.6	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	130		2.0	400		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: VW 3 Grab Air
Summa #1039
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676454
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:00 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7,000		500	17,000		1,200	1000
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	5,500		50	16,000		150	100
05298	Carbon Disulfide	75-15-0	260		50	820		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	92	J	20	330	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,100		20	8,500		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	25	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	400		20	1,400		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	130		20	440		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	990		20	2,900		59	100
05298	Styrene	100-42-5	110		20	470		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Grab Air
Summa #15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676455
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:06 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6,300		50	15,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	5,600		50	16,000		150	100
05298	Carbon Disulfide	75-15-0	300		50	940		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	69	J	20	240	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	29	J	20	59	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	43	J	20	170	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,300		20	9,200		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	29	J	20	130	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	410		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	210		50	850		200	100
05298	Methylene Chloride	75-09-2	260		20	910		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	62	J	20	180	J	59	100
05298	Styrene	100-42-5	110		20	480		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Sample Description: MP 10 Grab Air
Summa #66
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676456
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:56 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		0.50	40		1.2	1
05298	Benzene	71-43-2	0.32	J	0.20	1.0	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	9.1		0.50	27		1.5	1
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.1		0.20	10		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.52	J	0.20	3.1	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.48	J	0.20	2.9	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.48	J	0.20	2.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	9.2		0.20	37		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	16		0.20	65		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.87	J	0.20	3.8	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.34	J	0.20	1.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	48,000		400	170,000		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.4	J	0.50	5.5	J	2.0	1
05298	Methylene Chloride	75-09-2	0.47	J	0.20	1.6	J	0.69	1
05298	Octane	111-65-9	0.41	J	0.20	1.9	J	0.93	1
05298	Pentane	109-66-0	140,000		400	420,000		1,200	2000
05298	Styrene	100-42-5	0.22	J	0.20	0.93	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.27	J	0.20	1.8	J	1.4	1

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: VW 5 Grab Air
Summa #20
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676457
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:20 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,600	J	500	3,900	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	740	J	500	2,200	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	230	J	200	1,400	J	1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,000		200	4,100		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	87,000		400	340,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	220	J	200	770	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	260	J	200	920	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	410	J	200	1,200	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	240	J	200	1,700	J	1,400	1000

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1216030AB	Sample number(s): 6676437-6676449							
Acetone	N.D.	0.50	ppb(v)	98	114	67-138	15	25
Benzene	N.D.	0.20	ppb(v)	82	92	70-130	11	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	81	94	70-138	14	25
Bromoform	N.D.	0.20	ppb(v)	81	89	71-150	10	25
Bromomethane	N.D.	0.20	ppb(v)	104	121	70-130	15	25
1,3-Butadiene	N.D.	0.50	ppb(v)	100	116	60-135	15	25
2-Butanone	N.D.	0.50	ppb(v)	92	109	66-129	17	25
Carbon Disulfide	N.D.	0.50	ppb(v)	84	99	56-106	17	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	84	96	70-130	13	25
Chlorobenzene	N.D.	0.20	ppb(v)	80	89	70-130	11	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	97	108	71-129	11	25
Chloroform	N.D.	0.20	ppb(v)	79	93	70-130	17	25
Chloromethane	N.D.	0.20	ppb(v)	105	123	58-129	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	90	68-138	10	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	94	71-135	10	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	98	71-143	7	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	92	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	98	67-140	13	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	100	124	72-140	22	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	84	98	66-126	15	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	85	98	70-130	14	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	106	64-117	16	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	98	69-120	14	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	104	67-121	13	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	79	87	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	79	88	67-134	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	93	67-134	12	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	90	70-130	10	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	84	90	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	80	91	67-115	13	25
Freon 114	N.D.	0.20	ppb(v)	93	110	66-120	17	25
Heptane	N.D.	0.20	ppb(v)	85	95	60-125	11	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	85	98	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	103	124	54-166	18	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	94	64-124	15	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	108	61-145	17	25
Methylene Chloride	N.D.	0.20	ppb(v)	85	100	70-130	16	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	85	98	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	103	124	54-166	18	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	94	64-124	15	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	108	61-145	17	25
Methylene Chloride	N.D.	0.20	ppb(v)	85	100	70-130	16	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	82	93	70-139	12	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	91	101	67-145	10	25
Tetrachloroethene	N.D.	0.20	ppb(v)	76	82	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	82	88	70-130	7	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	97	70-130	14	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	88	94	68-128	6	25
Trichloroethene	N.D.	0.20	ppb(v)	85	93	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	94	118	70-130	23	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	95	69-138	8	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	83	92	71-142	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	125	70-130	14	25
m/p-Xylene	N.D.	0.20	ppb(v)	84	94	70-130	11	25
o-Xylene	N.D.	0.20	ppb(v)	85	94	70-130	10	25
Batch number: A1216430AA	Sample number(s): 6676457							
Acetone	N.D.	0.50	ppb(v)	109	122	67-138	11	25
Benzene	N.D.	0.20	ppb(v)	88	88	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	93	96	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	84	84	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	100	111	70-130	11	25
1,3-Butadiene	N.D.	0.50	ppb(v)	96	106	60-135	9	25
2-Butanone	N.D.	0.50	ppb(v)	95	102	66-129	7	25
Carbon Disulfide	N.D.	0.50	ppb(v)	81	87	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	91	98	70-130	8	25
Chlorobenzene	N.D.	0.20	ppb(v)	85	82	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	100	107	71-129	7	25
Chloroform	N.D.	0.20	ppb(v)	87	95	70-130	9	25
Chloromethane	N.D.	0.20	ppb(v)	103	110	58-129	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	84	86	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	90	89	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	94	94	71-143	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	89	93	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	91	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	102	112	72-140	10	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	88	97	66-126	10	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	101	70-130	5	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	99	69-120	11	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	99	67-121	9	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	87	89	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	92	67-134	7	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	88	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	88	86	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,2-Dichloroethane	N.D.	0.20	ppb(v)	99	95	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	101	108	64-117	7	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	91	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	101	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	78	76	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	88	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	80	74	67-134	9	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	73	70-130	11	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	82	72	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	91	93	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	106	111	66-120	5	25
Heptane	N.D.	0.20	ppb(v)	83	82	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	86	89	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	122	110	54-166	10	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	91	93	64-124	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	113	110	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	92	94	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	88	78	70-139	12	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	94	84	67-145	11	25
Tetrachloroethene	N.D.	0.20	ppb(v)	77	70	70-130	9	25
Toluene	N.D.	0.20	ppb(v)	78	70	70-130	11	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	96	97	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	79	72	68-128	9	25
Trichloroethene	N.D.	0.20	ppb(v)	85	85	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	123	129	70-130	5	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	75	69-138	12	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	87	77	71-142	13	25
Vinyl Chloride	N.D.	0.20	ppb(v)	116	122	70-130	5	25
m/p-Xylene	N.D.	0.20	ppb(v)	89	79	70-130	12	25
o-Xylene	N.D.	0.20	ppb(v)	86	76	70-130	12	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1313430 For Lancaster Laboratories use only Sample # 667643S-57 Bottle Order (SCR) # 122726

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one): (Standard) Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 05	5/31	13:30						—	818	6	—	X						
SVE 2	"	14:41						—	328	6	—	X						
SVE 7	"	15:17						—	293	6	—	X						
MP 11	"	15:12						—	860	6	—	X						
MP 09	"	15:22						—	881	6	—	X						
SVE 1	"	14:36						—	526	6	—	X						
MP 06	"	14:04						—	95	6	—	X						
Undisturbed	"	15:28						—	812	6	—	X						
VW 3	"	15:00						—	1039	6	—	X						
MP 02	"	15:06						—	15	6	—	X						
MP 10	"	14:56						—	166	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one): ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
	5-24-12 1949						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 6/5/12 0935

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 6/5/12

Time of Receipt: 0935

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

2 Gauges + 2 large bags of hardware

Unpacker Signature/Emp#: [signature] 964 **Date/Time:** 6/5/12 0935

Issued by Dept. 6042 Management

2174.06

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145-4 SVE System
SHEET NO. 2 OF 2
CALCULATED BY PCS DATE 11/26/2012
CHECKED BY JB DATE 11/26/2012
SCALE None

Goal: Compare the mass removal of volatile organic compounds (VOC) and hazardous air pollutants (HAPs) by the interim soil vapor extraction system (the System) to regulatory thresholds.

Background: Regulatory thresholds are established in the Georgia Rules for Air Quality Control, Section 391-3-1.03(6)(h)(**i**). these thresholds indicate that air emissions permitting and treatment is required if emissions exceed any of the following thresholds:

- 20 tons per year of total volatile organic compound emissions.
- 5 tons per year of all hazardous air pollutants.
- 15 pounds per day of any single hazardous air pollutant.
- 2 tons per year for any single hazardous air pollutant.

Hazardous air pollutants are as defined in 40 CFR Part 63, Subpart C. The System exhausts extracted soil vapor to a point located above the building roofline. Therefore, the mass of VOC and HAPs removed by the System represent the System's emissions.

Approach: the estimate of emissions of VOC and HAPs from the System are calculated based on calculated mass flow rates for each extraction point. The previous calculation describes the methods used to calculate the mass of VOC removed by the System based on analytical laboratory data from samples collected on May 31, 2012 and field measurements taken on June 7, 2012. This same approach was used to calculate the HAPs emissions from the System.

The mass flowrate of HAPs from each extraction point is calculated using the soil vapor flow rate and total concentration of HAPs for each extraction point:

$$\dot{M}_X = C_{HAPs,x} * Q_x \quad (1)$$

This calculation requires converting the vapor flow rate from units of standard cubic feet per minute (SCFM) to standard cubic meters per day (SCMD). From Attachment 2, this conversion is:

$$Q\ SCMD = Q\ SCFM * 40.782 \quad (2)$$

The concentration of total HAPs for each extraction point using the May 31, 2012 analytical data is summarized in Table 1. Table 2 presents a spreadsheet calculation of the Total HAPs emissions from the System using the June 7, 2012 field data. As shown on Table 2, the total HAPs emissions from the System using the analytical laboratory data from May 31, 2012 and the field measurements performed on June 7, 2012 were calculated to be less than 0.1 pounds per day, which is less than the regulatory thresholds for total HAPs emissions (5 tons per year) and for emissions of a single HAP (15 pounds per day and 2 tons per year).

THE JOHNSON CO., INC.
100 STATE ST #600
MONTPELIER , VT 05602
802-229-4600 Fax 802-229-5876

JOB 1-0145-4 SVE System
SHEET NO. _____ OF 2
CALCULATED BY PCS DATE 11/26/2012
CHECKED BY SJB DATE 11/26/2012
SCALE None

Similarly, the emissions of VOC from the System were previously calculated to be 3.5 pounds per day (0.64 tons per year), which is less than the regulatory threshold (20 tons per year).

The above calculations were performed for each field measurement event, resulting in a collection of calculated mass removal rates. The emissions of HAPs and VOC were calculated by multiplying these calculated emissions rates by the System operational time between the calculated flow rates:

$$M_{HAPs} = \dot{M}_{HAPs} * \Delta t \quad (3)$$

The resulting mass emissions were used to create the graphs shown on Figure E-9.

TABLES

Table 1: Calculation of Total Hazardous Air Pollutants for Samples Collected on May 31, 2012

Analyte	MP-2 µg/m³	MP-3 µg/m³	MP-4 µg/m³	MP-5 µg/m³	MP-6 µg/m³	MP-7 µg/m³	MP-8 µg/m³	MP-9 µg/m³	MP-10 µg/m³	MP-11 µg/m³	VW-3 µg/m³	VW-5 µg/m³	VW-6 µg/m³
1,1,2,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
1,3-Butadiene	0	0	0	0	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	0	0	0	0	0	0	0	0	2.9	0	0	0	0
Benzene	0	0	0	0	0	0	0.71	0	1	0	0	0	0
Bromoform	0	0	0	0	0	0	0	0	0	0	0	0	0
Carbon Disulfide	940	0	1.8	2.4	0	0	0	7.5	3.6	20	820	0	0
Carbon Tetrachloride	0	0	0	0	0	0	0	0	0	0	0	0	0
Chlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0
Chloroform	0	0	0	0	0	0	0	260	10	0	0	0	0
Cumene	0	0	3.8	7.4	0	0	14	4.1	5.1	0	0	0	0
Ethylbenzene	130	0	0	0	0	0	0	0.92	3.8	0	110	0	0
Hexachloroethane	0	0	0	0	0	0	0	0	0	0	0	0	0
Hexane	410	150	0	0	73	41	1.4	0.87	1,700	0	1,400	770	0
Methyl t-Butyl Ether	0	0	0	0	0	0	0	0	0	0	0	0	0
Methylene Chloride	910	0	0	0	0	15	6.2	0.71	1.6	0	440	920	8.1
Styrene	480	0	0	0	0	0	0	0	0.93	0	470	0	0
Tetrachloroethene	0	17	2.5	2.1	0	0	1.4	0	1.8	0	0	1,700	16
Toluene	490	110	1.1	1.6	86	490	7.6	2.8	2.5	0	280	1,000	0
Trichloroethene	0	0	0	0	0	0	2.5	0	0	0	0	0	0
Vinyl Chloride	0	0	0	0	0	0	0	0	0	0	0	0	0
Total HAPs, µg/m³	3,360	277	9	14	159	546	34	277	1,733	20	3,520	4,390	24
Total HAPs, mg/m³	**3.4**	**0.28**	**0.0092**	**0.014**	**0.16**	**0.55**	**0.034**	**0.28**	**1.7**	**0.020**	**3.5**	**4.4**	**0.024**

Notes:

1) Hazardous air pollutants (HAPs) are defined in 40 CFR Part 63, Subpart C.

2) Concentrations reported as "ND" in the laboratory report were considered to be zero for these calculations.

Table 1: Calculation of Total Hazardous Air Pollutants for Samples Collected on May 31, 2012

Analyte	MW-64 $\mu g/m^3$	MW-65S $\mu g/m^3$	SVE-1 $\mu g/m^3$	SVE-2 $\mu g/m^3$	SVE-3 $\mu g/m^3$	SVE-4 $\mu g/m^3$	SVE-5 $\mu g/m^3$	SVE-6 $\mu g/m^3$	SVE-7 $\mu g/m^3$
1,1,2,2-Tetrachloroethane	0	0	0	0	0	0	0	0	0
1,3-Butadiene	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	0	0	0	0	0	1.3	1.9	0	0
Benzene	0	0	0	0	0	0	0.91	0	0
Bromoform	0	0	0	0	0	0	0	0	0
Carbon Disulfide	0	0	0	590	0	2.1	2	0	0
Carbon Tetrachloride	0	0	0	0	0	0	0	0	0
Chlorobenzene	0	0	0	0	0	0	0	0	0
Chloroform	0	0	0	0	0	2.2	0	0	51
Cumene	0	0	0	0	0	2.7	4	0	29
Ethylbenzene	0	0	0	150	0	0	2.5	0	0
Hexachloroethane	0	0	0	0	0	0	0	0	0
Hexane	0	0	12,000	8,000	0	0	35	600	0
Methyl t-Butyl Ether	0	0	0	0	0	0	0	0	0
Methylene Chloride	2,200	840	990	450	0	0	0.98	7.6	0
Styrene	0	0	0	560	0	0	0	0	0
Tetrachloroethene	1,700	0	0	0	0	0	7.8	18	0
Toluene	2,800	0	31,000	8,300	20	0	39	10	0
Trichloroethene	2,200	0	0	0	0	0	1.8	0	0
Vinyl Chloride	0	0	0	0	0	0	0.94	0	0
Total HAPs, $\mu g/m^3$	8,900	840	43,990	18,050	20	8	97	636	80
Total HAPs, mg/m^3	**8.9**	**0.84**	**44**	**18.1**	**0.020**	**0.0083**	**0.097**	**0.64**	**0.080**

Notes:

1) Hazardous air pollutants (HAPs) are defined in 40 CFR Part 63, Subpart C.

2) Concentrations reported as "ND" in the laboratory report were considered to be zero for these calculations.

Table 2: Example Calculation of HAPs Mass Flow Rates for Measurements Collected June 7, 2012

Extraction Point	Soil Vapor Flow Rate		Total HAPs Concentration	VOC Mass Flow		
	SCFM	sm^3/d	mg/m^3	mg/d	kg/d	lb/d
MP-2	14.5	592	3.4	1,988	0.002	0.0044
MP-3	9.1	369	0.28	102	0.000	0.00023
MP-4	12.5	509	0.0092	5	0.000	0.000010
MP-5	15.5	630	0.014	9	0.000	0.000019
MP-6	8.4	343	0.16	55	0.000	0.00012
MP-7	8.4	341	0.55	186	0.000	0.00041
MP-8	6.9	282	0.034	10	0.000	0.000021
MP-9	16.9	687	0.28	190	0.000	0.00042
MP-10	9.8	401	1.7	695	0.001	0.0015
MP-11	7.9	324	0.020	6	0.000	0.000014
VW3	8.9	362	3.5	1,275	0.001	0.0028
VW5	7.7	314	4.4	1,380	0.001	0.0030
VW6	8.2	336	0.024	8	0.000	0.000018
MW64	8.2	332	8.9	2,959	0.003	0.0065
MW65s	6.3	259	0.84	217	0.000	0.00048
SVE-1	7.7	313	44	13,769	0.014	0.030
SVE-2	7.6	309	18.05	5,573	0.006	0.012
SVE-3	7.8	319	0.020	6	0.000	0.000014
SVE-4	7.3	299	0.0083	2	0.000	0.0000055
SVE-5	8.2	335	0.10	32	0.000	0.000071
SVE-6	6.9	282	0.64	179	0.000	0.00039
SVE-7	8.7	353	0.080	28	0.000	0.000062
Total	**203**	**8,290**	**87**	**28,676**	**0.03**	**0.063**
Column Index	1	2	3	4	5	6
Reference	Attachment 1	Column 1 X 40.78	Table 1	Column 2 X Column 3	Column 4 / 1,000,000	Column 5 X 2.2

APPENDIX D

LABORATORY ANALYTICAL REPORTS: SOIL VAPOR

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

July 21, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 07/15/2011
Group Number: 1256497
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP-5 Grab Air	6345478
MP-4 Grab Air	6345479
MP-3 Grab Air	6345480
MP-6 Grab Air	6345481
MP-7 Grab Air	6345482
MP-8 Grab Air	6345483
MP-11 Grab Air	6345484
MP-2 Grab Air	6345485
MP-10 Grab Air	6345486
MP-9 Grab Air	6345487
Diluted Grab Air	6345488
Undiluted Grab Air	6345489

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Matthew E. Barton
Senior Specialist

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-5 Grab Air
Canister #016
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345478
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:15 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	500		5.0	1,200		12	10
05298	Benzene	71-43-2	8.4	J	2.0	27	J	6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	270		5.0	790		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	9.7	J	2.0	48	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	100		2.0	400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	18	J	5.0	140	J	38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	2.2	J	2.0	7.7	J	7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.0	J	2.0	7.1	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	7.5	J	2.0	22	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-5 Grab Air
Canister #016
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345478
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:15 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	7.2	J	2.0	27	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	N.D.		2.0	N.D.		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	16		2.0	92		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.2	J	2.0	14	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AA	07/19/2011 12:18	Jeffrey B Smith	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-4 Grab Air
Canister #021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345479
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:27 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	130		5.0	300		12	10
05298	Benzene	71-43-2	14		2.0	45		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	74		5.0	220		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.0	J	2.0	7.2	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	16		2.0	79		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	66		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,500		20	6,100		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	33		5.0	250		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	2.1	J	2.0	7.4	J	7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	7.9	J	2.0	23	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-4 Grab Air
Canister #021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345479
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:27 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	4.3	J	2.0	16	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	10		2.0	55		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	23		2.0	130		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	3.6	J	2.0	18	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	9.2	J	2.0	24	J	5.1	10
05298	m/p-Xylene	179601-23-1	3.7	J	2.0	16	J	8.7	10
05298	o-Xylene	95-47-6	2.6	J	2.0	11	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AA	07/19/2011 13:02	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/19/2011 22:37	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-3 Grab Air
Canister #404
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345480
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:46 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	280		50	650		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	47	J	20	150	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	330		20	1,300		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	35,000		400	140,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	82	J	50	630	J	380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	100		20	360		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	37	J	20	110	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-3 Grab Air
Canister #404
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345480
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:46 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	36	J	20	140	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	1,300		20	7,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	25	J	20	65	J	51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AA	07/19/2011 14:09	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/19/2011 23:23	Michael A Ziegler	2000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-6 Grab Air
Canister #174
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345481
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:58 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	670		50	1,600		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	56	J	50	160	J	150	100
05298	Carbon Disulfide	75-15-0	92	J	20	290	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	860		20	3,500		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	38,000		400	150,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	21	J	20	75	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	190		20	660		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-6 Grab Air
Canister #174
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345481
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 12:58 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	110		20	400		75	100
05298	1,1,1-Trichloroethane	71-55-6	2,200		400	12,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	24	J	20	61	J	51	100
05298	m/p-Xylene	179601-23-1	24	J	20	110	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AA	07/19/2011 14:57	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 00:08	Michael A Ziegler	2000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-7 Grab Air
Canister #145
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345482
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:05 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	510	J	500	1,200	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		200	N.D.		620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	910	J	200	3,700	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	41,000		2,000	160,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	370	J	200	1,300	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-7 Grab Air
Canister #145
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345482
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:05 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	420	J	200	1,600	J	750	1000
05298	1,1,1-Trichloroethane	71-55-6	21,000		2,000	110,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AA	07/19/2011 15:41	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 07:00	Michael A Ziegler	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-8 Grab Air
Canister #805
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345483
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:08 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	170		5.0	410		12	10
05298	Benzene	71-43-2	5.3	J	2.0	17	J	6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	110		5.0	310		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	4.1	J	2.0	20	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	13		2.0	53		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,500		40	9,800		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	2.3	J	2.0	8.0	J	7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.1	J	2.0	14	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	7.1	J	2.0	21	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-8 Grab Air
Canister #805
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345483
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:08 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	11		2.0	41		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	400		40	2,200		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	23		2.0	130		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	2.0	J	2.0	10	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.6	J	2.0	16	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 01:40	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 07:44	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-11 Grab Air
Canister #850
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345484
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:44 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10,000		50	25,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	3,300		50	9,900		150	100
05298	Carbon Disulfide	75-15-0	370		20	1,200		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	22	J	20	58	J	53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	1,600		20	6,600		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	11,000		400	44,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	32	J	20	140	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	49	J	20	200	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	110		20	400		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	760		20	2,600		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	330		20	960		59	100
05298	Styrene	100-42-5	36	J	20	150	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-11 Grab Air
Canister #850
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345484
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:44 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	220		20	820		75	100
05298	1,1,1-Trichloroethane	71-55-6	26,000		400	140,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	20	J	20	99	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	72	J	20	310	J	87	100
05298	o-Xylene	95-47-6	25	J	20	110	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 02:28	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 08:28	Michael A Ziegler	2000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-2 Grab Air
Canister #803
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345485
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:50 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18,000		500	42,000		1,200	1000
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	4,800		500	14,000		1,500	1000
05298	Carbon Disulfide	75-15-0	170		20	540		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	45	J	20	120	J	53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	1,400		200	5,800		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	12,000		200	48,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	35	J	20	150	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	38	J	20	150	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	78	J	20	280	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	740		20	2,600		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	300		20	870		59	100
05298	Styrene	100-42-5	70	J	20	300	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	27	J	20	180	J	140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-2 Grab Air
Canister #803
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345485
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:50 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	150		20	580		75	100
05298	1,1,1-Trichloroethane	71-55-6	31,000		400	170,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	54	J	20	240	J	87	100
05298	o-Xylene	95-47-6	21	J	20	92	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 03:15	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 09:12	Michael A Ziegler	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 11:25	Jeffrey B Smith	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-10 Grab Air
Canister #831
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345486
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:54 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9,700		500	23,000		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	2,900		500	8,600		1,500	1000
05298	Carbon Disulfide	75-15-0	210	J	200	640	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	3,200		200	13,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	18,000		200	73,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	620	J	200	2,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	250	J	200	730	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-10 Grab Air
Canister #831
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345486
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 13:54 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	120,000	2,000	670,000	11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 04:00	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 12:56	Jeffrey B Smith	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-9 Grab Air
Canister #507
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345487
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:00 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,900		50	4,600		120	100
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	640		5.0	1,900		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	2.2	J	2.0	11	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	64		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	110		2.0	420		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP-9 Grab Air
Canister #507
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345487
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:00 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	530	20	2,900	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 04:44	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 13:44	Jeffrey B Smith	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Diluted Grab Air
Canister #526
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345488
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:11 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	77		5.0	180		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	37		5.0	110		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	72		2.0	290		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	3,200		200	13,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	3.1	J	2.0	11	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Diluted Grab Air
Canister #526
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345488
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:11 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	14		2.0	53		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	860	J	200	4,700	J	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.4	J	2.0	13	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	2.3	J	2.0	5.9	J	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 05:28	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 14:28	Jeffrey B Smith	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Canister #402
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345489
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:07 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,700		50	6,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	320		50	950		150	100
05298	Carbon Disulfide	75-15-0	180		20	550		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	570		20	2,300		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	28,000		400	110,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	40	J	20	180	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	25	J	20	100	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	81	J	20	290	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	1,200		20	4,300		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	150		20	430		59	100
05298	Styrene	100-42-5	72	J	20	310	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Canister #402
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6345489
LLI Group # 1256497
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/14/2011 14:07 by PS

Submitted: 07/15/2011 09:10
Reported: 07/21/2011 17:34

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	270		20	1,000		75	100
05298	1,1,1-Trichloroethane	71-55-6	6,300		400	34,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	31	J	20	170	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	63	J	20	270	J	87	100
05298	o-Xylene	95-47-6	22	J	20	98	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 06:16	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1119930AB	07/20/2011 12:09	Jeffrey B Smith	2000

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1256497
Reported: 07/21/11 at 05:34 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1119930AA	Sample number(s): 6345478-6345482							
Acetone	N.D.	0.50	ppb(v)	140	143	56-144	2	25
Benzene	N.D.	0.20	ppb(v)	101	94	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	120	113	73-132	6	25
Bromoform	N.D.	0.20	ppb(v)	113	109	65-135	3	25
Bromomethane	N.D.	0.20	ppb(v)	121	116	70-130	4	25
1,3-Butadiene	N.D.	0.50	ppb(v)	106	102	65-138	4	25
2-Butanone	N.D.	0.50	ppb(v)	106	111	63-135	4	25
Carbon Disulfide	N.D.	0.20	ppb(v)	98	96	59-112	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	104	101	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	89	86	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	101	96	71-137	4	25
Chloroform	N.D.	0.20	ppb(v)	99	97	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	112	116	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	99	97	70-128	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	95	93	71-129	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	116	114	42-149	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	112	109	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	117	114	43-143	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	131	129	75-141	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	95	65-127	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	116	109	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	95	62-118	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	94	63-125	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	100	98	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	92	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	102	66-127	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	92	64-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	94	90	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	97	96	56-138	2	25
Freon 113	N.D.	0.50	ppb(v)	92	89	66-120	3	25
Freon 114	N.D.	0.20	ppb(v)	115	113	64-141	2	25
Heptane	N.D.	0.20	ppb(v)	109	102	62-124	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	88	89	59-123	1	25
2-Hexanone	N.D.	0.50	ppb(v)	101	104	44-184	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	104	104	62-125	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	126	127	62-151	0	25
Methylene Chloride	N.D.	0.20	ppb(v)	96	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1256497
Reported: 07/21/11 at 05:34 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	92	90	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	118	122	49-148	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	85	82	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	83	80	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	97	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	96	92	64-129	4	25
Trichloroethene	N.D.	0.20	ppb(v)	103	94	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	130	126	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	103	103	52-142	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	102	100	59-144	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	118	117	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	91	88	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	94	91	70-130	3	25
Batch number: D1119930AB	Sample number(s): 6345479-6345489							
Acetone	N.D.	0.50	ppb(v)	140	143	56-144	2	25
Benzene	N.D.	0.20	ppb(v)	101	94	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	120	113	73-132	6	25
Bromoform	N.D.	0.20	ppb(v)	113	109	65-135	3	25
Bromomethane	N.D.	0.20	ppb(v)	121	116	70-130	4	25
1,3-Butadiene	N.D.	0.50	ppb(v)	106	102	65-138	4	25
2-Butanone	N.D.	0.50	ppb(v)	106	111	63-135	4	25
Carbon Disulfide	N.D.	0.20	ppb(v)	98	96	59-112	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	104	101	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	89	86	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	101	96	71-137	4	25
Chloroform	N.D.	0.20	ppb(v)	99	97	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	112	116	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	99	97	70-128	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	95	93	71-129	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	116	114	42-149	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	112	109	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	117	114	43-143	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	131	129	75-141	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	95	65-127	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	116	109	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	95	62-118	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	94	63-125	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	100	98	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	92	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	102	66-127	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	92	64-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	94	90	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	97	96	56-138	2	25
Freon 113	N.D.	0.50	ppb(v)	92	89	66-120	3	25
Freon 114	N.D.	0.20	ppb(v)	115	113	64-141	2	25
Heptane	N.D.	0.20	ppb(v)	109	102	62-124	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	88	89	59-123	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1256497
Reported: 07/21/11 at 05:34 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
2-Hexanone	N.D.	0.50	ppb(v)	101	104	44-184	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	104	104	62-125	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	126	127	62-151	0	25
Methylene Chloride	N.D.	0.20	ppb(v)	96	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	92	90	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	118	122	49-148	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	85	82	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	83	80	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	97	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	96	92	64-129	4	25
Trichloroethene	N.D.	0.20	ppb(v)	103	94	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	130	126	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	103	103	52-142	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	102	100	59-144	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	118	117	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	91	88	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	94	91	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Analysis Request/ Environmental Services Chain of Custody

Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 6556 Group# 1256497 Sample # 6345478-89

COC # 240644

Please print. Instructions on reverse side correspond with circled numbers.

(1) Client: The Johnson Company Acct. #:

Project Name/#: Flowery Branch SVE PWSID #:

Project Manager: Todd Hall P.O.#: 1-0145-4

Sampler: Pat Smart / Joel Behrsing / ~~Calvin Pruitt~~ Quote #:

Name of state where samples were collected: Georgia

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Temperature of samples upon receipt (if requested)

(2) Sample Identification	Date Collected	Time Collected	(3) Grab	Composite	(4) Matrix: Soil	Water (Potable / NPDES)	Other - Air	Total # of Containers	(5) Analyses Requested: VOC long list via 8260B	Remarks
MP-5	7/14/11	12:15	X				X	1	X	Canister # 016
MP-4	7/14/11	12:27	X				X	1	X	Canister 021
MP-3	7/14/11	12:46	X				X	1	X	Canister 404
MP-6	7/14/11	12:58	X				X	1	X	Canister 174
~~MP-6~~ PLS 7/14/11 MP-7	7/14/11	13:05	X				X	1	X	Canister 145
MP-8	7/14/11	13:08	X				X	1	X	Canister 805
MP-11	7/14/11	13:44	X				X	1	X	Canister 850
MP-2	7/14/11	1350	X				X	1	X	Canister 803
MP-10	7/14/11	13:54	X				X	1	X	Canister 831
MP-9	7/14/11	14:00	X				X	1	X	Canister 507

(7) **Turnaround Time Requested** (TAT) (please circle): (Normal) Rush
(Rush TAT is subject to Lancaster Laboratories approval and ~~surcharge~~.)
Date results are needed:
Rush results requested by (please circle): Phone Fax E-mail
Phone #: 802 229 4600 Fax #:
E-mail address: TAHJCO mail.com

(8) **Data Package Options** (please circle if required)
Type I (validation/NJ Reg)
Type II (Tier II)
Type III (Reduced NJ)
Type IV (CLP SOW)
Type VI (Raw Data Only)
TX TRRP-13
MA MCP CT RCP
Site-specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate volume.)
Internal COC Required? Yes / No

SDG Complete? Yes No

Relinquished by:	Date	Time	Received by:	Date	Time
Pat Smart	7/14/11	1700	fedex		
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	7/15/11	910

(9)

Lancaster Laboratories, Inc., 2425 New Holland Pike, Lancaster, PA 17601 (717) 656-2300 Fax: (717) 656-6766
Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

Issued by Dept. 6042 Management
2102.05

Analysis Request/ Environmental Services Chain of Custody

Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 16556 Group# 1256497 Sample # 6345478-89

COC # 240642

Please print. Instructions on reverse side correspond with circled numbers.

(1)

Client: The Johnson Company Acct. #:

Project Name/#: Flowery Branch SVE PWSID #:

Project Manager: P.O.#: 1-0145-4

Sampler: Pat Smart/Joel Bolesing/Calvin Pruitt Quote #:

Name of state where samples were collected: Georgia

(2) Sample Identification	Date Collected	Time Collected	(3) Grab	Composite	Matrix (4): Soil	Water	Other Air	Potable / NPDES (Check if Applicable)	Total # of Containers	(5) Analyses Requested / Preservation Codes: Long List Voc via 8260B	Remarks
diluted	7/14/11	1411	X				X		1	X	Canister #526
undiluted	7/14/11	1407	X				X		1	X	Canister #402

For Lab Use Only

FSC:

SCR#:

Preservation Codes

H=HCl T=Thiosulfate

N=HNO_3 B=NaOH

S=H_2SO_4 O=Other

(6) Temperature of samples upon receipt (if requested)

(7) **Turnaround Time Requested** (TAT) (please circle): Normal Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:

Rush results requested by (please circle): Phone Fax E-mail

Phone #: 802 229 4600 Fax #:

E-mail address: TAH@Jomail.com

(8) **Data Package Options** (please circle if required)

Type I (validation/NJ Reg)

Type II (Tier II)

Type III (Reduced NJ)

Type IV (CLP SOW)

Type VI (Raw Data Only)

TX TRRP-13

MA MCP CT RCP

SDG Complete? Yes No

Site-specific QC (MS/MSD/Dup)? Yes No

(If yes, indicate QC sample and submit triplicate volume.)

Internal COC Required? Yes / No

(9)

Relinquished by:	Date	Time	Received by:	Date	Time
Pat Smart	7/14/11	1900	Fedex		
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	7/15/11	910

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 7/15/11

Time of Receipt: 910

Source Code: So-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

- Received 13 swagelok tubing pcs. + 1 gauge.

Unpacker Signature/Emp#: 236 **Date/Time:** 7/15/11 1140

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

August 24, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 08/17/2011
Group Number: 1262228
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP 9 Summa Can #138 Grab Air	6379259
MP 10 Summa Can #129 Grab Air	6379260
MP 11 Summa Can #897 Grab Air	6379261
MP 2 Summa Can #863 Grab Air	6379262
MP 3 Summa Can #510 Grab Air	6379263
MP 8 Summa Can #852 Grab Air	6379264
MP 7 Summa Can #074 Grab Air	6379265
MP 6 Summa Can #140 Grab Air	6379266
MP 5 Summa Can #163 Grab Air	6379267
MP 4 Summa Can #827 Grab Air	6379268
Undiluted Summa Can #1089 Grab Air	6379269
Blower Exhaust SC #189 Composite Air	6379270

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,



Chad A. Moline
Group Leader

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 9 Summa Can #138 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379259
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:47 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	140		1.0	330		2.4	2
05298	Benzene	71-43-2	N.D.		0.40	N.D.		1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	88		1.0	260		2.9	2
05298	Carbon Disulfide	75-15-0	0.60	J	0.40	1.9	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	N.D.		0.40	N.D.		1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	0.66	J	0.40	1.4	J	0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	2.0		0.40	9.8		2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.40	2.7	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	N.D.		0.40	N.D.		1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	0.57	J	0.40	2.3	J	1.6	2
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	N.D.		0.40	N.D.		1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	3.1	J	1.0	13	J	4.1	2
05298	Methylene Chloride	75-09-2	N.D.		0.40	N.D.		1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	N.D.		0.40	N.D.		1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	N.D.		0.40	N.D.		2.7	2
05298	Toluene	108-88-3	N.D.		0.40	N.D.		1.5	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 9 Summa Can #138 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379259
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:47 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.40	N.D.		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	0.41	J	0.40	2.3	J	2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.40	N.D.		2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.40	N.D.		2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	0.75	J	0.40	3.3	J	1.7	2
05298	o-Xylene	95-47-6	0.45	J	0.40	1.9	J	1.7	2

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 12:31	Michael A Ziegler	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can #129 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379260
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:52 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	160		10	380		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	110		10	310		29	20
05298	Carbon Disulfide	75-15-0	22		4.0	69		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	5.1	J	4.0	25	J	20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	200		4.0	820		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	990		4.0	3,900		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	5.7	J	4.0	17	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can #129 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379260
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:52 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,500		4.0	8,200		22	20
05298	1,1,2-Trichloroethane	79-00-5	4.2	J	4.0	23	J	22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 13:15	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can #897 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379261
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:56 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	220		10	530		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	140		10	410		29	20
05298	Carbon Disulfide	75-15-0	12	J	4.0	38	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	130		4.0	540		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,400		4.0	5,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	5.6	J	4.0	19	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	100		4.0	380		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can #897 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379261
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:56 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,700		4.0	9,200		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	6.9	J	4.0	39	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/24/2011 01:03	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 2 Summa Can #863 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379262
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:59 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	720		10	1,700		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	440		10	1,300		29	20
05298	Carbon Disulfide	75-15-0	19	J	4.0	60	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	5.3	J	4.0	26	J	20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	5.3	J	4.0	26	J	20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	190		4.0	780		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	2,100		4.0	8,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	4.2	J	4.0	15	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	5.5	J	4.0	16	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	15	J	4.0	56	J	15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 2 Summa Can #863 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379262
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 12:59 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,500		4.0	8,000		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	5.0	J	4.0	13	J	10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 18:25	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 3 Summa Can #510 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379263
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:10 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.2	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	6.0	J	2.0	19	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.0	J	2.0	7.2	J	7.1	10
05298	Chloroethane	75-00-3	4.1	J	2.0	11	J	5.3	10
05298	Chloroform	67-66-3	3.6	J	2.0	18	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	2.2	J	2.0	11	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	480		2.0	1,900		8.1	10
05298	1,2-Dichloroethane	107-06-2	3.9	J	2.0	16	J	8.1	10
05298	1,1-Dichloroethene	75-35-4	5,000		40	20,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	5.8	J	2.0	25	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	22		2.0	75		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	11		2.0	74		14	10
05298	Toluene	108-88-3	1,000		2.0	3,900		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 3 Summa Can #510 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379263
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:10 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	13,000		40	70,000		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	3.5	J	2.0	19	J	11	10
05298	Trichlorofluoromethane	75-69-4	26		2.0	150		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	4.7	J	2.0	12	J	5.1	10
05298	m/p-Xylene	179601-23-1	34		2.0	150		8.7	10
05298	o-Xylene	95-47-6	7.5	J	2.0	33	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AA	08/23/2011 03:41	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 19:10	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 8 Summa Can #852 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379264
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:14 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.7		0.50	18		1.2	1
05298	Benzene	71-43-2	0.41	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.2		0.50	6.5		1.5	1
05298	Carbon Disulfide	75-15-0	0.24	J	0.20	0.73	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.5		0.20	5.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.7		0.20	8.3		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.50	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.9		0.20	7.6		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.21	J	0.20	0.84	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	1,200		4.0	4,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	0.25	J	0.20	1.1	J	0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.27	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.3		0.20	4.7		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.22	J	0.20	0.64	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	2.7		0.20	10		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 8 Summa Can #852 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379264
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:14 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	77		0.20	420		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.25	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	22		0.20	120		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.95	J	0.20	4.1	J	0.87	1
05298	o-Xylene	95-47-6	0.55	J	0.20	2.4	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AA	08/23/2011 04:28	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 19:54	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 7 Summa Can #074 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379265
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:16 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.5	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	2.4	J	2.0	7.6	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	180		2.0	720		8.1	10
05298	1,2-Dichloroethane	107-06-2	5.5	J	2.0	22	J	8.1	10
05298	1,1-Dichloroethene	75-35-4	9,400		20	37,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	14		2.0	50		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.2	J	2.0	15	J	14	10
05298	Toluene	108-88-3	300		2.0	1,100		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 7 Summa Can #074 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379265
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:16 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	3,100		20	17,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	3.1	J	2.0	17	J	11	10
05298	Trichlorofluoromethane	75-69-4	22		2.0	130		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	8.1	J	2.0	35	J	8.7	10
05298	o-Xylene	95-47-6	2.2	J	2.0	9.7	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AA	08/23/2011 05:12	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 20:41	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 6 Summa Can #140 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379266
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:19 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		10	N.D.		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	4.2	J	4.0	13	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	120		4.0	470		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	660		4.0	2,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	9.6	J	4.0	33	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	280		4.0	1,100		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 6 Summa Can #140 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379266
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:19 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,300		40	13,000		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	26		4.0	140		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	4.4	J	4.0	19	J	17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 21:25	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/24/2011 02:37	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 5 Summa Can #163 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379267
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:22 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		1.0	27		2.4	2
05298	Benzene	71-43-2	N.D.		0.40	N.D.		1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	5.2		1.0	15		2.9	2
05298	Carbon Disulfide	75-15-0	1.4	J	0.40	4.3	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	1.5	J	0.40	5.3	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	0.97	J	0.40	2.0	J	0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	1.1	J	0.40	5.3	J	2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.40	2.9	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	0.68	J	0.40	2.8	J	1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	140		0.40	550		1.6	2
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	N.D.		0.40	N.D.		1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	4.4		1.0	34		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	0.48	J	0.40	1.7	J	1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	0.48	J	0.40	1.4	J	1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	N.D.		0.40	N.D.		2.7	2
05298	Toluene	108-88-3	1.1	J	0.40	4.3	J	1.5	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 5 Summa Can #163 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379267
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:22 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	7.6		0.40	42		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	21		0.40	120		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	0.65	J	0.40	3.2	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.40	N.D.		2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	0.97	J	0.40	4.2	J	1.7	2
05298	o-Xylene	95-47-6	0.67	J	0.40	2.9	J	1.7	2

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/24/2011 01:54	Michael A Ziegler	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 4 Summa Can #827 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379268
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:26 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	16	J	10	38	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	6.0	J	4.0	19	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	9.1	J	4.0	37	J	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	500		4.0	2,000		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 4 Summa Can #827 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379268
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:26 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.3	J	4.0	24	J	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	29		4.0	160		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 22:52	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can #1089 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379269
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:03 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		10	N.D.		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	4.2	J	4.0	13	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	150		4.0	600		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	2,000		40	8,100		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	10	J	4.0	36	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	430		4.0	1,600		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can #1089 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379269
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/15/2011 13:03 by NW

Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,800		40	15,000		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	25		4.0	140		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	6.9	J	4.0	30	J	17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/23/2011 23:36	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/24/2011 03:21	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Exhaust SC #189 Composite Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379270
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/11/2011 11:20 by NW
through 08/11/2011 13:22
Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	210		10	500		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	32	J	10	93	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	4.7	J	4.0	28	J	24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	23		4.0	93		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	430		4.0	1,700		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	4.3	J	4.0	15	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Exhaust SC #189 Composite Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6379270
LLI Group # 1262228
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/11/2011 11:20 by NW
through 08/11/2011 13:22
Submitted: 08/17/2011 09:25
Reported: 08/24/2011 18:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	350		4.0	1,900		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	12	J	4.0	66	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1123430AB	08/24/2011 00:19	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1262228
Reported: 08/24/11 at 06:16 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1123430AA	Sample number(s): 6379263-6379265							
Acetone	N.D.	0.50	ppb(v)	128	115	56-144	10	25
Benzene	N.D.	0.20	ppb(v)	88	74	70-130	17	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	102	86	73-132	17	25
Bromoform	N.D.	0.20	ppb(v)	107	94	65-135	13	25
Bromomethane	N.D.	0.20	ppb(v)	102	90	70-130	13	25
1,3-Butadiene	N.D.	0.50	ppb(v)	89	80	65-138	11	25
2-Butanone	N.D.	0.50	ppb(v)	94	92	63-135	2	25
Carbon Disulfide	N.D.	0.20	ppb(v)	82	73	59-112	12	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	110	93	70-130	16	25
Chlorobenzene	N.D.	0.20	ppb(v)	90	77	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	94	81	71-137	14	25
Chloroform	N.D.	0.20	ppb(v)	95	80	70-130	18	25
Chloromethane	N.D.	0.20	ppb(v)	84	81	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	97	83	70-128	15	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	83	71-129	15	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	114	100	42-149	13	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	108	95	47-141	13	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	111	97	43-143	13	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	110	96	75-141	14	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	81	65-127	18	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	103	87	70-130	17	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	77	63-125	15	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	84	63-119	15	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	73	70-130	14	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	88	77	66-127	13	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	89	78	64-126	14	25
Ethylbenzene	N.D.	0.20	ppb(v)	97	83	70-130	16	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	94	84	56-138	11	25
Freon 113	N.D.	0.50	ppb(v)	99	83	66-120	17	25
Freon 114	N.D.	0.20	ppb(v)	97	85	64-141	12	25
Heptane	N.D.	0.20	ppb(v)	85	73	62-124	16	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	89	77	59-123	15	25
2-Hexanone	N.D.	0.50	ppb(v)	103	102	44-184	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	89	81	62-125	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	98	95	62-151	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	130	112	70-130	15	25
Octane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1262228
Reported: 08/24/11 at 06:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	95	80	65-136	17	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	107	103	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	88	76	70-130	15	25
Toluene	N.D.	0.20	ppb(v)	89	76	70-130	16	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	100	85	70-130	16	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	93	80	64-129	15	25
Trichloroethene	N.D.	0.20	ppb(v)	96	78	70-130	20	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	122	107	70-130	14	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	98	88	52-142	10	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	97	88	59-144	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	93	84	70-130	10	25
m/p-Xylene	N.D.	0.20	ppb(v)	102	87	70-130	16	25
o-Xylene	N.D.	0.20	ppb(v)	97	84	70-130	15	25
Batch number: D1123430AB	Sample number(s): 6379259-6379270							
Acetone	N.D.	0.50	ppb(v)	128	115	56-144	10	25
Benzene	N.D.	0.20	ppb(v)	88	74	70-130	17	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	102	86	73-132	17	25
Bromoform	N.D.	0.20	ppb(v)	107	94	65-135	13	25
Bromomethane	N.D.	0.20	ppb(v)	102	90	70-130	13	25
1,3-Butadiene	N.D.	0.50	ppb(v)	89	80	65-138	11	25
2-Butanone	N.D.	0.50	ppb(v)	94	92	63-135	2	25
Carbon Disulfide	N.D.	0.20	ppb(v)	82	73	59-112	12	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	110	93	70-130	16	25
Chlorobenzene	N.D.	0.20	ppb(v)	90	77	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	94	81	71-137	14	25
Chloroform	N.D.	0.20	ppb(v)	95	80	70-130	18	25
Chloromethane	N.D.	0.20	ppb(v)	84	81	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	97	83	70-128	15	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	83	71-129	15	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	114	100	42-149	13	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	108	95	47-141	13	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	111	97	43-143	13	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	110	96	75-141	14	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	81	65-127	18	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	103	87	70-130	17	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	96	85	62-118	12	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	77	63-125	15	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	84	63-119	15	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	73	70-130	14	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	88	77	66-127	13	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	89	78	64-126	14	25
Ethylbenzene	N.D.	0.20	ppb(v)	97	83	70-130	16	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	94	84	56-138	11	25
Freon 113	N.D.	0.50	ppb(v)	99	83	66-120	17	25
Freon 114	N.D.	0.20	ppb(v)	97	85	64-141	12	25
Heptane	N.D.	0.20	ppb(v)	85	73	62-124	16	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	89	77	59-123	15	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1262228
Reported: 08/24/11 at 06:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
2-Hexanone	N.D.	0.50	ppb(v)	103	102	44-184	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	89	81	62-125	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	98	95	62-151	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	130	112	70-130	15	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	95	80	65-136	17	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	107	103	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	88	76	70-130	15	25
Toluene	N.D.	0.20	ppb(v)	89	76	70-130	16	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	100	85	70-130	16	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	93	80	64-129	15	25
Trichloroethene	N.D.	0.20	ppb(v)	96	78	70-130	20	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	122	107	70-130	14	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	98	88	52-142	10	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	97	88	59-144	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	93	84	70-130	10	25
m/p-Xylene	N.D.	0.20	ppb(v)	102	87	70-130	16	25
o-Xylene	N.D.	0.20	ppb(v)	97	84	70-130	15	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Analysis Request/ Environmental Services Chain of Custody

Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 6556 Group# 1262228 Sample # 6379259-70

COC # 240695

1 of 2

Please print. Instructions on reverse side correspond with circled numbers.

For Lab Use Only
FSC: _____
SCR#: _____

(1)
Client: The Johnson Co. Acct. #: _____
Project Name/#: Flowery Branch SVE PWSID #: _____
Project Manager: Todd Hall P.O.#: 1-0145-4
Sampler: Nathan Williams Quote #: _____
Name of state where samples were collected: Georgia

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Temperature of samples upon receipt (if requested)

(2) Sample Identification	Date Collected	Time Collected	(3) Grab	Composite	Matrix: Soil	Water	Other (Air)	(4) Total # of Containers	(5) Analyses Requested / Preservation Codes: Long list VOC via 8260 SIM	Remarks
MP 9	8/15/11	12:47	X				X	1	X	Canister # 138
MP 10	8/15/11	12:52	X				X	1	X	" # 129
MP 11	8/15/11	12:56	X				X	1	X	" # 897
MP 2	8/15/11	12:59	X				X	1	X	" # 863
MP 3	8/15/11	13:10	X				X	1	X	" # 510
MP 8	8/15/11	13:14	X				X	1	X	" # 852
MP 7	8/15/11	13:16	X				X	1	X	" # 074
MP 6	8/15/11	13:19	X				X	1	X	" # 140
MP 5	8/15/11	13:22	X				X	1	X	" # 163
MP 4	8/15/11	13:26	X				X	1	X	" # 827

(7) **Turnaround Time Requested** (TAT) (please circle): (Normal) Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)
Date results are needed: _____
Rush results requested by (please circle): Phone Fax E-mail
Phone #: 802-229-4600 Fax #: _____
E-mail address: TAH@JCOmail.com

(8) **Data Package Options** (please circle if required)
Type I (validation/NJ Reg) TX TRRP-13
Type II (Tier II) MA MCP CT RCP
Type III (Reduced NJ)
Type IV (CLP SOW)
Type VI (Raw Data Only)
SDG Complete? Yes No
Site-specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate volume.)
Internal COC Required? Yes / No _____

(9)

Relinquished by:	Date	Time	Received by:	Date	Time
Nathan Williams	8/15/11	1602			
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by: Brandy Barclay	8-17-11	925

Analysis Request/ Environmental Services Chain of Custody

Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 6556 Group# 1262228 Sample # 6379259-70 **COC # 240694**

2 of 2

Please print. Instructions on reverse side correspond with circled numbers.

(1) Client: The Johnson Co Acct. #:

Project Name/#: Flowery Branch SVE PWSID #:

Project Manager: Todd Hall P.O.#: 1-0145-4

Sampler: Nathan Williams Quote #:

Name of state where samples were collected: Georgia

(2) Sample Identification	Date Collected	Time Collected	(3) Grab	(3) Composite	Matrix (4): Soil	Water	Other Air	Total # of Containers	(5) Analyses Requested / Preservation Codes: Long list+ VOC via 8260B	Remarks
~~Blower~~ Undiluted	8/15/11	13:03	X				X	1	X	Cannister # 1089
Blower Exhaust	8/15/11	11:20-13:22		X			X	1	X	Cannister # 189

Potable / NPDES: ☐ ☐

For Lab Use Only
FSC:
SCR#:

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Temperature of samples upon receipt (if requested)

(7) **Turnaround Time Requested** (TAT) (please circle): (Normal) Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)
Date results are needed:
Rush results requested by (please circle): Phone Fax E-mail
Phone #: 802-229-4600 Fax #:
E-mail address: TAH@JCOmail.com

(8) **Data Package Options** (please circle if required)
Type I (validation/NJ Reg) TX TRRP-13
Type II (Tier II) MA MCP CT RCP
Type III (Reduced NJ)
Type IV (CLP SOW)
Type VI (Raw Data Only)
SDG Complete? Yes No
Site-specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate volume.)
Internal COC Required? Yes / No

(9) Relinquished by:	Date	Time	Received by:	Date	Time
Nathan Williams	8/15/11	1602			
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by: Brandy Buckley	8-17-11	925

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson CO

Date of Receipt: 8-17-11

Time of Receipt: 925

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: (0)

Paperwork Discrepancy/Unpacking Problems:

Rec not used Summa's 30,123,553
Rec 2 Flow control
Rec 15 Tubing

Unpacker Signature/Emp#: Brandy Barclay 2299 **Date/Time:** 8-17-11 11:01

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

September 28, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 09/20/2011
Group Number: 1267255
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP09 Summa Can #856 Air	6411711
MP06 Summa Can #891 Air	6411712
VW5 Summa Can #106 Air	6411713
MP3 Summa Can #1031 Air	6411714
VW3 Summa Can #1077 Air	6411715
MP08 Summa Can #880 Air	6411716
MP64 Summa Can #095 Air	6411717
MP07 Summa Can #102 Air	6411718
VW6 Summa Can #1021 Air	6411719
MP11 Summa Can #135 Air	6411720
MP02 Summa Can #158 Air	6411721
MP10 Summa Can #534 Air	6411722
Undiluted1 Summa Can #145 Air	6411723
MP05 Summa Can #162 Air	6411724
Blower Summa Can #012 Air	6411725
MP04 Summa Can #138 Air	6411726

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Matthew E. Barton
Senior Specialist

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can #856 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411711
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:31 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	29		2.5	69		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	15		2.5	45		7.4	5
05298	Carbon Disulfide	75-15-0	2.1	J	1.0	6.6	J	3.1	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	46		1.0	180		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	32,000		200	130,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	1.2	J	1.0	4.3	J	3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	2.5	J	1.0	8.6	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.0	J	1.0	6.9	J	6.8	5
05298	Toluene	108-88-3	1.8	J	1.0	6.8	J	3.8	5

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can #856 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411711
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:31 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	5,200		200	28,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.2	J	1.0	7.0	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	4.7	J	1.0	12	J	2.6	5
05298	m/p-Xylene	179601-23-1	N.D.		1.0	N.D.		4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1126430AB	09/22/2011 13:37	Michael A Ziegler	5
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 07:13	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411712
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:17 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	32		2.5	76		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	12		2.5	35		7.4	5
05298	Carbon Disulfide	75-15-0	2.2	J	1.0	7.0	J	3.1	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	1.1	J	1.0	3.7	J	3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	14		1.0	58		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	220		1.0	880		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	2.7	J	1.0	9.2	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	1.2	J	1.0	3.6	J	3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5
05298	Toluene	108-88-3	120		1.0	470		3.8	5

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411712
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:17 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,500		200	14,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	4.1	J	1.0	23	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.4	J	1.0	5.9	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1126430AB	09/22/2011 14:21	Michael A Ziegler	5
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 07:56	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can #106 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411713
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:17 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	150,000		5,000	360,000		12,000	10000
05298	Benzene	71-43-2	N.D.		2,000	N.D.		6,400	10000
05298	Bromobenzene	108-86-1	N.D.		2,000	N.D.		13,000	10000
05298	Bromodichloromethane	75-27-4	N.D.		2,000	N.D.		13,000	10000
05298	Bromoform	75-25-2	N.D.		2,000	N.D.		21,000	10000
05298	Bromomethane	74-83-9	N.D.		2,000	N.D.		7,800	10000
05298	1,3-Butadiene	106-99-0	N.D.		5,000	N.D.		11,000	10000
05298	2-Butanone	78-93-3	51,000		5,000	150,000		15,000	10000
05298	Carbon Disulfide	75-15-0	44,000		2,000	140,000		6,200	10000
05298	Carbon Tetrachloride	56-23-5	N.D.		2,000	N.D.		13,000	10000
05298	Chlorobenzene	108-90-7	N.D.		2,000	N.D.		9,200	10000
05298	Chlorodifluoromethane	75-45-6	5,300	J	2,000	19,000	J	7,100	10000
05298	Chloroethane	75-00-3	N.D.		2,000	N.D.		5,300	10000
05298	Chloroform	67-66-3	N.D.		2,000	N.D.		9,800	10000
05298	Chloromethane	74-87-3	N.D.		2,000	N.D.		4,100	10000
05298	3-Chloropropene	107-05-1	N.D.		2,000	N.D.		6,300	10000
05298	Cumene	98-82-8	N.D.		2,000	N.D.		9,800	10000
05298	Dibromochloromethane	124-48-1	N.D.		2,000	N.D.		17,000	10000
05298	1,2-Dibromoethane	106-93-4	N.D.		2,000	N.D.		15,000	10000
05298	Dibromomethane	74-95-3	N.D.		2,000	N.D.		14,000	10000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2,000	N.D.		12,000	10000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2,000	N.D.		12,000	10000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2,000	N.D.		12,000	10000
05298	Dichlorodifluoromethane	75-71-8	N.D.		2,000	N.D.		9,900	10000
05298	1,1-Dichloroethane	75-34-3	4,000	J	2,000	16,000	J	8,100	10000
05298	1,2-Dichloroethane	107-06-2	3,300	J	2,000	14,000	J	8,100	10000
05298	1,1-Dichloroethene	75-35-4	460,000		2,000	1,800,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2,000	N.D.		7,900	10000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2,000	N.D.		7,900	10000
05298	Dichlorofluoromethane	75-43-4	N.D.		2,000	N.D.		8,400	10000
05298	1,2-Dichloropropane	78-87-5	N.D.		2,000	N.D.		9,200	10000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2,000	N.D.		9,100	10000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2,000	N.D.		9,100	10000
05298	Ethylbenzene	100-41-4	3,200	J	2,000	14,000	J	8,700	10000
05298	4-Ethyltoluene	622-96-8	N.D.		2,000	N.D.		9,800	10000
05298	Freon 113	76-13-1	N.D.		5,000	N.D.		38,000	10000
05298	Freon 114	76-14-2	N.D.		2,000	N.D.		14,000	10000
05298	Heptane	142-82-5	N.D.		2,000	N.D.		8,200	10000
05298	Hexachloroethane	67-72-1	N.D.		2,000	N.D.		19,000	10000
05298	Hexane	110-54-3	11,000		2,000	38,000		7,000	10000
05298	2-Hexanone	591-78-6	N.D.		5,000	N.D.		20,000	10000
05298	Isooctane	540-84-1	N.D.		2,000	N.D.		9,300	10000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2,000	N.D.		7,200	10000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5,000	N.D.		20,000	10000
05298	Methylene Chloride	75-09-2	54,000		2,000	190,000		6,900	10000
05298	Octane	111-65-9	N.D.		2,000	N.D.		9,300	10000
05298	Pentane	109-66-0	11,000		2,000	33,000		5,900	10000
05298	Styrene	100-42-5	N.D.		2,000	N.D.		8,500	10000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2,000	N.D.		14,000	10000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2,000	N.D.		14,000	10000
05298	Tetrachloroethene	127-18-4	N.D.		2,000	N.D.		14,000	10000
05298	Toluene	108-88-3	24,000		2,000	92,000		7,500	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can #106 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411713
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:17 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	11,000		2,000	58,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2,000	N.D.		11,000	10000
05298	Trichloroethene	79-01-6	N.D.		2,000	N.D.		11,000	10000
05298	Trichlorofluoromethane	75-69-4	2,500	J	2,000	14,000	J	11,000	10000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2,000	N.D.		12,000	10000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2,000	N.D.		9,800	10000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2,000	N.D.		9,800	10000
05298	Vinyl Chloride	75-01-4	N.D.		2,000	N.D.		5,100	10000
05298	m/p-Xylene	179601-23-1	2,600	J	2,000	11,000	J	8,700	10000
05298	o-Xylene	95-47-6	3,000	J	2,000	13,000	J	8,700	10000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 08:41	Michael A Ziegler	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP3 Summa Can #1031 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411714
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:15 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	790		50	1,900		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	110	J	50	330	J	150	100
05298	Carbon Disulfide	75-15-0	310		20	970		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	48	J	20	170	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	120		20	500		81	100
05298	1,2-Dichloroethane	107-06-2	21	J	20	86	J	81	100
05298	1,1-Dichloroethene	75-35-4	2,300		20	9,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	42	J	20	180	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	96	J	20	340	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	250		20	870		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	75	J	20	220	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	1,200		20	4,400		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP3 Summa Can #1031 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411714
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:15 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	7,300		20	40,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	26	J	20	110	J	87	100
05298	o-Xylene	95-47-6	40	J	20	170	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 03:30	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa Can #1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411715
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:59 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4,700		50	11,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	2,200		50	6,300		150	100
05298	Carbon Disulfide	75-15-0	330		20	1,000		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	43	J	20	150	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	470		20	1,900		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	25	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	110		20	370		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	600		20	2,100		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	97	J	20	290	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	180		20	700		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa Can #1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411715
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:59 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	170		20	940		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	27	J	20	120	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 04:15	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can #880 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411716
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:22 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11	J	10	27	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	N.D.		4.0	N.D.		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,900		4.0	7,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	7.6	J	4.0	29	J	15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can #880 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411716
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:22 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	100		4.0	570		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	9.5	J	4.0	53	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 04:58	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP64 Summa Can #095 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411717
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:11 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	120,000		5,000	280,000		12,000	10000
05298	Benzene	71-43-2	N.D.		2,000	N.D.		6,400	10000
05298	Bromobenzene	108-86-1	N.D.		2,000	N.D.		13,000	10000
05298	Bromodichloromethane	75-27-4	N.D.		2,000	N.D.		13,000	10000
05298	Bromoform	75-25-2	N.D.		2,000	N.D.		21,000	10000
05298	Bromomethane	74-83-9	N.D.		2,000	N.D.		7,800	10000
05298	1,3-Butadiene	106-99-0	N.D.		5,000	N.D.		11,000	10000
05298	2-Butanone	78-93-3	30,000		5,000	89,000		15,000	10000
05298	Carbon Disulfide	75-15-0	36,000		2,000	110,000		6,200	10000
05298	Carbon Tetrachloride	56-23-5	N.D.		2,000	N.D.		13,000	10000
05298	Chlorobenzene	108-90-7	N.D.		2,000	N.D.		9,200	10000
05298	Chlorodifluoromethane	75-45-6	4,400	J	2,000	16,000	J	7,100	10000
05298	Chloroethane	75-00-3	N.D.		2,000	N.D.		5,300	10000
05298	Chloroform	67-66-3	N.D.		2,000	N.D.		9,800	10000
05298	Chloromethane	74-87-3	N.D.		2,000	N.D.		4,100	10000
05298	3-Chloropropene	107-05-1	N.D.		2,000	N.D.		6,300	10000
05298	Cumene	98-82-8	N.D.		2,000	N.D.		9,800	10000
05298	Dibromochloromethane	124-48-1	N.D.		2,000	N.D.		17,000	10000
05298	1,2-Dibromoethane	106-93-4	N.D.		2,000	N.D.		15,000	10000
05298	Dibromomethane	74-95-3	N.D.		2,000	N.D.		14,000	10000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2,000	N.D.		12,000	10000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2,000	N.D.		12,000	10000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2,000	N.D.		12,000	10000
05298	Dichlorodifluoromethane	75-71-8	N.D.		2,000	N.D.		9,900	10000
05298	1,1-Dichloroethane	75-34-3	2,900	J	2,000	12,000	J	8,100	10000
05298	1,2-Dichloroethane	107-06-2	2,100	J	2,000	8,600	J	8,100	10000
05298	1,1-Dichloroethene	75-35-4	100,000		2,000	400,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2,000	N.D.		7,900	10000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2,000	N.D.		7,900	10000
05298	Dichlorofluoromethane	75-43-4	N.D.		2,000	N.D.		8,400	10000
05298	1,2-Dichloropropane	78-87-5	N.D.		2,000	N.D.		9,200	10000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2,000	N.D.		9,100	10000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2,000	N.D.		9,100	10000
05298	Ethylbenzene	100-41-4	4,400	J	2,000	19,000	J	8,700	10000
05298	4-Ethyltoluene	622-96-8	N.D.		2,000	N.D.		9,800	10000
05298	Freon 113	76-13-1	N.D.		5,000	N.D.		38,000	10000
05298	Freon 114	76-14-2	N.D.		2,000	N.D.		14,000	10000
05298	Heptane	142-82-5	N.D.		2,000	N.D.		8,200	10000
05298	Hexachloroethane	67-72-1	N.D.		2,000	N.D.		19,000	10000
05298	Hexane	110-54-3	8,800	J	2,000	31,000	J	7,000	10000
05298	2-Hexanone	591-78-6	N.D.		5,000	N.D.		20,000	10000
05298	Isooctane	540-84-1	N.D.		2,000	N.D.		9,300	10000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2,000	N.D.		7,200	10000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5,000	N.D.		20,000	10000
05298	Methylene Chloride	75-09-2	63,000		2,000	220,000		6,900	10000
05298	Octane	111-65-9	N.D.		2,000	N.D.		9,300	10000
05298	Pentane	109-66-0	12,000		2,000	34,000		5,900	10000
05298	Styrene	100-42-5	N.D.		2,000	N.D.		8,500	10000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2,000	N.D.		14,000	10000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2,000	N.D.		14,000	10000
05298	Tetrachloroethene	127-18-4	N.D.		2,000	N.D.		14,000	10000
05298	Toluene	108-88-3	24,000		2,000	89,000		7,500	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP64 Summa Can #095 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411717
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:11 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	44,000		2,000	240,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2,000	N.D.		11,000	10000
05298	Trichloroethene	79-01-6	N.D.		2,000	N.D.		11,000	10000
05298	Trichlorofluoromethane	75-69-4	N.D.		2,000	N.D.		11,000	10000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2,000	N.D.		12,000	10000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2,000	N.D.		9,800	10000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2,000	N.D.		9,800	10000
05298	Vinyl Chloride	75-01-4	N.D.		2,000	N.D.		5,100	10000
05298	m/p-Xylene	179601-23-1	N.D.		2,000	N.D.		8,700	10000
05298	o-Xylene	95-47-6	4,400	J	2,000	19,000	J	8,700	10000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 05:44	Michael A Ziegler	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can #102 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411718
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:20 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	130		10	310		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	33	J	10	98	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	74		4.0	300		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	5,200		20	21,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	11	J	4.0	38	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	6.2	J	4.0	18	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	330		4.0	1,300		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can #102 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411718
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:20 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,300		20	13,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	9.9	J	4.0	56	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	5.6	J	4.0	24	J	17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AD	09/25/2011 20:57	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AD	09/25/2011 22:25	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can #1021 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411719
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:05 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17,000		500	39,000		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	7,300		500	22,000		1,500	1000
05298	Carbon Disulfide	75-15-0	240	J	200	740	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	960	J	200	3,900	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	41,000		200	160,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	450	J	200	1,900	J	870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	1,100		200	3,700		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	1,200		200	4,500		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can #1021 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411719
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 12:05 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	21,000		200	110,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	810	J	200	3,500	J	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 19:39	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411720
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:37 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,100		50	2,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	190	J	50	550	J	150	100
05298	Carbon Disulfide	75-15-0	380		20	1,200		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	51	J	20	180	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	42	J	20	170	J	81	100
05298	1,2-Dichloroethane	107-06-2	23	J	20	95	J	81	100
05298	1,1-Dichloroethene	75-35-4	1,400		20	5,700		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	210		20	930		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	97	J	20	340	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	430		20	1,500		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	100	J	20	290	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	310		20	1,200		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411720
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:37 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,400		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	20	J	20	87	J	87	100
05298	o-Xylene	95-47-6	310		20	1,300		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 01:14	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can #158 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411721
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:36 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,000		50	2,400		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	330		50	970		150	100
05298	Carbon Disulfide	75-15-0	100		20	320		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	30	J	20	110	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	91	J	20	370	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,200		20	8,700		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	340		20	1,500		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	39	J	20	140	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	360		20	1,300		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	70	J	20	210	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	130		20	510		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can #158 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411721
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:36 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200	20	6,400	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	490	20	2,100	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 21:10	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can #534 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411722
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:33 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	82		1.0	190		2.4	2
05298	Benzene	71-43-2	0.60	J	0.40	1.9	J	1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	38		1.0	110		2.9	2
05298	Carbon Disulfide	75-15-0	0.65	J	0.40	2.0	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	0.98	J	0.40	3.5	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	N.D.		0.40	N.D.		0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	N.D.		0.40	N.D.		2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.40	2.8	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	8.9		0.40	36		1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	110		0.40	440		1.6	2
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	0.51	J	0.40	2.2	J	1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	0.74	J	0.40	3.0	J	1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	3.0		0.40	11		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	8.3		0.40	29		1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	66		0.40	190		1.2	2
05298	Styrene	100-42-5	0.64	J	0.40	2.7	J	1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	N.D.		0.40	N.D.		2.7	2
05298	Toluene	108-88-3	15		0.40	57		1.5	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can #534 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411722
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:33 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	93		0.40	510		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	4.9		0.40	27		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	0.57	J	0.40	2.8	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.40	N.D.		2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	1.5	J	0.40	6.5	J	1.7	2
05298	o-Xylene	95-47-6	0.58	J	0.40	2.5	J	1.7	2

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AD	09/25/2011 23:07	Michael A Ziegler	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted1 Summa Can #145 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411723
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:39 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	900		50	2,100		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	97	J	50	290	J	150	100
05298	Carbon Disulfide	75-15-0	340		20	1,100		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	71	J	20	250	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	54	J	20	220	J	81	100
05298	1,2-Dichloroethane	107-06-2	21	J	20	86	J	81	100
05298	1,1-Dichloroethene	75-35-4	2,000		20	8,100		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	91	J	20	390	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	87	J	20	310	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	370		20	1,300		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	130		20	390		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	560		20	2,100		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted1 Summa Can #145 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411723
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:39 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	3,300		20	18,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	28	J	20	160	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	91	J	20	400	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AC	09/23/2011 02:44	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can #162 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411724
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:09 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.1		0.50	19		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.5		0.50	13		1.5	1
05298	Carbon Disulfide	75-15-0	0.71	J	0.20	2.2	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.2		0.20	4.3		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.88	J	0.20	4.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	170		2.0	660		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.35	J	0.20	1.2	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.25	J	0.20	0.94	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can #162 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411724
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:09 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.58	J	0.20	3.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	7.2		0.20	41		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.45	J	0.20	2.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.28	J	0.20	1.2	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 15:03	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 17:29	Michael A Ziegler	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can #012 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411725
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:41 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20		0.50	47		1.2	1
05298	Benzene	71-43-2	0.34	J	0.20	1.1	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	8.3		0.50	24		1.5	1
05298	Carbon Disulfide	75-15-0	0.41	J	0.20	1.3	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	0.24	J	0.20	1.5	J	1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.58	J	0.20	2.1	J	0.71	1
05298	Chloroethane	75-00-3	0.26	J	0.20	0.67	J	0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.80	J	0.20	1.6	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.1		0.20	5.4		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	13		0.20	53		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.55	J	0.20	2.2	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	710		4.0	2,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.48	J	0.20	2.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.3		0.20	4.4		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.24	J	0.20	0.71	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.69	J	0.20	4.7	J	1.4	1
05298	Toluene	108-88-3	120		0.20	460		0.75	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can #012 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411725
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:41 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		4.0	6,300		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.32	J	0.20	1.7	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.3		0.20	13		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.1		0.20	9.3		0.87	1
05298	o-Xylene	95-47-6	0.59	J	0.20	2.6	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 15:47	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 18:12	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 18:12	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can #138 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411726
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:13 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.8		0.50	23		1.2	1
05298	Benzene	71-43-2	0.32	J	0.20	1.0	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.4		0.50	13		1.5	1
05298	Carbon Disulfide	75-15-0	1.5		0.20	4.6		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.4		0.20	5.0		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.0		0.20	10		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	4.0		0.20	16		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	200		2.0	800		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.20	J	0.20	0.71	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.27	J	0.20	1.8	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can #138 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6411726
LLI Group # 1267255
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/16/2011 11:13 by NW

Submitted: 09/20/2011 09:50
Reported: 09/28/2011 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.1		0.20	5.7		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	8.4		0.20	47		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.47	J	0.20	2.3	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.52	J	0.20	1.3	J	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 16:32	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1126430AB	09/22/2011 18:55	Michael A Ziegler	10

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1267255
Reported: 09/28/11 at 04:17 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1126430AB	Sample number(s): 6411719,6411721,6411724-6411726							
Acetone	N.D.	0.50	ppb(v)	101	104	56-144	3	25
Benzene	N.D.	0.20	ppb(v)	98	104	70-130	6	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	110	107	73-132	3	25
Bromoform	N.D.	0.20	ppb(v)	116	113	65-135	3	25
Bromomethane	N.D.	0.20	ppb(v)	97	104	70-130	7	25
1,3-Butadiene	N.D.	0.50	ppb(v)	91	102	65-138	12	25
2-Butanone	N.D.	0.50	ppb(v)	95	97	63-135	3	25
Carbon Disulfide	N.D.	0.20	ppb(v)	77	84	59-112	8	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	125	114	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	105	71-137	10	25
Chloroform	N.D.	0.20	ppb(v)	104	99	70-130	5	25
Chloromethane	N.D.	0.20	ppb(v)	78	93	59-135	18	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	102	70-128	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	104	104	71-129	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	106	42-149	5	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	104	100	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	107	102	43-143	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	120	115	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	105	65-127	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	121	117	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	101	100	62-118	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	102	63-125	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	97	101	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	88	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	105	66-127	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	100	101	64-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	115	113	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	106	102	56-138	4	25
Freon 113	N.D.	0.50	ppb(v)	96	96	66-120	0	25
Freon 114	N.D.	0.20	ppb(v)	97	99	64-141	3	25
Heptane	N.D.	0.20	ppb(v)	90	94	62-124	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	95	59-123	9	25
2-Hexanone	N.D.	0.50	ppb(v)	103	106	44-184	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	100	62-125	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	106	107	62-151	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	86	94	70-130	9	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1267255
Reported: 09/28/11 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	108	106	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	98	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	106	105	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	106	108	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	120	112	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	101	64-129	3	25
Trichloroethene	N.D.	0.20	ppb(v)	104	104	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	121	115	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	107	103	52-142	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	111	107	59-144	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	99	109	70-130	10	25
m/p-Xylene	N.D.	0.20	ppb(v)	123	120	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	122	119	70-130	2	25
Batch number: C1126430AC	Sample number(s): 6411711-6411717,6411720,6411723							
Acetone	N.D.	0.50	ppb(v)	101	104	56-144	3	25
Benzene	N.D.	0.20	ppb(v)	98	104	70-130	6	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	110	107	73-132	3	25
Bromoform	N.D.	0.20	ppb(v)	116	113	65-135	3	25
Bromomethane	N.D.	0.20	ppb(v)	97	104	70-130	7	25
1,3-Butadiene	N.D.	0.50	ppb(v)	91	102	65-138	12	25
2-Butanone	N.D.	0.50	ppb(v)	95	97	63-135	3	25
Carbon Disulfide	N.D.	0.20	ppb(v)	77	84	59-112	8	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	125	114	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	105	71-137	10	25
Chloroform	N.D.	0.20	ppb(v)	104	99	70-130	5	25
Chloromethane	N.D.	0.20	ppb(v)	78	93	59-135	18	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	102	70-128	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	104	104	71-129	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	106	42-149	5	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	104	100	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	107	102	43-143	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	120	115	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	105	65-127	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	121	117	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	101	100	62-118	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	102	63-125	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	97	101	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	88	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	105	66-127	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	100	101	64-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	115	113	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	106	102	56-138	4	25
Freon 113	N.D.	0.50	ppb(v)	96	96	66-120	0	25
Freon 114	N.D.	0.20	ppb(v)	97	99	64-141	3	25
Heptane	N.D.	0.20	ppb(v)	90	94	62-124	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1267255
Reported: 09/28/11 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	87	95	59-123	9	25
2-Hexanone	N.D.	0.50	ppb(v)	103	106	44-184	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	100	62-125	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	106	107	62-151	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	86	94	70-130	9	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	108	106	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	98	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	106	105	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	106	108	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	120	112	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	101	64-129	3	25
Trichloroethene	N.D.	0.20	ppb(v)	104	104	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	121	115	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	107	103	52-142	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	111	107	59-144	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	99	109	70-130	10	25
m/p-Xylene	N.D.	0.20	ppb(v)	123	120	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	122	119	70-130	2	25
Batch number: C1126430AD	Sample number(s): 6411718,6411722							
Acetone	N.D.	0.50	ppb(v)	101	104	56-144	3	25
Benzene	N.D.	0.20	ppb(v)	98	104	70-130	6	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	110	107	73-132	3	25
Bromoform	N.D.	0.20	ppb(v)	116	113	65-135	3	25
Bromomethane	N.D.	0.20	ppb(v)	97	104	70-130	7	25
1,3-Butadiene	N.D.	0.50	ppb(v)	91	102	65-138	12	25
2-Butanone	N.D.	0.50	ppb(v)	95	97	63-135	3	25
Carbon Disulfide	N.D.	0.20	ppb(v)	77	84	59-112	8	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	125	114	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	105	71-137	10	25
Chloroform	N.D.	0.20	ppb(v)	104	99	70-130	5	25
Chloromethane	N.D.	0.20	ppb(v)	78	93	59-135	18	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	102	70-128	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	104	104	71-129	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	106	42-149	5	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	104	100	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	107	102	43-143	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	120	115	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	105	65-127	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	121	117	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	101	100	62-118	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	102	63-125	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	97	101	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	88	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	105	66-127	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	100	101	64-126	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1267255
Reported: 09/28/11 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	115	113	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	106	102	56-138	4	25
Freon 113	N.D.	0.50	ppb(v)	96	96	66-120	0	25
Freon 114	N.D.	0.20	ppb(v)	97	99	64-141	3	25
Heptane	N.D.	0.20	ppb(v)	90	94	62-124	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	95	59-123	9	25
2-Hexanone	N.D.	0.50	ppb(v)	103	106	44-184	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	100	62-125	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	106	107	62-151	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	86	94	70-130	9	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	108	106	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	98	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	106	105	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	106	108	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	120	112	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	101	64-129	3	25
Trichloroethene	N.D.	0.20	ppb(v)	104	104	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	121	115	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	107	103	52-142	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	111	107	59-144	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	99	109	70-130	10	25
m/p-Xylene	N.D.	0.20	ppb(v)	123	120	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	122	119	70-130	2	25
Batch number: D1126430AB	Sample number(s): 6411711-6411712							
Acetone	N.D.	0.50	ppb(v)	119	123	56-144	3	25
Benzene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	118	119	73-132	1	25
Bromoform	N.D.	0.20	ppb(v)	125	129	65-135	4	25
Bromomethane	N.D.	0.20	ppb(v)	99	102	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	88	92	65-138	5	25
2-Butanone	N.D.	0.50	ppb(v)	108	111	63-135	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	76	80	59-112	5	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	113	112	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	106	108	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	104	109	71-137	5	25
Chloroform	N.D.	0.20	ppb(v)	103	102	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	80	86	59-135	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	116	119	70-128	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	111	115	71-129	4	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	123	125	42-149	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	116	120	47-141	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	134	138	43-143	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	99	104	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	106	109	65-127	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	124	125	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	102	62-118	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1267255
Reported: 09/28/11 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	102	63-125	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	104	108	63-119	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	97	100	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	111	66-127	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	114	64-126	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	118	121	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	125	129	56-138	3	25
Freon 113	N.D.	0.50	ppb(v)	100	101	66-120	1	25
Freon 114	N.D.	0.20	ppb(v)	89	92	64-141	3	25
Heptane	N.D.	0.20	ppb(v)	102	105	62-124	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	94	99	59-123	5	25
2-Hexanone	N.D.	0.50	ppb(v)	129	136	44-184	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	96	104	62-125	8	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	122	126	62-151	3	25
Methylene Chloride	N.D.	0.50	ppb(v)	99	103	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	121	124	65-136	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	133	134	49-148	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	105	108	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	107	111	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	112	116	64-129	3	25
Trichloroethene	N.D.	0.20	ppb(v)	103	105	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	113	114	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	126	130	52-142	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	128	132	59-144	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	94	101	70-130	7	25
m/p-Xylene	N.D.	0.20	ppb(v)	127	129	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	125	129	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1267255 / 6411711-26

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	1 of 3 COCs
Company: Roadrunner Express Inc. / Johnson Co	**Phone:** 802-229-4600	**Samplers Name(s)** Nathan Williams	
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch, GA 30542	TAH @ JCOmail.com		
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO #: 1-0145-4	Rush (Specify)		

	Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	Analytes: TO-15	Analytes: Long list VOC list 8260B	Matrix: Indoor Air	Matrix: Ambient Air	Matrix: Soil Gas	Matrix: Sub Slab
856	MP 09	9/16	11:31		28	5			316 PLN	856	6			✓				✓
891	MP 06	9/16	11:17		27	5			"	891	6			✓				✓
106	VW 5	9/16	12:17		30	6			"	1021	6			✓				✓
1031	MP 3	9/16	11:15		24	5			"	1031	6			✓				✓
1077	VW 3	9/16	11:59		30	6			"	1077	6			✓				✓
880	MP 08	9/16	11:22		30	5			"	880	6			✓				✓

NRW 9/20/11 LS

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by: Vivian Vickers	Date/Time: 9/14/11
Samples Relinquished by: Nathan Williams	Date/Time: 9/16/11 1:45pm	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Nerlund	Date/Time: 9/20/11 0950

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A65556/1267255/6411711-26

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd 1-2-11	**Carrier:**
Company: Roadrunner Express Inc. / Johnson Co	Phone: 802-229-4600	**Samplers Name(s)** Nathan Williams
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**	
City/State/Zip: Flowery Branch,GA 30542		
Phone: 770-967-6501		
FAX:		
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**	
Site:	Standard (Specify) ✓	
PO #: 1-0145-4	Rush (Specify)	

2 of 3 COCs

	Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	Analysis: TO-15	Analysis: Long List VOC Via 8260B	Matrix: Indoor Air	Matrix: Ambient Air	Matrix: Soil Gas	Matrix: Sub Slab
095	MW 64	9/16	12:11		30	6			316 PLN	95	6			✓				X
102	MP 07	9/16	11:20		28	5			"	102	6			✓				X
1021	VW 6	9/16	12:05		30	6			"	106	6			✓				X
135	MP 11	9/16	11:37		30	5			"	135	6			✓				X
158	MP 02	9/16	11:36		29	5			"	158	6			✓				X
534	MP 10	9/16	11:33		12	5			"	534	6			✓				X

AQW 9/20/11 VE

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

MP 10 Guage wasnt working properly or tank had leaked

Canisters Shipped by:	Date/Time:	Canisters Received by: Kyron Vickers	Date/Time: 9/14/11
Samples Relinquished by: Nathan Williams	Date/Time: 9/16/11 1:45pm	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Weiland	Date/Time: 9/20/11 0950

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1267255 / 6411711-26

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	3 of 3 COCs
Company: Roadrunner Express Inc. / Johnson Co.	Phone: 802-229-4600	**Samplers Name(s)** Nathan Williams	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542	TAH @ JCOmail.com		
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO #: 1-0145-4	Rush (Specify)		

	Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Long list VOC via 8260B	Indoor Air	Ambient Air	Soil Gas	Sub Slab
145	Undiluted 1	9/16	11:39		30	5			316 PLN	145	6			X				X
162	MP 05	9/16	11:09		30	5			"	162	6			X				X
012	Blower	9/16	11:41		30	2			"	12	6			X				X
138	MP 04	9/16	11:13		30	5			"	138	6			X				X
DW 9/20/11 LV																		

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by: Vyron Vickers	Date/Time: 9/14/11
Samples Relinquished by: Nat Williams	Date/Time: 9/16/11 1:45pm	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Wahl	Date/Time: 9/20/11 0950

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 9/20/11

Time of Receipt: 0950

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Rec'd 8 cartons of Summa cans
+ 1 flow controller
- VW5 Can ID: 106, not 1021 (coc)
- VW6 Can ID: 1021, not 106 (coc)

Unpacker Signature/Emp#: DA Neslund /208 **Date/Time:** 9/20/11 1010

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

October 13, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 10/04/2011
Group Number: 1269612
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Undiluted SUMMA 858 Grab Air	6428090

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Chad Moline

Chad A. Moline
Group Leader

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted SUMMA 858 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6428090
LLI Group # 1269612
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/29/2011 12:55 by NW

Submitted: 10/04/2011 09:50
Reported: 10/13/2011 17:47

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

858--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15	J	5.0	37	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.6	J	2.0	9.2	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	53		2.0	210		8.1	10
05298	1,2-Dichloroethane	107-06-2	2.3	J	2.0	9.4	J	8.1	10
05298	1,1-Dichloroethene	75-35-4	1,800		200	7,100		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.9	J	2.0	17	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.2	J	2.0	15	J	14	10
05298	Toluene	108-88-3	450		2.0	1,700		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted SUMMA 858 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6428090
LLI Group # 1269612
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/29/2011 12:55 by NW

Submitted: 10/04/2011 09:50
Reported: 10/13/2011 17:47

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

858--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,700		200	15,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	13		2.0	72		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	6.1	J	2.0	26	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1128430AB	10/12/2011 01:48	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1128430AB	10/12/2011 11:25	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1269612
Reported: 10/13/11 at 05:47 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1128430AB	Sample number(s): 6428090							
Acetone	N.D.	0.50	ppb(v)	108	110	56-144	2	25
Benzene	N.D.	0.20	ppb(v)	97	97	70-130	0	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	109	102	73-132	7	25
Bromoform	N.D.	0.20	ppb(v)	117	108	65-135	8	25
Bromomethane	N.D.	0.20	ppb(v)	94	100	70-130	6	25
1,3-Butadiene	N.D.	0.50	ppb(v)	91	100	65-138	10	25
2-Butanone	N.D.	0.50	ppb(v)	111	111	63-135	1	25
Carbon Disulfide	N.D.	0.20	ppb(v)	74	80	59-112	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	108	101	70-130	7	25
Chlorobenzene	N.D.	0.20	ppb(v)	97	93	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	91	99	71-137	9	25
Chloroform	N.D.	0.20	ppb(v)	106	103	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	79	94	59-135	18	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	97	70-128	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	105	102	71-129	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	105	42-149	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	103	96	47-141	7	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	105	98	43-143	7	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	103	102	75-141	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	98	101	65-127	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	112	105	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	88	88	62-118	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	100	99	63-125	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	92	63-119	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	90	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	116	111	66-127	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	101	98	64-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	114	108	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	105	99	56-138	6	25
Freon 113	N.D.	0.50	ppb(v)	86	86	66-120	0	25
Freon 114	N.D.	0.20	ppb(v)	87	91	64-141	4	25
Heptane	N.D.	0.20	ppb(v)	93	92	62-124	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	83	89	59-123	7	25
2-Hexanone	N.D.	0.50	ppb(v)	127	125	44-184	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	104	106	62-125	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	121	117	62-151	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	80	86	70-130	7	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1269612
Reported: 10/13/11 at 05:47 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	112	106	65-136	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	116	111	49-148	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	93	91	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	105	103	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	110	104	70-130	5	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	97	64-129	2	25
Trichloroethene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	101	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	106	99	52-142	7	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	111	104	59-144	7	25
Vinyl Chloride	N.D.	0.20	ppb(v)	95	104	70-130	9	25
m/p-Xylene	N.D.	0.20	ppb(v)	125	118	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	123	116	70-130	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Analysis Request/ Environmental Services Chain of Custody

Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 6556 Group# 126912 Sample # 642809

COC # 240741

Please print. Instructions on reverse side correspond with circled numbers.

For Lab Use Only
FSC: _____
SCR#: _____

(1)
Client: The Johnson Co Acct. #: _____
Project Name/#: Flowery Branch SVE PWSID #: _____
Project Manager: Todd Hall P.O.#: 1-0145-4
Sampler: Nathan Williams Quote #: _____
Name of state where samples were collected: GA

Preservation Codes
H=HCl T=Thiosulfate
N=HNO_3 B=NaOH
S=H_2SO_4 O=Other

(6) Temperature of samples upon receipt (if requested)

(2) Sample Identification	Date Collected	Time Collected	(3) Grab	Composite	Matrix (4) Soil	Water (Potable / NPDES)	Other Air	Total # of Containers	(5) Analyses Requested / Preservation Codes: Long list VOC via 8260B	Remarks
Undiluted	9/29/11	12:55	X				X			858

(7) **Turnaround Time Requested** (TAT) (please circle): (Normal) Rush
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)
Date results are needed: _____
Rush results requested by (please circle): Phone Fax E-mail
Phone #: 802-229-4600 Fax #: _____
E-mail address: TAH @ JCOmail.com

(8) **Data Package Options** (please circle if required)
Type I (validation/NJ Reg)
Type II (Tier II)
Type III (Reduced NJ)
Type IV (CLP SOW)
Type VI (Raw Data Only)
TX TRRP-13
MA MCP CT RCP
SDG Complete? Yes No
Site-specific QC (MS/MSD/Dup)? Yes No
(If yes, indicate QC sample and submit triplicate volume.)
Internal COC Required? Yes / No _____

(9)

Relinquished by:	Date	Time	Received by:	Date	Time
Nathan Williams	9/29/11		Calvin Pruitt	9/29/11	
Calvin Pruitt	9/29/11		Fedex		
			Harry Hall	10/4/11	0950

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 10/4/11

Time of Receipt: 0950

Source Code: 601

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

-Received 1x gauge, 2x swagelok tubing pcs, & 1x unused Summa (#815).

Unpacker Signature/Emp#: 2316 **Date/Time:** 10/4/11 1215

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

November 01, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 10/27/2011
Group Number: 1273496
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP10 Summa Can# 204 Air	6451875
MP02 Summa Can# 1031 Air	6451876
VW3 Summa Can# 880 Air	6451877
MP09 Summa Can# 1107 Air	6451878
MP11 Summa Can# 891 Air	6451879
MP08 Summa Can# 164 Air	6451880
Blower Summa Can# 15 Air	6451881
MP07 Summa Can# 1077 Air	6451882
MP65S Summa Can# 316 Air	6451883
MP03 Summa Can# 839 Air	6451884
MP04 Summa Can# 815 Air	6451885
MP06 Summa Can# 95 Air	6451886
VW6 Summa Can# 3 Air	6451887
MW64 Summa Can# 870 Air	6451888
Undiluted Summa Can# 188 Air	6451889
VW5 Summa Can# 514 Air	6451890
MP05 Summa Can# 414 Air	6451891

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Rachel R. Cochis
Group Leader

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can# 204 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451875
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:37 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--204

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		0.50	44		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	9.4		0.50	28		1.5	1
05298	Carbon Disulfide	75-15-0	4.3		0.20	13		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.24	J	0.20	0.85	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.2		0.20	11		0.98	1
05298	Chloromethane	74-87-3	0.46	J	0.20	0.96	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.9		0.20	19		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.47	J	0.20	2.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	58		0.20	230		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.21	J	0.20	0.85	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	400		20	1,600		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.24	J	0.20	0.83	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.33	J	0.20	1.1	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.8		0.20	5.3		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.1		0.20	7.3		1.4	1
05298	Toluene	108-88-3	0.35	J	0.20	1.3	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can# 204 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451875
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:37 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--204

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	500		20	2,700		110	100
05298	1,1,2-Trichloroethane	79-00-5	0.81	J	0.20	4.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.32	J	0.20	1.8	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/28/2011 22:40	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/30/2011 21:01	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can# 1031 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451876
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:02 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1031

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,800		50	4,200		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	1,000		50	3,000		150	100
05298	Carbon Disulfide	75-15-0	190		20	590		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	65	J	20	260	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	5,400		20	22,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	64	J	20	230	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	160		20	560		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	380		20	1,100		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	45	J	20	170	J	75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can# 1031 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451876
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:02 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1031

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,400	20	7,900	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/28/2011 23:28	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa Can# 880 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451877
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:58 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--880

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.7		0.50	16		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.3	J	0.50	3.7	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.20	N.D.		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.22	J	0.20	0.78	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.45	J	0.20	0.93	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	7.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.8		0.20	19		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa Can# 880 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451877
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:58 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--880

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.8		0.20	9.7		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.55	J	0.20	3.1	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.32	J	0.20	1.4	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/29/2011 00:15	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can# 1107 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451878
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:10 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1107

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	620		50	1,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	270		20	840		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	120		20	470		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	25,000		200	97,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	53	J	20	190	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	170		20	590		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	340		20	1,000		59	100
05298	Styrene	100-42-5	23	J	20	98	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	150		20	550		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can# 1107 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451878
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:10 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1107

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	9,600	20	52,000	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/29/2011 01:02	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/30/2011 21:44	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can# 891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451879
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:07 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-891-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,700		75	3,900		180	150
05298	Benzene	71-43-2	N.D.		30	N.D.		96	150
05298	Bromobenzene	108-86-1	N.D.		30	N.D.		190	150
05298	Bromodichloromethane	75-27-4	N.D.		30	N.D.		200	150
05298	Bromoform	75-25-2	N.D.		30	N.D.		310	150
05298	Bromomethane	74-83-9	N.D.		30	N.D.		120	150
05298	1,3-Butadiene	106-99-0	N.D.		75	N.D.		170	150
05298	2-Butanone	78-93-3	450		75	1,300		220	150
05298	Carbon Disulfide	75-15-0	490		30	1,500		93	150
05298	Carbon Tetrachloride	56-23-5	N.D.		30	N.D.		190	150
05298	Chlorobenzene	108-90-7	N.D.		30	N.D.		140	150
05298	Chlorodifluoromethane	75-45-6	N.D.		30	N.D.		110	150
05298	Chloroethane	75-00-3	N.D.		30	N.D.		79	150
05298	Chloroform	67-66-3	N.D.		30	N.D.		150	150
05298	Chloromethane	74-87-3	N.D.		30	N.D.		62	150
05298	3-Chloropropene	107-05-1	N.D.		30	N.D.		94	150
05298	Cumene	98-82-8	N.D.		30	N.D.		150	150
05298	Dibromochloromethane	124-48-1	N.D.		30	N.D.		260	150
05298	1,2-Dibromoethane	106-93-4	N.D.		30	N.D.		230	150
05298	Dibromomethane	74-95-3	N.D.		30	N.D.		210	150
05298	1,2-Dichlorobenzene	95-50-1	N.D.		30	N.D.		180	150
05298	1,3-Dichlorobenzene	541-73-1	N.D.		30	N.D.		180	150
05298	1,4-Dichlorobenzene	106-46-7	N.D.		30	N.D.		180	150
05298	Dichlorodifluoromethane	75-71-8	N.D.		30	N.D.		150	150
05298	1,1-Dichloroethane	75-34-3	160		30	650		120	150
05298	1,2-Dichloroethane	107-06-2	N.D.		30	N.D.		120	150
05298	1,1-Dichloroethene	75-35-4	19,000		300	74,000		1,200	1500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		30	N.D.		120	150
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		30	N.D.		120	150
05298	Dichlorofluoromethane	75-43-4	N.D.		30	N.D.		130	150
05298	1,2-Dichloropropane	78-87-5	N.D.		30	N.D.		140	150
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		30	N.D.		140	150
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		30	N.D.		140	150
05298	Ethylbenzene	100-41-4	N.D.		30	N.D.		130	150
05298	4-Ethyltoluene	622-96-8	N.D.		30	N.D.		150	150
05298	Freon 113	76-13-1	N.D.		75	N.D.		570	150
05298	Freon 114	76-14-2	N.D.		30	N.D.		210	150
05298	Heptane	142-82-5	43	J	30	180	J	120	150
05298	Hexachloroethane	67-72-1	N.D.		30	N.D.		290	150
05298	Hexane	110-54-3	110	J	30	390	J	110	150
05298	2-Hexanone	591-78-6	N.D.		75	N.D.		310	150
05298	Isooctane	540-84-1	N.D.		30	N.D.		140	150
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		30	N.D.		110	150
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		75	N.D.		310	150
05298	Methylene Chloride	75-09-2	330		30	1,100		100	150
05298	Octane	111-65-9	41	J	30	190	J	140	150
05298	Pentane	109-66-0	630		30	1,900		89	150
05298	Styrene	100-42-5	46	J	30	200	J	130	150
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		30	N.D.		210	150
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		30	N.D.		210	150
05298	Tetrachloroethene	127-18-4	N.D.		30	N.D.		200	150
05298	Toluene	108-88-3	100	J	30	390	J	110	150

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can# 891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451879
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:07 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-891-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4,500		30	25,000		160	150
05298	1,1,2-Trichloroethane	79-00-5	N.D.		30	N.D.		160	150
05298	Trichloroethene	79-01-6	N.D.		30	N.D.		160	150
05298	Trichlorofluoromethane	75-69-4	N.D.		30	N.D.		170	150
05298	1,2,3-Trichloropropane	96-18-4	N.D.		30	N.D.		180	150
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		30	N.D.		150	150
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		30	N.D.		150	150
05298	Vinyl Chloride	75-01-4	N.D.		30	N.D.		77	150
05298	m/p-Xylene	179601-23-1	38	J	30	170	J	130	150
05298	o-Xylene	95-47-6	N.D.		30	N.D.		130	150

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/29/2011 01:50	Michael A Ziegler	150
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/30/2011 22:28	Michael A Ziegler	1500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can# 164 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451880
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:32 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-164-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	2.7	J	2.0	13	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.5	J	2.0	10	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,000		20	8,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.3	J	2.0	8.1	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can# 164 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451880
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:32 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-164-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	90		2.0	490		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	4.3	J	2.0	24	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AA	10/29/2011 02:33	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/30/2011 23:16	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can# 15 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451881
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:17 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--15-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.2	J	5.0	12	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	7.6	J	2.0	31	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	600		2.0	2,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	3.8	J	2.0	25	J	14	10
05298	Toluene	108-88-3	42		2.0	160		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can# 15 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451881
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:17 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--15-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	620		2.0	3,400		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.4	J	2.0	15	J	8.7	10
05298	o-Xylene	95-47-6	2.1	J	2.0	9.3	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 00:00	Michael A Ziegler	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can# 1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451882
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:07 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1077

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	390		50	920		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	100	J	20	310	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	43	J	20	170	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	4,100		20	16,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	140		20	480		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	380		20	1,400		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can# 1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451882
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:07 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1077

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,700	20	15,000	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 00:48	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP65S Summa Can# 316 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451883
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:40 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--316

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,100	J	500	2,600	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		200	N.D.		620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	37,000		200	150,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	260	J	200	900	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP65S Summa Can# 316 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451883
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:40 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--316

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	340	J	200	1,900	J	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 01:31	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa Can# 839 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451884
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:36 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--839

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	2.2	J	2.0	6.7	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	27		2.0	110		8.1	10
05298	1,2-Dichloroethane	107-06-2	2.1	J	2.0	8.6	J	8.1	10
05298	1,1-Dichloroethene	75-35-4	530		2.0	2,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	2.6	J	2.0	11	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.8	J	2.0	9.7	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	5.8	J	2.0	39	J	14	10
05298	Toluene	108-88-3	800		2.0	3,000		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa Can# 839 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451884
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:36 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--839

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4,100		100	22,000		550	500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	4.9	J	2.0	28	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	14		2.0	59		8.7	10
05298	o-Xylene	95-47-6	4.3	J	2.0	19	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 02:15	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 12:13	Jeffrey B Smith	500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can# 815 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451885
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:27 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--815

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.4		0.50	18		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.7	J	0.50	5.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.55	J	0.20	1.7	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.50	J	0.20	1.8	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	7.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.2		0.20	9.0		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	74		0.20	290		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can# 815 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451885
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:27 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

--815

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.79	J	0.20	4.3	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	5.1		0.20	29		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.21	J	0.20	0.52	J	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 11:19	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can# 95 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451886
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:52 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

---95

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	5.0	N.D.	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	2.0	N.D.	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	17	2.0	70	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	560	2.0	2,200	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10
05298	Toluene	108-88-3	64	2.0	240	7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can# 95 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451886
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:52 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

---95

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,400		100	7,700		550	500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	6.2	J	2.0	35	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 03:43	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 12:57	Jeffrey B Smith	500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can# 3 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451887
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:43 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

---3-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	210	J	200	650	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	390	J	200	1,600	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	20,000		200	80,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	250	J	200	870	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	600	J	200	2,300	J	750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can# 3 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451887
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:43 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

---3-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	17,000	200	93,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 04:26	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa Can# 870 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451888
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:12 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-870-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	310	J	200	970	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	900	J	200	3,700	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	79,000		200	310,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	210	J	200	740	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	1,300		200	5,000		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa Can# 870 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451888
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:12 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-870-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	20,000	200	110,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 05:10	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 188 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451889
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:14 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-188-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.9	J	5.0	16	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	21		2.0	83		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,100		100	4,400		400	500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.4	J	2.0	8.2	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	160		2.0	610		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 188 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451889
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 17:14 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-188-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300		100	7,200		550	500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.5	J	2.0	20	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.0	J	2.0	8.8	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 05:54	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 13:40	Jeffrey B Smith	500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can# 514 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451890
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:19 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-514-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,500	J	500	3,500	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	800	J	500	2,400	J	1,500	1000
05298	Carbon Disulfide	75-15-0	380	J	200	1,200	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	460	J	200	1,900	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	86,000		200	340,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	N.D.		200	N.D.		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can# 514 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451890
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 16:19 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-514-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,700	200	15,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 06:37	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can# 414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451891
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:18 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-414-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.1		0.50	17		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.7	J	0.50	5.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.76	J	0.20	2.4	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.42	J	0.20	1.5	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.75	J	0.20	3.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.50	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	160		2.0	620		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.41	J	0.20	1.2	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.23	J	0.20	0.87	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can# 414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6451891
LLI Group # 1273496
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/24/2011 15:18 by CP

Submitted: 10/27/2011 09:25
Reported: 11/01/2011 17:02

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-414-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.82	J	0.20	4.5	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	4.7		0.20	26		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.38	J	0.20	1.6	J	0.87	1
05298	o-Xylene	95-47-6	0.22	J	0.20	0.95	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 07:25	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130130AB	10/31/2011 10:31	Michael A Ziegler	10

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1273496
Reported: 11/01/11 at 05:02 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1130130AA	Sample number(s): 6451875-6451880							
Acetone	N.D.	0.50	ppb(v)	105	112	56-144	7	25
Benzene	N.D.	0.20	ppb(v)	77	79	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	86	88	73-132	2	25
Bromoform	N.D.	0.20	ppb(v)	102	103	65-135	1	25
Bromomethane	N.D.	0.20	ppb(v)	92	100	70-130	8	25
1,3-Butadiene	N.D.	0.50	ppb(v)	87	93	65-138	6	25
2-Butanone	N.D.	0.50	ppb(v)	90	100	63-135	10	25
Carbon Disulfide	N.D.	0.20	ppb(v)	80	85	59-112	6	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	85	88	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	82	81	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	85	86	71-137	2	25
Chloroform	N.D.	0.20	ppb(v)	83	84	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	92	95	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	86	86	70-128	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	88	87	71-129	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	111	109	42-149	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	100	100	47-141	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	105	105	43-143	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	97	101	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	81	84	65-127	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	82	83	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	83	90	62-118	8	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	78	82	63-125	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	82	85	63-119	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	74	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	89	66-127	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	82	64-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	83	83	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	92	94	56-138	3	25
Freon 113	N.D.	0.50	ppb(v)	80	83	66-120	4	25
Freon 114	N.D.	0.20	ppb(v)	87	92	64-141	5	25
Heptane	N.D.	0.20	ppb(v)	74	76	62-124	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	80	82	59-123	3	25
2-Hexanone	N.D.	0.50	ppb(v)	98	103	44-184	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	87	93	62-125	7	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	93	100	62-151	7	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	91	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1273496
Reported: 11/01/11 at 05:02 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	97	98	65-136	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	98	102	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	75	74	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	79	78	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	83	85	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	80	79	64-129	1	25
Trichloroethene	N.D.	0.20	ppb(v)	81	81	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	98	105	70-130	7	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	94	96	52-142	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	98	99	59-144	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	98	103	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	92	92	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	88	89	70-130	1	25
Batch number: D1130130AB	Sample number(s): 6451875,6451878-6451891							
Acetone	N.D.	0.50	ppb(v)	105	112	56-144	7	25
Benzene	N.D.	0.20	ppb(v)	77	79	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	86	88	73-132	2	25
Bromoform	N.D.	0.20	ppb(v)	102	103	65-135	1	25
Bromomethane	N.D.	0.20	ppb(v)	92	100	70-130	8	25
1,3-Butadiene	N.D.	0.50	ppb(v)	87	93	65-138	6	25
2-Butanone	N.D.	0.50	ppb(v)	90	100	63-135	10	25
Carbon Disulfide	N.D.	0.20	ppb(v)	80	85	59-112	6	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	85	88	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	82	81	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	85	86	71-137	2	25
Chloroform	N.D.	0.20	ppb(v)	83	84	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	92	95	59-135	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	86	86	70-128	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	88	87	71-129	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	111	109	42-149	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	100	100	47-141	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	105	105	43-143	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	97	101	75-141	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	81	84	65-127	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	82	83	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	83	90	62-118	8	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	78	82	63-125	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	82	85	63-119	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	74	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	89	66-127	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	82	64-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	83	83	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	92	94	56-138	3	25
Freon 113	N.D.	0.50	ppb(v)	80	83	66-120	4	25
Freon 114	N.D.	0.20	ppb(v)	87	92	64-141	5	25
Heptane	N.D.	0.20	ppb(v)	74	76	62-124	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1273496
Reported: 11/01/11 at 05:02 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	80	82	59-123	3	25
2-Hexanone	N.D.	0.50	ppb(v)	98	103	44-184	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	87	93	62-125	7	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	93	100	62-151	7	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	91	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	97	98	65-136	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	98	102	49-148	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	75	74	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	79	78	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	83	85	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	80	79	64-129	1	25
Trichloroethene	N.D.	0.20	ppb(v)	81	81	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	98	105	70-130	7	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	94	96	52-142	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	98	99	59-144	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	98	103	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	92	92	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	88	89	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556 / 273496 / 645875-91

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	1 of 3 COCs
Company: Roadrunner Express Inc.	**Phone:** 828-229-4600	**Samplers Name(s)** Colvin Pruitt	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 10	10/24	16:37		27	1				204	6		X				
MP 02	10/24	17:02		27	1				1031	6		X				
VW 3	10/24	16:58		27	1				880	6		X				
MP 09	10/24	17:10		26	1				1107	6		X				
		1707							891	6						
MP 11	10/24	17:08		26	1				891	6		X				

per T. Hall
WZK 11/1/11

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Send results to Todd Hall TAH@JCOmail.com

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by: Colvin Pruitt	Date/Time: 10/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Nancy H. Lees	Date/Time: 10-27-11 0925

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556/127396/6451875-91

Lancaster Laboratories

Client Contact Information	Project Manager:	Carrier:	2 of 3 COCs
Company: Roadrunner Express Inc.	Phone:	Samplers Name(s)	Analyses
Address: 3945 Thurmond Tanner Road, ,	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	Analysis Turnaround Time		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 08	10/24	16:32		27	1				164	6		X				
Blower	10/24	17:17		27	0				15	6		X				
MP 07	10/24	16:07		27	1				1077	6		X				
MW 65S	10/24	17:10		24	2				316	6		X				
MP 03	10/24	15:36		27	2				839	6		X				
MP 04	10/24	15:27		27	1				815	6		X				

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Nancy H. Sees	Date/Time: 10-27-11 0925

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556 / 1273496 / 645975-91

Lancaster Laboratories

Client Contact Information	**Project Manager:**	**Carrier:**	3 of 3 COCs
Company: Roadrunner Express Inc.	**Phone:**	**Samplers Name(s)**	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 06	10/24	15:52		27	1				95	6		X						
VW 6	10/24	15:43		27	1				3	6		X						
MW 6d	10/24	16:12		27	1				870	6		X						
Undiluted	10/24	17:14		27	0				188	6		X						
VW 5	10/24	16:19		27	1				514	6		X						
MP 05	10/24	15:18		27	2				414	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Nancy A. Ness	Date/Time: 10-22-4 0925

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Rockwater Energy, Inc

Date of Receipt: 10-27-11

Time of Receipt: 0925

Source Code: 50

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: _____

Paperwork Discrepancy/Unpacking Problems:

Bag of Tubes
1 Large

Can # 891 - Paperwork Rec 26-1708 - Can Rec 27-1707

Unpacker Signature/Emp#: Nancy A. Hess **Date/Time:** 10-27-11 1025

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

November 03, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 11/01/2011
Group Number: 1274109
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE-2 Air	6455853
SVE-3 Air	6455854
SVE-6 Air	6455855
SVE-1 Air	6455856
SVE-4 Air	6455857
SVE-5 Air	6455858

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Rachel R. Cochis
Group Leader

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-2 Air
Summa Canister #547
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455853
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:39 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	720		50	1,700		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	180	J	50	520	J	150	100
05298	Carbon Disulfide	75-15-0	180		20	550		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	480		20	1,900		81	100
05298	1,2-Dichloroethane	107-06-2	35	J	20	140	J	81	100
05298	1,1-Dichloroethene	75-35-4	20,000		200	79,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	21	J	20	73	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	330		20	1,100		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	25	J	20	110	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-2 Air
Summa Canister #547
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455853
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:39 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	6,500		20	25,000		75	100
05298	1,1,1-Trichloroethane	71-55-6	7,000		20	38,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	20	J	20	110	J	110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	55	J	20	240	J	87	100
05298	o-Xylene	95-47-6	22	J	20	96	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 00:31	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 05:35	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-3 Air
Summa Canister #538
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455854
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:42 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14,000		100	34,000		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	15,000		100	43,000		290	200
05298	Carbon Disulfide	75-15-0	150	J	40	450	J	120	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	88	J	40	360	J	160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	410		40	1,600		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	N.D.		40	N.D.		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	120	J	40	410	J	140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	N.D.		40	N.D.		120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-3 Air
Summa Canister #538
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455854
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:42 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	50	J	40	190	J	150	200
05298	1,1,1-Trichloroethane	71-55-6	N.D.		40	N.D.		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		40	N.D.		220	200
05298	Trichloroethene	79-01-6	N.D.		40	N.D.		210	200
05298	Trichlorofluoromethane	75-69-4	N.D.		40	N.D.		220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.		40	N.D.		240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		40	N.D.		200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		40	N.D.		200	200
05298	Vinyl Chloride	75-01-4	N.D.		40	N.D.		100	200
05298	m/p-Xylene	179601-23-1	N.D.		40	N.D.		170	200
05298	o-Xylene	95-47-6	N.D.		40	N.D.		170	200

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 14:10	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-6 Air
Summa Canister #332
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455855
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:25 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20,000		100	49,000		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	9,500		100	28,000		290	200
05298	Carbon Disulfide	75-15-0	120	J	40	370	J	120	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	N.D.		40	N.D.		160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	N.D.		40	N.D.		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	N.D.		40	N.D.		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	74	J	40	260	J	140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	N.D.		40	N.D.		120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-6 Air
Summa Canister #332
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455855
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:25 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	40	N.D.	150	200
05298	1,1,1-Trichloroethane	71-55-6	N.D.	40	N.D.	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	40	N.D.	220	200
05298	Trichloroethene	79-01-6	N.D.	40	N.D.	210	200
05298	Trichlorofluoromethane	75-69-4	N.D.	40	N.D.	220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.	40	N.D.	240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	40	N.D.	200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	40	N.D.	200	200
05298	Vinyl Chloride	75-01-4	N.D.	40	N.D.	100	200
05298	m/p-Xylene	179601-23-1	N.D.	40	N.D.	170	200
05298	o-Xylene	95-47-6	N.D.	40	N.D.	170	200

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 14:55	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-1 Air
Summa Canister #1024
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455856
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:32 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,100		500	12,000		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	2,600		500	7,500		1,500	1000
05298	Carbon Disulfide	75-15-0	260	J	200	820	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	220	J	200	910	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	35,000		200	140,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	400	J	200	1,400	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-1 Air
Summa Canister #1024
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455856
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:32 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	28,000		200	100,000		750	1000
05298	1,1,1-Trichloroethane	71-55-6	300,000		2,000	1,600,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	680	J	200	3,000	J	870	1000
05298	o-Xylene	95-47-6	260	J	200	1,100	J	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 02:48	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 07:45	Michael A Ziegler	10000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-4 Air
Summa Canister #801
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455857
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:46 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	440		5.0	1,000		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	980		5.0	2,900		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	5.1	J	2.0	25	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.0	J	2.0	37	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	N.D.		2.0	N.D.		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	12		2.0	37		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-4 Air
Summa Canister #801
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455857
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:46 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	11	2.0	59	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 03:32	Michael A Ziegler	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-5 Air
Summa Canister #826
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455858
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:22 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3,200		250	7,600		590	500
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	1,400		250	4,200		740	500
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	4.1	J	2.0	20	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	10		2.0	40		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-5 Air
Summa Canister #826
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6455858
LLI Group # 1274109
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/28/2011 14:22 by TRO

Submitted: 11/01/2011 09:35
Reported: 11/03/2011 21:12

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	32		2.0	180		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.9	J	2.0	22	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.4	J	2.0	15	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 04:15	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1130630AA	11/03/2011 11:37	Michael A Ziegler	500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1274109
Reported: 11/03/11 at 09:12 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1130630AA	Sample number(s): 6455853-6455858							
Acetone	N.D.	0.50	ppb(v)	136	116	56-144	16	25
Benzene	N.D.	0.20	ppb(v)	89	75	70-130	17	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	100	83	73-132	19	25
Bromoform	N.D.	0.20	ppb(v)	117	95	65-135	21	25
Bromomethane	N.D.	0.20	ppb(v)	101	86	70-130	16	25
1,3-Butadiene	N.D.	0.50	ppb(v)	93	81	65-138	14	25
2-Butanone	N.D.	0.50	ppb(v)	110	95	63-135	14	25
Carbon Disulfide	N.D.	0.20	ppb(v)	86	75	59-112	14	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	94	78	70-130	18	25
Chlorobenzene	N.D.	0.20	ppb(v)	95	78	70-130	20	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	79	71-137	19	25
Chloroform	N.D.	0.20	ppb(v)	92	77	70-130	17	25
Chloromethane	N.D.	0.20	ppb(v)	97	82	59-135	17	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	101	82	70-128	21	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	101	84	71-129	18	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	130	105	42-149	21	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	116	94	47-141	20	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	124	100	43-143	21	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	104	89	75-141	15	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	88	75	65-127	16	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	79	70-130	19	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	90	78	62-118	14	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	82	71	63-125	14	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	76	63-119	16	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	85	71	70-130	18	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	80	66-127	19	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	93	77	64-126	19	25
Ethylbenzene	N.D.	0.20	ppb(v)	98	81	70-130	20	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	112	92	56-138	20	25
Freon 113	N.D.	0.50	ppb(v)	87	75	66-120	15	25
Freon 114	N.D.	0.20	ppb(v)	94	82	64-141	15	25
Heptane	N.D.	0.20	ppb(v)	86	71	62-124	19	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	84	73	59-123	14	25
2-Hexanone	N.D.	0.50	ppb(v)	124	104	44-184	18	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	97	83	62-125	16	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	117	98	62-151	18	25
Methylene Chloride	N.D.	0.20	ppb(v)	107	92	70-130	16	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1274109
Reported: 11/03/11 at 09:12 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	116	94	65-136	20	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	127	103	49-148	21	25
Tetrachloroethene	N.D.	0.20	ppb(v)	84	70	70-130	19	25
Toluene	N.D.	0.20	ppb(v)	91	76	70-130	18	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	91	78	70-130	16	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	92	76	64-129	19	25
Trichloroethene	N.D.	0.20	ppb(v)	85	71	70-130	18	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	107	88	70-130	20	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	115	94	52-142	20	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	120	97	59-144	21	25
Vinyl Chloride	N.D.	0.20	ppb(v)	103	89	70-130	14	25
m/p-Xylene	N.D.	0.20	ppb(v)	111	90	70-130	21	25
o-Xylene	N.D.	0.20	ppb(v)	105	86	70-130	20	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556 1274109 645585 3-58

Lancaster Laboratories

Client Contact Information	**Project Manager:** Pat Smart	**Carrier:** UPS Ground	1 of 1 COCs
Company: ~~Roadrunner Express~~ Inc. The Johnson Co	**Phone:** (802) 229-4600	**Samplers Name(s)** TRO	**Analysis** / **Matrix**
Address: ~~3045 Thurmond Tanner Road,~~ 100 State St Suite 600	**Site Contact:** Bob Osborne (TRO)		
City/State/Zip: ~~Flowery Branch, GA 30542~~ Montpelier VT 05602			
Phone: ~~770-967-6501~~ (802) 229-4600			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO #: 1-0145-4	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE-2 (STP-2)	10-28-11	14:39	—	30"	5"	—	—	—	547	6	Instant				X	
SVE-3		14:42	—	30"	6"	—	—	—	538	6					X	
SVE-6		14:25	—	30"	5"	—	—	—	332	6					X	
SVE-4 (TMW) 1		14:32	—	30"	5"	—	—	—	1024	6					X	
SVE-4		14:46	—	30"	5"	—	—	—	801	6					X	
SVE-5	10-28-11	14:22	—	28"	5"	—	—	—	826	6	Instant				X	

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by: UPS	Date/Time: 10-28-11	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time: 10:28 / 17:00	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time: 11/01/11 0935

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson 6.

Date of Receipt: 11/01/11

Time of Receipt: 0925

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

1 from cont.

Unpacker Signature/Emp#: [signature] 964 **Date/Time:** 11/01/11 0945

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

December 14, 2011

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 12/02/2011
Group Number: 1279130
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
Blower Summa Can #895 Air	6487444
Undiluted Summa Can #822 Air	6487445
MP10 Summa Can #324 Air	6487446
MP06 Summa Can #316 Air	6487447
MP09 Summa Can #110 Air	6487448
MP03 Summa Can #1105 Air	6487449
SVE3 Summa Can #1107 Air	6487450
MP11 Summa Can #164 Air	6487451
SVE5 Summa Can #891 Air	6487452
SVE6 Summa Can #870 Air	6487453
VW5 Summa Can #15 Air	6487454
SVE1 Summa Can #1077 Air	6487455
MP04 Summa Can #186 Air	6487456
VW6 Summa Can #21 Air	6487457
MP07 Summa Can #414 Air	6487458
MP05 Summa Can #140 Air	6487459
SVE2 Summa Can #178 Air	6487460
MW64 Summa Can #113 Air	6487461
SVE4 Summa Can #32 Air	6487462
MP02 Summa Can #135 Air	6487463
MP08 Summa Can #57 Air	6487464
MW65S Summa Can #404 Air	6487465

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,

Michele J. Smith

Michele J. Smith
Senior Specialist

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can #895 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487444
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 11:00 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.3		0.50	13		1.2	1
05298	Benzene	71-43-2	1.1		0.20	3.5		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.52	J	0.20	1.8	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.56	J	0.20	1.1	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	4.9		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	7.5		0.20	31		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.36	J	0.20	1.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	630		2.0	2,500		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.54	J	0.20	2.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.71	J	0.20	2.5	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.85	J	0.20	2.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.50	J	0.20	3.4	J	1.4	1
05298	Toluene	108-88-3	100		2.0	380		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can #895 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487444
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 11:00 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	780		2.0	4,300		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.1		0.20	6.2		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.61	J	0.20	3.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.20	J	0.20	0.51	J	0.51	1
05298	m/p-Xylene	179601-23-1	3.5		0.20	15		0.87	1
05298	o-Xylene	95-47-6	1.1		0.20	4.7		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 19:07	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 22:57	Jeffrey B Smith	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can #822 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487445
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:57 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14		0.50	34		1.2	1
05298	Benzene	71-43-2	0.28	J	0.20	0.90	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.1		0.50	12		1.5	1
05298	Carbon Disulfide	75-15-0	0.80	J	0.20	2.5	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.86	J	0.20	3.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.25	J	0.20	1.2	J	0.98	1
05298	Chloromethane	74-87-3	0.39	J	0.20	0.80	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.3		0.20	6.2		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	18		0.20	74		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.85	J	0.20	3.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	1,100		5.0	4,300		20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.3		0.20	5.7		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.6		0.20	5.4		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.46	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	8.9		1.4	1
05298	Toluene	108-88-3	260		2.0	990		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can #822 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487445
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:57 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,500		5.0	8,300		27	25
05298	1,1,2-Trichloroethane	79-00-5	0.26	J	0.20	1.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.66	J	0.20	3.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.1		0.20	12		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.73	J	0.20	3.6	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.26	J	0.20	1.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.43	J	0.20	1.1	J	0.51	1
05298	m/p-Xylene	179601-23-1	8.4		0.20	37		0.87	1
05298	o-Xylene	95-47-6	3.0		0.20	13		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 19:55	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 23:40	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AA	12/12/2011 12:04	Jeffrey B Smith	25

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can #324 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487446
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:47 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		0.50	26		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.0		0.50	8.8		1.5	1
05298	Carbon Disulfide	75-15-0	0.70	J	0.20	2.2	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.22	J	0.20	0.78	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.3		0.20	6.4		0.98	1
05298	Chloromethane	74-87-3	0.41	J	0.20	0.84	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.9		0.20	14		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	21		0.20	83		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	50		0.20	200		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.47	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.50	J	0.20	1.9	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa Can #324 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487446
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:47 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	66		0.20	360		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.25	J	0.20	1.4	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.97	J	0.20	4.8	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.26	J	0.20	1.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.87	J	0.20	3.8	J	0.87	1
05298	o-Xylene	95-47-6	0.35	J	0.20	1.5	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 20:42	Jeffrey B Smith	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can #316 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487447
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:17 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13		0.50	31		1.2	1
05298	Benzene	71-43-2	0.25	J	0.20	0.81	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.3	J	0.50	3.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.25	J	0.20	0.79	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.23	J	0.20	1.1	J	0.98	1
05298	Chloromethane	74-87-3	0.77	J	0.20	1.6	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.4		0.20	5.8		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	77		0.20	300		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	2.5		0.20	8.8		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	26		0.20	89		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	11		0.20	31		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.53	J	0.20	2.0	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa Can #316 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487447
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:17 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	31	0.20	170	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7	0.20	9.7	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 21:30	Jeffrey B Smith	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can #110 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487448
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:56 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	36	J	10	86	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	10	J	10	31	J	29	20
05298	Carbon Disulfide	75-15-0	15	J	10	48	J	31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	24		4.0	63		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	880		4.0	3,600		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	120,000		400	500,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	30	J	10	230	J	77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	4.0	J	4.0	14	J	14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	9.5	J	4.0	33	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	22		4.0	64		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	40		4.0	270		27	20
05298	Toluene	108-88-3	24		4.0	89		15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa Can #110 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487448
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:56 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	39,000		400	210,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	49		4.0	260		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	62		4.0	160		10	20
05298	m/p-Xylene	179601-23-1	9.0	J	4.0	39	J	17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AB	12/06/2011 22:13	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1133530AC	12/07/2011 09:51	Florida A Cimino	2000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa Can #1105 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487449
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:09 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.4	J	5.0	18	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	2.1	J	2.0	6.6	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	28		2.0	110		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	780		2.0	3,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.6	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	4.2	J	2.0	29	J	14	10
05298	Toluene	108-88-3	280		2.0	1,100		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa Can #1105 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487449
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:09 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,000		4.0	5,500		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.6	J	2.0	14	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	6.0	J	2.0	26	J	8.7	10
05298	o-Xylene	95-47-6	2.7	J	2.0	12	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/11/2011 23:29	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 07:57	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Summa Can #1107 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487450
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:42 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	39	J	10	92	J	24	20
05298	Benzene	71-43-2	4.9	J	4.0	16	J	13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	77		4.0	310		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	3,700		40	15,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	13	J	4.0	49	J	15	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Summa Can #1107 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487450
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:42 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	3,100	40	17,000	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 00:12	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 08:41	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can #164 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487451
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:52 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	450		50	1,100		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	140		20	440		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	140		20	560		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	9,700		20	39,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	28	J	20	98	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	68	J	20	240	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	120		20	350		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	28	J	20	110	J	75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa Can #164 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487451
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:52 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,000	20	11,000	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 01:02	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE5 Summa Can #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487452
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:13 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14		1.0	34		2.4	2
05298	Benzene	71-43-2	0.87	J	0.40	2.8	J	1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	2.4	J	1.0	7.1	J	2.9	2
05298	Carbon Disulfide	75-15-0	1.6	J	0.40	5.0	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	0.99	J	0.40	3.5	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	0.59	J	0.40	2.9	J	2.0	2
05298	Chloromethane	74-87-3	N.D.		0.40	N.D.		0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	3.1		0.40	15		2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.40	2.6	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	34		0.40	140		1.6	2
05298	1,2-Dichloroethane	107-06-2	1.7	J	0.40	6.9	J	1.6	2
05298	1,1-Dichloroethene	75-35-4	1,400		4.0	5,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	0.59	J	0.40	2.6	J	1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	1.2	J	0.40	4.3	J	1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	N.D.		0.40	N.D.		1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	2.0		0.40	14		2.7	2
05298	Toluene	108-88-3	100		0.40	390		1.5	2

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE5 Summa Can #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487452
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:13 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	610		4.0	3,300		22	20
05298	1,1,2-Trichloroethane	79-00-5	0.56	J	0.40	3.0	J	2.2	2
05298	Trichloroethene	79-01-6	0.68	J	0.40	3.7	J	2.1	2
05298	Trichlorofluoromethane	75-69-4	2.2		0.40	12		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	1.4	J	0.40	6.9	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.40	N.D.		2.0	2
05298	Vinyl Chloride	75-01-4	1.3	J	0.40	3.4	J	1.0	2
05298	m/p-Xylene	179601-23-1	3.6		0.40	15		1.7	2
05298	o-Xylene	95-47-6	1.5	J	0.40	6.3	J	1.7	2

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 01:49	Michael A Ziegler	2
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 09:24	Michael A Ziegler	20

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Summa Can #870 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487453
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:15 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	24		0.50	56		1.2	1
05298	Benzene	71-43-2	6.1		0.20	19		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	6.4		0.50	19		1.5	1
05298	Carbon Disulfide	75-15-0	0.98	J	0.20	3.1	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	0.36	J	0.20	2.3	J	1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.84	J	0.20	3.0	J	0.71	1
05298	Chloroethane	75-00-3	0.21	J	0.20	0.56	J	0.53	1
05298	Chloroform	67-66-3	0.53	J	0.20	2.6	J	0.98	1
05298	Chloromethane	74-87-3	0.27	J	0.20	0.55	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	19		0.20	94		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.47	J	0.20	2.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	36		0.20	150		0.81	1
05298	1,2-Dichloroethane	107-06-2	2.9		0.20	12		0.81	1
05298	1,1-Dichloroethene	75-35-4	740		2.0	2,900		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.69	J	0.20	3.0	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.21	J	0.20	0.74	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.4		0.20	5.0		0.69	1
05298	Octane	111-65-9	0.22	J	0.20	1.0	J	0.93	1
05298	Pentane	109-66-0	1.6		0.20	4.6		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	8.7		1.4	1
05298	Toluene	108-88-3	99		2.0	370		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Summa Can #870 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487453
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:15 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,500		100	8,300		550	500
05298	1,1,2-Trichloroethane	79-00-5	0.67	J	0.20	3.7	J	1.1	1
05298	Trichloroethene	79-01-6	0.65	J	0.20	3.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.8		0.20	16		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.0		0.20	9.8		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.45	J	0.20	2.2	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.40	J	0.20	1.0	J	0.51	1
05298	m/p-Xylene	179601-23-1	3.1		0.20	13		0.87	1
05298	o-Xylene	95-47-6	1.3		0.20	5.7		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 02:38	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 10:09	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 15:43	Michael A Ziegler	500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can #15 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487454
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:24 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	720	J	500	1,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		200	N.D.		620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	650	J	200	2,600	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	88,000		200	350,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	200	J	200	710	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa Can #15 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487454
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:24 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	7,800	200	43,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 03:22	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Summa Can #1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487455
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:37 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	720	J	500	1,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	290	J	200	910	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	210	J	200	840	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	33,000		200	130,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	260	J	200	920	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	22,000		200	84,000		750	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Summa Can #1077 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487455
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:37 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	250,000		500	1,400,000		2,700	2500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	270	J	200	1,200	J	870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 04:58	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 13:20	Michael A Ziegler	2500

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can #186 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487456
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:06 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.5		0.50	20		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.3		0.50	6.8		1.5	1
05298	Carbon Disulfide	75-15-0	0.85	J	0.20	2.7	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.82	J	0.20	2.9	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.24	J	0.20	0.49	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.90	J	0.20	4.4	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.67	J	0.20	2.7	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	8.4		0.20	33		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.29	J	0.20	1.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.42	J	0.20	2.0	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.32	J	0.20	0.94	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.60	J	0.20	2.3	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa Can #186 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487456
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:06 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	2.2		0.20	12		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.2		0.20	11		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.47	J	0.20	2.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.4		0.20	6.3		0.87	1
05298	o-Xylene	95-47-6	0.56	J	0.20	2.4	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 12:29	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can #21 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487457
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:20 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	630		50	1,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	56	J	50	160	J	150	100
05298	Carbon Disulfide	75-15-0	170		20	530		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	88	J	20	360	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	6,000		20	24,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	120		20	430		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	33	J	20	97	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	85	J	20	320	J	75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa Can #21 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487457
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:20 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	600	20	3,300	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 06:28	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can #414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487458
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:19 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.3	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	20		2.0	81		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,100		20	8,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.3	J	2.0	15	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	290		2.0	1,100		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa Can #414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487458
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:19 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,700		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.6	J	2.0	14	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	7.9	J	2.0	34	J	8.7	10
05298	o-Xylene	95-47-6	2.6	J	2.0	11	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AA	12/09/2011 08:32	Florida A Cimino	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/11/2011 22:46	Florida A Cimino	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/11/2011 22:46	Michael A Ziegler	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487459
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 09:59 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.5		0.50	8.4		1.2	1
05298	Benzene	71-43-2	0.30	J	0.20	0.96	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.2	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.89	J	0.20	2.8	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	0.22	J	0.20	1.4	J	1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.78	J	0.20	2.8	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.48	J	0.20	0.98	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.61	J	0.20	3.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.23	J	0.20	1.4	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.21	J	0.20	1.3	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.34	J	0.20	2.0	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.63	J	0.20	3.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.31	J	0.20	1.2	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	100		0.20	410		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.65	J	0.20	2.8	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.64	J	0.20	3.2	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.35	J	0.20	1.4	J	0.82	1
05298	Hexachloroethane	67-72-1	0.26	J	0.20	2.5	J	1.9	1
05298	Hexane	110-54-3	0.34	J	0.20	1.2	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.28	J	0.20	1.3	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.30	J	0.20	1.0	J	0.69	1
05298	Octane	111-65-9	0.30	J	0.20	1.4	J	0.93	1
05298	Pentane	109-66-0	0.54	J	0.20	1.6	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.21	J	0.20	1.4	J	1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	1.3		0.20	4.8		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa Can #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487459
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 09:59 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.65	J	0.20	3.6	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7		0.20	9.3		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.6		0.20	8.1		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.6		0.20	11		0.87	1
05298	o-Xylene	95-47-6	1.0	J	0.20	4.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/11/2011 21:56	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE2 Summa Can #178 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487460
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:39 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	620		50	1,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	190		20	580		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	26	J	20	90	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	52	J	20	110	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	260		20	1,100		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	13,000		200	52,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	98	J	20	340	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	38	J	20	110	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	4,600		20	18,000		75	100

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE2 Summa Can #178 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487460
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:39 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,200		20	34,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	52	J	20	230	J	87	100
05298	o-Xylene	95-47-6	20	J	20	87	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 07:15	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AB	12/12/2011 14:18	Michael A Ziegler	1000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa Can #113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487461
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:22 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7,300		1,000	17,000		2,400	2000
05298	Benzene	71-43-2	N.D.		400	N.D.		1,300	2000
05298	Bromobenzene	108-86-1	N.D.		400	N.D.		2,600	2000
05298	Bromodichloromethane	75-27-4	N.D.		400	N.D.		2,700	2000
05298	Bromoform	75-25-2	N.D.		400	N.D.		4,100	2000
05298	Bromomethane	74-83-9	N.D.		400	N.D.		1,600	2000
05298	1,3-Butadiene	106-99-0	N.D.		1,000	N.D.		2,200	2000
05298	2-Butanone	78-93-3	N.D.		1,000	N.D.		2,900	2000
05298	Carbon Disulfide	75-15-0	3,900		400	12,000		1,200	2000
05298	Carbon Tetrachloride	56-23-5	N.D.		400	N.D.		2,500	2000
05298	Chlorobenzene	108-90-7	N.D.		400	N.D.		1,800	2000
05298	Chlorodifluoromethane	75-45-6	N.D.		400	N.D.		1,400	2000
05298	Chloroethane	75-00-3	N.D.		400	N.D.		1,100	2000
05298	Chloroform	67-66-3	N.D.		400	N.D.		2,000	2000
05298	Chloromethane	74-87-3	N.D.		400	N.D.		830	2000
05298	3-Chloropropene	107-05-1	N.D.		400	N.D.		1,300	2000
05298	Cumene	98-82-8	N.D.		400	N.D.		2,000	2000
05298	Dibromochloromethane	124-48-1	N.D.		400	N.D.		3,400	2000
05298	1,2-Dibromoethane	106-93-4	N.D.		400	N.D.		3,100	2000
05298	Dibromomethane	74-95-3	N.D.		400	N.D.		2,800	2000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		400	N.D.		2,400	2000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		400	N.D.		2,400	2000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		400	N.D.		2,400	2000
05298	Dichlorodifluoromethane	75-71-8	N.D.		400	N.D.		2,000	2000
05298	1,1-Dichloroethane	75-34-3	5,900		400	24,000		1,600	2000
05298	1,2-Dichloroethane	107-06-2	N.D.		400	N.D.		1,600	2000
05298	1,1-Dichloroethene	75-35-4	480,000		4,000	1,900,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		400	N.D.		1,600	2000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		400	N.D.		1,600	2000
05298	Dichlorofluoromethane	75-43-4	N.D.		400	N.D.		1,700	2000
05298	1,2-Dichloropropane	78-87-5	N.D.		400	N.D.		1,800	2000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		400	N.D.		1,800	2000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		400	N.D.		1,800	2000
05298	Ethylbenzene	100-41-4	N.D.		400	N.D.		1,700	2000
05298	4-Ethyltoluene	622-96-8	N.D.		400	N.D.		2,000	2000
05298	Freon 113	76-13-1	N.D.		1,000	N.D.		7,700	2000
05298	Freon 114	76-14-2	N.D.		400	N.D.		2,800	2000
05298	Heptane	142-82-5	N.D.		400	N.D.		1,600	2000
05298	Hexachloroethane	67-72-1	N.D.		400	N.D.		3,900	2000
05298	Hexane	110-54-3	N.D.		400	N.D.		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		1,000	N.D.		4,100	2000
05298	Isooctane	540-84-1	N.D.		400	N.D.		1,900	2000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		400	N.D.		1,400	2000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1,000	N.D.		4,100	2000
05298	Methylene Chloride	75-09-2	2,400		400	8,500		1,400	2000
05298	Octane	111-65-9	N.D.		400	N.D.		1,900	2000
05298	Pentane	109-66-0	820	J	400	2,400	J	1,200	2000
05298	Styrene	100-42-5	N.D.		400	N.D.		1,700	2000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		400	N.D.		2,700	2000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		400	N.D.		2,700	2000
05298	Tetrachloroethene	127-18-4	N.D.		400	N.D.		2,700	2000
05298	Toluene	108-88-3	14,000		400	54,000		1,500	2000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa Can #113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487461
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:22 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	210,000	4,000	1,100,000	22,000	20000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	400	N.D.	2,200	2000
05298	Trichloroethene	79-01-6	N.D.	400	N.D.	2,100	2000
05298	Trichlorofluoromethane	75-69-4	N.D.	400	N.D.	2,200	2000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	400	N.D.	2,400	2000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	400	N.D.	2,000	2000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	400	N.D.	2,000	2000
05298	Vinyl Chloride	75-01-4	N.D.	400	N.D.	1,000	2000
05298	m/p-Xylene	179601-23-1	N.D.	400	N.D.	1,700	2000
05298	o-Xylene	95-47-6	N.D.	400	N.D.	1,700	2000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/13/2011 10:05	Michael A Ziegler	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/13/2011 12:26	Michael A Ziegler	20000

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Summa Can #32 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487462
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:44 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.2		0.50	22		1.2	1
05298	Benzene	71-43-2	0.43	J	0.20	1.4	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	0.62	J	0.20	2.4	J	0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.8	J	0.50	5.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.20	N.D.		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.36	J	0.20	1.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.2		0.20	5.9		0.98	1
05298	Chloromethane	74-87-3	0.42	J	0.20	0.88	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.8		0.20	8.7		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.3		0.20	9.3		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.44	J	0.20	1.7	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	3.7		0.20	11		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.22	J	0.20	1.5	J	1.4	1
05298	Toluene	108-88-3	0.44	J	0.20	1.6	J	0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Summa Can #32 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487462
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:44 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2.9		0.20	16		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.2		0.20	6.8		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.80	J	0.20	3.9	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.60	J	0.20	2.6	J	0.87	1
05298	o-Xylene	95-47-6	0.25	J	0.20	1.1	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1134130AC	12/12/2011 22:42	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487463
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:50 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	59		5.0	140		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	45		5.0	130		15	10
05298	Carbon Disulfide	75-15-0	3.1	J	2.0	9.7	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	5.5	J	2.0	27	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	63		2.0	260		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	3,400		40	13,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487463
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:50 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100	40	5,800	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AA	12/12/2011 12:47	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/13/2011 13:16	Michael A Ziegler	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can #57 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487464
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:26 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	29		1.2	1
05298	Benzene	71-43-2	1.5		0.20	4.8		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.64	J	0.50	1.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.20	N.D.		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.2		0.20	4.1		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.42	J	0.20	2.0	J	0.98	1
05298	Chloromethane	74-87-3	1.4		0.20	2.8		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	1.2		0.20	5.8		0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	2.0		0.20	7.8		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.27	J	0.20	1.1	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	2.4		0.20	8.6		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.24	J	0.20	1.1	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	9.9		0.20	34		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	5.7		0.20	17		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	1.6		0.20	6.0		0.75	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa Can #57 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487464
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:26 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.21	J	0.20	1.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.0		0.20	5.8		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.57	J	0.20	2.5	J	0.87	1
05298	o-Xylene	95-47-6	0.89	J	0.20	3.9	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/13/2011 07:08	Michael A Ziegler	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Summa Can #404 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487465
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:29 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		100	N.D.		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	N.D.		100	N.D.		290	200
05298	Carbon Disulfide	75-15-0	N.D.		40	N.D.		120	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	120	J	40	500	J	160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	73,000		400	290,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	N.D.		40	N.D.		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	N.D.		40	N.D.		140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	N.D.		40	N.D.		120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200
05298	Toluene	108-88-3	N.D.		40	N.D.		150	200

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Summa Can #404 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6487465
LLI Group # 1279130
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2011 10:29 by CP

Submitted: 12/02/2011 09:15
Reported: 12/14/2011 16:04

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200	40	6,500	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	40	N.D.	220	200
05298	Trichloroethene	79-01-6	N.D.	40	N.D.	210	200
05298	Trichlorofluoromethane	75-69-4	N.D.	40	N.D.	220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.	40	N.D.	240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	40	N.D.	200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	40	N.D.	200	200
05298	Vinyl Chloride	75-01-4	N.D.	40	N.D.	100	200
05298	m/p-Xylene	179601-23-1	N.D.	40	N.D.	170	200
05298	o-Xylene	95-47-6	N.D.	40	N.D.	170	200

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/12/2011 22:11	Michael A Ziegler	200
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1134530AB	12/13/2011 07:51	Michael A Ziegler	2000

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1134130AA	Sample number(s): 6487458							
Acetone	N.D.	0.50	ppb(v)	99	101	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	102	104	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	99	100	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	103	105	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	100	102	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	102	106	60-135	4	25
2-Butanone	N.D.	0.50	ppb(v)	101	106	66-129	5	25
Carbon Disulfide	N.D.	0.20	ppb(v)	81	82	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	102	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	95	97	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	100	102	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	93	95	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	94	97	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	98	100	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	103	105	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	102	105	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	99	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	98	100	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	104	106	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	99	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	101	103	70-130	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	101	69-120	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	97	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	92	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	107	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	99	103	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	108	111	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	99	102	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	88	89	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	91	92	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	99	101	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	93	97	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	124	128	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	99	64-124	7	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	113	116	61-145	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	89	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	103	105	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	101	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	105	108	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	100	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	98	100	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	104	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	100	102	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	104	106	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	113	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	114	117	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	111	113	70-130	2	25
Batch number: C1134130AB	Sample number(s): 6487449-6487460							
Acetone	N.D.	0.50	ppb(v)	99	101	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	102	104	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	99	100	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	103	105	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	100	102	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	102	106	60-135	4	25
2-Butanone	N.D.	0.50	ppb(v)	101	106	66-129	5	25
Carbon Disulfide	N.D.	0.20	ppb(v)	81	82	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	102	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	95	97	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	100	102	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	93	95	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	94	97	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	98	100	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	103	105	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	102	105	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	99	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	98	100	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	104	106	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	99	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	101	103	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	90	93	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	101	69-120	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	97	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	92	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	107	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	99	103	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	108	111	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	99	102	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	88	89	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	91	92	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	99	101	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	93	97	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	124	128	54-166	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	99	64-124	7	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	113	116	61-145	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	89	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	103	105	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	101	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	105	108	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	98	101	70-130	4	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	100	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	98	100	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	104	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	100	102	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	104	106	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	113	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	114	117	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	111	113	70-130	2	25
Batch number: C1134130AC	Sample number(s): 6487462							
Acetone	N.D.	0.50	ppb(v)	99	101	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	102	104	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	99	100	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	103	105	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	100	102	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	102	106	60-135	4	25
2-Butanone	N.D.	0.50	ppb(v)	101	106	66-129	5	25
Carbon Disulfide	N.D.	0.20	ppb(v)	81	82	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	102	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	95	97	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	100	102	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	93	95	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	94	97	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	98	100	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	103	105	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	102	105	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	99	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	98	100	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	104	106	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	99	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	101	103	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	90	93	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	101	69-120	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	97	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	92	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	107	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	99	103	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	108	111	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	99	102	69-135	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	88	89	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	91	92	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	99	101	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	93	97	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	124	128	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	99	64-124	7	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	113	116	61-145	3	25
Methylene Chloride	N.D.	0.20	ppb(v)	89	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	103	105	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	102	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	101	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	105	108	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	98	101	70-130	4	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	100	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	98	100	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	104	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	100	102	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	104	106	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	113	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	114	117	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	111	113	70-130	2	25
Batch number: D1133530AB	Sample number(s): 6487444-6487448							
Acetone	N.D.	0.50	ppb(v)	107	104	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	105	102	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	106	100	70-138	6	25
Bromoform	N.D.	0.20	ppb(v)	105	98	71-150	7	25
Bromomethane	N.D.	0.20	ppb(v)	106	101	70-130	5	25
1,3-Butadiene	N.D.	0.50	ppb(v)	110	104	60-135	5	25
2-Butanone	N.D.	0.50	ppb(v)	111	109	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	86	82	56-106	5	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	106	98	70-130	8	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	88	70-130	5	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	106	101	71-129	5	25
Chloroform	N.D.	0.20	ppb(v)	99	92	70-130	7	25
Chloromethane	N.D.	0.20	ppb(v)	105	95	58-129	10	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	95	91	68-138	5	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	95	71-135	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	107	100	71-143	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	95	90	68-136	6	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	99	92	67-140	7	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	107	98	72-140	8	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	97	94	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	110	103	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	97	91	64-117	7	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	97	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	92	67-121	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	94	93	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	113	110	67-134	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	92	67-134	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	112	108	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	105	100	69-135	5	25
Freon 113	N.D.	0.50	ppb(v)	92	87	67-115	6	25
Freon 114	N.D.	0.20	ppb(v)	99	90	66-120	9	25
Heptane	N.D.	0.20	ppb(v)	102	100	60-125	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	94	93	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	117	114	54-166	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	99	98	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	126	123	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	92	89	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	111	106	70-139	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	99	95	67-145	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	95	91	70-130	4	25
Toluene	N.D.	0.20	ppb(v)	105	101	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	96	70-130	6	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	94	90	68-128	5	25
Trichloroethene	N.D.	0.20	ppb(v)	105	100	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	110	100	70-130	9	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	105	99	69-138	5	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	113	108	71-142	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	108	104	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	124	119	70-130	4	25
o-Xylene	N.D.	0.20	ppb(v)	120	115	70-130	4	25
Batch number: D1133530AC	Sample number(s): 6487448							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	97	91	64-117	7	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	96	70-130	6	25
Batch number: D1134530AA	Sample number(s): 6487445,6487463							
Acetone	N.D.	0.50	ppb(v)	102	99	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	94	92	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	97	95	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	97	95	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	112	110	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	107	108	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	101	101	66-129	0	25
Carbon Disulfide	N.D.	0.20	ppb(v)	91	89	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	100	96	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	107	105	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	96	94	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	119	114	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	92	90	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	94	71-135	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	96	93	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	90	87	68-136	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	92	90	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	121	122	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	95	66-126	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	99	96	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	96	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	97	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	95	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	86	84	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	100	99	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	90	67-134	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	96	91	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	85	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	90	86	67-115	4	25
Freon 114	N.D.	0.20	ppb(v)	101	98	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	93	91	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	94	95	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	120	120	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	93	93	64-124	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	109	111	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	90	91	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	96	91	70-139	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	86	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	92	89	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	98	95	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	85	83	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	101	100	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	109	105	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	85	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	88	71-142	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	122	123	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	103	98	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	96	91	70-130	5	25
Batch number: D1134530AB	Sample number(s): 6487461,6487463-6487465							
Acetone	N.D.	0.50	ppb(v)	102	99	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	94	92	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	97	95	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	97	95	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	112	110	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	107	108	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	101	101	66-129	0	25
Carbon Disulfide	N.D.	0.20	ppb(v)	91	89	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	100	96	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	107	105	71-129	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Chloroform	N.D.	0.20	ppb(v)	96	94	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	119	114	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	92	90	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	94	71-135	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	96	93	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	90	87	68-136	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	92	90	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	121	122	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	95	66-126	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	99	96	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	96	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	97	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	95	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	86	84	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	100	99	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	90	67-134	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	96	91	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	85	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	90	86	67-115	4	25
Freon 114	N.D.	0.20	ppb(v)	101	98	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	93	91	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	94	95	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	120	120	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	93	93	64-124	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	109	111	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	90	91	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	96	91	70-139	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	86	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	92	89	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	98	95	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	85	83	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	101	100	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	109	105	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	85	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	88	71-142	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	122	123	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	103	98	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	96	91	70-130	5	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1279130
Reported: 12/14/11 at 04:04 PM

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1279130 / 6487444-65

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	1 of 4 COCs
Company: Roadrunner Express Inc.	**Phone:** 802-229-4600	**Samplers Name(s)** Calvin Pruitt	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
Blower	11/30	11:00							895	6		X				
Undiluted	11/30	10:57							822	6		X				
MP 10	11/30	1047							324	6		X				
MP 06	11/30	10:17							316	6		X				
MP 09	11/30	10:56							110	6		X				
MP 03	11/30	10:09							1105	6		X				

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Send results to TAH@TJEO mail.com

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by: Calvin Pruitt	Date/Time: 11/30/11 12:53pm	Received by: Fed Ex / UPS	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Neely	Date/Time: 12/2/11 / 0915

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1279130 / 6487444-65

Client Contact Information	Project Manager: Todd Hall	Carrier:	2 of 4 COCs
Company: Roadrunner Express Inc.	Phone: 802-229-4600	Samplers Name(s) Calvin Pruitt	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, .	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE 3	11/30	10:42							1107	6		X						
MP 11	11/30	10:52							164	6		X						
SVE 5	11/30	10:13							891	6		X						
SVE 6	11/30	10:15							870	6		X						
VW 5	11/30	10:24							15	6		X						
SVE 1	11/30	10:37							1077	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Send results to TAH@JCOmail.com

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Rush	Date/Time: 12/2/11 / 0915

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1279130 / 6487444-65

Client Contact Information	Project Manager: Todd Hall	Carrier:	3 of 4 COCs
Company: Roadrunner Express Inc.	Phone: 802-229-4600	Samplers Name(s) Calvin Pruitt	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, .	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 04	11/30	10:06							186	6		X						
VW 6	11/30	10:20							21	6		X						
MP 07	11/30	10:19							414	6		X						
MP 05	11/30	9:59							140	6		X						
SVE 2	11/30	10:39							178	6		X						
MW 104	11/30	10:22							113	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Send results to Todd Hall TAH@JCOmail.com

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Neal	Date/Time: 12/2/11 / 0915

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1279130 / 6487444-65

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	4 of 4 COCs
Company: Roadrunner Express Inc.	Phone: 802-229-4600	**Samplers Name(s)** Calvin Pewitt	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE 4	11/30	10:44							32	6		✓						
MP 02	11/30	10:50							135	6		✓						
MP 08	11/30	10:26							57	6		✓						
MW 65S	11/30	10:29							404	6		✓						
	~~11/30~~																	
	~~11/30~~																	

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Send results to Todd Hall @ TAH@TJCOmail.com

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Neff	Date/Time: 12/2/11 / 0915

Interim Soil Vapor Extraction System - System Data
Avery Dennison Facility, Flowery Branch, GA

Date: 11-30-11 Field Representative(s): Calvin Henry

Sample Location	Time Collected	Cannister #	Starting Pressure	Final Pressure	Comments
✓ MP-02	10:50	135			
✓ MP-03	10:09	1105			
✓ MP-04	10:06	186			
✓ MP-05	9:59	140			
✓ MP-06	10:17	316			
✓ MP-07	10:19	414			
✓ MP-08	10:26	57			
✓ MP-09	10:56	110			
✓ MP-10	10:47	324			
✓ MP-11	10:52	164			
VW-3	OFF	OFF			
✓ VW-5	10:24	15			
✓ VW-6	10:20	21			
✓ MW-64	10:22	113			
✓ MW-65s	10:29	404			
✓ SVE-1	10:37	1077			
✓ SVE-2	10:39	178			
✓ SVE-3	10:42	1107			
✓ SVE-4	10:44	32			
✓ SVE-5	10:13	891			
✓ SVE-6	10:15	870			
✓ Undiluted	10:57	822			
✓ Blower Exhaust	11:00	895			

Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Avery Dennison

Date of Receipt: 12/2/11

Time of Receipt: 0915

Source Code: 50-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

+ Bag of Rods

Unpacker Signature/Emp#: Vanessa /208 **Date/Time:** 12/2/11 /1020

Issued by Dept. 6042 Management

2174.06

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
ug	microgram(s)	**mg**	milligram(s)
ml	milliliter(s)	**l**	liter(s)
m3	cubic meter(s)	**ul**	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

January 13, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 01/03/2012
Group Number: 1283295
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE 6 Summa #851 Air	6512682
SVE 4 Summa #1029 Air	6512683
MP 11 Summa #1082 Air	6512684
MP 10 Summa #505 Air	6512685
MP 9 Summa #539 Air	6512686
MP 03 Summa #324 Air	6512687
MP 04 Summa #32 Air	6512688
MP 07 Summa #895 Air	6512689
SVE 1 Summa #21 Air	6512690
VW 5 Summa #528 Air	6512691
VW 6 Summa #530 Air	6512692
MW 65S Summa #154 Air	6512693
Blower Summa #837 Air	6512694
SVE 2 Summa #178 Air	6512695
Undiluted Summa #420 Air	6512696
SVE 5 Summa #526 Air	6512697
MP 08 Summa #544 Air	6512698
MW 64 Summa #101 Air	6512699
MP 02 Summa #97 Air	6512700
MP 06 Summa #848 Air	6512701
MP 05 Summa #140 Air	6512702
SVE 3 Summa #1036 Air	6512703

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,



Michele J. Smith
Senior Specialist

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa #851 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512682
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:09 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

851--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15		0.50	35		1.2	1
05298	Benzene	71-43-2	1.6		0.20	5.2		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.3		0.50	13		1.5	1
05298	Carbon Disulfide	75-15-0	1.5		0.50	4.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.92	J	0.20	3.2	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.49	J	0.20	2.4	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	16		0.20	79		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.25	J	0.20	1.5	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.25	J	0.20	1.5	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.63	J	0.20	3.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	29		0.20	120		0.81	1
05298	1,2-Dichloroethane	107-06-2	1.8		0.20	7.4		0.81	1
05298	1,1-Dichloroethene	75-35-4	650		4.0	2,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.86	J	0.20	3.0	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.87	J	0.20	5.9	J	1.4	1
05298	Toluene	108-88-3	15		0.20	58		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa #851 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512682
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:09 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

851--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	91		4.0	500		22	20
05298	1,1,2-Trichloroethane	79-00-5	1.2		0.20	6.7		1.1	1
05298	Trichloroethene	79-01-6	0.36	J	0.20	1.9	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	3.2		0.20	18		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.28	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.47	J	0.20	1.2	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.30	J	0.20	1.3	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 04:57	Florida A Cimino	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/11/2012 22:35	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa #1029 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512683
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:47 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1029-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.8		0.50	14		1.2	1
05298	Benzene	71-43-2	0.20	J	0.20	0.64	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.0	J	0.50	3.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.48	J	0.20	1.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.4		0.20	6.6		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.87	J	0.20	4.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.28	J	0.20	1.7	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.23	J	0.20	1.4	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.38	J	0.20	2.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.7		0.20	11		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	1.3		0.20	5.2		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.28	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.2		0.20	3.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.47	J	0.20	3.2	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa #1029 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512683
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:47 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1029-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.5		0.20	24		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	2.0		0.20	11		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.21	J	0.20	1.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.70	J	0.20	3.1	J	0.87	1
05298	o-Xylene	95-47-6	0.41	J	0.20	1.8	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 15:14	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa #1082 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512684
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:41 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1082-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	180		5.0	430		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	140		5.0	400		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	3.8	J	2.0	19	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	120		2.0	480		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	6,500		100	26,000		400	500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	14		2.0	41		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.1	J	2.0	14	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa #1082 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512684
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:41 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1082-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100	100	6,100	550	500
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	11	2.0	27	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 06:25	Florida A Cimino	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/11/2012 23:19	Michael A Ziegler	500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa #505 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512685
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:45 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

505--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	26		0.50	62		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	13		0.50	38		1.5	1
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.1		0.20	5.5		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.0		0.20	9.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.25	J	0.20	1.5	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.34	J	0.20	2.1	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.29	J	0.20	1.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.1		0.20	33		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	13		0.20	51		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.22	J	0.20	0.98	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.83	J	0.50	3.4	J	2.0	1
05298	Methylene Chloride	75-09-2	0.30	J	0.20	1.0	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.66	J	0.20	2.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.43	J	0.20	1.6	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa #505 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512685
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:45 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

505--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	24		0.20	130		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.33	J	0.20	1.9	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.27	J	0.20	1.3	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.55	J	0.20	2.4	J	0.87	1
05298	o-Xylene	95-47-6	0.30	J	0.20	1.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 16:07	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 9 Summa #539 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512686
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:32 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

539--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	38		0.50	90		1.2	1
05298	Benzene	71-43-2	0.20	J	0.20	0.64	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	17		0.50	51		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.25	J	0.20	0.90	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.32	J	0.20	1.5	J	0.98	1
05298	Chloromethane	74-87-3	0.69	J	0.20	1.4	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	7.0		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	20		0.20	80		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.41	J	0.20	1.6	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	540		4.0	2,100		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	0.75	J	0.50	5.7	J	3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.94	J	0.50	3.8	J	2.0	1
05298	Methylene Chloride	75-09-2	0.62	J	0.20	2.2	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.40	J	0.20	1.2	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.58	J	0.20	4.0	J	1.4	1
05298	Toluene	108-88-3	0.50	J	0.20	1.9	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 9 Summa #539 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512686
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:32 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

539--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	180		4.0	1,000		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.33	J	0.20	1.8	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.29	J	0.20	1.6	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.24	J	0.20	1.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.83	J	0.20	2.1	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.53	J	0.20	2.3	J	0.87	1
05298	o-Xylene	95-47-6	0.25	J	0.20	1.1	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 07:57	Florida A Cimino	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 00:04	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa #324 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512687
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:11 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

324--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	43		0.50	100		1.2	1
05298	Benzene	71-43-2	1.7		0.20	5.5		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.0	J	0.50	5.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.7		0.50	5.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.3		0.20	4.6		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.3		0.20	6.4		0.98	1
05298	Chloromethane	74-87-3	1.2		0.20	2.4		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.98	J	0.20	4.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	16		0.20	65		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.58	J	0.20	2.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	630		4.0	2,500		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.45	J	0.20	2.0	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.85	J	0.20	3.5	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	61		0.20	210		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.28	J	0.20	1.3	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	53		0.20	180		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	50		0.20	150		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.5		0.20	17		1.4	1
05298	Toluene	108-88-3	44		0.20	170		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa #324 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512687
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:11 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

324--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	74		0.20	400		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.30	J	0.20	1.6	J	1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8		0.20	10		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.25	J	0.20	1.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.64	J	0.20	1.6	J	0.51	1
05298	m/p-Xylene	179601-23-1	2.0		0.20	8.9		0.87	1
05298	o-Xylene	95-47-6	0.92	J	0.20	4.0	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 08:44	Florida A Cimino	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 00:48	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa #32 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512688
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:15 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

32---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.9		0.50	16		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	0.43	J	0.20	1.7	J	0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.2	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.59	J	0.50	1.9	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.58	J	0.20	2.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.96	J	0.20	4.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.67	J	0.20	2.7	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	6.8		0.20	27		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.25	J	0.20	0.87	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.39	J	0.20	1.1	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa #32 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512688
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:15 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

32---

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.22 J	0.20	1.2 J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.4	0.20	13	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 09:31	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa #895 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512689
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:06 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

895--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.3		0.50	7.8		1.2	1
05298	Benzene	71-43-2	0.39	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	N.D.		0.50	N.D.		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.57	J	0.20	2.0	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.69	J	0.20	1.4	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.0		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	15		0.20	62		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.92	J	0.20	3.7	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	1,400		4.0	5,500		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.72	J	0.20	3.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	2.6		0.20	9.0		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.31	J	0.20	0.93	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.52	J	0.20	3.5	J	1.4	1
05298	Toluene	108-88-3	110		4.0	400		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa #895 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512689
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:06 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

895--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	520		4.0	2,800		22	20
05298	1,1,2-Trichloroethane	79-00-5	0.21	J	0.20	1.1	J	1.1	1
05298	Trichloroethene	79-01-6	0.66	J	0.20	3.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.0		0.20	11		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.27	J	0.20	0.69	J	0.51	1
05298	m/p-Xylene	179601-23-1	4.0		0.20	18		0.87	1
05298	o-Xylene	95-47-6	1.2		0.20	5.0		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AB	01/11/2012 10:19	Florida A Cimino	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 01:33	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa #21 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512690
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:52 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

21---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,600		50	3,700		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	480		50	1,500		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	73	J	20	260	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	300		20	1,200		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	16,000		600	64,000		2,400	3000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	38	J	20	160	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	68	J	20	240	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	210		20	750		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	120		20	350		59	100
05298	Styrene	100-42-5	120		20	490		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	8,800		20	33,000		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa #21 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512690
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:52 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

21---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	26,000		600	140,000		3,300	3000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	31	J	20	78	J	51	100
05298	m/p-Xylene	179601-23-1	110		20	490		87	100
05298	o-Xylene	95-47-6	56	J	20	240	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 02:23	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 09:22	Michael A Ziegler	3000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa #528 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512691
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:05 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-528-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,300		50	3,200		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	260		50	770		150	100
05298	Carbon Disulfide	75-15-0	280		50	870		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	110		20	380		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	960		20	3,900		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	93,000		2,000	370,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	220		20	770		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	140		20	500		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	160		20	460		59	100
05298	Styrene	100-42-5	45	J	20	190	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	25	J	20	170	J	140	100
05298	Toluene	108-88-3	150		20	570		75	100

Sample Description: VW 5 Summa #528 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512691
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:05 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-528-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	14,000		2,000	76,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	58	J	20	310	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	23	J	20	99	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 03:11	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 11:39	Michael A Ziegler	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa #530 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512692
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:14 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-530-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19	J	5.0	45	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	7.8	J	5.0	23	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	94		2.0	380		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	4,100		200	16,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	7.8	J	2.0	27	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	3.4	J	2.0	23	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: VW 6 Summa #530 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512692
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:14 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-530-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	53		2.0	290		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	2.5	J	2.0	13	J	11	10
05298	Trichlorofluoromethane	75-69-4	2.7	J	2.0	15	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	2.4	J	2.0	6.0	J	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 03:56	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 12:24	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Summa #154 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512693
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:03 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-154-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,500		50	3,600		120	100
05298	Benzene	71-43-2	21	J	20	66	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	340		50	1,000		150	100
05298	Carbon Disulfide	75-15-0	250		50	780		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	2,200		20	9,000		81	100
05298	1,2-Dichloroethane	107-06-2	25	J	20	100	J	81	100
05298	1,1-Dichloroethene	75-35-4	590,000		2,000	2,300,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	150		20	520		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	260		20	890		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	120		20	360		59	100
05298	Styrene	100-42-5	46	J	20	200	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	61	J	20	420	J	140	100
05298	Toluene	108-88-3	240		20	920		75	100

Sample Description: MW 65S Summa #154 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512693
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:03 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-154-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	18,000		2,000	98,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	110		20	600		110	100
05298	Trichlorofluoromethane	75-69-4	23	J	20	130	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	200		20	500		51	100
05298	m/p-Xylene	179601-23-1	28	J	20	120	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 04:44	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 13:12	Michael A Ziegler	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa #837 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512694
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:40 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-837-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.4	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.6	J	2.0	18	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	430		2.0	1,700		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.7	J	2.0	9.4	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	26		2.0	99		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa #837 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512694
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:40 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-837-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	160	2.0	870	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 10:52	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa #178 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512695
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:51 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-178-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,100		50	2,600		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	330		50	1,000		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	94	J	20	330	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	390		20	1,600		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	13,000		200	53,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	29	J	20	130	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	160		20	570		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	190		20	650		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	150		20	430		59	100
05298	Styrene	100-42-5	53	J	20	230	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	8,000		20	30,000		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa #178 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512695
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:51 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-178-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,100		20	33,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	96	J	20	420	J	87	100
05298	o-Xylene	95-47-6	36	J	20	160	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 06:16	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1201030AC	01/12/2012 15:51	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa #420 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512696
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:37 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-420-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.5		0.50	15		1.2	1
05298	Benzene	71-43-2	0.21	J	0.20	0.68	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.2	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.60	J	0.20	1.9	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.49	J	0.20	1.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.45	J	0.20	0.93	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.43	J	0.20	2.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.4		0.20	34		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.37	J	0.20	1.5	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	670		2.0	2,600		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.39	J	0.20	1.7	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.94	J	0.20	3.3	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.40	J	0.20	1.2	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.60	J	0.20	4.0	J	1.4	1
05298	Toluene	108-88-3	81		2.0	310		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa #420 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512696
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:37 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-420-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	380		2.0	2,100		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.31	J	0.20	1.7	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.6		0.20	9.2		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.20	J	0.20	0.52	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.7		0.20	7.4		0.87	1
05298	o-Xylene	95-47-6	0.74	J	0.20	3.2	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/11/2012 22:57	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 04:50	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa #526 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512697
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:10 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-526-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.3		0.50	15		1.2	1
05298	Benzene	71-43-2	0.29	J	0.20	0.92	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.82	J	0.50	2.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.2		0.20	3.7		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.71	J	0.20	2.5	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.70	J	0.20	3.4	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	6.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.23	J	0.20	1.4	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.44	J	0.20	2.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	21		0.20	83		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.97	J	0.20	3.9	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	700		2.0	2,800		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.28	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.61	J	0.20	2.1	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.66	J	0.20	1.9	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.5		0.20	10		1.4	1
05298	Toluene	108-88-3	24		0.20	92		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa #526 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512697
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:10 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-526-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	72		0.20	390		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.50	J	0.20	2.7	J	1.1	1
05298	Trichloroethene	79-01-6	0.36	J	0.20	2.0	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.6		0.20	9.2		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.78	J	0.20	2.0	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.9		0.87	1
05298	o-Xylene	95-47-6	0.61	J	0.20	2.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/11/2012 23:42	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 05:34	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa #544 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512698
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:04 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-544-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.7		0.50	13		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.95	J	0.50	2.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.36	J	0.20	1.1	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.43	J	0.20	1.5	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.36	J	0.20	0.73	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	4.1		0.20	20		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.45	J	0.20	2.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.3		0.20	9.4		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.24	J	0.20	0.98	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	1,300		4.0	5,000		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.4		0.20	4.9		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.24	J	0.20	0.70	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.27	J	0.20	1.8	J	1.4	1
05298	Toluene	108-88-3	1.3		0.20	5.0		0.75	1

Sample Description: MP 08 Summa #544 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512698
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:04 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-544-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	180		4.0	980		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.42	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.6		0.20	9.2		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 00:28	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 06:17	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa #101 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512699
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:01 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-101-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	920	J	500	2,200	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	230	J	200	700	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	13,000		200	52,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	920,000		2,000	3,600,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	920	J	200	3,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	400	J	200	2,700	J	1,400	1000
05298	Toluene	108-88-3	15,000		200	58,000		750	1000

Sample Description: MW 64 Summa #101 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512699
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:01 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-101-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	240,000		2,000	1,300,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	520	J	200	2,800	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	220	J	200	550	J	510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 01:12	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 07:01	Michael A Ziegler	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa #97 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512700
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:44 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-97--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	350		5.0	840		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	360		5.0	1,100		15	10
05298	Carbon Disulfide	75-15-0	10	J	2.0	31	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	2.6	J	2.0	6.8	J	5.3	10
05298	Chloroform	67-66-3	5.0	J	2.0	25	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	160		2.0	660		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	3,700		100	15,000		400	500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.0	J	2.0	7.0	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	5.3	J	2.0	16	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	4.1	J	2.0	28	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: MP 02 Summa #97 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512700
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:44 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-97--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100		100	5,800		550	500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	2.8	J	2.0	15	J	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	19		2.0	48		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 01:55	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 10:29	Jeffrey B Smith	500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa #848 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512701
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:08 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-848-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.6		0.50	8.5		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.62	J	0.50	1.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.20	N.D.		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.48	J	0.20	1.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.43	J	0.20	0.90	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.79	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.48	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.4		0.20	5.6		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	49		0.20	190		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.21	J	0.20	0.62	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	2.0		0.20	7.4		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa #848 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512701
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:08 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-848-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	21		0.20	110		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8		0.20	10		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.31	J	0.20	1.3	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 09:00	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512702
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:16 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-140-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2.5		0.50	6.0		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.64	J	0.50	1.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.56	J	0.20	1.7	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.39	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.25	J	0.20	0.52	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.86	J	0.20	4.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.46	J	0.20	2.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	68		0.20	270		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.25	J	0.20	0.75	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512702
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 13:16 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-140-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.34 J	0.20	1.9 J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.5	0.20	8.3	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 03:23	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa #1036 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512703
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:49 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1036

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	44		5.0	100		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	3.9	J	2.0	12	J	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	62		2.0	250		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	4,200		20	16,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	5.4	J	2.0	37	J	14	10
05298	Toluene	108-88-3	240		20	900		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa #1036 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6512703
LLI Group # 1283295
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/29/2011 12:49 by CBJ

Submitted: 01/03/2012 09:40
Reported: 01/13/2012 19:05

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1036

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,000		20	33,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.6	J	2.0	16	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/12

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AA	01/12/2012 04:07	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1201130AB	01/12/2012 23:24	Michael A Ziegler	100

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1283295
Reported: 01/13/12 at 07:05 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1201130AA	Sample number(s): 6512696-6512703							
Acetone	N.D.	0.50	ppb(v)	90	88	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	97	93	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	99	94	70-138	5	25
Bromoform	N.D.	0.20	ppb(v)	111	104	71-150	6	25
Bromomethane	N.D.	0.20	ppb(v)	93	91	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	85	84	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	86	84	66-129	2	25
Carbon Disulfide	N.D.	0.20	ppb(v)	76	74	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	93	90	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	98	93	70-130	5	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	89	88	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	93	90	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	82	81	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	106	99	68-138	7	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	104	98	71-135	6	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	101	95	71-143	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	100	94	68-136	6	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	92	67-140	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	94	91	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	93	90	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	98	93	70-130	5	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	80	78	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	85	69-120	3	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	83	67-121	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	88	84	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	96	92	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	102	96	67-134	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	100	94	70-130	6	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	100	94	69-135	6	25
Freon 113	N.D.	0.50	ppb(v)	83	81	67-115	3	25
Freon 114	N.D.	0.20	ppb(v)	86	83	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	92	88	60-125	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	84	82	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	99	93	54-166	6	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	86	86	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	95	91	61-145	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	84	82	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1283295
Reported: 01/13/12 at 07:05 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	106	100	70-139	6	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	114	107	67-145	7	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	94	70-130	6	25
Toluene	N.D.	0.20	ppb(v)	100	95	70-130	5	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	94	91	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	105	98	68-128	7	25
Trichloroethene	N.D.	0.20	ppb(v)	84	81	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	96	93	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	101	95	69-138	7	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	104	98	71-142	6	25
Vinyl Chloride	N.D.	0.20	ppb(v)	93	91	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	112	105	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	107	101	70-130	6	25
Batch number: C1201130AB	Sample number(s): 6512703							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	80	78	64-117	2	25
Toluene	N.D.	0.20	ppb(v)	100	95	70-130	5	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	94	91	70-130	3	25
Batch number: D1201030AB	Sample number(s): 6512682-6512689							
Acetone	N.D.	0.50	ppb(v)	114	95	67-138	18	25
Benzene	N.D.	0.20	ppb(v)	95	81	70-130	16	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	100	83	70-138	19	25
Bromoform	N.D.	0.20	ppb(v)	106	89	71-150	17	25
Bromomethane	N.D.	0.20	ppb(v)	120	102	70-130	16	25
1,3-Butadiene	N.D.	0.50	ppb(v)	111	96	60-135	15	25
2-Butanone	N.D.	0.50	ppb(v)	95	78	66-129	20	25
Carbon Disulfide	N.D.	0.50	ppb(v)	99	83	56-106	17	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	84	70-130	20	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	81	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	105	89	71-129	16	25
Chloroform	N.D.	0.20	ppb(v)	95	79	70-130	19	25
Chloromethane	N.D.	0.20	ppb(v)	122	108	58-129	12	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	98	84	68-138	16	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	100	85	71-135	16	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	99	85	71-143	15	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	95	80	68-136	17	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	96	82	67-140	16	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	126	105	72-140	19	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	81	66-126	16	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	86	70-130	19	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	100	84	64-117	18	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	93	78	69-120	18	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	81	67-121	17	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	85	72	70-130	16	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	79	67-134	18	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	79	67-134	13	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	82	70-130	14	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1283295
Reported: 01/13/12 at 07:05 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Ethyltoluene	N.D.	0.20	ppb(v)	86	75	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	92	78	67-115	17	25
Freon 114	N.D.	0.20	ppb(v)	108	91	66-120	17	25
Heptane	N.D.	0.20	ppb(v)	94	78	60-125	19	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	90	78	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	105	89	54-166	17	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	83	70	64-124	17	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	98	81	61-145	19	25
Methylene Chloride	N.D.	0.20	ppb(v)	101	86	70-130	16	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	98	85	70-139	14	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	93	80	67-145	14	25
Tetrachloroethene	N.D.	0.20	ppb(v)	96	83	70-130	15	25
Toluene	N.D.	0.20	ppb(v)	94	83	70-130	13	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	97	81	70-130	18	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	94	82	68-128	14	25
Trichloroethene	N.D.	0.20	ppb(v)	102	86	70-130	18	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	119	100	70-130	18	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	75	69-138	15	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	79	71-142	14	25
Vinyl Chloride	N.D.	0.20	ppb(v)	124	106	70-130	16	25
m/p-Xylene	N.D.	0.20	ppb(v)	103	91	70-130	13	25
o-Xylene	N.D.	0.20	ppb(v)	97	85	70-130	13	25
Batch number: D1201030AC	Sample number(s): 6512682,6512684,6512686-6512687,6512689-6512695							
Acetone	N.D.	0.50	ppb(v)	114	95	67-138	18	25
Benzene	N.D.	0.20	ppb(v)	95	81	70-130	16	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	100	83	70-138	19	25
Bromoform	N.D.	0.20	ppb(v)	106	89	71-150	17	25
Bromomethane	N.D.	0.20	ppb(v)	120	102	70-130	16	25
1,3-Butadiene	N.D.	0.50	ppb(v)	111	96	60-135	15	25
2-Butanone	N.D.	0.50	ppb(v)	95	78	66-129	20	25
Carbon Disulfide	N.D.	0.50	ppb(v)	99	83	56-106	17	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	84	70-130	20	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	81	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	105	89	71-129	16	25
Chloroform	N.D.	0.20	ppb(v)	95	79	70-130	19	25
Chloromethane	N.D.	0.20	ppb(v)	122	108	58-129	12	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	98	84	68-138	16	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	100	85	71-135	16	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	99	85	71-143	15	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	95	80	68-136	17	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	96	82	67-140	16	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	126	105	72-140	19	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	81	66-126	16	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	86	70-130	19	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	100	84	64-117	18	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	93	78	69-120	18	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1283295
Reported: 01/13/12 at 07:05 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	81	67-121	17	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	85	72	70-130	16	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	79	67-134	18	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	79	67-134	13	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	82	70-130	14	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	86	75	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	92	78	67-115	17	25
Freon 114	N.D.	0.20	ppb(v)	108	91	66-120	17	25
Heptane	N.D.	0.20	ppb(v)	94	78	60-125	19	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	90	78	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	105	89	54-166	17	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	83	70	64-124	17	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	98	81	61-145	19	25
Methylene Chloride	N.D.	0.20	ppb(v)	101	86	70-130	16	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	98	85	70-139	14	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	93	80	67-145	14	25
Tetrachloroethene	N.D.	0.20	ppb(v)	96	83	70-130	15	25
Toluene	N.D.	0.20	ppb(v)	94	83	70-130	13	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	97	81	70-130	18	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	94	82	68-128	14	25
Trichloroethene	N.D.	0.20	ppb(v)	102	86	70-130	18	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	119	100	70-130	18	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	75	69-138	15	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	79	71-142	14	25
Vinyl Chloride	N.D.	0.20	ppb(v)	124	106	70-130	16	25
m/p-Xylene	N.D.	0.20	ppb(v)	103	91	70-130	13	25
o-Xylene	N.D.	0.20	ppb(v)	97	85	70-130	13	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556/1283295/6512682.703

Client Contact Information	Project Manager: Todd Hill		1 of 3 COCs
Company: Johnson Co.	Phone: 802-229-4600	Samplers Name(s)	Analysis
Address:	Site Contact:		
City/State/Zip:			
Phone:			
FAX:			
Project Name: Avery Dennison	Analysis Turnaround Time		
Site: Flowery Branch SVE	Standard (Specify)		
PO #:	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	NJDEP LLTO-15	O2/CO2	Helium as tracer	EPA 18/25	Library Search	Other (Explain Below)
SVE 6	12/29/11	1:09						NA	851	6	NA							
SVE 4	"	12:47							1029									
MP 11	"	12:41							1082									
MP 10	"	12:45							505									
MP 9	"	12:32							539									
MP 03	"	1:11							324									
MP 04	"	1:15							32									
MP 07	"	1:06							895									
SVE 1	"	12:52							21									
VW5	"	1:05							578									

Special Instructions/QC Requirements & Comments

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Relinquished by: Calvin Pruitt	Date/Time: 12/29/11 14:34	Received by: Fed Ex	Date/Time: 12/29/11 14:35
Relinquished by:	Date/Time:	Received by: LLJ	Date/Time: 12/12 0940

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556/ 1283295/ 6512682-703

Client Contact Information	Project Manager: Todd Hall		2 of 3 COCs
Company: Johnson Co	Phone: 802-229-4600	Samplers Name(s)	Analysis
Address:	Site Contact:		
City/State/Zip:			
Phone:			
FAX:			
Project Name: Avery Dennison	Analysis Turnaround Time		
Site: Flowery Branch SVE	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	NJDEP LLTO-15	O2/CO2	Helium as tracer	EPA 18/25	Library Search	Other (Explain Below)
VW 6	12/29/11	1:14						NA	532	6	NA							
MW 65S	"	1:03							154									
Blower	"	12:40							837									
SVE 2	"	12:51							178									
Undiluted	"	12:37							420									
SVE 5	"	1:10							526									
MP 08	"	1:04							544									
MW 64	"	1:01							101									
MP 02	"	12:44							97									
MP 06	"	1:08							848									

Special Instructions/QC Requirements & Comments

Canisters Shipped by: NA/SM	Date/Time: 12/27/11 15:00	Canisters Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time: 1/3/12 0940

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

6556/1283295/6512682-703

Client Contact Information	Project Manager: Todd Hall		3 of 3 COCs
Company: Johnson Co	Phone: 802-229-4600	Samplers Name(s)	Analysis
Address:	Site Contact:		
City/State/Zip:			
Phone:			
FAX:			
Project Name: Avery Dennison	Analysis Turnaround Time		
Site: Flowery Branch SVE	Standard (Specify)		
PO #:	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	NJDEP LLTO-15	O2/CO2	Helium as tracer	EPA 18/25	Library Search	Other (Explain Below)
MP 05	12/29/11	1:16						NA	140	6	NA							
SVE 3	12/29/11	12:49						1	1036	6	1							

Special Instructions/QC Requirements & Comments

Canisters Shipped by:	Date/Time: 12/29/11 15:00	Canisters Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: LLI	Date/Time: 1/3/12 0940

6556 | 1283295 | 65/2682-703

Interim Soil Vapor Extraction System - System Data
Avery Dennison Facility, Flowery Branch, GA

Date: 12-29-11 Field Representative(s): Calvin & Jeff

Sample Location	Time Collected	Cannister #	Starting Pressure	Final Pressure	Comments
✓ MP-02	12:44	097			
✓ MP-03	1:11	324			
✓ MP-04	1:15	032			
✓ MP-05	1:16	140			
✓ MP-06	1:08	848			
✓ MP-07	1:06	895			
✓ MP-08	1:04	544			
✓ MP-09	12:32	539			
✓ MP-10	12:45	505			
✓ MP-11	12:41	1082			
VW-3	OFF	OFF			OFF
✓ VW-5	1:05	528			
✓ VW-6	1:14	530			
✓ MW-64	1:01	101			
✓ MW-65s	1:03	154			
✓ SVE-1	1252	021			
✓ SVE-2	12:51	178			
✓ SVE-3	12:49	1036			
✓ SVE-4	12:47	1029			
✓ SVE-5	1:10	526			
✓ SVE-6	109	851			
✓ Undiluted	12:37	420			
✓ Blower Exhaust	12:40	837			

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

Client/Project: Johnson Co.

Date of Receipt: 1/3/12

Time of Receipt: 0940

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

-Rcvd 22 pcs. 8 Swagelok tubing & 22 filters.

Unpacker Signature/Emp#: [signature] 2316 **Date/Time:** 1/3/12 1000

Issued by Dept. 6042 Management

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

February 13, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 02/01/2012
Group Number: 1287512
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE3 Air	6536945
MP11 Air	6536946
MP03 Air	6536947
SVE4 Air	6536948
MP08 Air	6536949
VW6 Air	6536950
MP09 Air	6536951
SVE1 Air	6536952
MW64 Air	6536953
MP04 Air	6536954
SVE05 Air	6536955
VW5 Air	6536956
SVE6 Air	6536957
MP05 Air	6536958
MW65S Air	6536959
Undiluted Air	6536960
Blower Air	6536961
MP10 Air	6536962
MP02 Air	6536963
SVE2 Air	6536964
MP06 Air	6536965
MP07 Air	6536966

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Questions? Contact your Client Services Representative
Wendy A Kozma at (717) 656-2300 Ext. 1522

Respectfully Submitted,



Michele J. Smith
Senior Specialist

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Air
Summa Can# 850
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536945
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:23 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	10	N.D.	24	20
05298	Benzene	71-43-2	N.D.	4.0	N.D.	13	20
05298	Bromobenzene	108-86-1	N.D.	4.0	N.D.	26	20
05298	Bromodichloromethane	75-27-4	N.D.	4.0	N.D.	27	20
05298	Bromoform	75-25-2	N.D.	4.0	N.D.	41	20
05298	Bromomethane	74-83-9	N.D.	4.0	N.D.	16	20
05298	1,3-Butadiene	106-99-0	N.D.	10	N.D.	22	20
05298	2-Butanone	78-93-3	N.D.	10	N.D.	29	20
05298	Carbon Disulfide	75-15-0	N.D.	4.0	N.D.	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.	4.0	N.D.	25	20
05298	Chlorobenzene	108-90-7	N.D.	4.0	N.D.	18	20
05298	Chlorodifluoromethane	75-45-6	N.D.	4.0	N.D.	14	20
05298	Chloroethane	75-00-3	N.D.	4.0	N.D.	11	20
05298	Chloroform	67-66-3	N.D.	4.0	N.D.	20	20
05298	Chloromethane	74-87-3	N.D.	4.0	N.D.	8.3	20
05298	3-Chloropropene	107-05-1	N.D.	4.0	N.D.	13	20
05298	Cumene	98-82-8	N.D.	4.0	N.D.	20	20
05298	Dibromochloromethane	124-48-1	N.D.	4.0	N.D.	34	20
05298	1,2-Dibromoethane	106-93-4	N.D.	4.0	N.D.	31	20
05298	Dibromomethane	74-95-3	N.D.	4.0	N.D.	28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.	4.0	N.D.	24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.	4.0	N.D.	24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.	4.0	N.D.	24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.	4.0	N.D.	20	20
05298	1,1-Dichloroethane	75-34-3	42	4.0	170	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.	4.0	N.D.	16	20
05298	1,1-Dichloroethene	75-35-4	1,000	40	4,000	160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	4.0	N.D.	16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	4.0	N.D.	16	20
05298	Dichlorofluoromethane	75-43-4	N.D.	4.0	N.D.	17	20
05298	1,2-Dichloropropane	78-87-5	N.D.	4.0	N.D.	18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	4.0	N.D.	18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	4.0	N.D.	18	20
05298	Ethylbenzene	100-41-4	N.D.	4.0	N.D.	17	20
05298	4-Ethyltoluene	622-96-8	N.D.	4.0	N.D.	20	20
05298	Freon 113	76-13-1	N.D.	10	N.D.	77	20
05298	Freon 114	76-14-2	N.D.	4.0	N.D.	28	20
05298	Heptane	142-82-5	N.D.	4.0	N.D.	16	20
05298	Hexachloroethane	67-72-1	N.D.	4.0	N.D.	39	20
05298	Hexane	110-54-3	N.D.	4.0	N.D.	14	20
05298	2-Hexanone	591-78-6	N.D.	10	N.D.	41	20
05298	Isooctane	540-84-1	N.D.	4.0	N.D.	19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	4.0	N.D.	14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	10	N.D.	41	20
05298	Methylene Chloride	75-09-2	N.D.	4.0	N.D.	14	20
05298	Octane	111-65-9	N.D.	4.0	N.D.	19	20
05298	Pentane	109-66-0	N.D.	4.0	N.D.	12	20
05298	Styrene	100-42-5	N.D.	4.0	N.D.	17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	4.0	N.D.	27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	4.0	N.D.	27	20
05298	Tetrachloroethene	127-18-4	N.D.	4.0	N.D.	27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Air
Summa Can# 850
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536945
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:23 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	160	4.0	600	15	20
05298	1,1,1-Trichloroethane	71-55-6	760	40	4,100	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AB	02/09/2012 04:28	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 15:57	Jeffrey B Smith	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Air
Summa Can# 873
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536946
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:35 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,900		50	4,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	700		50	2,100		150	100
05298	Carbon Disulfide	75-15-0	310		20	960		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	29	J	20	100	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,900		20	7,400		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	38	J	20	130	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	250		20	860		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	27	J	20	80	J	59	100
05298	Styrene	100-42-5	29	J	20	120	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Air
Summa Can# 873
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536946
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:35 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	22	J	20	84	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	480		20	2,600		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AB	02/09/2012 06:00	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Air
Summa Can# 1084
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536947
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:54 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		10	N.D.		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	12	J	4.0	50	J	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	340		4.0	1,400		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Air
Summa Can# 1084
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536947
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:54 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	8.3	J	4.0	31	J	15	20
05298	1,1,1-Trichloroethane	71-55-6	35		4.0	190		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 15:12	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Air
Summa Can# 890
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536948
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:26 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.0		0.50	9.6		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.61	J	0.50	1.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.31	J	0.20	0.96	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.63	J	0.20	2.2	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.98	J	0.20	4.8	J	0.98	1
05298	Chloromethane	74-87-3	0.34	J	0.20	0.71	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.31	J	0.20	1.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.0		0.20	7.9		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.24	J	0.20	0.93	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.47	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.30	J	0.20	2.1	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Air
Summa Can# 890
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536948
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:26 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	0.20	N.D.	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	4.0	0.20	22	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.9	0.20	11	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203430AA	02/04/2012 03:10	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Air
Summa Can# 1021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536949
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:13 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	10	N.D.	24	20
05298	Benzene	71-43-2	N.D.	4.0	N.D.	13	20
05298	Bromobenzene	108-86-1	N.D.	4.0	N.D.	26	20
05298	Bromodichloromethane	75-27-4	N.D.	4.0	N.D.	27	20
05298	Bromoform	75-25-2	N.D.	4.0	N.D.	41	20
05298	Bromomethane	74-83-9	N.D.	4.0	N.D.	16	20
05298	1,3-Butadiene	106-99-0	N.D.	10	N.D.	22	20
05298	2-Butanone	78-93-3	N.D.	10	N.D.	29	20
05298	Carbon Disulfide	75-15-0	N.D.	4.0	N.D.	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.	4.0	N.D.	25	20
05298	Chlorobenzene	108-90-7	N.D.	4.0	N.D.	18	20
05298	Chlorodifluoromethane	75-45-6	N.D.	4.0	N.D.	14	20
05298	Chloroethane	75-00-3	N.D.	4.0	N.D.	11	20
05298	Chloroform	67-66-3	N.D.	4.0	N.D.	20	20
05298	Chloromethane	74-87-3	N.D.	4.0	N.D.	8.3	20
05298	3-Chloropropene	107-05-1	N.D.	4.0	N.D.	13	20
05298	Cumene	98-82-8	N.D.	4.0	N.D.	20	20
05298	Dibromochloromethane	124-48-1	N.D.	4.0	N.D.	34	20
05298	1,2-Dibromoethane	106-93-4	N.D.	4.0	N.D.	31	20
05298	Dibromomethane	74-95-3	N.D.	4.0	N.D.	28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.	4.0	N.D.	24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.	4.0	N.D.	24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.	4.0	N.D.	24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.	4.0	N.D.	20	20
05298	1,1-Dichloroethane	75-34-3	N.D.	4.0	N.D.	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.	4.0	N.D.	16	20
05298	1,1-Dichloroethene	75-35-4	700	4.0	2,800	16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	4.0	N.D.	16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	4.0	N.D.	16	20
05298	Dichlorofluoromethane	75-43-4	N.D.	4.0	N.D.	17	20
05298	1,2-Dichloropropane	78-87-5	N.D.	4.0	N.D.	18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	4.0	N.D.	18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	4.0	N.D.	18	20
05298	Ethylbenzene	100-41-4	N.D.	4.0	N.D.	17	20
05298	4-Ethyltoluene	622-96-8	N.D.	4.0	N.D.	20	20
05298	Freon 113	76-13-1	N.D.	10	N.D.	77	20
05298	Freon 114	76-14-2	N.D.	4.0	N.D.	28	20
05298	Heptane	142-82-5	N.D.	4.0	N.D.	16	20
05298	Hexachloroethane	67-72-1	N.D.	4.0	N.D.	39	20
05298	Hexane	110-54-3	N.D.	4.0	N.D.	14	20
05298	2-Hexanone	591-78-6	N.D.	10	N.D.	41	20
05298	Isooctane	540-84-1	N.D.	4.0	N.D.	19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	4.0	N.D.	14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	10	N.D.	41	20
05298	Methylene Chloride	75-09-2	N.D.	4.0	N.D.	14	20
05298	Octane	111-65-9	N.D.	4.0	N.D.	19	20
05298	Pentane	109-66-0	N.D.	4.0	N.D.	12	20
05298	Styrene	100-42-5	N.D.	4.0	N.D.	17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	4.0	N.D.	27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	4.0	N.D.	27	20
05298	Tetrachloroethene	127-18-4	N.D.	4.0	N.D.	27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Air
Summa Can# 1021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536949
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:13 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	4.0	N.D.	15	20
05298	1,1,1-Trichloroethane	71-55-6	82	4.0	450	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 22:00	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Air
Summa Can# 895
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536950
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:52 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11	J	10	25	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	60		4.0	240		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	2,800		20	11,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	5.6	J	4.0	19	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Air
Summa Can# 895
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536950
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:52 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	4.0	N.D.	15	20
05298	1,1,1-Trichloroethane	71-55-6	26	4.0	140	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AB	02/08/2012 23:52	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AB	02/09/2012 05:13	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Air
Summa Can# 803
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536951
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:37 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	38	J	10	90	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	18	J	10	53	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	29		4.0	120		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	580		4.0	2,300		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Air
Summa Can# 803
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536951
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:37 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	4.0	N.D.	15	20
05298	1,1,1-Trichloroethane	71-55-6	190	4.0	1,100	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 16:42	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Air
Summa Can# 106
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536952
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:19 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	760		50	1,800		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	310		20	980		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	550		20	2,200		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	8,300		400	33,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	24	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	31	J	20	110	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	170		20	580		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	28	J	20	82	J	59	100
05298	Styrene	100-42-5	44	J	20	190	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Air
Summa Can# 106
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536952
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:19 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2,200		400	8,300		1,500	2000
05298	1,1,1-Trichloroethane	71-55-6	22,000		400	120,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	88	J	20	380	J	87	100
05298	o-Xylene	95-47-6	47	J	20	200	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203430AA	02/04/2012 07:06	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203430AA	02/04/2012 13:52	Michael A Ziegler	2000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Air
Summa Can# 855
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536953
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:10 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		1,000	N.D.		2,400	2000
05298	Benzene	71-43-2	N.D.		400	N.D.		1,300	2000
05298	Bromobenzene	108-86-1	N.D.		400	N.D.		2,600	2000
05298	Bromodichloromethane	75-27-4	N.D.		400	N.D.		2,700	2000
05298	Bromoform	75-25-2	N.D.		400	N.D.		4,100	2000
05298	Bromomethane	74-83-9	N.D.		400	N.D.		1,600	2000
05298	1,3-Butadiene	106-99-0	N.D.		1,000	N.D.		2,200	2000
05298	2-Butanone	78-93-3	N.D.		1,000	N.D.		2,900	2000
05298	Carbon Disulfide	75-15-0	N.D.		400	N.D.		1,200	2000
05298	Carbon Tetrachloride	56-23-5	N.D.		400	N.D.		2,500	2000
05298	Chlorobenzene	108-90-7	N.D.		400	N.D.		1,800	2000
05298	Chlorodifluoromethane	75-45-6	N.D.		400	N.D.		1,400	2000
05298	Chloroethane	75-00-3	N.D.		400	N.D.		1,100	2000
05298	Chloroform	67-66-3	N.D.		400	N.D.		2,000	2000
05298	Chloromethane	74-87-3	N.D.		400	N.D.		830	2000
05298	3-Chloropropene	107-05-1	N.D.		400	N.D.		1,300	2000
05298	Cumene	98-82-8	N.D.		400	N.D.		2,000	2000
05298	Dibromochloromethane	124-48-1	N.D.		400	N.D.		3,400	2000
05298	1,2-Dibromoethane	106-93-4	N.D.		400	N.D.		3,100	2000
05298	Dibromomethane	74-95-3	N.D.		400	N.D.		2,800	2000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		400	N.D.		2,400	2000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		400	N.D.		2,400	2000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		400	N.D.		2,400	2000
05298	Dichlorodifluoromethane	75-71-8	N.D.		400	N.D.		2,000	2000
05298	1,1-Dichloroethane	75-34-3	5,600		400	23,000		1,600	2000
05298	1,2-Dichloroethane	107-06-2	N.D.		400	N.D.		1,600	2000
05298	1,1-Dichloroethene	75-35-4	350,000		20,000	1,400,000		79,000	100000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		400	N.D.		1,600	2000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		400	N.D.		1,600	2000
05298	Dichlorofluoromethane	75-43-4	N.D.		400	N.D.		1,700	2000
05298	1,2-Dichloropropane	78-87-5	N.D.		400	N.D.		1,800	2000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		400	N.D.		1,800	2000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		400	N.D.		1,800	2000
05298	Ethylbenzene	100-41-4	N.D.		400	N.D.		1,700	2000
05298	4-Ethyltoluene	622-96-8	N.D.		400	N.D.		2,000	2000
05298	Freon 113	76-13-1	N.D.		1,000	N.D.		7,700	2000
05298	Freon 114	76-14-2	N.D.		400	N.D.		2,800	2000
05298	Heptane	142-82-5	N.D.		400	N.D.		1,600	2000
05298	Hexachloroethane	67-72-1	N.D.		400	N.D.		3,900	2000
05298	Hexane	110-54-3	N.D.		400	N.D.		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		1,000	N.D.		4,100	2000
05298	Isooctane	540-84-1	N.D.		400	N.D.		1,900	2000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		400	N.D.		1,400	2000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1,000	N.D.		4,100	2000
05298	Methylene Chloride	75-09-2	610	J	400	2,100	J	1,400	2000
05298	Octane	111-65-9	N.D.		400	N.D.		1,900	2000
05298	Pentane	109-66-0	N.D.		400	N.D.		1,200	2000
05298	Styrene	100-42-5	N.D.		400	N.D.		1,700	2000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		400	N.D.		2,700	2000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		400	N.D.		2,700	2000
05298	Tetrachloroethene	127-18-4	N.D.		400	N.D.		2,700	2000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Air
Summa Can# 855
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536953
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:10 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	2,700	400	10,000	1,500	2000
05298	1,1,1-Trichloroethane	71-55-6	92,000	400	500,000	2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	400	N.D.	2,200	2000
05298	Trichloroethene	79-01-6	N.D.	400	N.D.	2,100	2000
05298	Trichlorofluoromethane	75-69-4	N.D.	400	N.D.	2,200	2000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	400	N.D.	2,400	2000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	400	N.D.	2,000	2000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	400	N.D.	2,000	2000
05298	Vinyl Chloride	75-01-4	N.D.	400	N.D.	1,000	2000
05298	m/p-Xylene	179601-23-1	N.D.	400	N.D.	1,700	2000
05298	o-Xylene	95-47-6	N.D.	400	N.D.	1,700	2000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AB	02/09/2012 02:12	Jeffrey B Smith	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 17:26	Jeffrey B Smith	100000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Air
Summa Can# 851
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536954
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:50 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.9		0.50	9.3		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.90	J	0.50	2.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.42	J	0.20	1.3	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.74	J	0.20	2.6	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.27	J	0.20	0.56	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.3		0.20	6.6		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.59	J	0.20	2.4	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	5.1		0.20	20		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.35	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Air
Summa Can# 851
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536954
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:50 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	0.20	N.D.	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.3	0.20	13	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203430AA	02/04/2012 13:08	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE05 Air
Summa Can# 1022
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536955
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:57 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	5.0	N.D.	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	2.0	N.D.	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	11	2.0	43	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	350	2.0	1,400	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE05 Air
Summa Can# 1022
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536955
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:57 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	4.2	J	2.0	16	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	18		2.0	99		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 15:11	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Air
Summa Can# 539
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536956
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:08 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	410		50	970		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	120	J	50	350	J	150	100
05298	Carbon Disulfide	75-15-0	73	J	20	230	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	800		20	3,200		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	51,000		200	200,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	47	J	20	160	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Air
Summa Can# 539
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536956
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:08 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	42	J	20	160	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	6,400		200	35,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	42	J	20	230	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 15:59	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 16:43	Jeffrey B Smith	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Air
Summa Can# 553
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536957
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:00 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	5.0	N.D.	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	2.0	N.D.	6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	13	2.0	54	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	310	2.0	1,200	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	37	2.0	110	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Air
Summa Can# 553
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536957
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:00 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.6	J	2.0	9.7	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	16		2.0	87		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.3	J	2.0	13	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 17:28	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Air
Summa Can# 15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536958
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:47 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.7		0.50	8.8		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.83	J	0.50	2.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.41	J	0.20	1.3	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.51	J	0.20	1.8	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.42	J	0.20	0.87	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.0		0.20	9.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	54		0.20	220		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.28	J	0.20	0.82	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.86	J	0.20	5.8	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Air
Summa Can# 15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536958
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 11:47 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.21	J	0.20	1.2	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.6		0.20	8.8		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.21	J	0.20	1.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.59	J	0.20	2.6	J	0.87	1
05298	o-Xylene	95-47-6	0.35	J	0.20	1.5	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/11/2012 01:17	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Air
Summa Can# 1029
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536959
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:16 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	870		50	2,100		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	110	J	50	320	J	150	100
05298	Carbon Disulfide	75-15-0	130		20	410		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	300		20	1,200		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	110,000		500	450,000		2,000	2500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	130		20	440		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	21	J	20	62	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	21	J	20	140	J	140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Air
Summa Can# 1029
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536959
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:16 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	100		20	390		75	100
05298	1,1,1-Trichloroethane	71-55-6	12,000		200	67,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	26	J	20	140	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 19:00	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/10/2012 19:45	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1204130AB	02/11/2012 02:02	Jeffrey B Smith	2500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Air
Summa Can# 1082
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536960
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:40 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.8	J	5.0	21	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.1	J	2.0	13	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	220		2.0	870		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.8	J	2.0	9.7	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	210		2.0	630		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Air
Summa Can# 1082
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536960
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:40 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	20	2.0	75	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	100	2.0	560	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 19:02	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Air
Summa Can# 888
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536961
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:43 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.4	J	2.0	14	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	240		2.0	950		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Air
Summa Can# 888
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536961
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:43 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	16	2.0	62	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	110	2.0	580	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 22:45	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Air
Summa Can# 21
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536962
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:30 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	43		10	100		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	25	J	10	75	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	30		4.0	120		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	68		4.0	270		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Air
Summa Can# 21
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536962
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:30 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	4.0	N.D.	15	20
05298	1,1,1-Trichloroethane	71-55-6	430	4.0	2,400	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 20:31	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Air
Summa Can# 146
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536963
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:32 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3,000		100	7,200		240	200
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	2,500		100	7,400		290	200
05298	Carbon Disulfide	75-15-0	4.5	J	4.0	14	J	12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	33		4.0	130		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,700		40	6,600		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	11	J	10	44	J	41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	11	J	4.0	34	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Air
Summa Can# 146
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536963
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:32 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20
05298	1,1,1-Trichloroethane	71-55-6	730		4.0	4,000		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	5.8	J	4.0	15	J	10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/09/2012 21:16	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/10/2012 02:37	Jeffrey B Smith	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE2 Air
Summa Can# 32
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536964
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:21 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	680		50	1,600		120	100
05298	Benzene	71-43-2	66	J	20	210	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	480		20	1,500		62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	370		20	1,500		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	6,700		200	27,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	32	J	20	140	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	35	J	20	120	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	200		20	690		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	29	J	20	85	J	59	100
05298	Styrene	100-42-5	44	J	20	190	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE2 Air
Summa Can# 32
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536964
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:21 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	6,000		20	23,000		75	100
05298	1,1,1-Trichloroethane	71-55-6	3,600		20	20,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	35	J	20	190	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	94	J	20	410	J	87	100
05298	o-Xylene	95-47-6	37	J	20	160	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/10/2012 00:17	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/10/2012 03:22	Jeffrey B Smith	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Air
Summa Can# 84
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536965
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:03 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.5	J	5.0	13	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	22		2.0	88		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	140		2.0	420		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Air
Summa Can# 84
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536965
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:03 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.6	J	2.0	9.7	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	7.1	J	2.0	39	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/10/2012 04:52	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Air
Summa Can# 404
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536966
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:06 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.3	J	2.0	22	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	560		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	3.2	J	2.0	11	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	3.5	J	2.0	10	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Air
Summa Can# 404
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6536966
LLI Group # 1287512
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 01/30/2012 12:06 by CP

Submitted: 02/01/2012 09:50
Reported: 02/13/2012 23:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	35	2.0	130	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	230	2.0	1,300	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1203830AC	02/10/2012 05:37	Jeffrey B Smith	10

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1287512
Reported: 02/13/12 at 11:11 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1203430AA	Sample number(s): 6536948,6536952,6536954							
Acetone	N.D.	0.50	ppb(v)	84	87	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	81	79	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	88	86	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	86	86	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	96	101	70-130	5	25
1,3-Butadiene	N.D.	0.50	ppb(v)	89	84	60-135	6	25
2-Butanone	N.D.	0.50	ppb(v)	72	73	66-129	2	25
Carbon Disulfide	N.D.	0.20	ppb(v)	76	80	56-106	5	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	90	90	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	76	77	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	82	84	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	82	81	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	95	93	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	82	83	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	79	78	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	78	80	71-143	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	77	78	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	77	78	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	107	110	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	82	85	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	92	91	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	85	64-117	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	76	77	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	81	82	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	73	72	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	76	74	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	73	75	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	80	80	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	72	72	69-135	0	25
Freon 113	N.D.	0.50	ppb(v)	80	81	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	93	94	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	77	74	60-125	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	71	75	62-120	5	25
2-Hexanone	N.D.	0.50	ppb(v)	75	79	54-166	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	73	74	64-124	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	80	79	61-145	0	25
Methylene Chloride	N.D.	0.20	ppb(v)	78	80	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1287512
Reported: 02/13/12 at 11:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	79	79	70-139	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	75	75	67-145	0	25
Tetrachloroethene	N.D.	0.20	ppb(v)	79	81	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	78	78	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	86	87	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	80	80	68-128	0	25
Trichloroethene	N.D.	0.20	ppb(v)	88	87	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	109	109	70-130	0	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	74	74	69-138	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	77	77	71-142	0	25
Vinyl Chloride	N.D.	0.20	ppb(v)	96	99	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	88	87	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	85	83	70-130	2	25
Batch number: D1203830AB	Sample number(s): 6536945-6536946,6536950,6536953							
Acetone	N.D.	0.50	ppb(v)	96	93	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	106	94	70-130	12	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	106	94	70-138	12	25
Bromoform	N.D.	0.20	ppb(v)	117	98	71-150	17	25
Bromomethane	N.D.	0.20	ppb(v)	103	101	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	103	103	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	99	95	66-129	4	25
Carbon Disulfide	N.D.	0.20	ppb(v)	80	79	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	107	91	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	103	102	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	93	91	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	99	97	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	111	94	68-138	17	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	110	94	71-135	16	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	105	89	71-143	17	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	103	88	68-136	16	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	104	88	67-140	17	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	105	103	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	97	94	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	106	95	70-130	10	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	90	89	64-117	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	94	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	90	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	87	70-130	12	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	110	99	67-134	10	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	91	67-134	16	25
Ethylbenzene	N.D.	0.20	ppb(v)	115	96	70-130	18	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	113	93	69-135	20	25
Freon 113	N.D.	0.50	ppb(v)	91	89	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	92	90	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	103	93	60-125	10	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1287512
Reported: 02/13/12 at 11:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	94	92	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	104	85	54-166	20	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	94	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	112	99	61-145	13	25
Methylene Chloride	N.D.	0.20	ppb(v)	91	92	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	119	99	70-139	18	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	108	89	67-145	19	25
Tetrachloroethene	N.D.	0.20	ppb(v)	105	88	70-130	17	25
Toluene	N.D.	0.20	ppb(v)	112	93	70-130	18	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	94	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	109	92	68-128	17	25
Trichloroethene	N.D.	0.20	ppb(v)	100	92	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	101	100	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	111	93	69-138	18	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	119	99	71-142	19	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	107	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	127	106	70-130	19	25
o-Xylene	N.D.	0.20	ppb(v)	122	102	70-130	18	25
Batch number: D1203830AC	Sample number(s): 6536945,6536947,6536949,6536951,6536953,6536960-6536966							
Acetone	N.D.	0.50	ppb(v)	96	93	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	106	94	70-130	12	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	106	94	70-138	12	25
Bromoform	N.D.	0.20	ppb(v)	117	98	71-150	17	25
Bromomethane	N.D.	0.20	ppb(v)	103	101	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	103	103	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	99	95	66-129	4	25
Carbon Disulfide	N.D.	0.20	ppb(v)	80	79	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	107	91	70-130	16	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	103	102	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	93	91	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	99	97	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	111	94	68-138	17	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	110	94	71-135	16	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	105	89	71-143	17	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	103	88	68-136	16	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	104	88	67-140	17	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	105	103	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	97	94	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	106	95	70-130	10	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	90	89	64-117	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	94	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	90	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	87	70-130	12	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	110	99	67-134	10	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	91	67-134	16	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1287512
Reported: 02/13/12 at 11:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	115	96	70-130	18	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	113	93	69-135	20	25
Freon 113	N.D.	0.50	ppb(v)	91	89	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	92	90	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	103	93	60-125	10	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	94	92	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	104	85	54-166	20	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	94	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	112	99	61-145	13	25
Methylene Chloride	N.D.	0.20	ppb(v)	91	92	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	119	99	70-139	18	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	108	89	67-145	19	25
Tetrachloroethene	N.D.	0.20	ppb(v)	105	88	70-130	17	25
Toluene	N.D.	0.20	ppb(v)	112	93	70-130	18	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	94	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	109	92	68-128	17	25
Trichloroethene	N.D.	0.20	ppb(v)	100	92	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	101	100	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	111	93	69-138	18	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	119	99	71-142	19	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	107	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	127	106	70-130	19	25
o-Xylene	N.D.	0.20	ppb(v)	122	102	70-130	18	25
Batch number: D1204130AB	Sample number(s): 6536955-6536959							
Acetone	N.D.	0.50	ppb(v)	91	89	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	91	92	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	95	95	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	100	99	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	104	104	70-130	0	25
1,3-Butadiene	N.D.	0.50	ppb(v)	96	98	60-135	2	25
2-Butanone	N.D.	0.50	ppb(v)	85	85	66-129	0	25
Carbon Disulfide	N.D.	0.20	ppb(v)	80	82	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	95	94	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	92	91	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	99	101	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	92	91	70-130	0	25
Chloromethane	N.D.	0.20	ppb(v)	104	97	58-129	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	95	94	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	91	92	71-135	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	89	86	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	87	84	67-140	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	106	106	72-140	0	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	93	95	66-126	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	97	93	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	86	89	64-117	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1287512
Reported: 02/13/12 at 11:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	86	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	87	89	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	86	84	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	92	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	87	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	94	93	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	90	89	69-135	2	25
Freon 113	N.D.	0.50	ppb(v)	90	89	67-115	0	25
Freon 114	N.D.	0.20	ppb(v)	91	91	66-120	0	25
Heptane	N.D.	0.20	ppb(v)	92	90	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	89	89	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	78	78	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	85	89	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	89	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	91	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	99	98	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	85	67-145	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	87	86	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	95	93	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	91	91	70-130	0	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	91	92	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	90	91	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	101	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	89	87	69-138	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	97	95	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	104	106	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	107	104	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	100	98	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1287512 / 6536945-66

Lancaster Laboratories

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	1 of 4 COCs
Company: Roadrunner Express Inc.	**Phone:** 802-229-4600	**Samplers Name(s)** Calvin Pruitt	**Analysis** / **Matrix**
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542	Nathan Williams		
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE 3	1/30/12	12:23							850	6		X				
MP 11	1/30/12	12:35							873	6		X				
MP 03	"	11:54							1084	6		X				
SVE 4	"	12:26							890	6		X				
MP 08	"	12:13							1021	6		X				
VW 6	"	11:52							895	6		X				

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time: 1/27/12 11:00	Canisters Received by: Calvin Pruitt	Date/Time: 1/30 8:30am
Samples Relinquished by: Calvin Pruitt	Date/Time: 1/30/12 1:30pm	Received by: FedEx	Date/Time:
Relinquished by:	Date/Time:	Received by: Deloana Neal	Date/Time: 2/1/12 0950

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1287512 / 6536945-66

Client Contact Information	**Project Manager:**	**Carrier:**	2 of 4 COCs
Company: Roadrunner Express Inc.	**Phone:**	**Samplers Name(s)**	**Analysis** / **Matrix**
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 09	1/30/12	12:37							803	6		X						
SVE 1	1/30/12	12:19							106	6		X						
MW 64	1/30/12	12:10							855	6		X						
MP 04	1/30/12	11:50							851	6		X						
SVE 05	1/30/12	11:57							1022	6		X						
VW 5	1/30/12	12:08							539	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by: [illegible]	Date/Time: 1/31/12 11:20	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Nesbitt	Date/Time: 2/1/12 0950

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1287512 / 6536945-66

Lancaster Laboratories

Client Contact Information	Project Manager:	Carrier:	3 of 4 COCs
Company: Roadrunner Express Inc.	Phone:	Samplers Name(s)	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	Analysis Turnaround Time		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE 6	1/30/12	12:00							553	6		X						
MP 05	1/30/12	11:47							15	6		X						
MW 65S	1/30/12	12:16							1029	6		X						
Undiluted	1/30/12	12:40							1082	6		X						
Blower	1/30/12	12:43							888	6								
MP 10	1/30/12	12:30							21	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Reed	Date/Time: 2/1/12 0950

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

A6556 / 1287512 / 6536945-66

Lancaster Laboratories

Client Contact Information	Project Manager: Todd Hall	Carrier:	4 of 4 COCs
Company: Roadrunner Express Inc.	Phone: 802-229-4600	Samplers Name(s)	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, .	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	Analysis Turnaround Time		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 02	1/30/12	12:32							146	6		X						
SVE 2	1/30/12	12:21							32	6		X						
MP 06	1/30/12	12:03							84	6		X						
MP 07	1/30/12	12:06							404	6		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time: 1/30/12 1100	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Rosell	Date/Time: 2/1/12 0950

A6556/1287512/6536945-66

Interim Soil Vapor Extraction System - System Data
Avery Dennison Facility, Flowery Branch, GA

Date: 1-30-12 Field Representative(s): _____

Sample Location	Time Collected	Cannister #	Starting Pressure	Final Pressure	Comments
MP-02	12:32	146 ✓			
MP-03	11:54	1084 ✓			
MP-04	11:50	851 ✓			
MP-05	11:47	015 ✓			
MP-06	12:03	084 ✓			
MP-07	12:06	404 ✓			
MP-08	12:13	1021 ✓			
MP-09	12:37	803 ✓			
MP-10	12:30	021 ✓			
MP-11	12:35	873 ✓			
VW-3	OFF	OFF			
VW-5	12:08	539 ✓			
VW-6	11:52	895 ✓			
MW-64	12:10	8:55 ✓			
MW-65s	12:16	1029 ✓			
SVE-1	12:19	106 ✓			
SVE-2	12:21	032 ✓			
SVE-3	12:23	850 ✓			
SVE-4	12:26	890 ✓			
SVE-5	11:57	1022 ✓			
SVE-6	12:00	553 ✓			
Undiluted	12:40	1082 ✓			
Blower Exhaust	12:43	588			

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Avery Dennison

Date of Receipt: 2/1/12

Time of Receipt: 0950

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers

Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

+2 Flow Controllers

Unpacker Signature/Emp#: [signature] /208 **Date/Time:** 2/1/12 / 1010

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

March 19, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 02/28/2012
Group Number: 1291899
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP 11 Summa Can 943 Air	6559951
Undiluted Summa Can 991 Air	6559952
MP 03 Summa Can 939 Air	6559953
Blower Summa Can 984 Air	6559954
MP 04 Summa Can 942 Air	6559955
MW 64 Summa Can 1045 Air	6559956
MP 08 Summa Can 987 Air	6559957
VW 6 Summa Can 988 Air	6559958
MP 05 Summa Can 951 Air	6559959
MW 65S Summa Can 929 Air	6559960
MP 07 Summa Can 985 Air	6559961
SVE 3 Summa Can 979 Air	6559962
MP 06 Summa Can 971 Air	6559963
SVE 6 Summa Can 986 Air	6559964
VW-5 Summa Can 997 Air	6559965
SVE 4 Summa Can 958 Air	6559966
MP 10 Summa Can 989 Air	6559967
MP 02 Summa Can 946 Air	6559968
SVE 1 Summa Can 1061 Air	6559969
SVE 5 Summa Can 965 Air	6559970
SVE 2 Summa Can 1011 Air	6559971
MP 09 Summa Can 916 Air	6559972

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Todd Hall
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Patrick Smart

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can 943 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559951
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:01 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3,300		50	7,800		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	2,000		50	6,000		150	100
05298	Carbon Disulfide	75-15-0	380		50	1,200		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	33	J	20	130	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	4,200		20	17,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	55	J	20	200	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	94	J	20	330	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	150		20	450		59	100
05298	Styrene	100-42-5	45	J	20	190	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	68	J	20	260	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can 943 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559951
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:01 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,000		20	5,700		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	86	J	20	460	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	22	J	20	110	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	29	J	20	130	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1206130AB	03/03/2012 23:30	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can 991 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559952
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:53 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	53		10	130		24	20
05298	Benzene	71-43-2	0.35	J	0.20	1.1	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	8.5		0.50	25		1.5	1
05298	Carbon Disulfide	75-15-0	1.2		0.50	3.8		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.0		0.20	3.7		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.91	J	0.20	1.9	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	9.1		0.20	45		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.51	J	0.20	3.0	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.50	J	0.20	3.0	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.56	J	0.20	3.4	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	7.9		0.20	32		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.30	J	0.20	1.2	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	350		4.0	1,400		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.77	J	0.20	3.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.63	J	0.20	3.1	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.20	J	0.20	0.71	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.22	J	0.20	1.0	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.99	J	0.20	3.5	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.23	J	0.20	0.96	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.43	J	0.20	2.9	J	1.4	1
05298	Toluene	108-88-3	57		0.20	210		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can 991 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559952
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:53 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	250		4.0	1,400		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	5.1		0.20	29		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.8		0.20	14		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.0		0.20	5.2		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.1		0.20	13		0.87	1
05298	o-Xylene	95-47-6	1.6		0.20	6.8		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1206130AB	03/04/2012 00:18	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1206130AC	03/05/2012 09:23	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa Can 939 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559953
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:51 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15	J	10	35	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	16	J	4.0	64	J	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	480		4.0	1,900		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	15	J	4.0	55	J	15	20

Sample Description: MP 03 Summa Can 939 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559953
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:51 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	63	4.0	340	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 02:03	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can 984 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559954
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:50 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15	J	5.0	35	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		2.0	N.D.		6.2	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.5	J	2.0	14	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	230		2.0	900		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	20		2.0	75		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Blower Summa Can 984 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559954
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:50 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	160		2.0	860		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.0	J	2.0	17	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 07:17	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can 942 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559955
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:42 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	28		0.50	67		1.2	1
05298	Benzene	71-43-2	0.43	J	0.20	1.4	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	21		0.50	61		1.5	1
05298	Carbon Disulfide	75-15-0	1.2		0.20	3.7		0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.3		0.20	6.4		0.98	1
05298	Chloromethane	74-87-3	0.85	J	0.20	1.7	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	12		0.20	61		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.38	J	0.20	2.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	1.0		0.20	5.1		0.99	1
05298	1,1-Dichloroethane	75-34-3	0.50	J	0.20	2.0	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.4		0.20	17		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.53	J	0.20	2.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.36	J	0.20	1.8	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.93	J	0.20	3.8	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.6		0.20	5.6		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.45	J	0.20	2.1	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	6.2		0.20	21		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	8.2		0.20	24		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.25	J	0.20	1.7	J	1.4	1
05298	Toluene	108-88-3	2.1		0.20	8.0		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can 942 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559955
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:42 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.20	J	0.20	1.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	5.4		0.20	30		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.1		0.20	5.6		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.43	J	0.20	2.1	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.5		0.20	6.5		0.87	1
05298	o-Xylene	95-47-6	1.1		0.20	5.0		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 07:55	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can 1045 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559956
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:14 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,000	J	500	2,400	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	300	J	200	940	J	620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	10,000		200	42,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	350,000		5,000	1,400,000		20,000	25000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	760	J	200	2,600	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	280	J	200	1,900	J	1,400	1000
05298	Toluene	108-88-3	4,700		200	18,000		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can 1045 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559956
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:14 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	110,000		5,000	600,000		27,000	25000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	450	J	200	2,400	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	220	J	200	550	J	510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 03:57	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 12:26	Michael A Ziegler	25000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can 987 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559957
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:21 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17	J	10	41	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	10	J	4.0	50	J	20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	N.D.		4.0	N.D.		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	570		4.0	2,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can 987 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559957
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:21 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	80		4.0	430		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	4.0	J	4.0	22	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206230AC	03/05/2012 04:35	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can 988 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559958
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:47 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13	J	10	31	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		4.0	N.D.		12	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	38		4.0	150		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,900		40	7,500		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can 988 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559958
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:47 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	16	J	4.0	90	J	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AA	03/07/2012 14:15	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AB	03/07/2012 23:12	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can 951 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559959
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:38 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15		0.50	36		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.9		0.50	11		1.5	1
05298	Carbon Disulfide	75-15-0	0.81	J	0.20	2.5	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.77	J	0.20	2.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.46	J	0.20	0.94	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	12		0.20	60		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.56	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.21	J	0.20	0.85	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	44		0.20	170		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.25	J	0.20	1.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.25	J	0.20	1.2	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.23	J	0.20	0.81	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.22	J	0.20	1.0	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.26	J	0.20	0.91	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.83	J	0.20	2.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.38	J	0.20	1.4	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can 951 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559959
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:38 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.32	J	0.20	1.7	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	3.6		0.20	20		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.1		0.20	5.6		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.37	J	0.20	1.8	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.78	J	0.20	3.4	J	0.87	1
05298	o-Xylene	95-47-6	0.48	J	0.20	2.1	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AB	03/07/2012 20:31	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Summa Can 929 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559960
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:26 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	73,000		5,000	170,000		12,000	10000
05298	Benzene	71-43-2	N.D.		2,000	N.D.		6,400	10000
05298	Bromobenzene	108-86-1	N.D.		2,000	N.D.		13,000	10000
05298	Bromodichloromethane	75-27-4	N.D.		2,000	N.D.		13,000	10000
05298	Bromoform	75-25-2	N.D.		2,000	N.D.		21,000	10000
05298	Bromomethane	74-83-9	N.D.		2,000	N.D.		7,800	10000
05298	1,3-Butadiene	106-99-0	N.D.		5,000	N.D.		11,000	10000
05298	2-Butanone	78-93-3	8,200	J	5,000	24,000	J	15,000	10000
05298	Carbon Disulfide	75-15-0	20,000		5,000	61,000		16,000	10000
05298	Carbon Tetrachloride	56-23-5	N.D.		2,000	N.D.		13,000	10000
05298	Chlorobenzene	108-90-7	N.D.		2,000	N.D.		9,200	10000
05298	Chlorodifluoromethane	75-45-6	3,400	J	2,000	12,000	J	7,100	10000
05298	Chloroethane	75-00-3	N.D.		2,000	N.D.		5,300	10000
05298	Chloroform	67-66-3	N.D.		2,000	N.D.		9,800	10000
05298	Chloromethane	74-87-3	N.D.		2,000	N.D.		4,100	10000
05298	3-Chloropropene	107-05-1	N.D.		2,000	N.D.		6,300	10000
05298	Cumene	98-82-8	N.D.		2,000	N.D.		9,800	10000
05298	Dibromochloromethane	124-48-1	N.D.		2,000	N.D.		17,000	10000
05298	1,2-Dibromoethane	106-93-4	N.D.		2,000	N.D.		15,000	10000
05298	Dibromomethane	74-95-3	N.D.		2,000	N.D.		14,000	10000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2,000	N.D.		12,000	10000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2,000	N.D.		12,000	10000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2,000	N.D.		12,000	10000
05298	Dichlorodifluoromethane	75-71-8	N.D.		2,000	N.D.		9,900	10000
05298	1,1-Dichloroethane	75-34-3	N.D.		2,000	N.D.		8,100	10000
05298	1,2-Dichloroethane	107-06-2	N.D.		2,000	N.D.		8,100	10000
05298	1,1-Dichloroethene	75-35-4	630,000		2,000	2,500,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2,000	N.D.		7,900	10000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2,000	N.D.		7,900	10000
05298	Dichlorofluoromethane	75-43-4	N.D.		2,000	N.D.		8,400	10000
05298	1,2-Dichloropropane	78-87-5	N.D.		2,000	N.D.		9,200	10000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2,000	N.D.		9,100	10000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2,000	N.D.		9,100	10000
05298	Ethylbenzene	100-41-4	N.D.		2,000	N.D.		8,700	10000
05298	4-Ethyltoluene	622-96-8	N.D.		2,000	N.D.		9,800	10000
05298	Freon 113	76-13-1	N.D.		5,000	N.D.		38,000	10000
05298	Freon 114	76-14-2	N.D.		2,000	N.D.		14,000	10000
05298	Heptane	142-82-5	N.D.		2,000	N.D.		8,200	10000
05298	Hexachloroethane	67-72-1	N.D.		2,000	N.D.		19,000	10000
05298	Hexane	110-54-3	12,000		2,000	42,000		7,000	10000
05298	2-Hexanone	591-78-6	N.D.		5,000	N.D.		20,000	10000
05298	Isooctane	540-84-1	N.D.		2,000	N.D.		9,300	10000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2,000	N.D.		7,200	10000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5,000	N.D.		20,000	10000
05298	Methylene Chloride	75-09-2	14,000		2,000	47,000		6,900	10000
05298	Octane	111-65-9	N.D.		2,000	N.D.		9,300	10000
05298	Pentane	109-66-0	4,300	J	2,000	13,000	J	5,900	10000
05298	Styrene	100-42-5	6,900	J	2,000	29,000	J	8,500	10000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2,000	N.D.		14,000	10000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2,000	N.D.		14,000	10000
05298	Tetrachloroethene	127-18-4	N.D.		2,000	N.D.		14,000	10000
05298	Toluene	108-88-3	6,900	J	2,000	26,000	J	7,500	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Summa Can 929 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559960
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:26 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	80,000		2,000	440,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2,000	N.D.		11,000	10000
05298	Trichloroethene	79-01-6	N.D.		2,000	N.D.		11,000	10000
05298	Trichlorofluoromethane	75-69-4	N.D.		2,000	N.D.		11,000	10000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2,000	N.D.		12,000	10000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2,000	N.D.		9,800	10000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2,000	N.D.		9,800	10000
05298	Vinyl Chloride	75-01-4	N.D.		2,000	N.D.		5,100	10000
05298	m/p-Xylene	179601-23-1	2,400	J	2,000	11,000	J	8,700	10000
05298	o-Xylene	95-47-6	N.D.		2,000	N.D.		8,700	10000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AC	03/14/2012 02:49	Michael A Ziegler	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can 985 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559961
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:09 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10	J	10	25	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	4.7	J	4.0	23	J	20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	6.3	J	4.0	25	J	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	530		4.0	2,100		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	48		4.0	180		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can 985 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559961
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:09 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	320	4.0	1,700	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AB	03/13/2012 12:43	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can 979 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559962
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:36 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	160		10	370		24	20
05298	Benzene	71-43-2	5.0	J	4.0	16	J	13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	36		4.0	140		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	640		4.0	2,500		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	64		4.0	240		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can 979 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559962
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:36 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	590	4.0	3,200	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AC	03/14/2012 12:01	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can 971 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559963
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:05 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	38		0.50	90		1.2	1
05298	Benzene	71-43-2	0.22	J	0.20	0.69	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	5.3		0.50	16		1.5	1
05298	Carbon Disulfide	75-15-0	0.70	J	0.50	2.2	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.3		0.20	4.5		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	1.3		0.20	2.7		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	5.8		0.20	28		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.67	J	0.20	3.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.1		0.20	4.4		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	56		0.20	220		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.32	J	0.20	1.4	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.22	J	0.20	1.1	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.25	J	0.20	1.8	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.23	J	0.20	1.1	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.53	J	0.20	1.8	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.46	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	3.7		0.20	14		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can 971 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559963
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:05 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	23		0.20	130		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	7.1		0.20	40		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.2		0.20	5.8		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.44	J	0.20	2.2	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	5.0		0.87	1
05298	o-Xylene	95-47-6	0.65	J	0.20	2.8	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AB	03/16/2012 03:45	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can 986 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559964
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:00 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	30		1.0	71		2.4	2
05298	Benzene	71-43-2	1.8	J	0.40	5.7	J	1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	4.1		1.0	12		2.9	2
05298	Carbon Disulfide	75-15-0	0.81	J	0.40	2.5	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	0.74	J	0.40	2.6	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	N.D.		0.40	N.D.		0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	17		0.40	84		2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.40	N.D.		2.0	2
05298	1,1-Dichloroethane	75-34-3	13		0.40	53		1.6	2
05298	1,2-Dichloroethane	107-06-2	0.47	J	0.40	1.9	J	1.6	2
05298	1,1-Dichloroethene	75-35-4	150		4.0	580		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	N.D.		0.40	N.D.		1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	N.D.		0.40	N.D.		1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	N.D.		0.40	N.D.		1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	N.D.		0.40	N.D.		2.7	2
05298	Toluene	108-88-3	4.0		0.40	15		1.5	2

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can 986 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559964
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:00 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	68		0.40	370		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	2.8		0.40	15		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	1.4	J	0.40	7.0	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.40	N.D.		2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	0.73	J	0.40	3.2	J	1.7	2
05298	o-Xylene	95-47-6	0.47	J	0.40	2.0	J	1.7	2

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AA	03/07/2012 06:20	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AA	03/07/2012 13:37	Michael A Ziegler	2

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW-5 Summa Can 997 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559965
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:18 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,400	J	500	3,300	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,700		200	6,900		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	230,000		2,000	900,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	N.D.		200	N.D.		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	390	J	200	1,200	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW-5 Summa Can 997 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559965
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:18 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	16,000	200	85,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AA	03/15/2012 04:37	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AA	03/15/2012 14:15	Jeffrey B Smith	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can 958 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559966
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:32 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	92		5.0	220		12	10
05298	Benzene	71-43-2	0.66	J	0.20	2.1	J	0.64	1
05298	Bromobenzene	108-86-1	0.25	J	0.20	1.6	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	15		0.50	45		1.5	1
05298	Carbon Disulfide	75-15-0	2.0		0.50	6.4		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.23	J	0.20	1.0	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.59	J	0.20	2.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.61	J	0.20	3.0	J	0.98	1
05298	Chloromethane	74-87-3	1.2		0.20	2.5		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.7		0.20	18		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.1		0.20	6.5		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.99	J	0.20	6.0	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.3		0.20	7.9		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.56	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.1		0.20	4.4		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.43	J	0.20	1.7	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.1		0.20	5.0		0.87	1
05298	4-Ethyltoluene	622-96-8	0.86	J	0.20	4.2	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.20	J	0.20	0.83	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	1.2	J	0.50	4.8	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.31	J	0.20	1.4	J	0.93	1
05298	Pentane	109-66-0	2.4		0.20	7.2		0.59	1
05298	Styrene	100-42-5	0.48	J	0.20	2.0	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.30	J	0.20	2.1	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.36	J	0.20	2.5	J	1.4	1
05298	Toluene	108-88-3	0.70	J	0.20	2.6	J	0.75	1

Sample Description: SVE 4 Summa Can 958 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559966
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:32 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2.4	0.20	13	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.3	0.20	13	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.7	0.20	8.5	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.1	0.20	5.4	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	3.2	0.20	14	0.87	1
05298	o-Xylene	95-47-6	1.8	0.20	7.7	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AA	03/15/2012 15:00	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AB	03/16/2012 04:33	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can 989 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559967
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:10 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	53		0.50	130		1.2	1
05298	Benzene	71-43-2	0.34	J	0.20	1.1	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	24		0.50	71		1.5	1
05298	Carbon Disulfide	75-15-0	2.6		0.50	8.1		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.69	J	0.20	3.4	J	0.98	1
05298	Chloromethane	74-87-3	0.87	J	0.20	1.8	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.1		0.20	15		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.84	J	0.20	4.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	6.1		0.20	25		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	11		0.20	44		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.26	J	0.20	1.1	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.0		0.20	3.6		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.9	J	0.50	7.7	J	2.0	1
05298	Methylene Chloride	75-09-2	6.2		0.20	21		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.61	J	0.20	1.8	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.61	J	0.20	2.3	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can 989 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559967
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:10 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	38		0.20	210		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.4		0.20	7.7		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.2		0.20	6.0		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.33	J	0.20	1.6	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.57	J	0.20	2.5	J	0.87	1
05298	o-Xylene	95-47-6	0.39	J	0.20	1.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AC	03/14/2012 04:25	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can 946 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559968
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:05 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4,900		50	12,000		120	100
05298	Benzene	71-43-2	34	J	20	110	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	3,500		50	10,000		150	100
05298	Carbon Disulfide	75-15-0	470		50	1,500		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	29	J	20	59	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	47	J	20	190	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	3,300		20	13,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	26	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	200		20	700		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	370		20	1,300		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	290		20	850		59	100
05298	Styrene	100-42-5	85	J	20	360	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	160		20	1,100		140	100
05298	Toluene	108-88-3	81	J	20	310	J	75	100

Sample Description: MP 02 Summa Can 946 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559968
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 16:05 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	950		20	5,200		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	42	J	20	180	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AA	03/15/2012 12:42	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can 1061 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559969
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:43 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	500	N.D.	1,200	1000
05298	Benzene	71-43-2	N.D.	200	N.D.	640	1000
05298	Bromobenzene	108-86-1	N.D.	200	N.D.	1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.	200	N.D.	1,300	1000
05298	Bromoform	75-25-2	N.D.	200	N.D.	2,100	1000
05298	Bromomethane	74-83-9	N.D.	200	N.D.	780	1000
05298	1,3-Butadiene	106-99-0	N.D.	500	N.D.	1,100	1000
05298	2-Butanone	78-93-3	N.D.	500	N.D.	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.	500	N.D.	1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.	200	N.D.	1,300	1000
05298	Chlorobenzene	108-90-7	N.D.	200	N.D.	920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.	200	N.D.	710	1000
05298	Chloroethane	75-00-3	N.D.	200	N.D.	530	1000
05298	Chloroform	67-66-3	N.D.	200	N.D.	980	1000
05298	Chloromethane	74-87-3	N.D.	200	N.D.	410	1000
05298	3-Chloropropene	107-05-1	N.D.	200	N.D.	630	1000
05298	Cumene	98-82-8	N.D.	200	N.D.	980	1000
05298	Dibromochloromethane	124-48-1	N.D.	200	N.D.	1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.	200	N.D.	1,500	1000
05298	Dibromomethane	74-95-3	N.D.	200	N.D.	1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.	200	N.D.	1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.	200	N.D.	1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.	200	N.D.	1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.	200	N.D.	990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.	200	N.D.	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.	200	N.D.	810	1000
05298	1,1-Dichloroethene	75-35-4	3,000	200	12,000	790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	200	N.D.	790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	200	N.D.	790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.	200	N.D.	840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.	200	N.D.	920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	200	N.D.	910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	200	N.D.	910	1000
05298	Ethylbenzene	100-41-4	N.D.	200	N.D.	870	1000
05298	4-Ethyltoluene	622-96-8	N.D.	200	N.D.	980	1000
05298	Freon 113	76-13-1	N.D.	500	N.D.	3,800	1000
05298	Freon 114	76-14-2	N.D.	200	N.D.	1,400	1000
05298	Heptane	142-82-5	N.D.	200	N.D.	820	1000
05298	Hexachloroethane	67-72-1	N.D.	200	N.D.	1,900	1000
05298	Hexane	110-54-3	N.D.	200	N.D.	700	1000
05298	2-Hexanone	591-78-6	N.D.	500	N.D.	2,000	1000
05298	Isooctane	540-84-1	N.D.	200	N.D.	930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	200	N.D.	720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	500	N.D.	2,000	1000
05298	Methylene Chloride	75-09-2	N.D.	200	N.D.	690	1000
05298	Octane	111-65-9	N.D.	200	N.D.	930	1000
05298	Pentane	109-66-0	N.D.	200	N.D.	590	1000
05298	Styrene	100-42-5	N.D.	200	N.D.	850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	200	N.D.	1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	200	N.D.	1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.	200	N.D.	1,400	1000
05298	Toluene	108-88-3	1,600	200	5,900	750	1000

Sample Description: SVE 1 Summa Can 1061 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559969
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:43 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	23,000	200	120,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207430AA	03/15/2012 06:55	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can 965 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559970
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:56 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		1.0	25		2.4	2
05298	Benzene	71-43-2	N.D.		0.40	N.D.		1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	N.D.		1.0	N.D.		2.9	2
05298	Carbon Disulfide	75-15-0	0.73	J	0.40	2.3	J	1.2	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	1.0	J	0.40	3.5	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	N.D.		0.40	N.D.		0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	N.D.		0.40	N.D.		2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.40	N.D.		2.4	2
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.40	N.D.		2.4	2
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.40	N.D.		2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.44	J	0.40	2.2	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	7.9		0.40	32		1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	190		4.0	770		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	N.D.		0.40	N.D.		1.7	2
05298	4-Ethyltoluene	622-96-8	N.D.		0.40	N.D.		2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	0.47	J	0.40	1.6	J	1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	N.D.		0.40	N.D.		1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	N.D.		0.40	N.D.		2.7	2
05298	Toluene	108-88-3	N.D.		0.40	N.D.		1.5	2

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can 965 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559970
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 14:56 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	18	0.40	96	2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.40	N.D.	2.2	2
05298	Trichloroethene	79-01-6	N.D.	0.40	N.D.	2.1	2
05298	Trichlorofluoromethane	75-69-4	2.3	0.40	13	2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.40	N.D.	2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.40	N.D.	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.40	N.D.	2.0	2
05298	Vinyl Chloride	75-01-4	N.D.	0.40	N.D.	1.0	2
05298	m/p-Xylene	179601-23-1	N.D.	0.40	N.D.	1.7	2
05298	o-Xylene	95-47-6	N.D.	0.40	N.D.	1.7	2

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AA	03/07/2012 05:04	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AA	03/07/2012 12:59	Michael A Ziegler	2

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can 1011 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559971
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:40 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,600		50	3,800		120	100
05298	Benzene	71-43-2	43	J	20	140	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	140	J	50	420	J	150	100
05298	Carbon Disulfide	75-15-0	550		50	1,700		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	48	J	20	100	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	41	J	20	200	J	99	100
05298	1,1-Dichloroethane	75-34-3	170		20	680		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	5,600		20	22,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	35	J	20	150	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	430		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	22	J	20	100	J	93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	410		20	1,400		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	190		20	570		59	100
05298	Styrene	100-42-5	100		20	440		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	2,500		20	9,400		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can 1011 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559971
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:40 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,000		20	11,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	72	J	20	410	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	71	J	20	310	J	87	100
05298	o-Xylene	95-47-6	28	J	20	120	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AB	03/13/2012 00:28	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can 916 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559972
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:57 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	100		5.0	240		12	10
05298	Benzene	71-43-2	0.28	J	0.20	0.89	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	50		0.50	150		1.5	1
05298	Carbon Disulfide	75-15-0	0.61	J	0.20	1.9	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.26	J	0.20	0.91	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.68	J	0.20	1.4	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	8.2		0.20	40		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.21	J	0.20	1.2	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.22	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.50	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	4.3		0.20	18		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	74		2.0	290		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.36	J	0.20	1.6	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.30	J	0.20	1.5	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.36	J	0.20	1.3	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.5	J	0.50	6.2	J	2.0	1
05298	Methylene Chloride	75-09-2	1.4		0.20	4.8		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.47	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.27	J	0.20	1.8	J	1.4	1
05298	Toluene	108-88-3	1.0		0.20	3.9		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can 916 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6559972
LLI Group # 1291899
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/23/2012 15:57 by CP

Submitted: 02/28/2012 09:30
Reported: 03/19/2012 17:56

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	46		0.20	250		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.46	J	0.20	2.6	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.2		0.20	5.9		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.40	J	0.20	2.0	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.38	J	0.20	0.98	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.6		0.87	1
05298	o-Xylene	95-47-6	0.66	J	0.20	2.9	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1206630AB	03/07/2012 21:52	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1207130AA	03/12/2012 10:00	Jeffrey B Smith	10

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1206230AC	Sample number(s): 6559953-6559957							
Acetone	N.D.	0.50	ppb(v)	94	90	67-138	5	25
Benzene	N.D.	0.20	ppb(v)	99	98	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	97	98	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	97	98	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	102	97	70-130	5	25
1,3-Butadiene	N.D.	0.50	ppb(v)	99	94	60-135	6	25
2-Butanone	N.D.	0.50	ppb(v)	92	87	66-129	5	25
Carbon Disulfide	N.D.	0.20	ppb(v)	79	69	56-106	13	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	94	92	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	92	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	103	71-129	6	25
Chloroform	N.D.	0.20	ppb(v)	97	93	70-130	4	25
Chloromethane	N.D.	0.20	ppb(v)	97	91	58-129	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	97	94	68-138	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	95	94	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	93	85	71-143	9	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	95	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	95	92	67-140	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	104	94	72-140	11	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	103	96	66-126	7	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	100	97	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	98	89	64-117	9	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	93	69-120	6	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	96	67-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	90	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	101	92	67-134	9	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	89	91	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	101	95	70-130	6	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	92	97	69-135	5	25
Freon 113	N.D.	0.50	ppb(v)	94	90	67-115	4	25
Freon 114	N.D.	0.20	ppb(v)	91	81	66-120	12	25
Heptane	N.D.	0.20	ppb(v)	98	94	60-125	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	98	96	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	89	87	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	94	86	64-124	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	95	90	61-145	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	95	88	70-130	8	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	98	99	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	90	92	67-145	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	92	85	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	96	96	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	93	70-130	6	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	96	95	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	92	88	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	95	95	70-130	0	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	99	95	69-138	5	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	101	94	71-142	8	25
Vinyl Chloride	N.D.	0.20	ppb(v)	107	102	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	106	100	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	104	100	70-130	3	25
Batch number: A1206630AA	Sample number(s): 6559958,6559964,6559970							
Acetone	N.D.	0.50	ppb(v)	76	80	67-138	5	25
Benzene	N.D.	0.20	ppb(v)	98	92	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	96	92	70-138	4	25
Bromoform	N.D.	0.20	ppb(v)	89	101	71-150	13	25
Bromomethane	N.D.	0.20	ppb(v)	95	97	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	86	87	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	77	82	66-129	6	25
Carbon Disulfide	N.D.	0.20	ppb(v)	70	76	56-106	9	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	91	93	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	84	92	70-130	9	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	96	71-129	4	25
Chloroform	N.D.	0.20	ppb(v)	87	89	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	85	86	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	85	95	68-138	11	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	82	92	71-135	12	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	90	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	98	68-136	11	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	98	67-140	10	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	93	96	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	90	94	66-126	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	89	70-130	7	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	85	88	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	90	94	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	87	91	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	88	81	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	82	67-134	10	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	75	83	67-134	10	25
Ethylbenzene	N.D.	0.20	ppb(v)	88	89	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	81	90	69-135	12	25
Freon 113	N.D.	0.50	ppb(v)	83	90	67-115	7	25
Freon 114	N.D.	0.20	ppb(v)	81	84	66-120	4	25
Heptane	N.D.	0.20	ppb(v)	92	85	60-125	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	87	90	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	57	62	54-166	9	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	78	87	64-124	11	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	77	73	61-145	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	91	70-130	4	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	86	94	70-139	9	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	79	83	67-145	6	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	96	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	83	84	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	98	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	84	91	68-128	8	25
Trichloroethene	N.D.	0.20	ppb(v)	98	98	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	101	99	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	85	69-138	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	97	71-142	6	25
Vinyl Chloride	N.D.	0.20	ppb(v)	99	103	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	93	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	87	91	70-130	5	25
Batch number: A1206630AB	Sample number(s): 6559958-6559959,6559972							
Acetone	N.D.	0.50	ppb(v)	76	80	67-138	5	25
Benzene	N.D.	0.20	ppb(v)	98	92	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	96	92	70-138	4	25
Bromoform	N.D.	0.20	ppb(v)	89	101	71-150	13	25
Bromomethane	N.D.	0.20	ppb(v)	95	97	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	86	87	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	77	82	66-129	6	25
Carbon Disulfide	N.D.	0.20	ppb(v)	70	76	56-106	9	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	91	93	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	84	92	70-130	9	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	96	71-129	4	25
Chloroform	N.D.	0.20	ppb(v)	87	89	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	85	86	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	85	95	68-138	11	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	82	92	71-135	12	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	90	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	98	68-136	11	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	98	67-140	10	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	93	96	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	90	94	66-126	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	89	70-130	7	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	85	88	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	90	94	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	87	91	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	88	81	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	82	67-134	10	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	75	83	67-134	10	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	88	89	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	81	90	69-135	12	25
Freon 113	N.D.	0.50	ppb(v)	83	90	67-115	7	25
Freon 114	N.D.	0.20	ppb(v)	81	84	66-120	4	25
Heptane	N.D.	0.20	ppb(v)	92	85	60-125	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	90	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	57	62	54-166	9	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	78	87	64-124	11	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	77	73	61-145	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	91	70-130	4	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	86	94	70-139	9	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	79	83	67-145	6	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	96	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	83	84	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	98	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	84	91	68-128	8	25
Trichloroethene	N.D.	0.20	ppb(v)	98	98	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	101	99	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	85	69-138	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	91	97	71-142	6	25
Vinyl Chloride	N.D.	0.20	ppb(v)	99	103	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	93	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	87	91	70-130	5	25
Batch number: D1206130AB	Sample number(s): 6559951-6559952							
Acetone	N.D.	0.50	ppb(v)	112	96	67-138	15	25
Benzene	N.D.	0.20	ppb(v)	108	94	70-130	14	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	116	101	70-138	13	25
Bromoform	N.D.	0.20	ppb(v)	123	111	71-150	11	25
Bromomethane	N.D.	0.20	ppb(v)	109	95	70-130	14	25
1,3-Butadiene	N.D.	0.50	ppb(v)	97	85	60-135	14	25
2-Butanone	N.D.	0.50	ppb(v)	105	94	66-129	12	25
Carbon Disulfide	N.D.	0.50	ppb(v)	92	81	56-106	12	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	104	90	70-130	14	25
Chlorobenzene	N.D.	0.20	ppb(v)	111	101	70-130	10	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	107	97	71-129	10	25
Chloroform	N.D.	0.20	ppb(v)	102	89	70-130	13	25
Chloromethane	N.D.	0.20	ppb(v)	94	89	58-129	5	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	120	108	68-138	11	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	115	104	71-135	10	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	108	96	71-143	12	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	103	93	68-136	11	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	105	94	67-140	11	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	99	87	72-140	13	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	111	97	66-126	14	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	112	99	70-130	12	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	81	64-117	13	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	84	69-120	13	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	88	67-121	15	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	103	89	70-130	14	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	94	67-134	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	112	100	67-134	11	25
Ethylbenzene	N.D.	0.20	ppb(v)	120	108	70-130	11	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	118	106	69-135	11	25
Freon 113	N.D.	0.50	ppb(v)	102	88	67-115	15	25
Freon 114	N.D.	0.20	ppb(v)	92	81	66-120	13	25
Heptane	N.D.	0.20	ppb(v)	99	87	60-125	13	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	102	85	62-120	18	25
2-Hexanone	N.D.	0.50	ppb(v)	123	110	54-166	12	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	110	95	64-124	14	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	124	105	61-145	17	25
Methylene Chloride	N.D.	0.20	ppb(v)	102	89	70-130	14	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	126	113	70-139	10	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	118	105	67-145	11	25
Tetrachloroethene	N.D.	0.20	ppb(v)	108	97	70-130	10	25
Toluene	N.D.	0.20	ppb(v)	112	101	70-130	10	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	89	70-130	13	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	114	103	68-128	10	25
Trichloroethene	N.D.	0.20	ppb(v)	100	89	70-130	12	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	109	96	70-130	13	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	116	102	69-138	12	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	127	112	71-142	12	25
Vinyl Chloride	N.D.	0.20	ppb(v)	100	89	70-130	12	25
m/p-Xylene	N.D.	0.20	ppb(v)	130	117	70-130	10	25
o-Xylene	N.D.	0.20	ppb(v)	122	108	70-130	12	25
Batch number: D1206130AC	Sample number(s): 6559952							
Acetone	N.D.	0.50	ppb(v)	112	96	67-138	15	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	81	64-117	13	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	89	70-130	13	25
Batch number: D1207130AA	Sample number(s): 6559972							
Acetone	N.D.	0.50	ppb(v)	90	89	67-138	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	93	93	64-117	0	25
Batch number: D1207130AB	Sample number(s): 6559961,6559971							
Acetone	N.D.	0.50	ppb(v)	90	89	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	91	90	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	94	93	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	107	106	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	99	98	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	89	87	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	87	88	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	96	94	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	83	82	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Chloroethane	N.D.	0.20	ppb(v)	101	98	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	90	87	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	111	108	58-129	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	89	87	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	87	85	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	86	85	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	87	86	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	87	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	115	112	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	91	91	66-126	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	91	90	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	93	93	64-117	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	92	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	93	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	85	83	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	85	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	84	82	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	80	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	80	80	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	87	87	67-115	0	25
Freon 114	N.D.	0.20	ppb(v)	96	95	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	89	88	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	90	90	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	82	80	54-166	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	84	83	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	85	84	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	89	88	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	85	83	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	85	83	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	88	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	86	84	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	94	92	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	91	90	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	97	96	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	104	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	82	80	69-138	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	82	81	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	114	113	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	86	85	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	88	86	70-130	1	25
Batch number: D1207130AC	Sample number(s): 6559960,6559962,6559967							
Acetone	N.D.	0.50	ppb(v)	90	89	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	91	90	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	94	93	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	107	106	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,3-Butadiene	N.D.	0.50	ppb(v)	99	98	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	89	87	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	87	88	56-106	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	96	94	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	83	82	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	101	98	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	90	87	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	111	108	58-129	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	89	87	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	87	85	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	86	85	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	87	86	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	87	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	115	112	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	91	91	66-126	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	91	90	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	93	93	64-117	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	92	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	93	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	85	83	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	85	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	84	82	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	80	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	80	80	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	87	87	67-115	0	25
Freon 114	N.D.	0.20	ppb(v)	96	95	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	89	88	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	90	90	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	82	80	54-166	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	84	83	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	85	84	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	89	88	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	85	83	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	85	83	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	88	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	86	84	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	94	92	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	91	90	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	97	96	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	104	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	82	80	69-138	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	82	81	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	114	113	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	86	85	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	88	86	70-130	1	25

Batch number: D1207430AA Sample number(s): 6559965-6559966,6559968-6559969

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Acetone	N.D.	0.50	ppb(v)	87	87	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	84	81	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	89	87	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	89	85	71-150	4	25
Bromomethane	N.D.	0.20	ppb(v)	100	102	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	88	89	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	79	80	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	81	83	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	92	92	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	75	73	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	90	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	85	85	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	96	100	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	82	79	68-138	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	78	76	71-135	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	82	77	71-143	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	81	77	68-136	6	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	83	78	67-140	6	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	110	113	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	84	83	66-126	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	91	88	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	86	86	64-117	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	84	83	69-120	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	86	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	78	77	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	78	76	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	72	70	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	75	71	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	74	70	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	86	85	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	92	94	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	79	78	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	77	77	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	71	69	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	74	74	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	78	77	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	84	83	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	78	73	70-139	6	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	81	77	67-145	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	82	79	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	77	74	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	89	89	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	85	81	68-128	4	25
Trichloroethene	N.D.	0.20	ppb(v)	91	89	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	107	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	76	72	69-138	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	76	72	71-142	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	102	106	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	80	76	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	82	77	70-130	6	25
Batch number: D1207430AB	Sample number(s): 6559963,6559966							
Acetone	N.D.	0.50	ppb(v)	87	87	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	84	81	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	89	87	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	89	85	71-150	4	25
Bromomethane	N.D.	0.20	ppb(v)	100	102	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	88	89	60-135	1	25
2-Butanone	N.D.	0.50	ppb(v)	79	80	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	81	83	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	92	92	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	75	73	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	90	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	85	85	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	96	100	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	82	79	68-138	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	78	76	71-135	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	82	77	71-143	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	81	77	68-136	6	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	83	78	67-140	6	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	110	113	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	84	83	66-126	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	91	88	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	86	86	64-117	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	84	83	69-120	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	86	67-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	78	77	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	78	76	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	72	70	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	75	71	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	74	70	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	86	85	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	92	94	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	79	78	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	77	77	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	71	69	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	74	74	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	78	77	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	84	83	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	78	73	70-139	6	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	81	77	67-145	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	82	79	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	77	74	70-130	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1291899
Reported: 03/19/12 at 05:56 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	89	89	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	85	81	68-128	4	25
Trichloroethene	N.D.	0.20	ppb(v)	91	89	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	107	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	76	72	69-138	6	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	76	72	71-142	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	102	106	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	80	76	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	82	77	70-130	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1291899 / 6559951-72

Client Contact Information	**Project Manager:** Todd Hall	**Carrier:**	___ of ___ COCs
Company: Roadrunner Express Inc.	**Phone:** Todd.Hall 802-229-4600	**Samplers Name(s)**	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, .	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify) ✓		
PO # :	Rush (Specify)_____		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15	Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 11	2/23/12	16:01							943	1		X				
Undiluted	2/23/12	15:53							991	1		X				
MP 03	2/23/12	14:51							939	1		X				
Blower	2/23/12	15:50							984	1		X				
MP 04	2/23/12	14:42							942	1		X				
MW 64	2/23/12	15:14							1045	1		X				

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by: Calvin Pruitt	Date/Time: 2/23/12
Samples Relinquished by: Calvin Pruitt	Date/Time: 2/24/12 9:00am	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Nesel	Date/Time: 2/28/12 0930

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1291899 / 6559951-72

Client Contact Information	**Project Manager:**	**Carrier:**	___ of ___ COCs
Company: Roadrunner Express Inc.	**Phone:**	**Samplers Name(s)**	**Analysis** / **Matrix**
Address: 3945 Thurmond Tanner Road, ,	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 08	2/23/12	15:21							987	1		X						
VW 6	2/23/12	14:47							988	1		X						
MP 05	2/23/12	14:38							951	1		X						
MW 65S	2/23/12	15:26							929	1		X						
MP 07	2/23/12	15:09							985	1		X						
SVE 3	2/23/12	15:36							979	1		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Nesel	Date/Time: 2/28/12 0930

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1291899 / 6559951-72

Client Contact Information	Project Manager:	Carrier:	___ of ___ COCs
Company: Roadrunner Express Inc.	Phone:	Samplers Name(s)	Analysis / Matrix
Address: 3945 Thurmond Tanner Road, ,	Site Contact:		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	Analysis Turnaround Time		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
MP 06	2/23/12	15:05							971	1		X						
SVE 6	2/23/12	15:00							986	1		X						
VW-5	2/23/12	15:18							997	1		X						
SVE 4	2/23/12	15:32							958	1		X						
MP 10	2/23/12	16:10							989	1		X						
MP 02	2/23/12	16:05							946	1		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Deborah Neal	Date/Time: 2/28/12 0930

Lancaster Laboratories Inc
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717) 656-2300

TO-15 External Chain of Custody Record/Field Test Data Sheets

Lancaster Laboratories

A6556 / 1291899 / 6559951-72

Client Contact Information	**Project Manager:**	**Carrier:**	___ of ___ COCs
Company: Roadrunner Express Inc.	**Phone:**	**Samplers Name(s)**	**Analysis** / **Matrix**
Address: 3945 Thurmond Tanner Road, .	**Site Contact:**		
City/State/Zip: Flowery Branch,GA 30542			
Phone: 770-967-6501			
FAX:			
Project Name: Avery Dennison / Flowery Branch, GA	**Analysis Turnaround Time**		
Site:	Standard (Specify)		
PO # :	Rush (Specify)		

Sample Identification	Sample Date(s)	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	TO-15			Indoor Air	Ambient Air	Soil Gas	Sub Slab
SVE 1	2/23/12	15:43							1061	1		X						
SVE 5	2/23/12	14:56							965	1		X						
SVE 2	2/23/12	15:40							1011	1		X						
MP 09	2/23/12	15:47							916	1		X						

Temperature (Fahrenheit)	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (inches of Hg)	Ambient	Maximum	Minimum
Start			
Stop			

Special Instructions/QC Requirements & Comments:

Canisters Shipped by:	Date/Time:	~~Canisters Received by:~~	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	~~Date/Time:~~
Relinquished by:	Date/Time:	Received by: Deborah Neslund	Date/Time: 2/28/12 0930

A6556 / 1291899
6559951-72

Interim Soil Vapor Extraction System - System Data
Avery Dennison Facility, Flowery Branch, GA

Date: 2-23-12 Field Representative(s): Calvin & Jerry

Sample Location	Time Collected	Cannister #	Starting Pressure	Final Pressure	Comments
MP-02 ✓	4:05	946			
MP-03 ✓	2:51	939			
MP-04 ✓	2:42	942			
MP-05 ✓	2:38	951			
MP-06 ✓	3:05	971			
MP-07 ✓	3:09	985			
MP-08 ✓	3:21	987			
MP-09 ✓	3:57	916			
MP-10 ✓	4:16	989			
MP-11 ✓	4:01	943			
VW-3	OFF	OFF			
VW-5 ✓	3:18	997			
VW-6 ✓	2:47	988			
MW-64 ✓	3:14	1045			
MW-65s ✓	3:26	929			
SVE-1 ✓	3:43	1061			
SVE-2 ✓	3:40	1011			
SVE-3 ✓	3:36	979			
SVE-4 ✓	3:32	958			
SVE-5 ✓	2:56	965			
SVE-6 ✓	3:00	986			
Undiluted ✓	3:53	991			
Blower Exhaust ✓	3:56	984			

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Co.

Date of Receipt: 2/28/12

Time of Receipt: 0930

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers

Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Unpacker Signature/Emp#: [signature] 208 **Date/Time:** 2/28/12 0940

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

April 04, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/15/2012
Group Number: 1295444
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP06 Air	6579095
VW3 Air	6579096
MW64 Air	6579097

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,

Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Air
SC# 940
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579095
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:25 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	16		2.5	38		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	2.7	J	2.5	8.1	J	7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	1.8	J	1.0	6.2	J	3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	1.5	J	1.0	6.1	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	90		1.0	360		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	1.2	J	1.0	4.8	J	4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Air
SC# 940
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579095
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:25 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	6.0		1.0	23		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	21		1.0	110		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	4.5	J	1.0	25	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.2	J	1.0	5.1	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

The reporting limits for the GC/MS volatile compounds were raised due to the level of non-target compounds.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1209330AB	04/04/2012 05:50	Michael A Ziegler	5

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Air
SC# 918
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579096
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:30 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,000		50	4,800		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	1,000		50	3,000		150	100
05298	Carbon Disulfide	75-15-0	160		50	490		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	40	J	20	140	J	71	100
05298	Chloroethane	75-00-3	35	J	20	91	J	53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	39	J	20	160	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,600		20	10,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	130		20	550		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	590		20	2,100		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	71	J	20	330	J	93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	220		20	760		69	100
05298	Octane	111-65-9	26	J	20	120	J	93	100
05298	Pentane	109-66-0	2,000		20	5,900		59	100
05298	Styrene	100-42-5	25	J	20	100	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	23	J	20	150	J	140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Air
SC# 918
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579096
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:30 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	81	J	20	310	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	810		20	4,400		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

The reporting limits for the GC/MS volatile compounds were raised due to the level of non-target compounds.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1209330AB	04/04/2012 03:34	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Air
SC# 1098
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579097
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:20 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	750	J	500	1,800	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	7,400		200	30,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	630,000		10,000	2,500,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	220	J	200	770	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	630	J	200	2,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	730	J	200	2,100	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	240	J	200	1,600	J	1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Air
SC# 1098
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6579097
LLI Group # 1295444
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/12/2012 09:20 by CP

Submitted: 03/15/2012 09:15
Reported: 04/04/2012 18:53

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2,200		200	8,200		750	1000
05298	1,1,1-Trichloroethane	71-55-6	160,000		10,000	860,000		55,000	50000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	310	J	200	1,700	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1209330AB	04/04/2012 04:18	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1209330AB	04/04/2012 15:35	Michael A Ziegler	50000

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1295444
Reported: 04/04/12 at 06:53 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1209330AB	Sample number(s): 6579095-6579097							
Acetone	N.D.	0.50	ppb(v)	94	104	67-138	10	25
Benzene	N.D.	0.20	ppb(v)	92	100	70-130	8	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	97	106	70-138	9	25
Bromoform	N.D.	0.20	ppb(v)	102	108	71-150	6	25
Bromomethane	N.D.	0.20	ppb(v)	108	114	70-130	6	25
1,3-Butadiene	N.D.	0.50	ppb(v)	96	103	60-135	7	25
2-Butanone	N.D.	0.50	ppb(v)	82	93	66-129	13	25
Carbon Disulfide	N.D.	0.50	ppb(v)	75	81	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	98	108	70-130	10	25
Chlorobenzene	N.D.	0.20	ppb(v)	90	95	70-130	6	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	101	111	71-129	9	25
Chloroform	N.D.	0.20	ppb(v)	90	99	70-130	9	25
Chloromethane	N.D.	0.20	ppb(v)	99	108	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	97	103	68-138	7	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	94	100	71-135	7	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	93	99	71-143	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	91	97	68-136	7	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	94	99	67-140	6	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	114	123	72-140	8	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	88	97	66-126	9	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	114	70-130	9	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	89	97	64-117	9	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	90	98	69-120	9	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	97	67-121	10	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	92	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	87	96	67-134	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	97	67-134	7	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	99	70-130	7	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	86	92	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	85	93	67-115	9	25
Freon 114	N.D.	0.20	ppb(v)	96	103	66-120	7	25
Heptane	N.D.	0.20	ppb(v)	91	99	60-125	9	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	78	86	62-120	10	25
2-Hexanone	N.D.	0.50	ppb(v)	82	89	54-166	8	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	75	82	64-124	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	82	92	61-145	11	25
Methylene Chloride	N.D.	0.20	ppb(v)	83	91	70-130	9	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1295444
Reported: 04/04/12 at 06:53 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	91	96	70-139	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	91	97	67-145	6	25
Tetrachloroethene	N.D.	0.20	ppb(v)	91	96	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	93	98	70-130	5	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	94	103	70-130	9	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	104	68-128	6	25
Trichloroethene	N.D.	0.20	ppb(v)	99	107	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	112	119	70-130	5	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	88	95	69-138	8	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	96	71-142	7	25
Vinyl Chloride	N.D.	0.20	ppb(v)	106	115	70-130	8	25
m/p-Xylene	N.D.	0.20	ppb(v)	95	100	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	96	102	70-130	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 For Lancaster Laboratories use only Group # 1295444 Sample # 6579095-97

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard
Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	(6) EPA TO - 15	EPA 18	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 06	3/12	9:25						N/A 940	1	1	N/A	X						
VW 3	3/12	9:30						N/A 918	2	1	N/A	X						
MW 64	3/12	9:20						N/A 1095	3	1	N/A	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	(8) Date/Time
		Calvin Pruitt	3/12/12 8:00
Relinquished by: Calvin Pruitt	Date/Time: 3/13/12 9:00am	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: Mary K. Head	Date/Time: 3-15-12 0915

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Company

Date of Receipt: 3-15-12

Time of Receipt: 0915

Source Code: 50

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

+ 1 Flow Controller
+ Bag Tubing

Unpacker Signature/Emp#: Nancy A. Hess **Date/Time:** 3-15-12 1010

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

April 19, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 04/03/2012
Group Number: 1299581
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
VW 3 Summa Can# 926 Grab Air	6602949
MW 65S Summa Can# 989 Grab Air	6602950
VW 6 Summa Can# 920 Grab Air	6602951
SVE 4 Summa Can# 975 Grab Air	6602952
SVE 2 Summa Can# 958 Grab Air	6602953
MP 04 Summa Can# 912 Grab Air	6602954
Undiluted Summa Can# 1012 Grab Air	6602955
SVE 1 Summa Can# 949 Grab Air	6602956
MP 06 Summa Can# 970 Grab Air	6602957
MP 02 Summa Can# 1062 Grab Air	6602958
MP 05 Summa Can# 1059 Grab Air	6602959
MP 03 Summa Can# 941 Grab Air	6602960
MP 10 Summa Can# 1006 Grab Air	6602961
SVE 5 Summa Can# 929 Grab Air	6602962
SVE 3 Summa Can# 925 Grab Air	6602963
VW 5 Summa Can# 1048 Grab Air	6602964
MP 08 Summa Can# 922 Grab Air	6602965
MP 09 Summa Can# 1061 Grab Air	6602966
SVE 6 Summa Can# 997 Grab Air	6602967
MP 11 Summa Can# 946 Grab Air	6602968
MW 64 Summa Can# 944 Grab Air	6602969
MP 07 Summa Can# 1097 Grab Air	6602970

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Todd Hall
ELECTRONIC COPY TO	The Johnson Company, Inc.	Attn: Patrick Smart

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can# 926 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602949
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:25 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	35,000		250	84,000		590	500
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	24,000		250	70,000		740	500
05298	Carbon Disulfide	75-15-0	190		50	590		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	24	J	20	84	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	40	J	20	83	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,200		20	8,500		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	100		20	430		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	100		20	370		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	410		20	1,400		69	100
05298	Octane	111-65-9	40	J	20	190	J	93	100
05298	Pentane	109-66-0	220		20	660		59	100
05298	Styrene	100-42-5	37	J	20	160	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	39	J	20	150	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can# 926 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602949
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:25 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100		20	6,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	22	J	20	130	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	42	J	20	180	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 00:34	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/17/2012 21:44	Michael A Ziegler	500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Summa Can# 989 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602950
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:04 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,800		50	14,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	800		50	2,400		150	100
05298	Carbon Disulfide	75-15-0	130		50	410		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	740		20	3,000		81	100
05298	1,2-Dichloroethane	107-06-2	34	J	20	140	J	81	100
05298	1,1-Dichloroethene	75-35-4	440,000		20,000	1,800,000		79,000	100000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	82	J	20	340	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	96	J	20	340	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	350		20	1,200		69	100
05298	Octane	111-65-9	42	J	20	190	J	93	100
05298	Pentane	109-66-0	250		20	740		59	100
05298	Styrene	100-42-5	47	J	20	200	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	69	J	20	470	J	140	100
05298	Toluene	108-88-3	360		20	1,300		75	100

Sample Description: MW 65S Summa Can# 989 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602950
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:04 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	38,000		400	210,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	76	J	20	410	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	50	J	20	130	J	51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 01:22	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 11:42	Michael A Ziegler	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/17/2012 22:28	Michael A Ziegler	100000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can# 920 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602951
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:40 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	37	J	10	88	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	13	J	10	37	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	59		4.0	240		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,500		4.0	5,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	11	J	4.0	38	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	15	J	4.0	43	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	14	J	4.0	53	J	15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can# 920 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602951
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:40 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	15	J	4.0	84	J	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	5.8	J	4.0	33	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	N.D.		4.0	N.D.		17	20
05298	o-Xylene	95-47-6	N.D.		4.0	N.D.		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 12:26	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can# 975 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602952
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:09 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	73		0.50	170		1.2	1
05298	Benzene	71-43-2	0.83	J	0.20	2.7	J	0.64	1
05298	Bromobenzene	108-86-1	0.29	J	0.20	1.9	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.22	J	0.20	2.3	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	8.1		0.50	24		1.5	1
05298	Carbon Disulfide	75-15-0	0.74	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.36	J	0.20	1.7	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.61	J	0.20	2.2	J	0.71	1
05298	Chloroethane	75-00-3	0.32	J	0.20	0.85	J	0.53	1
05298	Chloroform	67-66-3	0.47	J	0.20	2.3	J	0.98	1
05298	Chloromethane	74-87-3	1.6		0.20	3.3		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	5.5		0.20	27		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.3		0.20	8.0		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.2		0.20	7.4		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.6		0.20	9.5		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.86	J	0.20	3.5	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.38	J	0.20	1.5	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.2		0.20	5.4		0.87	1
05298	4-Ethyltoluene	622-96-8	0.84	J	0.20	4.1	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	1.2	J	0.50	4.9	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.35	J	0.20	1.2	J	0.69	1
05298	Octane	111-65-9	0.41	J	0.20	1.9	J	0.93	1
05298	Pentane	109-66-0	4.2		0.20	12		0.59	1
05298	Styrene	100-42-5	0.63	J	0.20	2.7	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.44	J	0.20	3.0	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.39	J	0.20	2.7	J	1.4	1
05298	Toluene	108-88-3	0.51	J	0.20	1.9	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can# 975 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602952
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:09 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.8		0.20	9.9		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	3.1		0.20	17		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.9		0.20	9.4		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.95	J	0.20	4.7	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.7		0.20	16		0.87	1
05298	o-Xylene	95-47-6	2.1		0.20	9.2		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 02:58	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can# 958 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602953
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:15 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	930		50	2,200		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	170		50	520		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	320		20	1,300		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	7,100		20	28,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	25	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	100		20	430		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	430		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	160		20	560		69	100
05298	Octane	111-65-9	48	J	20	220	J	93	100
05298	Pentane	109-66-0	430		20	1,300		59	100
05298	Styrene	100-42-5	50	J	20	210	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	4,800		20	18,000		75	100

Sample Description: SVE 2 Summa Can# 958 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602953
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:15 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,900		20	16,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	53	J	20	230	J	87	100
05298	o-Xylene	95-47-6	23	J	20	100	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 03:46	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can# 912 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602954
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:33 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15		0.50	35		1.2	1
05298	Benzene	71-43-2	0.31	J	0.20	0.99	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.7		0.50	8.1		1.5	1
05298	Carbon Disulfide	75-15-0	1.0		0.50	3.2		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.7		0.20	6.0		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	2.0		0.20	4.2		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.4		0.20	5.8		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.28	J	0.20	1.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	15		0.20	59		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.36	J	0.20	1.3	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.22	J	0.20	1.0	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.50	J	0.20	1.8	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.66	J	0.20	1.9	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.28	J	0.20	1.9	J	1.4	1
05298	Toluene	108-88-3	0.33	J	0.20	1.3	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can# 912 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602954
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:33 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.4		0.20	7.5		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.34	J	0.20	1.8	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	10		0.20	58		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 04:34	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 1012 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602955
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:38 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	36		0.50	86		1.2	1
05298	Benzene	71-43-2	0.26	J	0.20	0.84	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	6.6		0.50	19		1.5	1
05298	Carbon Disulfide	75-15-0	0.95	J	0.50	3.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.6		0.20	5.5		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.85	J	0.20	1.8	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	5.7		0.20	28		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.67	J	0.20	4.0	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.70	J	0.20	4.2	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.67	J	0.20	4.0	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.66	J	0.20	3.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	11		0.20	45		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.41	J	0.20	1.7	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	200		2.0	810		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.84	J	0.20	3.7	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.41	J	0.20	2.0	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.24	J	0.20	0.85	J	0.70	1
05298	2-Hexanone	591-78-6	0.52	J	0.50	2.1	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	3.2		0.20	11		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.37	J	0.20	1.1	J	0.59	1
05298	Styrene	100-42-5	0.22	J	0.20	0.95	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.20	J	0.20	1.4	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.63	J	0.20	4.3	J	1.4	1
05298	Toluene	108-88-3	74		0.20	280		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 1012 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602955
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:38 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	130		2.0	720		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.28	J	0.20	1.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	8.6		0.20	48		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.1		0.20	10		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.6		0.20	7.7		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.5		0.20	15		0.87	1
05298	o-Xylene	95-47-6	1.7		0.20	7.4		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 05:22	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210930AA	04/19/2012 01:56	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can# 949 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602956
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:18 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,100		50	2,700		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	190		50	590		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	180		20	750		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	7,700		200	30,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	43	J	20	190	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	130		20	520		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	140		20	490		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	180		20	610		69	100
05298	Octane	111-65-9	64	J	20	300	J	93	100
05298	Pentane	109-66-0	410		20	1,200		59	100
05298	Styrene	100-42-5	78	J	20	330	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	5,500		200	21,000		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can# 949 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602956
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:18 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	57,000		200	310,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	110		20	480		87	100
05298	o-Xylene	95-47-6	48	J	20	210	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 06:10	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/17/2012 23:56	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can# 970 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602957
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:38 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		0.50	46		1.2	1
05298	Benzene	71-43-2	0.23	J	0.20	0.74	J	0.64	1
05298	Bromobenzene	108-86-1	0.32	J	0.20	2.1	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.6		0.50	11		1.5	1
05298	Carbon Disulfide	75-15-0	2.6		0.50	8.1		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.23	J	0.20	1.1	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	1.5		0.20	5.3		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	1.1		0.20	2.2		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	4.1		0.20	20		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.4		0.20	8.4		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.2		0.20	7.5		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.4		0.20	8.6		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	3.0		0.20	12		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	120		2.0	490		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.2		0.20	5.2		0.87	1
05298	4-Ethyltoluene	622-96-8	1.2		0.20	6.0		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.26	J	0.20	1.2	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.46	J	0.20	1.6	J	0.69	1
05298	Octane	111-65-9	0.22	J	0.20	1.0	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.64	J	0.20	2.7	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.45	J	0.20	3.1	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.34	J	0.20	2.3	J	1.4	1
05298	Toluene	108-88-3	10		0.20	38		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can# 970 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602957
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:38 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	38		0.20	210		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	10		0.20	56		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.23	J	0.20	1.4	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	5.9		0.20	29		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	2.3		0.20	11		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.8		0.20	16		0.87	1
05298	o-Xylene	95-47-6	2.3		0.20	10		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 06:58	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 15:21	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can# 1062 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602958
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:27 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,100		500	12,000		1,200	1000
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	7,100		50	21,000		150	100
05298	Carbon Disulfide	75-15-0	270		50	830		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	26	J	20	91	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	23	J	20	47	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	35	J	20	140	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,900		20	7,600		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	22	J	20	94	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	110		20	460		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	440		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	170	J	50	710	J	200	100
05298	Methylene Chloride	75-09-2	150		20	520		69	100
05298	Octane	111-65-9	61	J	20	280	J	93	100
05298	Pentane	109-66-0	240		20	720		59	100
05298	Styrene	100-42-5	60	J	20	260	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	76	J	20	290	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can# 1062 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602958
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:27 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	650		20	3,600		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	23	J	20	100	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 07:46	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 00:40	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can# 1059 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602959
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:30 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	35		0.50	83		1.2	1
05298	Benzene	71-43-2	0.25	J	0.20	0.79	J	0.64	1
05298	Bromobenzene	108-86-1	0.99	J	0.20	6.4	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.24	J	0.20	2.5	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	8.7		0.50	26		1.5	1
05298	Carbon Disulfide	75-15-0	0.74	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.50	J	0.20	2.3	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	1.3		0.20	4.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.73	J	0.20	1.5	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	9.5		0.20	47		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.52	J	0.20	4.0	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	8.2		0.20	49		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	6.1		0.20	37		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	7.8		0.20	47		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.22	J	0.20	0.87	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	48		0.20	190		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	3.4		0.20	15		0.87	1
05298	4-Ethyltoluene	622-96-8	6.4		0.20	31		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	1.6	J	0.50	6.6	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.58	J	0.50	2.4	J	2.0	1
05298	Methylene Chloride	75-09-2	0.37	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	0.57	J	0.20	2.7	J	0.93	1
05298	Pentane	109-66-0	0.44	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	2.0		0.20	8.6		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	2.4		0.20	16		1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	9.0		1.4	1
05298	Toluene	108-88-3	0.81	J	0.20	3.1	J	0.75	1

Sample Description: MP 05 Summa Can# 1059 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602959
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:30 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.27	J	0.20	1.5	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.30	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	8.3		0.20	47		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	1.9		0.20	12		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	12		0.20	61		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	7.8		0.20	38		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	9.7		0.20	42		0.87	1
05298	o-Xylene	95-47-6	7.1		0.20	31		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 08:34	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa Can# 941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602960
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:37 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		0.50	40		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.7		0.50	11		1.5	1
05298	Carbon Disulfide	75-15-0	2.1		0.50	6.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	3.0		0.20	11		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.27	J	0.20	1.3	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.9		0.20	14		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.62	J	0.20	3.7	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.53	J	0.20	3.2	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.70	J	0.20	4.2	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.71	J	0.20	3.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	19		0.20	75		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.45	J	0.20	1.8	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	110		2.0	440		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.49	J	0.20	2.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.34	J	0.20	1.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.2		0.20	4.1		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.25	J	0.20	1.1	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	3.3		0.20	22		1.4	1
05298	Toluene	108-88-3	30		0.20	110		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa Can# 941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602960
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:37 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	150		2.0	840		11	10
05298	1,1,2-Trichloroethane	79-00-5	0.24	J	0.20	1.3	J	1.1	1
05298	Trichloroethene	79-01-6	0.21	J	0.20	1.1	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	8.2		0.20	46		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.2		0.20	6.0		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.93	J	0.20	4.6	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.36	J	0.20	0.91	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.7		0.20	7.2		0.87	1
05298	o-Xylene	95-47-6	1.1		0.20	4.7		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AB	04/17/2012 09:22	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 02:09	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can# 1006 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602961
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:22 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	67		0.50	160		1.2	1
05298	Benzene	71-43-2	0.29	J	0.20	0.91	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	22		0.50	66		1.5	1
05298	Carbon Disulfide	75-15-0	2.0		0.50	6.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.21	J	0.20	0.76	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.95	J	0.20	4.7	J	0.98	1
05298	Chloromethane	74-87-3	0.67	J	0.20	1.4	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	9.8		0.20	48		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.97	J	0.20	5.8	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.86	J	0.20	5.1	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.0		0.20	6.1		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	20		0.20	80		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	25		0.20	99		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.76	J	0.20	3.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.55	J	0.20	2.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	0.60	J	0.50	2.5	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	5.4		0.50	22		2.0	1
05298	Methylene Chloride	75-09-2	0.41	J	0.20	1.4	J	0.69	1
05298	Octane	111-65-9	0.26	J	0.20	1.2	J	0.93	1
05298	Pentane	109-66-0	0.71	J	0.20	2.1	J	0.59	1
05298	Styrene	100-42-5	0.38	J	0.20	1.6	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.26	J	0.20	1.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.41	J	0.20	2.8	J	1.4	1
05298	Toluene	108-88-3	0.52	J	0.20	2.0	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can# 1006 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602961
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:22 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	72		0.20	390		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.45	J	0.20	2.5	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.4		0.20	12		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.7		0.20	8.5		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.5		0.20	11		0.87	1
05298	o-Xylene	95-47-6	1.6		0.20	6.9		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 03:42	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can# 929 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602962
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:43 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	25		0.50	59		1.2	1
05298	Benzene	71-43-2	0.41	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	0.75	J	0.20	4.8	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.56	J	0.20	5.8	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.8		0.50	14		1.5	1
05298	Carbon Disulfide	75-15-0	2.0		0.50	6.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.49	J	0.20	2.3	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	3.0		0.20	11		0.71	1
05298	Chloroethane	75-00-3	0.28	J	0.20	0.74	J	0.53	1
05298	Chloroform	67-66-3	0.25	J	0.20	1.2	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.3		0.20	16		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.41	J	0.20	3.1	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	5.5		0.20	33		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	4.4		0.20	27		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	5.9		0.20	35		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.64	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	18		0.20	75		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.47	J	0.20	1.9	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	360		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.5		0.20	11		0.87	1
05298	4-Ethyltoluene	622-96-8	2.8		0.20	14		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.23	J	0.20	0.81	J	0.70	1
05298	2-Hexanone	591-78-6	1.9	J	0.50	7.7	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.65	J	0.50	2.7	J	2.0	1
05298	Methylene Chloride	75-09-2	0.75	J	0.20	2.6	J	0.69	1
05298	Octane	111-65-9	0.57	J	0.20	2.7	J	0.93	1
05298	Pentane	109-66-0	0.75	J	0.20	2.2	J	0.59	1
05298	Styrene	100-42-5	1.6		0.20	6.9		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.2		0.20	7.9		1.4	1
05298	Tetrachloroethene	127-18-4	2.0		0.20	13		1.4	1
05298	Toluene	108-88-3	18		0.20	69		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can# 929 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602962
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:43 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	180		2.0	960		11	10
05298	1,1,2-Trichloroethane	79-00-5	0.36	J	0.20	1.9	J	1.1	1
05298	Trichloroethene	79-01-6	0.40	J	0.20	2.1	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	7.9		0.20	44		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.99	J	0.20	6.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	5.9		0.20	29		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	3.5		0.20	17		0.98	1
05298	Vinyl Chloride	75-01-4	0.54	J	0.20	1.4	J	0.51	1
05298	m/p-Xylene	179601-23-1	7.2		0.20	31		0.87	1
05298	o-Xylene	95-47-6	4.8		0.20	21		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 04:30	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 12:01	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can# 925 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602963
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:12 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	44		0.50	110		1.2	1
05298	Benzene	71-43-2	5.1		0.20	16		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.7		0.50	14		1.5	1
05298	Carbon Disulfide	75-15-0	2.8		0.50	8.9		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.54	J	0.20	1.9	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.43	J	0.20	2.1	J	0.98	1
05298	Chloromethane	74-87-3	0.56	J	0.20	1.2	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.22	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	38		0.20	160		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.60	J	0.20	2.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	200		2.0	780		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.23	J	0.20	0.99	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.90	J	0.20	3.1	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.53	J	0.20	1.6	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.45	J	0.20	3.1	J	1.4	1
05298	Toluene	108-88-3	7.5		0.20	28		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can# 925 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602963
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:12 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	110		2.0	580		11	10
05298	1,1,2-Trichloroethane	79-00-5	0.46	J	0.20	2.5	J	1.1	1
05298	Trichloroethene	79-01-6	0.22	J	0.20	1.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.6		0.20	15		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.92	J	0.20	4.5	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.39	J	0.20	1.9	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.37	J	0.20	0.95	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.76	J	0.20	3.3	J	0.87	1
05298	o-Xylene	95-47-6	0.42	J	0.20	1.8	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 05:18	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 12:44	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can# 1048 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602964
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:37 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3,100		50	7,400		120	100
05298	Benzene	71-43-2	28	J	20	90	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	1,600		50	4,700		150	100
05298	Carbon Disulfide	75-15-0	180		50	550		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	25	J	20	120	J	98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	2,900		20	12,000		81	100
05298	1,2-Dichloroethane	107-06-2	56	J	20	220	J	81	100
05298	1,1-Dichloroethene	75-35-4	250,000		2,000	990,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	73	J	20	300	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	88	J	20	310	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	190		20	650		69	100
05298	Octane	111-65-9	36	J	20	170	J	93	100
05298	Pentane	109-66-0	270		20	800		59	100
05298	Styrene	100-42-5	33	J	20	140	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	50	J	20	340	J	140	100
05298	Toluene	108-88-3	140		20	510		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can# 1048 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602964
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:37 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	8,900		200	49,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	140		20	740		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	32	J	20	81	J	51	100
05298	m/p-Xylene	179601-23-1	N.D.		20	N.D.		87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 06:06	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 13:28	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210930AA	04/19/2012 02:45	Michael A Ziegler	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can# 922 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602965
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:00 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20		0.50	47		1.2	1
05298	Benzene	71-43-2	0.26	J	0.20	0.82	J	0.64	1
05298	Bromobenzene	108-86-1	0.41	J	0.20	2.6	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.9		0.50	12		1.5	1
05298	Carbon Disulfide	75-15-0	1.8		0.50	5.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.31	J	0.20	1.4	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	1.3		0.20	4.6		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.98	J	0.20	2.0	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	10		0.20	50		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.4		0.20	15		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.1		0.20	13		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.5		0.20	15		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	3.0		0.20	12		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.31	J	0.20	1.3	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	580		2.0	2,300		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.6		0.20	7.1		0.87	1
05298	4-Ethyltoluene	622-96-8	1.6		0.20	7.9		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	2.1		0.20	7.3		0.69	1
05298	Octane	111-65-9	0.32	J	0.20	1.5	J	0.93	1
05298	Pentane	109-66-0	0.26	J	0.20	0.77	J	0.59	1
05298	Styrene	100-42-5	0.87	J	0.20	3.7	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.91	J	0.20	6.3	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.61	J	0.20	4.1	J	1.4	1
05298	Toluene	108-88-3	3.4		0.20	13		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can# 922 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602965
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:00 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	93		2.0	510		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.41	J	0.20	2.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	8.9		0.20	50		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.50	J	0.20	3.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.5		0.20	17		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	2.4		0.20	12		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.6		0.20	20		0.87	1
05298	o-Xylene	95-47-6	2.9		0.20	13		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 06:54	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1210730AC	04/18/2012 14:11	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can# 1061 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602966
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:33 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	140		5.0	340		12	10
05298	Benzene	71-43-2	0.29	J	0.20	0.91	J	0.64	1
05298	Bromobenzene	108-86-1	0.61	J	0.20	3.9	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	81		5.0	240		15	10
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.41	J	0.20	1.9	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.88	J	0.20	1.8	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	8.6		0.20	42		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.7		0.20	16		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.7		0.20	16		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.8		0.20	17		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.50	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.4		0.20	9.6		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	60		2.0	240		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.1		0.20	9.0		0.87	1
05298	4-Ethyltoluene	622-96-8	1.9		0.20	9.5		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	0.64	J	0.50	2.6	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	5.5		0.50	23		2.0	1
05298	Methylene Chloride	75-09-2	0.24	J	0.20	0.84	J	0.69	1
05298	Octane	111-65-9	0.62	J	0.20	2.9	J	0.93	1
05298	Pentane	109-66-0	0.21	J	0.20	0.62	J	0.59	1
05298	Styrene	100-42-5	0.92	J	0.20	3.9	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.40	J	0.20	2.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.76	J	0.20	5.2	J	1.4	1
05298	Toluene	108-88-3	1.4		0.20	5.3		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can# 1061 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602966
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:33 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	37		0.20	200		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.42	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.35	J	0.20	2.0	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.36	J	0.20	2.1	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.1		0.20	15		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.7		0.20	8.2		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	5.0		0.20	22		0.87	1
05298	o-Xylene	95-47-6	3.1		0.20	13		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/17/2012 20:03	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/18/2012 10:26	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can# 997 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602967
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:35 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	45		0.50	110		1.2	1
05298	Benzene	71-43-2	1.4		0.20	4.6		0.64	1
05298	Bromobenzene	108-86-1	0.50	J	0.20	3.2	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	6.7		0.50	20		1.5	1
05298	Carbon Disulfide	75-15-0	1.0		0.50	3.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.35	J	0.20	1.6	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	1.1		0.20	3.9		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.48	J	0.20	1.0	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	19		0.20	92		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.4		0.20	14		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.2		0.20	13		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.5		0.20	15		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	16		0.20	67		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.51	J	0.20	2.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	130		2.0	530		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.0		0.20	8.5		0.87	1
05298	4-Ethyltoluene	622-96-8	2.0		0.20	10		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	0.67	J	0.50	2.7	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.33	J	0.20	1.2	J	0.69	1
05298	Octane	111-65-9	0.60	J	0.20	2.8	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.89	J	0.20	3.8	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.52	J	0.20	3.5	J	1.4	1
05298	Tetrachloroethene	127-18-4	11		0.20	74		1.4	1
05298	Toluene	108-88-3	6.8		0.20	26		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can# 997 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602967
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:35 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	340		2.0	1,800		11	10
05298	1,1,2-Trichloroethane	79-00-5	0.44	J	0.20	2.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.44	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	7.0		0.20	39		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.34	J	0.20	2.1	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.7		0.20	18		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	2.3		0.20	11		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	5.2		0.20	22		0.87	1
05298	o-Xylene	95-47-6	3.4		0.20	15		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/17/2012 20:51	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/18/2012 11:04	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can# 946 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602968
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:29 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,900		50	6,900		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	1,700		50	4,900		150	100
05298	Carbon Disulfide	75-15-0	72	J	50	220	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	26	J	20	110	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,800		20	11,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	43	J	20	190	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	48	J	20	200	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	45	J	20	160	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	48	J	20	170	J	69	100
05298	Octane	111-65-9	27	J	20	130	J	93	100
05298	Pentane	109-66-0	140		20	420		59	100
05298	Styrene	100-42-5	30	J	20	130	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	83	J	20	560	J	140	100
05298	Toluene	108-88-3	50	J	20	190	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can# 946 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602968
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 16:29 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,000		20	5,600		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	30	J	20	150	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	22	J	20	110	J	98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	100		20	450		87	100
05298	o-Xylene	95-47-6	64	J	20	280	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/17/2012 21:52	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can# 944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602969
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:54 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,400		50	3,300		120	100
05298	Benzene	71-43-2	73	J	20	230	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	750		50	2,200		150	100
05298	Carbon Disulfide	75-15-0	120		50	380		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	86	J	20	230	J	53	100
05298	Chloroform	67-66-3	46	J	20	220	J	98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	11,000		200	46,000		810	1000
05298	1,2-Dichloroethane	107-06-2	150		20	600		81	100
05298	1,1-Dichloroethene	75-35-4	650,000		10,000	2,600,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	130		20	550		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	59	J	20	240	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	46	J	20	160	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	850		20	3,000		69	100
05298	Octane	111-65-9	36	J	20	170	J	93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	34	J	20	140	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	530		20	3,600		140	100
05298	Toluene	108-88-3	4,700		20	18,000		75	100

Sample Description: MW 64 Summa Can# 944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602969
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:54 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	210,000		10,000	1,100,000		55,000	50000
05298	1,1,2-Trichloroethane	79-00-5	80	J	20	440	J	110	100
05298	Trichloroethene	79-01-6	760		20	4,100		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	180		20	470		51	100
05298	m/p-Xylene	179601-23-1	62	J	20	270	J	87	100
05298	o-Xylene	95-47-6	120		20	530		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/17/2012 22:38	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/18/2012 12:21	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BC	04/18/2012 20:46	Jeffrey B Smith	50000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can# 1097 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602970
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:51 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.3	J	5.0	17	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	2.8	J	2.0	14	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	14		2.0	58		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,000		20	4,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	2.0	J	2.0	8.7	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.0	J	2.0	14	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	140		2.0	520		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can# 1097 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6602970
LLI Group # 1299581
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2012 15:51 by CP

Submitted: 04/03/2012 10:00
Reported: 04/19/2012 23:43

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	460		2.0	2,500		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	7.0	J	2.0	40	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	6.6	J	2.0	28	J	8.7	10
05298	o-Xylene	95-47-6	3.1	J	2.0	14	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BB	04/18/2012 09:54	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1210830BC	04/18/2012 21:27	Jeffrey B Smith	100

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1299581
Reported: 04/19/12 at 11:43 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1210830BB	Sample number(s): 6602966-6602970							
Acetone	N.D.	0.50	ppb(v)	90	93	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	86	86	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	89	86	70-138	4	25
Bromoform	N.D.	0.20	ppb(v)	91	95	71-150	4	25
Bromomethane	N.D.	0.20	ppb(v)	91	93	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	95	97	60-135	2	25
2-Butanone	N.D.	0.50	ppb(v)	89	92	66-129	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	76	77	56-106	0	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	89	90	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	87	89	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	91	92	71-129	0	25
Chloroform	N.D.	0.20	ppb(v)	86	86	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	100	100	58-129	0	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	83	87	68-138	5	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	87	90	71-135	4	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	98	99	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	98	100	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	95	97	67-140	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	97	96	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	92	90	66-126	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	90	88	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	86	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	90	91	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	85	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	83	82	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	82	67-134	0	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	85	88	67-134	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	79	83	70-130	5	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	88	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	73	77	67-115	5	25
Freon 114	N.D.	0.20	ppb(v)	79	78	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	84	82	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	84	86	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	79	83	54-166	4	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	80	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	76	73	61-145	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	79	82	70-130	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1299581
Reported: 04/19/12 at 11:43 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	90	93	70-139	3	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	93	96	67-145	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	86	89	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	77	79	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	89	90	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	88	90	68-128	3	25
Trichloroethene	N.D.	0.20	ppb(v)	90	87	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	91	94	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	89	88	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	86	89	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	104	107	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	85	89	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	85	88	70-130	4	25
Batch number: A1210830BC	Sample number(s): 6602969-6602970							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	86	64-117	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	89	90	70-130	1	25
Batch number: D1210730AB	Sample number(s): 6602949-6602960							
Acetone	N.D.	0.50	ppb(v)	124	121	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	117	119	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	124	124	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	114	115	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	112	112	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	103	105	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	97	94	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	104	106	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	109	109	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	121	121	71-129	0	25
Chloroform	N.D.	0.20	ppb(v)	104	106	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	111	113	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	115	116	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	116	116	71-135	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	127	125	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	116	116	68-136	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	120	119	67-140	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	111	112	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	117	112	66-126	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	116	118	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	105	104	64-117	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	101	103	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	114	109	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	106	110	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	108	112	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	112	113	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	117	117	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	117	116	69-135	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1299581
Reported: 04/19/12 at 11:43 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	104	102	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	99	100	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	110	113	60-125	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	107	103	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	131	131	54-166	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	106	102	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	120	122	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	109	107	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	125	124	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	127	127	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	104	104	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	112	112	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	104	105	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	116	117	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	116	117	70-130	0	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	121	120	69-138	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	126	125	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	117	119	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	126	125	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	127	126	70-130	1	25
Batch number: D1210730AC	Sample number(s): 6602949-6602950,6602956,6602958,6602960-6602965							
Acetone	N.D.	0.50	ppb(v)	124	121	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	117	119	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	124	124	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	114	115	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	112	112	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	103	105	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	97	94	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	104	106	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	109	109	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	121	121	71-129	0	25
Chloroform	N.D.	0.20	ppb(v)	104	106	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	111	113	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	115	116	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	116	116	71-135	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	127	125	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	116	116	68-136	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	120	119	67-140	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	111	112	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	117	112	66-126	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	116	118	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	105	104	64-117	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	101	103	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	114	109	67-121	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1299581
Reported: 04/19/12 at 11:43 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	106	110	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	108	112	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	112	113	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	117	117	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	117	116	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	104	102	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	99	100	66-120	1	25
Heptane	N.D.	0.20	ppb(v)	110	113	60-125	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	107	103	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	131	131	54-166	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	106	102	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	120	122	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	109	107	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	125	124	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	127	127	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	104	104	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	112	112	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	104	105	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	116	117	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	116	117	70-130	0	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	121	120	69-138	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	126	125	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	117	119	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	126	125	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	127	126	70-130	1	25
Batch number: D1210930AA	Sample number(s): 6602955,6602964							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	109	107	64-117	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	106	105	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1299581 For Lancaster Laboratories use only Sample # 6602999-70 Bottle Order (SCR) # 119544

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co. Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall P.O. #:

Sampler: Calvin Pruitt Quote #:

Name of state where samples were collected:

(3) Turnaround Time Requested (TAT) (circle one): (Standard) Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15; EPA 18 ☐ MTBE ☐ BTEX; EPA 25 (select range below); Helium as tracer; O2/CO2; Library Search

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
VW 3	3/29	16:25						—	926	1	—
MW 65S	3/29	16:04						—	989	1	—
VW 6	3/29	15:40						—	920	1	—
SVE 4	3/29	16:09						—	975	1	—
SVE 2	3/29	16:15						—	958	1	—
MP 04	3/29	15:33						—	912	1	—
Undiluted	3/29	16:38						—	1012	1	—
SVE 1	3/29	16:18						—	949	1	—
MP 06	3/29	15:38						—	970	1	—
MP 02	3/29	16:27						—	1062	1	—
MP 05	3/29	15:30						—	1059	1	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one): ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	(8) Date/Time:
[signature]	3-23-12 0939	Calvin Pruitt	3/29				
Relinquished by: Calvin Pruitt	Date/Time: 3/30	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [signature]	Date/Time: 4-3-12 1000

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 299581 For Lancaster Laboratories use only Sample # 6602949-70 Bottle Order (SCR) # 119544

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co.

Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall

P.O. #:

Sampler: Calvin Pruitt

Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 ☐ BTEX ☐ MTBE EPA 18 EPA 25 (select range below) Helium as tracer O2/CO2 Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
MP 03	3/29	15:37						—	941	1	—
MP 10	3/29	16:22						—	1006	1	—
SVE 5	3/29	15:43						—	929	1	—
SVE 3	3/29	16:12						—	925	1	—
VW 5	3/29	15:37						—	1048	1	—
MP 08	3/29	16:00						—	922	1	—
MP 09	3/29	16:33						—	1061	1	—
SVE 6	3/29	15:35						—	997	1	—
MP 11	3/29	16:29						—	946	1	—
MW 64	3/29	15:54						—	944	1	—
MP 07	3/29	15:51						—	1097	1	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
[signature]	3-23-12 0935	Calvin Pruitt	3/29				
Relinquished by: Calvin Pruitt	Date/Time: 3/30	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [signature]	Date/Time: 4-3-12 1111

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson CO

Date of Receipt: 4-3-12

Time of Receipt: 1000

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

MW65S = MW64S Time 4:04 Summa 989
VWS Time = 3:57
SVE6 Time = 3:45
Rec 1 Flow control
Rec 1 Bag of Tubing & 2 bags Filter

Unpacker Signature/Emp#: Brunely Bush 2249 **Date/Time:** 4-3-12 1029

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

May 17, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/07/2012
Group Number: 1307050
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE 6 Summa Can #876 Grab Air	6642043
MP 04 Summa Can #13 Grab Air	6642044
VW 5 Summa Can #95 Grab Air	6642045
VW 3 Summa Can #899 Grab Air	6642046
MP 09 Summa Can #838 Grab Air	6642047
VW 6 Summa Can #331 Grab Air	6642048
MP 11 Summa Can #75 Grab Air	6642049
MP 10 Summa Can #12 Grab Air	6642050
MP 02 Summa Can #186 Grab Air	6642051
MW 64 Summa Can #167 Grab Air	6642052
SVE 2 Summa Can #873 Grab Air	6642053
SVE 3 Summa Can #32 Grab Air	6642054
SVE 5 Summa Can #890 Grab Air	6642055
SVE 1 Summa Can #164 Grab Air	6642056
MP 07 Summa Can #113 Grab Air	6642057
SVE 4 Summa Can #815 Grab Air	6642058
MP 08 Summa Can #884 Grab Air	6642059
MW 65s Summa Can #156 Grab Air	6642060
MP 05 Summa Can #180 Grab Air	6642061
MP 06 Summa Can #859 Grab Air	6642062
Undiluted Summa Can# 528 Grab Air	6642064

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can #876 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642043
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:38 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.5	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	14		2.0	57		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	170		2.0	660		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	4.9	J	2.0	19	J	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can #876 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642043
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:38 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	700	2.0	3,800	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	13	2.0	74	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 16:37	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can #13 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642044
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:56 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	0.73	J	0.50	1.7	J	1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	N.D.		0.50	N.D.		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.37	J	0.20	1.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.23	J	0.20	0.91	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.40	J	0.20	1.9	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.59	J	0.20	2.1	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.30	J	0.20	0.88	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	1.1		0.20	4.1		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can #13 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642044
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:56 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.2	0.20	6.5	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 17:21	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can #95 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642045
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:11 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	590	J	500	1,400	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	530	J	200	2,200	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	50,000		200	200,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	N.D.		200	N.D.		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	360	J	200	1,100	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can #95 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642045
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:11 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	3,700	200	20,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 18:05	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can #899 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642046
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:55 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9,100		130	22,000		300	250
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	7,000		130	20,000		370	250
05298	Carbon Disulfide	75-15-0	96	J	50	300	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	110		20	390		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	32	J	20	160	J	99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,300		20	5,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	100		20	420		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	110		20	370		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	120		20	410		69	100
05298	Octane	111-65-9	41	J	20	190	J	93	100
05298	Pentane	109-66-0	280		20	820		59	100
05298	Styrene	100-42-5	58	J	20	250	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	24	J	20	92	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can #899 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642046
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:55 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	670	20	3,600	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 18:53	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 21:54	Michael A Ziegler	250

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can #838 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642047
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:35 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	73		0.50	170		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	41		5.0	120		15	10
05298	Carbon Disulfide	75-15-0	0.84	J	0.50	2.6	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.26	J	0.20	0.91	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	1.6		0.20	3.3		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.2		0.20	6.0		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.78	J	0.20	3.2	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	26		0.20	100		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	13		0.50	55		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.26	J	0.20	0.76	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	2.0		0.20	7.5		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can #838 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642047
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:35 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	28		0.20	150		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.29	J	0.20	1.7	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.27	J	0.20	1.3	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.31	J	0.20	1.3	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 19:41	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213230AC	05/14/2012 21:09	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can #331 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642048
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:52 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15	J	5.0	36	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	12	J	5.0	36	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	31		2.0	130		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	810		4.0	3,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	2.2	J	2.0	15	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.7	J	2.0	9.4	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can #331 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642048
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:52 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	9.4	J	2.0	52	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	12		2.0	68		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 19:00	Florida A Cimino	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 23:39	Florida A Cimino	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can #75 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642049
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:45 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	490		5.0	1,200		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	500		5.0	1,500		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.4	J	2.0	18	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	550		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	16	J	5.0	64	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	2.1	J	2.0	7.8	J	7.5	10

Sample Description: MP 11 Summa Can #75 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642049
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:45 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	260		2.0	1,400		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.5	J	2.0	11	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 19:43	Florida A Cimino	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can #12 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642050
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:57 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	22		0.50	52		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	17		0.50	51		1.5	1
05298	Carbon Disulfide	75-15-0	1.0		0.50	3.1		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.21	J	0.20	0.73	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.2		0.20	5.8		0.98	1
05298	Chloromethane	74-87-3	0.52	J	0.20	1.1	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.74	J	0.20	3.6	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	12		0.20	47		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	18		0.20	70		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.24	J	0.20	0.84	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.22	J	0.20	1.0	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	6.3		0.50	26		2.0	1
05298	Methylene Chloride	75-09-2	0.54	J	0.20	1.9	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	26		0.20	76		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	1.9		0.20	7.2		0.75	1

Sample Description: MP 10 Summa Can #12 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642050
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:57 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	45		0.20	240		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.33	J	0.20	1.9	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.29	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.38	J	0.20	1.7	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 20:31	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can #186 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642051
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:50 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,200		50	12,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	5,800		50	17,000		150	100
05298	Carbon Disulfide	75-15-0	75	J	50	230	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	32	J	20	130	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,300		20	5,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	140	J	50	580	J	200	100
05298	Methylene Chloride	75-09-2	59	J	20	200	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	24	J	20	72	J	59	100
05298	Styrene	100-42-5	28	J	20	120	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	N.D.		20	N.D.		75	100

Sample Description: MP 02 Summa Can #186 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642051
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:50 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	510	20	2,800	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	N.D.	20	N.D.	87	100
05298	o-Xylene	95-47-6	N.D.	20	N.D.	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 21:25	Florida A Cimino	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can #167 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642052
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:15 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	4,000		200	16,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	240,000		2,000	970,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	370	J	200	1,300	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	470	J	200	1,800	J	750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can #167 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642052
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:15 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	110,000	2,000	610,000	11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 22:08	Florida A Cimino	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AB	05/16/2012 13:19	Jeffrey B Smith	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can #873 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642053
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:29 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	360		50	860		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	83	J	50	260	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	240		20	980		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	5,300		20	21,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	88	J	20	300	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	49	J	20	210	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	3,500		20	13,000		75	100

Sample Description: SVE 2 Summa Can #873 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642053
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:29 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2,700		20	15,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	51	J	20	220	J	87	100
05298	o-Xylene	95-47-6	23	J	20	100	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/15/2012 22:56	Florida A Cimino	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can #32 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642054
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:26 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.0	J	5.0	21	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	23		2.0	93		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	150		2.0	590		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	3.1	J	2.0	12	J	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can #32 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642054
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:26 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	59		2.0	320		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.6	J	2.0	20	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 00:23	Florida A Cimino	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can #890 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642055
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:42 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.5	J	5.0	16	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	14		2.0	56		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	420		2.0	1,700		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	2.2	J	2.0	16	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	8.3	J	2.0	31	J	7.5	10

Sample Description: SVE 5 Summa Can #890 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642055
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:42 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	260	2.0	1,400	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	13	2.0	71	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 01:06	Florida A Cimino	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can #164 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642056
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:21 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	500	N.D.	1,200	1000
05298	Benzene	71-43-2	N.D.	200	N.D.	640	1000
05298	Bromobenzene	108-86-1	N.D.	200	N.D.	1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.	200	N.D.	1,300	1000
05298	Bromoform	75-25-2	N.D.	200	N.D.	2,100	1000
05298	Bromomethane	74-83-9	N.D.	200	N.D.	780	1000
05298	1,3-Butadiene	106-99-0	N.D.	500	N.D.	1,100	1000
05298	2-Butanone	78-93-3	N.D.	500	N.D.	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.	500	N.D.	1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.	200	N.D.	1,300	1000
05298	Chlorobenzene	108-90-7	N.D.	200	N.D.	920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.	200	N.D.	710	1000
05298	Chloroethane	75-00-3	N.D.	200	N.D.	530	1000
05298	Chloroform	67-66-3	N.D.	200	N.D.	980	1000
05298	Chloromethane	74-87-3	N.D.	200	N.D.	410	1000
05298	3-Chloropropene	107-05-1	N.D.	200	N.D.	630	1000
05298	Cumene	98-82-8	N.D.	200	N.D.	980	1000
05298	Dibromochloromethane	124-48-1	N.D.	200	N.D.	1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.	200	N.D.	1,500	1000
05298	Dibromomethane	74-95-3	N.D.	200	N.D.	1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.	200	N.D.	1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.	200	N.D.	1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.	200	N.D.	1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.	200	N.D.	990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.	200	N.D.	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.	200	N.D.	810	1000
05298	1,1-Dichloroethene	75-35-4	9,000	200	36,000	790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	200	N.D.	790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	200	N.D.	790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.	200	N.D.	840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.	200	N.D.	920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	200	N.D.	910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	200	N.D.	910	1000
05298	Ethylbenzene	100-41-4	N.D.	200	N.D.	870	1000
05298	4-Ethyltoluene	622-96-8	N.D.	200	N.D.	980	1000
05298	Freon 113	76-13-1	N.D.	500	N.D.	3,800	1000
05298	Freon 114	76-14-2	N.D.	200	N.D.	1,400	1000
05298	Heptane	142-82-5	N.D.	200	N.D.	820	1000
05298	Hexachloroethane	67-72-1	N.D.	200	N.D.	1,900	1000
05298	Hexane	110-54-3	N.D.	200	N.D.	700	1000
05298	2-Hexanone	591-78-6	N.D.	500	N.D.	2,000	1000
05298	Isooctane	540-84-1	N.D.	200	N.D.	930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	200	N.D.	720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	500	N.D.	2,000	1000
05298	Methylene Chloride	75-09-2	N.D.	200	N.D.	690	1000
05298	Octane	111-65-9	N.D.	200	N.D.	930	1000
05298	Pentane	109-66-0	N.D.	200	N.D.	590	1000
05298	Styrene	100-42-5	N.D.	200	N.D.	850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	200	N.D.	1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	200	N.D.	1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.	200	N.D.	1,400	1000
05298	Toluene	108-88-3	8,900	200	33,000	750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can #164 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642056
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:21 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	100,000	500	550,000	2,700	2500
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 01:50	Florida A Cimino	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AB	05/16/2012 14:03	Jeffrey B Smith	2500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can #113 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642057
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:23 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.8	J	5.0	14	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	63		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	910		4.0	3,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	2.6	J	2.0	19	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	3.2	J	2.0	11	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	140		2.0	510		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can #113 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642057
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:23 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	450		2.0	2,400		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	15		2.0	86		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	4.0	J	2.0	18	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 02:33	Florida A Cimino	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AB	05/16/2012 14:47	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can #815 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642058
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:33 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.4		0.50	18		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.9	J	0.50	5.5	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.72	J	0.20	2.6	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.44	J	0.20	2.2	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.62	J	0.20	3.7	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.61	J	0.20	3.7	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.78	J	0.20	4.7	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.77	J	0.20	3.1	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.46	J	0.20	2.0	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.45	J	0.20	2.2	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.62	J	0.20	4.3	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.97	J	0.20	2.9	J	0.59	1
05298	Styrene	100-42-5	0.23	J	0.20	1.0	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.37	J	0.20	2.5	J	1.4	1
05298	Toluene	108-88-3	0.23	J	0.20	0.85	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can #815 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642058
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:33 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.6		0.20	8.7		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	4.5		0.20	25		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.69	J	0.20	3.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.76	J	0.20	3.7	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.3		0.20	5.8		0.87	1
05298	o-Xylene	95-47-6	0.91	J	0.20	3.9	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 03:21	Florida A Cimino	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can #884 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642059
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:07 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.4	J	2.0	9.8	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	570		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	2.4	J	2.0	17	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.6	J	2.0	9.2	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can #884 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642059
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:07 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	130	2.0	700	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	14	2.0	79	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 04:05	Florida A Cimino	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65s Summa Can #156 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642060
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:02 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,000	J	500	2,500	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	230	J	200	930	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	190,000		2,000	770,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	300	J	200	1,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65s Summa Can #156 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642060
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:02 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	26,000	200	140,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 04:48	Florida A Cimino	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AB	05/17/2012 00:39	Jeffrey B Smith	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can #180 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642061
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 13:00 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.8		0.50	11		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.2	J	0.50	3.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.3		0.20	4.7		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.79	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.64	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	40		0.20	160		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.36	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.31	J	0.20	0.92	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.21	J	0.20	1.4	J	1.4	1
05298	Toluene	108-88-3	0.21	J	0.20	0.77	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can #180 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642061
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 13:00 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.24	J	0.20	1.3	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	13		0.20	70		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AB	05/16/2012 16:22	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can #859 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642062
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:17 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.8	J	5.0	21	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.1	J	2.0	7.3	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.9	J	2.0	16	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	280		2.0	1,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	3.0	J	2.0	21	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	11		2.0	41		7.5	10

Sample Description: MP 06 Summa Can #859 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642062
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 12:17 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	59		2.0	320		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	19		2.0	110		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.5	J	2.0	11	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 06:15	Florida A Cimino	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 528 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642064
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:30 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.0	J	5.0	14	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.1	J	2.0	37	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	520		2.0	2,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	2.6	J	2.0	18	J	14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.7	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	2.9	J	2.0	8.7	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	35		2.0	130		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can# 528 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6642064
LLI Group # 1307050
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/03/2012 11:30 by CP

Submitted: 05/07/2012 09:40
Reported: 05/17/2012 17:30

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	260	2.0	1,400	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	15	2.0	86	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1213630AA	05/16/2012 06:58	Florida A Cimino	10

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1307050
Reported: 05/17/12 at 05:30 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1213230AC	Sample number(s): 6642043-6642047							
Acetone	N.D.	0.50	ppb(v)	69	72	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	79	82	70-130	5	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	79	83	70-138	5	25
Bromoform	N.D.	0.20	ppb(v)	87	92	71-150	6	25
Bromomethane	N.D.	0.20	ppb(v)	93	96	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	90	93	60-135	4	25
2-Butanone	N.D.	0.50	ppb(v)	81	83	66-129	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	75	79	56-106	4	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	83	85	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	77	80	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	93	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	81	81	70-130	0	25
Chloromethane	N.D.	0.20	ppb(v)	88	93	58-129	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	79	84	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	81	85	71-135	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	83	86	71-143	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	80	83	68-136	4	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	82	86	67-140	4	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	91	96	72-140	5	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	82	85	66-126	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	79	82	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	80	83	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	86	69-120	0	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	86	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	73	76	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	86	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	81	84	67-134	4	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	83	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	75	79	69-135	5	25
Freon 113	N.D.	0.50	ppb(v)	77	78	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	83	84	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	78	83	60-125	6	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	81	84	62-120	5	25
2-Hexanone	N.D.	0.50	ppb(v)	85	89	54-166	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	79	81	64-124	3	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	81	87	61-145	7	25
Methylene Chloride	N.D.	0.20	ppb(v)	79	82	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1307050
Reported: 05/17/12 at 05:30 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	83	86	70-139	3	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	78	81	67-145	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	71	75	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	80	84	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	83	84	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	78	81	68-128	4	25
Trichloroethene	N.D.	0.20	ppb(v)	84	89	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	91	92	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	73	76	69-138	5	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	79	83	71-142	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	94	99	70-130	5	25
m/p-Xylene	N.D.	0.20	ppb(v)	86	88	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	83	86	70-130	4	25
Batch number: D1213630AA	Sample number(s): 6642048-6642060,6642062,6642064							
Acetone	N.D.	0.50	ppb(v)	101	103	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	107	108	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	109	110	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	120	122	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	117	120	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	113	116	60-135	2	25
2-Butanone	N.D.	0.50	ppb(v)	125	126	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	91	94	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	118	121	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	95	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	122	124	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	105	108	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	113	111	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	104	105	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	102	103	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	107	109	71-143	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	101	102	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	103	106	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	115	118	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	108	111	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	107	109	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	103	106	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	113	116	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	107	110	67-121	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	99	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	117	118	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	106	106	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	104	105	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	106	107	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	103	105	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	105	106	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	104	106	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1307050
Reported: 05/17/12 at 05:30 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	107	109	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	124	126	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	123	124	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	126	127	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	102	105	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	109	110	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	104	105	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	90	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	101	102	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	116	119	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	95	97	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	108	109	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	116	119	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	102	104	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	110	112	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	118	121	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	112	113	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	111	112	70-130	1	25
Batch number: D1213630AB	Sample number(s): 6642052,6642056-6642057,6642060-6642061							
Acetone	N.D.	0.50	ppb(v)	101	103	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	107	108	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	109	110	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	120	122	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	117	120	70-130	3	25
1,3-Butadiene	N.D.	0.50	ppb(v)	113	116	60-135	2	25
2-Butanone	N.D.	0.50	ppb(v)	125	126	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	91	94	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	118	121	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	95	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	122	124	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	105	108	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	113	111	58-129	2	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	104	105	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	102	103	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	107	109	71-143	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	101	102	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	103	106	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	115	118	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	108	111	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	107	109	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	103	106	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	113	116	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	107	110	67-121	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	98	99	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	117	118	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	106	106	67-134	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1307050
Reported: 05/17/12 at 05:30 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	104	105	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	106	107	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	103	105	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	105	106	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	104	106	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	107	109	62-120	2	25
2-Hexanone	N.D.	0.50	ppb(v)	124	126	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	123	124	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	126	127	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	102	105	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	109	110	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	104	105	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	90	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	101	102	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	116	119	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	95	97	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	108	109	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	116	119	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	102	104	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	110	112	71-142	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	118	121	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	112	113	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	111	112	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 10556 Group # 1307050 For Lancaster Laboratories use only Sample # 6642043-64 Bottle Order (SCR) # 121474

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flaway Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: CA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 | ☐ MTBE | ☐ BTEX | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
SVE 6	5/3	12:38						—	876	6	—
MP 04		12:56						—	13	6	—
VW 5		12:11						—	95	6	—
VW 3		11:55						—	899	6	—
MP 09		11:35						—	838	6	—
VW 6		12:52						—	331	6	—
MP 11		11:45						—	75	6	—
MP 10		11:57						—	12	6	—
MP 02		11:30						—	186	6	—
MW 64		12:15						—	167	6	—
SVE 2		12:29						—	873	6	—

(7) Instructions/QC Requirements & Comments

send to TAHEJ@gmail.com

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CLW	4-30-12	Calvin Pruitt	5/3 11:30				
Relinquished by: Calvin Pruitt	Date/Time: 5/3 13:15	Received by: FedEx	Date/Time: 5/3	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 5/7/12 0940

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1307050 For Lancaster Laboratories use only Sample # 664204 3-64 Bottle Order (SCR) # 121474

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 ☐ BTEX ☐ MTBE | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
SVE 3	5/3	12:26						—	32	6	—
SVE 5		12:42						—	890	6	—
SVE 1		12:21						—	164	6	—
MP 07		12:23						—	113	6	—
SVE 4		12:33						—	815	6	—
MP 08		12:07						—	884	6	—
MW 65s		12:02						—	156	6	—
MP 05		13:00						—	180	6	—
~~MP05~~ MP06		~~12:07~~	12:17					—	859	6	—
MP 03		12:47						—	543	6	—
Undiluted		1130						—	528	6	—

(7) Instructions/QC Requirements & Comments

send to TCH@JCOmail.com

EPA 25 (check one)

☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Fedex	4-30-12 0249	Calvin Pruitt	5/3 11:[illegible]	~~Relinquished by:~~			
Relinquished by: Calvin Pruitt	Date/Time: 5/3 13:15	Received by: FedEx	Date/Time: 5/4	Relinquished by:	Date/Time:	Received by:	Date/Time:
~~Relinquished by:~~	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Nancy Herlach	Date/Time: 0940 5/7/12

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 5/7/12

Time of Receipt: 0940

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

Unpacker Signature/Emp#: [signature] 2316 **Date/Time:** 5/7/12 1015

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

May 29, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 05/21/2012
Group Number: 1310347
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP-9 Summa Can #862 Air	6659554
MP-11 Summa Can #135 Air	6659555
MP-3 Summa Can #524 Air	6659556
SVE-7 Summa Can #511 Air	6659557

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,

Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-9 Summa Can #862 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659554
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:46 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

862--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	76		5.0	180		12	10
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	0.35	J	0.20	2.3	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	31		0.50	92		1.5	1
05298	Carbon Disulfide	75-15-0	0.66	J	0.50	2.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.27	J	0.20	1.3	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.26	J	0.20	0.91	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.48	J	0.20	2.3	J	0.98	1
05298	Chloromethane	74-87-3	0.74	J	0.20	1.5	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	16		0.20	78		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.1		0.20	6.9		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.3		0.20	7.6		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.2		0.20	7.0		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.25	J	0.20	1.0	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	12		0.20	48		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.90	J	0.20	3.9	J	0.87	1
05298	4-Ethyltoluene	622-96-8	1.0		0.20	5.0		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	4.8		0.20	17		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	3.6		0.50	15		2.0	1
05298	Methylene Chloride	75-09-2	0.26	J	0.20	0.92	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	4.0		0.20	12		0.59	1
05298	Styrene	100-42-5	1.2		0.20	5.3		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.28	J	0.20	1.9	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.32	J	0.20	2.2	J	1.4	1
05298	Toluene	108-88-3	1.9		0.20	7.3		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-9 Summa Can #862 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659554
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:46 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

862--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.8		0.20	26		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.28	J	0.20	1.6	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.9		0.20	9.2		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.2		0.20	5.7		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.5		0.20	11		0.87	1
05298	o-Xylene	95-47-6	1.6		0.20	6.9		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/23/2012 23:48	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 09:45	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-11 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659555
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:42 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

135--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	500		5.0	1,200		12	10
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	410		5.0	1,200		15	10
05298	Carbon Disulfide	75-15-0	6.6		0.50	21		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.5		0.20	7.4		0.98	1
05298	Chloromethane	74-87-3	1.8		0.20	3.7		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.0		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.56	J	0.20	3.4	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.54	J	0.20	3.2	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.55	J	0.20	3.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.62	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	3.6		0.20	15		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	1,000		4.0	4,100		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.85	J	0.20	3.7	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.39	J	0.20	1.9	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.21	J	0.20	0.85	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.33	J	0.20	1.2	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	21		5.0	85		20	10
05298	Methylene Chloride	75-09-2	0.21	J	0.20	0.73	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.6		0.20	4.8		0.59	1
05298	Styrene	100-42-5	0.38	J	0.20	1.6	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.67	J	0.20	4.6	J	1.4	1
05298	Toluene	108-88-3	1.7		0.20	6.4		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-11 Summa Can #135 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659555
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:42 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

135--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	580		2.0	3,200		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.32	J	0.20	1.7	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.35	J	0.20	1.9	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.89	J	0.20	4.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.59	J	0.20	2.9	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.6		0.20	16		0.87	1
05298	o-Xylene	95-47-6	1.7		0.20	7.2		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 00:37	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 10:29	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 13:38	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-3 Summa Can #524 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659556
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:27 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

524--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.1		0.50	22		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.7		0.50	8.0		1.5	1
05298	Carbon Disulfide	75-15-0	1.8		0.50	5.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.3		0.20	8.0		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.35	J	0.20	1.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.64	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	14		0.20	58		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.33	J	0.20	1.3	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	310		4.0	1,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.67	J	0.20	2.3	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.50	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.8		0.20	19		1.4	1
05298	Toluene	108-88-3	47		0.20	180		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP-3 Summa Can #524 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659556
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:27 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

524--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	840		4.0	4,600		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.22	J	0.20	1.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	9.5		0.20	53		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.30	J	0.20	1.5	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.29	J	0.20	0.75	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.0		0.20	4.4		0.87	1
05298	o-Xylene	95-47-6	0.52	J	0.20	2.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 01:25	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 11:13	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-7 Summa Can #511 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659557
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:50 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

511--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	23,000		500	53,000		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	24,000		500	72,000		1,500	1000
05298	Carbon Disulfide	75-15-0	730	J	500	2,300	J	1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	6,300		200	25,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	320	J	200	1,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE-7 Summa Can #511 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6659557
LLI Group # 1310347
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/17/2012 12:50 by TRO

Submitted: 05/21/2012 10:05
Reported: 05/29/2012 16:26

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

511--

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100	200	6,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1214330AB	05/24/2012 02:10	Michael A Ziegler	1000

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1310347
Reported: 05/29/12 at 04:26 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1214330AB	Sample number(s): 6659554-6659557							
Acetone	N.D.	0.50	ppb(v)	95	111	67-138	16	25
Benzene	N.D.	0.20	ppb(v)	100	113	70-130	12	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	107	119	70-138	11	25
Bromoform	N.D.	0.20	ppb(v)	124	131	71-150	6	25
Bromomethane	N.D.	0.20	ppb(v)	109	120	70-130	10	25
1,3-Butadiene	N.D.	0.50	ppb(v)	100	112	60-135	11	25
2-Butanone	N.D.	0.50	ppb(v)	106	126	66-129	18	25
Carbon Disulfide	N.D.	0.50	ppb(v)	89	98	56-106	10	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	117	127	70-130	8	25
Chlorobenzene	N.D.	0.20	ppb(v)	99	104	70-130	5	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	122	71-129	11	25
Chloroform	N.D.	0.20	ppb(v)	103	114	70-130	10	25
Chloromethane	N.D.	0.20	ppb(v)	93	102	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	112	119	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	107	113	71-135	6	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	113	118	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	105	110	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	108	113	67-140	4	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	111	121	72-140	9	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	104	116	66-126	11	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	110	122	70-130	10	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	109	64-117	10	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	103	117	69-120	12	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	103	114	67-121	11	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	90	102	70-130	12	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	118	67-134	12	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	114	67-134	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	107	117	70-130	9	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	107	118	69-135	10	25
Freon 113	N.D.	0.50	ppb(v)	98	109	67-115	10	25
Freon 114	N.D.	0.20	ppb(v)	97	107	66-120	11	25
Heptane	N.D.	0.20	ppb(v)	96	109	60-125	12	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	98	110	62-120	12	25
2-Hexanone	N.D.	0.50	ppb(v)	124	140	54-166	12	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	106	123	64-124	15	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	112	132	61-145	16	25
Methylene Chloride	N.D.	0.20	ppb(v)	98	110	70-130	11	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1310347
Reported: 05/29/12 at 04:26 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	112	121	70-139	8	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	103	115	67-145	10	25
Tetrachloroethene	N.D.	0.20	ppb(v)	94	100	70-130	6	25
Toluene	N.D.	0.20	ppb(v)	104	112	70-130	7	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	111	123	70-130	10	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	101	107	68-128	5	25
Trichloroethene	N.D.	0.20	ppb(v)	106	115	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	117	126	70-130	8	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	104	116	69-138	10	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	113	125	71-142	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	102	116	70-130	13	25
m/p-Xylene	N.D.	0.20	ppb(v)	118	128	70-130	8	25
o-Xylene	N.D.	0.20	ppb(v)	114	125	70-130	9	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1310347 For Lancaster Laboratories use only Sample # 665955-57 Bottle Order (SCR) # 121996

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: The Johnson Co. Account #: 6556

Project Name/#: Avery Denwison - Flowery Branch GA

Project Manager: Glen Kirkpatrick P.O. #: 1-0145-4

Sampler: TRO Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

(Yes) No

(5) EDD Required?

(Yes) No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | ☐ MTBE | ☐ BTEX | EPA 18 | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2) Sample Identification

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	MTBE	BTEX	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search
MP-9	5/17/12	12:46	12:46	—	—	85°F	—	—	862	6	—	X							
MP-11	↓	12:42	12:42	—	—	83°	—	—	135	6	—	X							
MP-3	↓	12:27	12:27	—	—	76°	—	—	524	6	—	X							
SVE-7	5/17/12	12:50	12:50	—	—	88°	—	—	511	6	—	X							

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)

☐ C1 - C4 ☐ C2 - C10

☐ C1 - C10 ☐ C4 - C10 (GRO)

☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
UPS 1858	5-9-12 1650	[signature]	5/14/12 15:40	[signature]	5/17/12 14:40		
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 5/21/2012

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson Co.

Date of Receipt: 5/21/12

Time of Receipt: 1005

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : (YES) NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Unpacker Signature/Emp#: 964 **Date/Time:** 5/21/12 1035

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

June 14, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 06/05/2012
Group Number: 1313430
PO Number: 1-0145-4
State of Sample Origin: GA


Client Sample Description	Lancaster Labs (LLI) #
SVE 6 Grab Air	6676435
VW 6 Grab Air	6676436
MP 07 Grab Air	6676437
SVE 4 Grab Air	6676438
MP 08 Grab Air	6676439
MW 65S Grab Air	6676440
MW 64 Grab Air	6676441
MP 03 Grab Air	6676442
MP 04 Grab Air	6676443
SVE 5 Grab Air	6676444
SVE 3 Grab Air	6676445
MP 05 Grab Air	6676446
SVE 2 Grab Air	6676447
SVE 7 Grab Air	6676448
MP 11 Grab Air	6676449
MP 09 Grab Air	6676450
SVE 1 Grab Air	6676451
MP 06 Grab Air	6676452
Undiluted Grab Air	6676453
VW 3 Grab Air	6676454
MP 02 Grab Air	6676455
MP 10 Grab Air	6676456
VW 5 Grab Air	6676457

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Grab Air
Summa #110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676435
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:59 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10	J	5.0	24	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	66		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	190		2.0	730		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	170		2.0	600		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.6	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	450		2.0	1,300		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.6	J	2.0	18	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Grab Air
Summa #110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676435
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:59 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.7	J	2.0	10	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	1,200		40	6,500		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	17		2.0	97		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1216030AB	06/11/2012 06:09	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1216030AB	06/11/2012 11:07	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Grab Air
Summa #886
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676436
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:47 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	28		5.0	66		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	9.3	J	5.0	27	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	44		2.0	180		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	850		40	3,400		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.3	J	2.0	8.1	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Grab Air
Summa #886
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676436
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:47 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	12	2.0	64	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	19	2.0	110	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1216030AB	06/11/2012 06:52	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1216030AB	06/11/2012 11:52	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Grab Air
Summa #838
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676437
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:10 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.2	J	5.0	17	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.3	J	2.0	8.2	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	17		2.0	70		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,200		4.0	4,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	12		2.0	41		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.4	J	2.0	15	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	33		2.0	99		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Grab Air
Summa #838
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676437
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:10 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	130		2.0	490		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	400		2.0	2,200		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	21		2.0	120		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	5.4	J	2.0	24	J	8.7	10
05298	o-Xylene	95-47-6	2.5	J	2.0	11	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 20:13	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 09:05	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Grab Air
Summa #876
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676438
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:50 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.8		0.50	11		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.66	J	0.50	2.1	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.82	J	0.20	2.9	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.46	J	0.20	2.2	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.55	J	0.20	2.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.22	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.74	J	0.20	3.0	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.22	J	0.20	1.6	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.46	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Grab Air
Summa #876
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676438
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:50 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.99	J	0.20	5.4	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	5.2		0.20	29		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 20:55	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Grab Air
Summa #1110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676439
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:24 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.3		0.50	20		1.2	1
05298	Benzene	71-43-2	0.22	J	0.20	0.71	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.5		0.20	5.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.9		0.20	14		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.9		0.20	12		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.36	J	0.20	1.5	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	720		4.0	2,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.45	J	0.20	3.1	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.39	J	0.20	1.4	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.8		0.20	6.2		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.9		0.20	5.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.20	J	0.20	1.4	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Grab Air
Summa #1110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676439
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:24 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.0		0.20	7.6		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	180		4.0	960		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.47	J	0.20	2.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	16		0.20	91		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.24	J	0.20	1.0	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 21:35	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 09:46	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Grab Air
Summa #1117
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676440
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,500	J	500	3,600	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	740	J	500	2,200	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	360	J	200	1,400	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	420,000		10,000	1,600,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	240	J	200	840	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Grab Air
Summa #1117
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676440
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	29,000	200	160,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 22:18	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 13:33	Michael A Ziegler	50000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Grab Air
Summa #899
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676441
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:15 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	870	J	500	2,100	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	8,600		200	35,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	320,000		10,000	1,300,000		40,000	50000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	640	J	200	2,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	260	J	200	1,700	J	1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Grab Air
Summa #899
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676441
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:15 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	740	J	200	2,800	J	750	1000
05298	1,1,1-Trichloroethane	71-55-6	140,000		10,000	750,000		55,000	50000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	400	J	200	2,200	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 22:57	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 14:15	Michael A Ziegler	50000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Grab Air
Summa #504
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676442
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.4	J	2.0	8.7	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	15		2.0	61		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	340		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	42		2.0	150		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	120		2.0	340		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.5	J	2.0	17	J	14	10

Sample Description: MP 03 Grab Air
Summa #504
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676442
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	30	2.0	110	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	1,100	4.0	6,100	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	16	2.0	91	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/10/2012 23:35	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 10:31	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Grab Air
Summa #854
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676443
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.0		0.50	17		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.9	J	0.50	5.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.59	J	0.50	1.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.4		0.20	4.9		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.34	J	0.20	0.70	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.77	J	0.20	3.8	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.46	J	0.20	1.9	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	2.2		0.20	8.8		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.63	J	0.20	4.4	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.9		0.20	5.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.37	J	0.20	2.5	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Grab Air
Summa #854
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676443
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.28	J	0.20	1.1	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.23	J	0.20	1.3	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	16		0.20	90		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.21	J	0.20	0.90	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 00:12	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa #1084
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676444
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:54 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.2		0.50	12		1.2	1
05298	Benzene	71-43-2	0.28	J	0.20	0.91	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.83	J	0.50	2.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.64	J	0.50	2.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	3.3		0.20	12		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.81	J	0.20	4.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.32	J	0.20	1.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	14		0.20	58		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.34	J	0.20	1.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	560		4.0	2,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.57	J	0.20	2.5	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.59	J	0.20	4.1	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	9.9		0.20	35		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.28	J	0.20	0.98	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	27		0.20	80		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	7.8		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa #1084
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676444
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:54 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	10		0.20	39		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	390		4.0	2,100		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.34	J	0.20	1.8	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	12		0.20	67		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.34	J	0.20	1.7	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.21	J	0.20	1.0	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.37	J	0.20	0.94	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.4		0.20	5.9		0.87	1
05298	o-Xylene	95-47-6	0.82	J	0.20	3.6	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 00:52	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 11:11	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Grab Air
Summa #877
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676445
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:46 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	32		5.0	76		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	6.7	J	5.0	20	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	26		2.0	100		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	130		2.0	530		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Grab Air
Summa #877
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676445
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:46 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	5.4	J	2.0	20	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	39		2.0	210		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	5.4	J	2.0	31	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 01:32	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Grab Air
Summa #818
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676446
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.1		0.50	15		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.7	J	0.50	5.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.77	J	0.50	2.4	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.2		0.20	4.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.5		0.20	7.4		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	31		0.20	120		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.63	J	0.20	1.9	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.31	J	0.20	2.1	J	1.4	1

Sample Description: MP 05 Grab Air
Summa #818
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676446
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 13:30 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.43	J	0.20	1.6	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.21	J	0.20	1.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	13		0.20	72		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.21	J	0.20	1.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.27	J	0.20	1.2	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 11:48	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Grab Air
Summa #328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676447
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	600		50	1,400		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	50	J	50	150	J	150	100
05298	Carbon Disulfide	75-15-0	190		50	590		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	140		20	510		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	170		20	710		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	3,600		20	14,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	35	J	20	150	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	2,300		20	8,000		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	130		20	450		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	6,600		20	19,000		59	100
05298	Styrene	100-42-5	130		20	560		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Grab Air
Summa #328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676447
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:41 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2,200		20	8,300		75	100
05298	1,1,1-Trichloroethane	71-55-6	1,700		20	9,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	59	J	20	260	J	87	100
05298	o-Xylene	95-47-6	28	J	20	120	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 02:47	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Grab Air
Summa #293
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676448
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:17 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,000		100	2,400		240	200
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	840		100	2,500		290	200
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	11		2.0	51		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	5.8	J	2.0	29	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	570		40	2,300		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	5.9	J	5.0	24	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Grab Air
Summa #293
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676448
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:17 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	770	40	4,200	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 03:27	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 14:53	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Grab Air
Summa #860
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676449
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:12 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	460		5.0	1,100		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	390		5.0	1,100		15	10
05298	Carbon Disulfide	75-15-0	6.3	J	5.0	20	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.7	J	2.0	23	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,600		5.0	6,200		20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	24		5.0	99		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Grab Air
Summa #860
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676449
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:12 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	650		2.0	3,600		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.9	J	2.0	13	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 04:04	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AB	06/11/2012 12:29	Jeffrey B Smith	25

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Grab Air
Summa #881
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676450
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:22 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	170		5.0	400		12	10
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	71		0.50	210		1.5	1
05298	Carbon Disulfide	75-15-0	2.4		0.50	7.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.33	J	0.20	1.2	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	53		2.0	260		9.8	10
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.84	J	0.20	4.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	9.3		0.20	37		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.21	J	0.20	0.92	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.25	J	0.20	0.87	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	7.1		0.50	29		2.0	1
05298	Methylene Chloride	75-09-2	0.20	J	0.20	0.71	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	2.4		0.20	7.2		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Grab Air
Summa #881
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676450
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:22 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.74	J	0.20	2.8	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	6.0		0.20	33		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.42	J	0.20	2.4	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.25	J	0.20	1.3	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.57	J	0.20	2.5	J	0.87	1
05298	o-Xylene	95-47-6	0.27	J	0.20	1.2	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/11/2012 22:04	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 10:27	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Grab Air
Summa #526
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676451
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	610	J	500	1,500	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	9,100		200	36,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	3,300		200	12,000		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	280	J	200	990	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	11,000		200	33,000		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: SVE 1 Grab Air
Summa #526
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676451
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:36 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	8,200		200	31,000		750	1000
05298	1,1,1-Trichloroethane	71-55-6	110,000		500	620,000		2,700	2500
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	220	J	200	960	J	870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/11/2012 22:52	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 11:08	Jeffrey B Smith	2500

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Grab Air
Summa #95
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676452
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:04 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.8	J	5.0	19	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	6.0	J	2.0	24	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	360		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	21		2.0	73		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	59		2.0	170		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 06 Grab Air
Summa #95
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676452
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:04 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	23	2.0	86	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	74	2.0	410	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	23	2.0	130	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/11/2012 23:28	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Summa #812
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676453
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:28 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13	J	5.0	31	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	12		2.0	48		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	560		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	47		2.0	160		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.2	J	2.0	7.6	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	130		2.0	400		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Summa #812
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676453
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:28 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	98		2.0	370		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	1,000		4.0	5,600		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	20		2.0	110		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.3	J	2.0	15	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 00:05	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 11:45	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Grab Air
Summa #1039
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676454
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:00 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7,000		500	17,000		1,200	1000
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	5,500		50	16,000		150	100
05298	Carbon Disulfide	75-15-0	260		50	820		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	92	J	20	330	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,100		20	8,500		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	25	J	20	110	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	400		20	1,400		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	130		20	440		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	990		20	2,900		59	100
05298	Styrene	100-42-5	110		20	470		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Grab Air
Summa #1039
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676454
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:00 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	74	J	20	280	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,400		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	35	J	20	150	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 00:42	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 12:22	Jeffrey B Smith	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Grab Air
Summa #15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676455
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:06 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6,300		50	15,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	5,600		50	16,000		150	100
05298	Carbon Disulfide	75-15-0	300		50	940		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	69	J	20	240	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	29	J	20	59	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	43	J	20	170	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,300		20	9,200		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	29	J	20	130	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	410		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	210		50	850		200	100
05298	Methylene Chloride	75-09-2	260		20	910		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	62	J	20	180	J	59	100
05298	Styrene	100-42-5	110		20	480		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Grab Air
Summa #15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676455
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 15:06 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	130		20	490		75	100
05298	1,1,1-Trichloroethane	71-55-6	830		20	4,500		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	26	J	20	130	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	45	J	20	200	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 01:23	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Grab Air
Summa #66
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676456
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:56 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		0.50	40		1.2	1
05298	Benzene	71-43-2	0.32	J	0.20	1.0	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	9.1		0.50	27		1.5	1
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.1		0.20	10		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	5.1		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.52	J	0.20	3.1	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.48	J	0.20	2.9	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.48	J	0.20	2.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	9.2		0.20	37		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	16		0.20	65		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.87	J	0.20	3.8	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.34	J	0.20	1.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	48,000		400	170,000		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.4	J	0.50	5.5	J	2.0	1
05298	Methylene Chloride	75-09-2	0.47	J	0.20	1.6	J	0.69	1
05298	Octane	111-65-9	0.41	J	0.20	1.9	J	0.93	1
05298	Pentane	109-66-0	140,000		400	420,000		1,200	2000
05298	Styrene	100-42-5	0.22	J	0.20	0.93	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.27	J	0.20	1.8	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Grab Air
Summa #66
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676456
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:56 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.66	J	0.20	2.5	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	36		0.20	200		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.56	J	0.20	3.1	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.66	J	0.20	3.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.37	J	0.20	1.8	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.0		0.20	8.7		0.87	1
05298	o-Xylene	95-47-6	1.2		0.20	5.3		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 02:03	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216030AC	06/12/2012 12:59	Jeffrey B Smith	2000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Grab Air
Summa #20
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676457
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:20 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,600	J	500	3,900	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	740	J	500	2,200	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	230	J	200	1,400	J	1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,000		200	4,100		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	87,000		400	340,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	220	J	200	770	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	260	J	200	920	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	410	J	200	1,200	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	240	J	200	1,700	J	1,400	1000

Sample Description: VW 5 Grab Air
Summa #20
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6676457
LLI Group # 1313430
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 05/31/2012 14:20 by CP

Submitted: 06/05/2012 09:35
Reported: 06/14/2012 20:07

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	280	J	200	1,000	J	750	1000
05298	1,1,1-Trichloroethane	71-55-6	7,500		200	41,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216430AA	06/12/2012 21:38	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1216430AB	06/13/2012 20:07	Jeffrey B Smith	2000

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1216030AB	Sample number(s): 6676437-6676449							
Acetone	N.D.	0.50	ppb(v)	98	114	67-138	15	25
Benzene	N.D.	0.20	ppb(v)	82	92	70-130	11	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	81	94	70-138	14	25
Bromoform	N.D.	0.20	ppb(v)	81	89	71-150	10	25
Bromomethane	N.D.	0.20	ppb(v)	104	121	70-130	15	25
1,3-Butadiene	N.D.	0.50	ppb(v)	100	116	60-135	15	25
2-Butanone	N.D.	0.50	ppb(v)	92	109	66-129	17	25
Carbon Disulfide	N.D.	0.50	ppb(v)	84	99	56-106	17	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	84	96	70-130	13	25
Chlorobenzene	N.D.	0.20	ppb(v)	80	89	70-130	11	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	97	108	71-129	11	25
Chloroform	N.D.	0.20	ppb(v)	79	93	70-130	17	25
Chloromethane	N.D.	0.20	ppb(v)	105	123	58-129	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	90	68-138	10	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	94	71-135	10	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	98	71-143	7	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	92	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	98	67-140	13	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	100	124	72-140	22	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	84	98	66-126	15	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	85	98	70-130	14	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	106	64-117	16	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	98	69-120	14	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	104	67-121	13	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	79	87	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	79	88	67-134	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	93	67-134	12	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	90	70-130	10	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	84	90	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	80	91	67-115	13	25
Freon 114	N.D.	0.20	ppb(v)	93	110	66-120	17	25
Heptane	N.D.	0.20	ppb(v)	85	95	60-125	11	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	85	98	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	103	124	54-166	18	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	94	64-124	15	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	108	61-145	17	25
Methylene Chloride	N.D.	0.20	ppb(v)	85	100	70-130	16	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	82	93	70-139	12	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	91	101	67-145	10	25
Tetrachloroethene	N.D.	0.20	ppb(v)	76	82	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	82	88	70-130	7	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	97	70-130	14	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	88	94	68-128	6	25
Trichloroethene	N.D.	0.20	ppb(v)	85	93	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	94	118	70-130	23	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	95	69-138	8	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	83	92	71-142	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	125	70-130	14	25
m/p-Xylene	N.D.	0.20	ppb(v)	84	94	70-130	11	25
o-Xylene	N.D.	0.20	ppb(v)	85	94	70-130	10	25
Batch number: A1216030AC	Sample number(s): 6676450-6676456							
Acetone	N.D.	0.50	ppb(v)	98	114	67-138	15	25
Benzene	N.D.	0.20	ppb(v)	82	92	70-130	11	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	81	94	70-138	14	25
Bromoform	N.D.	0.20	ppb(v)	81	89	71-150	10	25
Bromomethane	N.D.	0.20	ppb(v)	104	121	70-130	15	25
1,3-Butadiene	N.D.	0.50	ppb(v)	100	116	60-135	15	25
2-Butanone	N.D.	0.50	ppb(v)	92	109	66-129	17	25
Carbon Disulfide	N.D.	0.50	ppb(v)	84	99	56-106	17	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	84	96	70-130	13	25
Chlorobenzene	N.D.	0.20	ppb(v)	80	89	70-130	11	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	97	108	71-129	11	25
Chloroform	N.D.	0.20	ppb(v)	79	93	70-130	17	25
Chloromethane	N.D.	0.20	ppb(v)	105	123	58-129	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	90	68-138	10	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	94	71-135	10	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	98	71-143	7	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	92	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	98	67-140	13	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	100	124	72-140	22	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	84	98	66-126	15	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	85	98	70-130	14	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	106	64-117	16	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	98	69-120	14	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	104	67-121	13	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	79	87	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	79	88	67-134	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	93	67-134	12	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	90	70-130	10	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	84	90	69-135	7	25
Freon 113	N.D.	0.50	ppb(v)	80	91	67-115	13	25
Freon 114	N.D.	0.20	ppb(v)	93	110	66-120	17	25
Heptane	N.D.	0.20	ppb(v)	85	95	60-125	11	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	85	98	62-120	14	25
2-Hexanone	N.D.	0.50	ppb(v)	103	124	54-166	18	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	94	64-124	15	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	108	61-145	17	25
Methylene Chloride	N.D.	0.20	ppb(v)	85	100	70-130	16	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	82	93	70-139	12	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	91	101	67-145	10	25
Tetrachloroethene	N.D.	0.20	ppb(v)	76	82	70-130	8	25
Toluene	N.D.	0.20	ppb(v)	82	88	70-130	7	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	97	70-130	14	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	88	94	68-128	6	25
Trichloroethene	N.D.	0.20	ppb(v)	85	93	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	94	118	70-130	23	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	95	69-138	8	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	83	92	71-142	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	109	125	70-130	14	25
m/p-Xylene	N.D.	0.20	ppb(v)	84	94	70-130	11	25
o-Xylene	N.D.	0.20	ppb(v)	85	94	70-130	10	25
Batch number: A1216430AA	Sample number(s): 6676457							
Acetone	N.D.	0.50	ppb(v)	109	122	67-138	11	25
Benzene	N.D.	0.20	ppb(v)	88	88	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	93	96	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	84	84	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	100	111	70-130	11	25
1,3-Butadiene	N.D.	0.50	ppb(v)	96	106	60-135	9	25
2-Butanone	N.D.	0.50	ppb(v)	95	102	66-129	7	25
Carbon Disulfide	N.D.	0.50	ppb(v)	81	87	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	91	98	70-130	8	25
Chlorobenzene	N.D.	0.20	ppb(v)	85	82	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	100	107	71-129	7	25
Chloroform	N.D.	0.20	ppb(v)	87	95	70-130	9	25
Chloromethane	N.D.	0.20	ppb(v)	103	110	58-129	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	84	86	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	90	89	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	94	94	71-143	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	89	93	68-136	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	91	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	102	112	72-140	10	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	88	97	66-126	10	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	101	70-130	5	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	99	69-120	11	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	99	67-121	9	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	87	89	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	92	67-134	7	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	88	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	88	86	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Ethyltoluene	N.D.	0.20	ppb(v)	84	85	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	83	91	67-115	9	25
Freon 114	N.D.	0.20	ppb(v)	92	101	66-120	10	25
Heptane	N.D.	0.20	ppb(v)	88	94	60-125	6	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	86	91	62-120	6	25
2-Hexanone	N.D.	0.50	ppb(v)	107	107	54-166	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	82	90	64-124	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	100	102	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	90	99	70-130	9	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	86	85	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	93	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	77	77	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	87	85	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	88	97	70-130	10	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	92	88	68-128	4	25
Trichloroethene	N.D.	0.20	ppb(v)	90	94	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	103	113	70-130	10	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	90	88	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	87	88	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	105	113	70-130	8	25
m/p-Xylene	N.D.	0.20	ppb(v)	86	88	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	90	88	70-130	1	25
Batch number: A1216430AB	Sample number(s): 6676457							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	100	64-117	8	25
Batch number: D1216030AB	Sample number(s): 6676435-6676436							
Acetone	N.D.	0.50	ppb(v)	121	122	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	83	82	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	97	94	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	92	84	71-150	10	25
Bromomethane	N.D.	0.20	ppb(v)	114	123	70-130	7	25
1,3-Butadiene	N.D.	0.50	ppb(v)	106	115	60-135	8	25
2-Butanone	N.D.	0.50	ppb(v)	104	106	66-129	2	25
Carbon Disulfide	N.D.	0.50	ppb(v)	93	98	56-106	5	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	101	102	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	80	72	70-130	10	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	101	104	71-129	3	25
Chloroform	N.D.	0.20	ppb(v)	92	93	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	105	111	58-129	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	85	77	68-138	10	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	77	71-135	9	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	82	71-143	11	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	86	78	68-136	11	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	89	80	67-140	11	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	126	129	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	96	66-126	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1313430
Reported: 06/14/12 at 08:07 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,2-Dichloroethane	N.D.	0.20	ppb(v)	99	95	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	101	108	64-117	7	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	91	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	101	67-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	78	76	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	88	67-134	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	80	74	67-134	9	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	73	70-130	11	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	82	72	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	91	93	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	106	111	66-120	5	25
Heptane	N.D.	0.20	ppb(v)	83	82	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	86	89	62-120	4	25
2-Hexanone	N.D.	0.50	ppb(v)	122	110	54-166	10	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	91	93	64-124	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	113	110	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	92	94	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	88	78	70-139	12	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	94	84	67-145	11	25
Tetrachloroethene	N.D.	0.20	ppb(v)	77	70	70-130	9	25
Toluene	N.D.	0.20	ppb(v)	78	70	70-130	11	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	96	97	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	79	72	68-128	9	25
Trichloroethene	N.D.	0.20	ppb(v)	85	85	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	123	129	70-130	5	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	75	69-138	12	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	87	77	71-142	13	25
Vinyl Chloride	N.D.	0.20	ppb(v)	116	122	70-130	5	25
m/p-Xylene	N.D.	0.20	ppb(v)	89	79	70-130	12	25
o-Xylene	N.D.	0.20	ppb(v)	86	76	70-130	12	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 131430 For Lancaster Laboratories use only Sample # 667643S-57 Bottle Order (SCR) # 122726

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson CO
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hill
P.O. #:
Sampler: Calvin Prewitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | ☐ MTBE ☐ BTEX EPA 18 | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search	
SVE 6	5/31	13:59						—	110	6	—	X						
VW 6	"	13:47						—	886	6	—	X						
MP 07	"	14:10						—	838	6	—	X						
SVE 4	"	14:50						—	876	6	—	X						
MP 08	"	14:24						—	1110	6	—	X						
MW 65S	"	14:30						—	1117	6	—	X						
MW 64	"	14:15						—	899	6	—	X						
MP 03	"	13:41						—	504	6	—	X						
MP 04	"	13:36						—	854	6	—	X						
SVE 5	"	13:54						—	1084	6	—	X						
SVE 3	"	13:46						—	877	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time: 5-24-12 19:48	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)	
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:	
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 6/5/12 0935	

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1313430 For Lancaster Laboratories use only Sample # 667643S-57 Bottle Order (SCR) # 122726

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Florey Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

☐ MTBE ☐ BTEX

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 05	5/31	13:30						—	818	6	—	X						
SVE 2	"	14:41						—	328	6	—	X						
SVE 7	"	15:17						—	293	6	—	X						
MP 11	"	15:12						—	860	6	—	X						
MP 09	"	15:22						—	881	6	—	X						
SVE 1	"	14:36						—	5226	6	—	X						
MP 06	"	14:04						—	95	6	—	X						
Undisturbed	"	15:28						—	812	6	—	X						
VW 3	"	15:00						—	1039	6	—	X						
MP 02	"	15:06						—	15	6	—	X						
MP 10	"	14:56						—	666	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CBSF	5/29/12 1549						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 6/5/12 0935

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1313430 For Lancaster Laboratories use only Sample # 667643S-57 Bottle Order (SCR) # 122726

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 / ☐ BTEX ☐ MTBE	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW 5	5/31	14:20						—	20	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Cliff	5-24-12 9:49						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 6/5/12 0935

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson 6

Date of Receipt: 6/5/12

Time of Receipt: 0935

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

2 Gauges + 2 large bags of hardware

Unpacker Signature/Emp#: 964 **Date/Time:** 6/5/12 0935

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

July 15, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 07/03/2012
Group Number: 1319678
PO Number: 1-0145-4
State of Sample Origin: GA


Client Sample Description	Lancaster Labs (LLI) #
MP04 Summa# 1020 Air	6708909
MP07 Summa# 123 Air	6708910
MP11 Summa# 854 Air	6708911
MP05 Summa# 1110 Air	6708912
SVE4 Summa# 839 Air	6708913
MP08 Summa# 827 Air	6708914
VW6 Summa# 832 Air	6708915
SVE2 Summa# 877 Air	6708916
VW5 Summa# 812 Air	6708917
MP06 Summa# 95 Air	6708918
SVE3 Summa# 1083 Air	6708919
MW65S Summa# 515 Air	6708920
MP02 Summa# 894 Air	6708921
SVE7 Summa# 532 Air	6708922
MP03 Summa# 30 Air	6708923
SVE5 Summa# 531 Air	6708924
VW3 Summa# 113 Air	6708925
MW64 Summa# 49 Air	6708926
MP10 Summa# 876 Air	6708927
SVE1 Summa# 838 Air	6708928
MP09 Summa# 534 Air	6708929
Undiluted Summa# 826 Air	6708930
SVE6 Summa# 513 Air	6708931

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP04 Summa# 1020 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708909
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:50 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1020-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	45		0.50	110		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	18		0.50	53		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.1		0.20	7.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.34	J	0.20	1.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.44	J	0.20	1.8	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	2.1		0.20	8.2		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.26	J	0.20	1.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.49	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.81	J	0.20	5.5	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Sample Description: MP04 Summa# 1020 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708909
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:50 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1020-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.28	J	0.20	1.5	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	23		0.20	130		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.30	J	0.20	1.5	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.62	J	0.20	2.7	J	0.87	1
05298	o-Xylene	95-47-6	0.42	J	0.20	1.8	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 00:33	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa# 123 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708910
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:15 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

123--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20		0.50	47		1.2	1
05298	Benzene	71-43-2	0.44	J	0.20	1.4	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	8.1		0.50	24		1.5	1
05298	Carbon Disulfide	75-15-0	1.3		0.50	4.1		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.9		0.20	10		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.47	J	0.20	2.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.23	J	0.20	1.4	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.21	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.65	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	20		0.20	81		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.95	J	0.20	3.9	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	700		20	2,800		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.2		0.20	5.1		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.27	J	0.20	0.95	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	2.5		0.20	8.6		0.69	1
05298	Octane	111-65-9	0.20	J	0.20	0.94	J	0.93	1
05298	Pentane	109-66-0	17		0.20	51		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.62	J	0.20	4.2	J	1.4	1
05298	Toluene	108-88-3	93		2.0	350		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP07 Summa# 123 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708910
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:15 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

123--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	460		2.0	2,500		11	10
05298	1,1,2-Trichloroethane	79-00-5	0.33	J	0.20	1.8	J	1.1	1
05298	Trichloroethene	79-01-6	0.92	J	0.20	4.9	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	28		2.0	160		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.52	J	0.20	2.5	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.26	J	0.20	1.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.5		0.20	19		0.87	1
05298	o-Xylene	95-47-6	2.0		0.20	8.6		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 01:13	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/11/2012 23:03	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/11/2012 23:43	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa# 854 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708911
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:19 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

854--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,400		50	5,700		120	100
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	1,100		50	3,300		150	100
05298	Carbon Disulfide	75-15-0	8.6	J	5.0	27	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.5	J	2.0	12	J	9.8	10
05298	Chloromethane	74-87-3	2.6	J	2.0	5.4	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.6	J	2.0	39	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,400		20	9,600		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	32		5.0	130		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP11 Summa# 854 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708911
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:19 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

854--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,300		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.5	J	2.0	15	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 01:54	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 00:20	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP05 Summa# 1110 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708912
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:45 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1110

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	73		0.50	170		1.2	1
05298	Benzene	71-43-2	0.27	J	0.20	0.87	J	0.64	1
05298	Bromobenzene	108-86-1	0.61	J	0.20	3.9	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	37		0.50	110		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.42	J	0.20	1.9	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	2.0		0.20	7.2		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.0		0.20	4.9		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	3.0		0.20	18		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.6		0.20	15		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.8		0.20	17		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	20		0.20	81		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	3.3		0.20	14		0.87	1
05298	4-Ethyltoluene	622-96-8	1.9		0.20	9.3		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.20	J	0.20	0.71	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	1.1		0.20	5.0		0.93	1
05298	Pentane	109-66-0	0.57	J	0.20	1.7	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.27	J	0.20	1.9	J	1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	8.5		1.4	1
05298	Toluene	108-88-3	1.2		0.20	4.7		0.75	1

Sample Description: MP05 Summa# 1110 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708912
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:45 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-1110

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.43	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	20		0.20	110		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.34	J	0.20	2.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.0		0.20	15		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	2.1		0.20	10		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	7.9		0.20	34		0.87	1
05298	o-Xylene	95-47-6	5.4		0.20	24		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 02:31	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Summa# 839 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708913
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:55 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-839-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		0.50	24		1.2	1
05298	Benzene	71-43-2	0.30	J	0.20	0.95	J	0.64	1
05298	Bromobenzene	108-86-1	1.1		0.20	6.8		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.56	J	0.20	5.8	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	3.5		0.50	10		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.68	J	0.20	3.1	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.77	J	0.20	2.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.48	J	0.20	2.3	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.99	J	0.20	4.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.22	J	0.20	1.7	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	5.1		0.20	30		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	4.6		0.20	28		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	5.7		0.20	34		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.48	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.63	J	0.20	2.6	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	4.8		0.20	21		0.87	1
05298	4-Ethyltoluene	622-96-8	3.0		0.20	15		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	1.9		0.20	8.8		0.93	1
05298	Pentane	109-66-0	0.57	J	0.20	1.7	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.99	J	0.20	6.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	1.5		0.20	10		1.4	1
05298	Toluene	108-88-3	1.7		0.20	6.3		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE4 Summa# 839 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708913
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:55 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-839-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.69	J	0.20	3.8	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	6.7		0.20	38		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.62	J	0.20	3.7	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	4.3		0.20	21		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	3.0		0.20	15		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	11		0.20	47		0.87	1
05298	o-Xylene	95-47-6	6.9		0.20	30		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 03:11	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa# 827 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708914
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:25 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-827-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	22		0.50	51		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	7.8		0.50	23		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.2		0.20	7.8		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.7		0.20	13		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.6		0.20	11		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.35	J	0.20	1.4	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	510		4.0	2,000		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.5		0.20	5.0		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.42	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.25	J	0.20	1.7	J	1.4	1
05298	Toluene	108-88-3	2.3		0.20	8.6		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP08 Summa# 827 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708914
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:25 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-827-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	130		4.0	720		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.43	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	25		0.20	140		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.29	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.45	J	0.20	2.0	J	0.87	1
05298	o-Xylene	95-47-6	0.34	J	0.20	1.5	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 03:51	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 01:00	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa# 832 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708915
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:54 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-832-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	97		10	230		24	20
05298	Benzene	71-43-2	0.78	J	0.20	2.5	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	0.51	J	0.40	1.1	J	0.88	1
05298	2-Butanone	78-93-3	40		0.50	120		1.5	1
05298	Carbon Disulfide	75-15-0	0.75	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.1		0.20	7.5		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.45	J	0.20	2.2	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.74	J	0.20	3.6	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	28		0.20	110		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.57	J	0.20	2.3	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	570		4.0	2,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.35	J	0.20	1.5	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.27	J	0.20	0.94	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.94	J	0.20	3.3	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.69	J	0.20	2.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.3		0.20	16		1.4	1
05298	Toluene	108-88-3	1.1		0.20	4.1		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW6 Summa# 832 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708915
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:54 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-832-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	10		0.20	55		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.46	J	0.20	2.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	21		0.20	120		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.43	J	0.20	2.1	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.6		0.87	1
05298	o-Xylene	95-47-6	0.61	J	0.20	2.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 04:31	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 01:37	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE2 Summa# 877 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708916
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:45 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-877-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	32		5.0	75		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	13	J	5.0	39	J	15	10
05298	Carbon Disulfide	75-15-0	6.8	J	5.0	21	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	150		2.0	600		8.1	10
05298	1,2-Dichloroethane	107-06-2	2.0	J	2.0	8.1	J	8.1	10
05298	1,1-Dichloroethene	75-35-4	3,400		20	13,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	6.6	J	2.0	29	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	6.0	J	2.0	21	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.8	J	2.0	19	J	14	10
05298	Toluene	108-88-3	1,800		20	6,700		75	100

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Sample Description: SVE2 Summa# 877 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708916
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:45 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-877-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,700		20	9,100		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	2.6	J	2.0	14	J	11	10
05298	Trichlorofluoromethane	75-69-4	2.7	J	2.0	15	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	30		2.0	130		8.7	10
05298	o-Xylene	95-47-6	15		2.0	63		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 05:12	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AC	07/12/2012 22:54	Florida A Cimino	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa# 812 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708917
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:20 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-812-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,000	J	500	4,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	770	J	500	2,300	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	460	J	200	1,600	J	710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	740	J	200	3,000	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	49,000		200	190,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	210	J	200	860	J	820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	260	J	200	910	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	590	J	200	2,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	450	J	200	1,300	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	220	J	200	820	J	750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW5 Summa# 812 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708917
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:20 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-812-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	5,100	200	28,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 14:31	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa# 95 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708918
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:11 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

95---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	210		5.0	490		12	10
05298	Benzene	71-43-2	0.22	J	0.20	0.72	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	140		5.0	420		15	10
05298	Carbon Disulfide	75-15-0	0.83	J	0.50	2.6	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.3		0.20	8.1		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.44	J	0.20	2.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	4.8		0.20	19		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	260		2.0	1,000		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.28	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.32	J	0.20	0.95	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	7.7		0.20	29		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP06 Summa# 95 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708918
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:11 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

95---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	37		0.20	200		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	23		0.20	130		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.29	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.98	J	0.20	4.2	J	0.87	1
05298	o-Xylene	95-47-6	0.55	J	0.20	2.4	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 05:49	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 02:54	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Summa# 1083 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708919
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:49 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1083-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	170		5.0	400		12	10
05298	Benzene	71-43-2	0.86	J	0.20	2.8	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	79		5.0	230		15	10
05298	Carbon Disulfide	75-15-0	1.7		0.50	5.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.64	J	0.20	2.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.61	J	0.20	3.0	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	20		0.20	82		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.26	J	0.20	1.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	120		2.0	470		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.29	J	0.20	1.0	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.31	J	0.20	0.91	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.30	J	0.20	2.0	J	1.4	1
05298	Toluene	108-88-3	2.9		0.20	11		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE3 Summa# 1083 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708919
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:49 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

1083-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	38		0.20	210		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	6.6		0.20	37		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.24	J	0.20	1.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.37	J	0.20	1.6	J	0.87	1
05298	o-Xylene	95-47-6	0.20	J	0.20	0.88	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 06:29	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 03:31	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Summa# 515 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708920
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:30 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

515--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,500		500	5,900		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	870	J	500	2,600	J	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	490	J	200	1,700	J	710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	350	J	200	1,400	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	290,000		2,000	1,100,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	210	J	200	740	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	710	J	200	2,500	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	390	J	200	1,200	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	330	J	200	2,200	J	1,400	1000
05298	Toluene	108-88-3	240	J	200	890	J	750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW65S Summa# 515 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708920
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:30 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

515--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	28,000		200	150,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	N.D.		200	N.D.		1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	200	J	200	870	J	870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 13:54	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AC	07/12/2012 23:35	Florida A Cimino	10000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa# 894 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708921
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:14 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

894--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7,200		50	17,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	4,900		50	14,000		150	100
05298	Carbon Disulfide	75-15-0	70	J	50	220	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	450		20	1,600		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	36	J	20	75	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	34	J	20	200	J	120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	58	J	20	230	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,400		20	9,500		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	91	J	20	390	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	290		20	1,200		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	300		20	1,100		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	200	J	50	800	J	200	100
05298	Methylene Chloride	75-09-2	930		20	3,200		69	100
05298	Octane	111-65-9	160		20	770		93	100
05298	Pentane	109-66-0	520		20	1,500		59	100
05298	Styrene	100-42-5	250		20	1,100		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	200		20	760		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP02 Summa# 894 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708921
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:14 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

894--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	940		20	5,100		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	28	J	20	140	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	140		20	600		87	100
05298	o-Xylene	95-47-6	50	J	20	220	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 15:08	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE7 Summa# 532 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708922
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:24 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

532--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	530		5.0	1,300		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	480		5.0	1,400		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	7.7	J	2.0	37	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	3.3	J	2.0	16	J	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	2.6	J	2.0	16	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	3.0	J	2.0	18	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	3.1	J	2.0	19	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	860		20	3,400		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	3.5	J	2.0	15	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: SVE7 Summa# 532 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708922
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:24 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

532--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300		20	7,300		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	2.7	J	2.0	13	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	7.8	J	2.0	34	J	8.7	10
05298	o-Xylene	95-47-6	4.8	J	2.0	21	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 07:09	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 04:08	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa# 30 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708923
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:58 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

30---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	22		0.50	51		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	7.7		0.50	23		1.5	1
05298	Carbon Disulfide	75-15-0	0.96	J	0.50	3.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.1		0.20	7.4		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.21	J	0.20	1.0	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.29	J	0.20	1.4	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.36	J	0.20	2.1	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.32	J	0.20	1.9	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.35	J	0.20	2.1	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.59	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	12		0.20	50		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.25	J	0.20	1.0	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	300		4.0	1,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.64	J	0.20	2.8	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.29	J	0.20	1.4	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.36	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	0.26	J	0.20	1.2	J	0.93	1
05298	Pentane	109-66-0	0.47	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.7		0.20	18		1.4	1
05298	Toluene	108-88-3	17		0.20	65		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP03 Summa# 30 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708923
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 09:58 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

30---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	280		4.0	1,500		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	21		0.20	120		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.58	J	0.20	2.8	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.31	J	0.20	1.5	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.7		0.20	7.2		0.87	1
05298	o-Xylene	95-47-6	1.1		0.20	4.6		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AA	07/11/2012 07:46	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 04:48	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE5 Summa# 531 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708924
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:02 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

531--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	25		5.0	60		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	12	J	5.0	34	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.1	J	2.0	7.6	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	8.2	J	2.0	33	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	210		2.0	820		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	3.2	J	2.0	12	J	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE5 Summa# 531 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708924
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:02 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

531--

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	61	2.0	330	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	24	2.0	130	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 13:17	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa# 113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708925
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:04 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

113--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,200		500	12,000		1,200	1000
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	4,700		50	14,000		150	100
05298	Carbon Disulfide	75-15-0	65	J	50	200	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	460		20	1,600		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	35	J	20	72	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	35	J	20	210	J	120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,800		20	7,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	73	J	20	320	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	260		20	1,100		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	320		20	1,100		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	730		20	2,500		69	100
05298	Octane	111-65-9	150		20	710		93	100
05298	Pentane	109-66-0	440		20	1,300		59	100
05298	Styrene	100-42-5	150		20	640		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	22	J	20	150	J	140	100
05298	Toluene	108-88-3	210		20	800		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW3 Summa# 113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708925
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:04 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

113--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,500		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	25	J	20	140	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	25	J	20	120	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	140		20	590		87	100
05298	o-Xylene	95-47-6	51	J	20	220	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AB	07/12/2012 15:48	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1219230AC	07/13/2012 00:16	Florida A Cimino	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa# 49 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708926
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:36 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

49---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	750	J	500	1,800	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	340	J	200	1,200	J	710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	6,400		200	26,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	250,000		4,000	980,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	780	J	200	2,700	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	400	J	200	1,200	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW64 Summa# 49 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708926
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:36 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

49---

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	110,000		4,000	610,000		22,000	20000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	200	J	200	1,100	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/11/2012 22:56	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 14:24	Michael A Ziegler	20000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa# 876 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708927
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:09 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

876--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	320		5.0	770		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	190		5.0	550		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.2	J	2.0	11	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	7.8	J	2.0	31	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	13		2.0	51		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP10 Summa# 876 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708927
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:09 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

876--

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	28	2.0	150	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/11/2012 23:39	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Summa# 838 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708928
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:40 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-838-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	690	J	500	1,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	330	J	200	1,200	J	710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	5,400		200	22,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	390	J	200	1,400	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	270	J	200	800	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	4,700		200	18,000		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE1 Summa# 838 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708928
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:40 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-838-

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	66,000	200	360,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 00:22	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa# 534 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708929
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:29 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-534-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	100		5.0	250		12	10
05298	Benzene	71-43-2	0.40	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	0.22	J	0.20	1.5	J	1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	44		0.50	130		1.5	1
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.29	J	0.20	1.0	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	28		2.0	140		9.8	10
05298	Chloromethane	74-87-3	20		0.20	40		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.5		0.20	17		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.27	J	0.20	1.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.27	J	0.20	1.1	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	27		0.20	110		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.22	J	0.20	0.94	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	3.4		0.50	14		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.93	J	0.20	2.8	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.33	J	0.20	1.2	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP09 Summa# 534 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708929
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:29 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

-534-

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	9.6		0.20	52		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.36	J	0.20	2.0	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.24	J	0.20	1.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.63	J	0.20	2.7	J	0.87	1
05298	o-Xylene	95-47-6	0.37	J	0.20	1.6	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 01:05	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 12:12	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa# 826 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708930
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:35 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

826--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	370		5.0	880		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	210		5.0	630		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.3	J	2.0	8.2	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.2	J	2.0	37	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	470		2.0	1,900		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	93		2.0	350		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa# 826 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708930
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 11:35 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

826--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	680		4.0	3,700		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	25		2.0	140		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	5.5	J	2.0	24	J	8.7	10
05298	o-Xylene	95-47-6	2.6	J	2.0	11	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 01:49	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 12:55	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Summa# 513 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708931
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:06 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

513--

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	90		5.0	210		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	30		5.0	88		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	16		2.0	65		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	710		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	2.4	J	2.0	8.9	J	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE6 Summa# 513 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6708931
LLI Group # 1319678
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 06/29/2012 10:06 by CP

Submitted: 07/03/2012 09:40
Reported: 07/15/2012 16:17

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

513--

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	290	2.0	1,600	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	28	2.0	160	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1219330AA	07/12/2012 02:32	Michael A Ziegler	10

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1319678
Reported: 07/15/12 at 04:17 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1219230AA	Sample number(s): 6708909-6708916,6708918-6708919,6708922-6708923							
Acetone	N.D.	0.50	ppb(v)	93	91	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	95	94	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	100	97	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	101	103	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	103	100	70-130	3	25
1,3-Butadiene	N.D.	0.40	ppb(v)	98	95	60-135	3	25
2-Butanone	N.D.	0.50	ppb(v)	98	95	66-129	4	25
Carbon Disulfide	N.D.	0.50	ppb(v)	85	83	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	101	97	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	91	95	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	103	71-129	5	25
Chloroform	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	115	105	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	94	99	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	100	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	105	101	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	102	103	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	100	104	67-140	4	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	106	105	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	103	97	66-126	6	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	100	96	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	90	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	97	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	97	96	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	94	90	70-130	5	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	93	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	96	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	91	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	89	90	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	91	89	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	95	93	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	92	91	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	96	95	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	84	87	54-166	4	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	93	94	64-124	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	87	84	61-145	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	94	91	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1319678
Reported: 07/15/12 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	93	95	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	96	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	92	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	90	93	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	103	101	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	97	100	68-128	3	25
Trichloroethene	N.D.	0.20	ppb(v)	100	97	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	103	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	90	98	69-138	9	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	94	71-142	6	25
Vinyl Chloride	N.D.	0.20	ppb(v)	107	105	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	90	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	95	96	70-130	2	25
Batch number: A1219230AB	Sample number(s): 6708910-6708911,6708914-6708915,6708917-6708925							
Acetone	N.D.	0.50	ppb(v)	93	91	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	95	94	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	100	97	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	101	103	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	103	100	70-130	3	25
1,3-Butadiene	N.D.	0.40	ppb(v)	98	95	60-135	3	25
2-Butanone	N.D.	0.50	ppb(v)	98	95	66-129	4	25
Carbon Disulfide	N.D.	0.50	ppb(v)	85	83	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	101	97	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	91	95	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	103	71-129	5	25
Chloroform	N.D.	0.20	ppb(v)	98	97	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	115	105	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	94	99	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	100	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	105	101	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	102	103	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	100	104	67-140	4	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	106	105	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	103	97	66-126	6	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	100	96	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	90	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	97	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	97	96	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	94	90	70-130	5	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	93	67-134	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	96	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	91	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	89	90	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	91	89	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	95	93	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	92	91	60-125	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1319678
Reported: 07/15/12 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	96	95	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	84	87	54-166	4	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	93	94	64-124	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	87	84	61-145	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	94	91	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	93	95	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	96	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	92	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	90	93	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	103	101	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	97	100	68-128	3	25
Trichloroethene	N.D.	0.20	ppb(v)	100	97	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	102	103	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	90	98	69-138	9	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	94	71-142	6	25
Vinyl Chloride	N.D.	0.20	ppb(v)	107	105	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	90	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	95	96	70-130	2	25
Batch number: A1219230AC	Sample number(s): 6708916,6708920,6708925							
Acetone	N.D.	0.50	ppb(v)	93	91	67-138	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	90	64-117	2	25
Toluene	N.D.	0.20	ppb(v)	90	93	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	103	101	70-130	1	25
Batch number: D1219330AA	Sample number(s): 6708926-6708931							
Acetone	N.D.	0.50	ppb(v)	116	114	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	106	106	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	107	105	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	115	113	71-150	1	25
Bromomethane	N.D.	0.20	ppb(v)	111	115	70-130	3	25
1,3-Butadiene	N.D.	0.40	ppb(v)	111	117	60-135	5	25
2-Butanone	N.D.	0.50	ppb(v)	116	114	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	88	90	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	105	101	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	106	105	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	113	116	71-129	3	25
Chloroform	N.D.	0.20	ppb(v)	101	99	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	108	115	58-129	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	110	108	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	113	112	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	110	71-143	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	105	103	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	108	107	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	120	120	72-140	0	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	104	103	66-126	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	108	107	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	103	104	64-117	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1319678
Reported: 07/15/12 at 04:17 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	106	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	104	104	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	96	97	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	115	115	67-134	0	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	112	111	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	115	113	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	115	112	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	96	95	67-115	1	25
Freon 114	N.D.	0.20	ppb(v)	103	103	66-120	0	25
Heptane	N.D.	0.20	ppb(v)	107	107	60-125	0	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	101	101	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	130	128	54-166	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	103	102	64-124	0	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	118	116	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	99	99	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	120	117	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	107	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	106	104	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	112	111	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	104	101	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	104	103	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	105	107	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	112	112	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	114	110	69-138	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	120	117	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	122	128	70-130	5	25
m/p-Xylene	N.D.	0.20	ppb(v)	123	121	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	123	120	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556o Group # 1319678 For Lancaster Laboratories use only Sample # 6708909-31 Bottle Order (SCR) # 124007

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Florey Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(2) Sample Identification

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	(6) Analyses Requested: EPA TO - 15	EPA 18 / MTBE	EPA 25 (select range below) / BTEX	Helium as tracer	O2/CO2	Library Search	
MP 04	6/29/12	9:50						—	1020	6	—	✓						
MP 07		10:15						—	123	6	—	✓						
MP 11		11:19						—	854	6	—	✓						
MP 05		9:45						—	1110	6	—	✓						
SVE 4		10:55						—	859	6	—	✓						
MP 08		10:25						—	827	6	—	✓						
VW 6		9:54						—	832	6	—	✓						
SVE 2		10:45						—	877	6	—	✓						
VW 5		10:20						—	812	6	—	✓						
MP 06		10:11						—	95	6	—	✓						
SVE 3		10:49						—	1083	6	—	✓						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
C185F	6/29/12 20:30						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
						Ryan Bair	7/3/12 0940

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 65526 Group # 1319678 For Lancaster Laboratories use only Sample # 6705907-31 Bottle Order (SCR) # 124007

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required?

Yes / No

(5) EDD Required?

Yes / No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | ☐ MTBE ☐ BTEX EPA 18 | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search
MW 65S	6/29	10:30						—	515	6	—	X					
MP 02		11:14						—	894	6	—	X					
~~MP 09~~ SVE 7		11:~~25~~	11:24					—	532	6	—	X					
MP 03		9:58						—	30	6	—	X					
SVE 5		10:02						—	531	6	—	X					
VW 3		11:04						—	113	6	—	X					
MW 64		10:36						—	49	6	—	X					
MP 10		11:09						—	876	6	—	X					
SVE 1		10:40						—	838	6	—	X					
MP 09		11:29						—	534	6	—	X					
Undiluted		11:35						—	826	6	—	X					

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
C1858	6-29-12 20:30						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
							7/2/12 0940

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1319678 For Lancaster Laboratories use only Sample # 6708909-31 Bottle Order (SCR) # 124007

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company

Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall

P.O. #:

Sampler: Calvin Pruitt

Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 ☐ MTBE ☐ BTEX | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search
SVE 6	6/29/12	10:06						—	513	6	—	X					

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)

☐ C1 - C4 ☐ C2 - C10

☐ C1 - C10 ☐ C4 - C10 (GRO)

☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CW	6/29/12	6/29/12					
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Ryan Bair	Date/Time: 7/3/12 0940

Lancaster Laboratories, Inc. • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

The white copy should accompany samples to Lancaster Laboratories. The yellow copy should be retained by the client.

Issued by Dept. 40 Management

7056.02

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

Client/Project: Johnson Company

Date of Receipt: 7/3/12

Time of Receipt: 0940

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

2 flow controllers

4 bags miscellaneous hardware

Unpacker Signature/Emp#: RJBair 3250 **Date/Time:** 7/3/12 0959

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

August 13, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 08/01/2012
Group Number: 1325767
PO Number: 1-0145-4
State of Sample Origin: GA


Client Sample Description	Lancaster Labs (LLI) #
MP 05 Grab Air	6740098
Undiluted Grab Air	6740099
VW 3 Grab Air	6740100
MP 04 Grab Air	6740101
MW 64 Grab Air	6740102
SVE 4 Grab Air	6740103
SVE 5 Grab Air	6740104
VW 5 Grab Air	6740105
MP 11 Grab Air	6740106
VW 6 Grab Air	6740107
SVE 1 Grab Air	6740108
MP 03 Grab Air	6740109
SVE 3 Grab Air	6740110
MP 09 Grab Air	6740111
MW 65S Grab Air	6740112
MP 07 Grab Air	6740113
SVE 6 Grab Air	6740114
MP 06 Grab Air	6740115
MP 10 Grab Air	6740116
MP 02 Grab Air	6740117
SVE 2 Grab Air	6740118
MP 08 Grab Air	6740119
SVE 7 Grab Air	6740120

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Grab Air
Summa Can# 848
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740098
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:30 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.9		0.50	14		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	1.4	J	0.50	4.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.6		0.20	5.7		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.45	J	0.20	0.93	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.91	J	0.20	4.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.69	J	0.20	3.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	19		0.20	74		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.72	J	0.20	5.1	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.42	J	0.20	1.2	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.49	J	0.20	3.3	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Grab Air
Summa Can# 848
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740098
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:30 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	21		0.20	120		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.29	J	0.20	1.3	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221230AB	08/03/2012 00:17	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Summa Can# 527
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740099
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:11 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.9	J	5.0	19	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	11		2.0	46		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	410		2.0	1,600		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Grab Air
Summa Can# 527
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740099
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:11 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	37		2.0	140		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	320		2.0	1,800		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	32		2.0	180		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.1	J	2.0	9.0	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221230AB	08/03/2012 00:57	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Grab Air
Summa Can# 886
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740100
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:49 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4,500		50	11,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	2,000		50	5,800		150	100
05298	Carbon Disulfide	75-15-0	63	J	50	200	J	160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	41	J	20	150	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	25	J	20	52	J	41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	24	J	20	140	J	120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	780		20	3,100		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	36	J	20	160	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	62	J	20	250	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	58	J	20	200	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	360		20	1,300		69	100
05298	Octane	111-65-9	59	J	20	270	J	93	100
05298	Pentane	109-66-0	53	J	20	160	J	59	100
05298	Styrene	100-42-5	120		20	500		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Grab Air
Summa Can# 886
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740100
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:49 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	120		20	460		75	100
05298	1,1,1-Trichloroethane	71-55-6	570		20	3,100		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	66	J	20	290	J	87	100
05298	o-Xylene	95-47-6	23	J	20	100	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221230AB	08/03/2012 01:34	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Grab Air
Summa Can# 123
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740101
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:35 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.4		0.50	13		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	3.7		0.50	11		1.5	1
05298	Carbon Disulfide	75-15-0	0.77	J	0.50	2.4	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.7		0.20	5.9		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.79	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.36	J	0.20	1.5	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	1.3		0.20	5.3		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.74	J	0.20	5.2	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.47	J	0.20	1.7	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	6.7		0.20	23		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.49	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.52	J	0.20	3.5	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Grab Air
Summa Can# 123
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740101
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:35 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.55	J	0.20	2.1	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.24	J	0.20	1.3	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	23		0.20	130		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.33	J	0.20	1.5	J	0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221230AB	08/03/2012 02:14	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Grab Air
Summa Can# 113
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740102
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:25 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,100	J	500	2,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	6,100		200	25,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	180,000		4,000	700,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	910	J	200	3,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	220	J	200	1,500	J	1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Grab Air
Summa Can# 113
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740102
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:25 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	310	J	200	1,200	J	750	1000
05298	1,1,1-Trichloroethane	71-55-6	110,000		4,000	620,000		22,000	20000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	300	J	200	1,600	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221230AB	08/03/2012 02:54	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/06/2012 22:23	Jeffrey B Smith	20000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Grab Air
Summa Can# 110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740103
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:41 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.0		0.50	12		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.2	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.76	J	0.20	2.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.60	J	0.20	3.0	J	0.98	1
05298	Chloromethane	74-87-3	0.31	J	0.20	0.64	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.44	J	0.20	2.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.31	J	0.20	1.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.39	J	0.20	1.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.64	J	0.20	2.6	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.35	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Grab Air
Summa Can# 110
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740103
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:41 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.78	J	0.20	4.3	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	7.1		0.20	40		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.39	J	0.20	1.7	J	0.87	1
05298	o-Xylene	95-47-6	0.23	J	0.20	1.0	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 12:04	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa Can# 532
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740104
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:50 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.4	J	5.0	15	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.2	J	2.0	21	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	730		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa Can# 532
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740104
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:50 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	31	2.0	170	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	22	2.0	120	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/06/2012 23:37	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Grab Air
Summa Can# 812
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740105
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:12 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,500		50	3,600		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	720		50	2,100		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	200		20	710		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	730		20	3,000		81	100
05298	1,2-Dichloroethane	107-06-2	22	J	20	90	J	81	100
05298	1,1-Dichloroethene	75-35-4	28,000		200	110,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	29	J	20	130	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	220		20	910		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	330		20	1,200		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	630		20	2,200		69	100
05298	Octane	111-65-9	110		20	520		93	100
05298	Pentane	109-66-0	430		20	1,300		59	100
05298	Styrene	100-42-5	87	J	20	370	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Grab Air
Summa Can# 812
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740105
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:12 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	130		20	510		75	100
05298	1,1,1-Trichloroethane	71-55-6	4,800		20	26,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	48	J	20	260	J	110	100
05298	Trichlorofluoromethane	75-69-4	27	J	20	150	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	44	J	20	190	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 00:14	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 12:45	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Grab Air
Summa Can# 854
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740106
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:58 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	530		5.0	1,300		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	500		5.0	1,500		15	10
05298	Carbon Disulfide	75-15-0	9.4	J	5.0	29	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.4	J	2.0	12	J	9.8	10
05298	Chloromethane	74-87-3	2.5	J	2.0	5.2	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	15		2.0	59		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,100		40	8,400		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	49		5.0	200		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Grab Air
Summa Can# 854
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740106
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:58 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	1,100		40	5,800		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.1	J	2.0	9.3	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 00:54	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 13:22	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Grab Air
Summa Can# 513
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740107
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:41 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	23		5.0	54		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	11	J	5.0	32	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	27		2.0	110		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	470		2.0	1,800		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.0	J	2.0	14	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Grab Air
Summa Can# 513
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740107
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:41 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	6.7	J	2.0	36	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	24		2.0	130		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 01:31	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Grab Air
Summa Can# 196
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740108
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:30 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	1,700		50	4,100		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	280		50	840		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	28	J	20	140	J	98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	100		20	420		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	4,300		20	17,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	40	J	20	170	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	340		20	1,400		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	620		20	2,200		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	1,400		20	4,900		69	100
05298	Octane	111-65-9	190		20	870		93	100
05298	Pentane	109-66-0	590		20	1,700		59	100
05298	Styrene	100-42-5	30	J	20	130	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Grab Air
Summa Can# 196
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740108
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:30 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	3,900		20	15,000		75	100
05298	1,1,1-Trichloroethane	71-55-6	29,000		200	160,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	24	J	20	130	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	180		20	780		87	100
05298	o-Xylene	95-47-6	76	J	20	330	J	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 02:08	Jeffrey B Smith	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 13:58	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Grab Air
Summa Can# 1036
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740109
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:46 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.0		0.50	9.6		1.2	1
05298	Benzene	71-43-2	0.22	J	0.20	0.70	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	0.93	J	0.50	2.7	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.72	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.6		0.20	5.6		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.58	J	0.20	2.8	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.45	J	0.20	2.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	7.1		0.20	29		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	140		2.0	570		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.47	J	0.20	2.0	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.31	J	0.20	1.4	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.3		0.20	16		1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Grab Air
Summa Can# 1036
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740109
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:46 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	8.8		0.20	33		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	150		2.0	840		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	20		0.20	110		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.9		0.87	1
05298	o-Xylene	95-47-6	0.69	J	0.20	3.0	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 02:48	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 14:35	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Grab Air
Summa Can# 800
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740110
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:37 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		0.50	44		1.2	1
05298	Benzene	71-43-2	0.75	J	0.20	2.4	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	3.9		0.50	11		1.5	1
05298	Carbon Disulfide	75-15-0	1.5		0.50	4.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.58	J	0.20	2.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.85	J	0.20	4.1	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.42	J	0.20	2.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	17		0.20	68		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.22	J	0.20	0.87	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	94		2.0	370		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.47	J	0.20	2.0	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.20	J	0.20	1.4	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.23	J	0.20	1.1	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.29	J	0.20	2.0	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Grab Air
Summa Can# 800
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740110
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:37 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.5		0.20	9.3		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	25		0.20	140		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	7.1		0.20	40		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.32	J	0.20	1.6	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.6		0.87	1
05298	o-Xylene	95-47-6	0.60	J	0.20	2.6	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 03:28	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 15:12	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Grab Air
Summa Can# 876
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740111
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:06 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	110		5.0	260		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	46		5.0	130		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	12		2.0	60		9.8	10
05298	Chloromethane	74-87-3	2.9	J	2.0	6.0	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	63		2.0	250		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	7.7	J	5.0	31	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Grab Air
Summa Can# 876
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740111
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:06 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	22	2.0	120	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 04:08	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Grab Air
Summa Can# 826
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740112
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:21 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,000	J	500	4,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		400	N.D.		880	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	270	J	200	1,100	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	210,000		4,000	840,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	230	J	200	930	J	820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	430	J	200	1,500	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	1,200		200	4,200		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	270	J	200	790	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Grab Air
Summa Can# 826
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740112
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:21 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	24,000	200	130,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 04:45	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/07/2012 20:56	Michael A Ziegler	20000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Grab Air
Summa Can# 863
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740113
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:06 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	5.0	N.D.	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	4.0	N.D.	8.8	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	5.0	N.D.	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	15	2.0	59	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	580	2.0	2,300	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Grab Air
Summa Can# 863
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740113
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:06 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	57		2.0	220		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	290		2.0	1,600		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	17		2.0	94		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	5.0	J	2.0	22	J	8.7	10
05298	o-Xylene	95-47-6	2.8	J	2.0	12	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 05:22	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Grab Air
Summa Can# 537
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740114
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:55 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.6	J	5.0	20	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	41		2.0	160		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	670		2.0	2,700		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Grab Air
Summa Can# 537
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740114
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 10:55 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	14	2.0	55	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	830	4.0	4,500	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	26	2.0	140	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 05:59	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/07/2012 21:38	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Grab Air
Summa Can# 838
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740115
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:01 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.9	J	2.0	16	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	210		2.0	830		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Grab Air
Summa Can# 838
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740115
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:01 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	3.6	J	2.0	14	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	41		2.0	230		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	23		2.0	130		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	3.5	J	2.0	15	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AB	08/07/2012 06:36	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Grab Air
Summa Can# 12
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740116
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:46 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	29		1.2	1
05298	Benzene	71-43-2	0.80	J	0.20	2.6	J	0.64	1
05298	Bromobenzene	108-86-1	0.24	J	0.20	1.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.40	N.D.		0.88	1
05298	2-Butanone	78-93-3	6.7		0.50	20		1.5	1
05298	Carbon Disulfide	75-15-0	0.73	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.21	J	0.20	0.99	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.4		0.20	12		0.98	1
05298	Chloromethane	74-87-3	0.48	J	0.20	0.99	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.81	J	0.20	4.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.0		0.20	6.2		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.1		0.20	6.5		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.0		0.20	6.0		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.40	J	0.20	2.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	5.7		0.20	23		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	3.9		0.20	16		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.8		0.20	12		0.87	1
05298	4-Ethyltoluene	622-96-8	0.55	J	0.20	2.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.30	J	0.20	1.1	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.7	J	0.50	6.9	J	2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.92	J	0.20	4.3	J	0.93	1
05298	Pentane	109-66-0	0.25	J	0.20	0.73	J	0.59	1
05298	Styrene	100-42-5	0.58	J	0.20	2.5	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.32	J	0.20	2.1	J	1.4	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Grab Air
Summa Can# 12
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740116
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:46 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.7		0.20	6.2		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	18		0.20	100		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.21	J	0.20	1.1	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.24	J	0.20	1.4	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.86	J	0.20	4.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.61	J	0.20	3.0	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	6.0		0.20	26		0.87	1
05298	o-Xylene	95-47-6	3.5		0.20	15		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/07/2012 22:15	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Grab Air
Summa Can# 534
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740117
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:54 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2,700		50	6,300		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		40	N.D.		88	100
05298	2-Butanone	78-93-3	2,200		50	6,300		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	95	J	20	340	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	39	J	20	160	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,300		20	5,200		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	28	J	20	120	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	110		20	470		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	150		20	540		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	120	J	50	500	J	200	100
05298	Methylene Chloride	75-09-2	220		20	760		69	100
05298	Octane	111-65-9	67	J	20	310	J	93	100
05298	Pentane	109-66-0	140		20	410		59	100
05298	Styrene	100-42-5	68	J	20	290	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Grab Air
Summa Can# 534
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740117
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:54 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	81	J	20	310	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	540		20	2,900		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	33	J	20	160	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	54	J	20	240	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/07/2012 22:55	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Grab Air
Summa Can# 832
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740118
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:34 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11	J	5.0	26	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	140		2.0	550		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,000		20	8,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	6.1	J	2.0	27	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.6	J	2.0	16	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.7	J	2.0	18	J	14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Grab Air
Summa Can# 832
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740118
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:34 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1,000		20	3,800		75	100
05298	1,1,1-Trichloroethane	71-55-6	970		20	5,300		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	2.6	J	2.0	14	J	11	10
05298	Trichlorofluoromethane	75-69-4	4.4	J	2.0	25	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	27		2.0	120		8.7	10
05298	o-Xylene	95-47-6	14		2.0	60		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/07/2012 23:35	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1222130AA	08/08/2012 18:20	Florida A Cimino	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Grab Air
Summa Can# 49
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740119
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:17 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.1	J	2.0	8.6	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	370		2.0	1,500		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 08 Grab Air
Summa Can# 49
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740119
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 11:17 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.6	J	2.0	9.6	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	110		2.0	610		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	26		2.0	150		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1221930AC	08/08/2012 00:12	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Grab Air
Summa Can# 531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740120
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:02 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	170		5.0	400		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		4.0	N.D.		8.8	10
05298	2-Butanone	78-93-3	180		5.0	520		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	5.1	J	2.0	25	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	720		20	2,900		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Grab Air
Summa Can# 531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6740120
LLI Group # 1325767
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 07/30/2012 12:02 by CP

Submitted: 08/01/2012 09:20
Reported: 08/13/2012 23:16

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	1,200	20	6,400	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1222130AA	08/08/2012 19:10	Florida A Cimino	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	A1222130AB	08/09/2012 17:05	Michael A Ziegler	100

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1325767
Reported: 08/13/12 at 11:16 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A1221230AB	Sample number(s): 6740098-6740102							
Acetone	N.D.	0.50	ppb(v)	94	94	67-138	1	25
Benzene	N.D.	0.20	ppb(v)	100	95	70-130	6	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	109	104	70-138	4	25
Bromoform	N.D.	0.20	ppb(v)	111	111	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	106	108	70-130	1	25
1,3-Butadiene	N.D.	0.40	ppb(v)	102	98	60-135	4	25
2-Butanone	N.D.	0.50	ppb(v)	102	97	66-129	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	87	87	56-106	0	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	115	113	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	101	97	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	105	105	71-129	0	25
Chloroform	N.D.	0.20	ppb(v)	109	106	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	109	98	58-129	10	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	101	96	68-138	5	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	104	100	71-135	4	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	103	99	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	106	98	68-136	8	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	106	97	67-140	9	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	117	117	72-140	0	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	103	104	66-126	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	105	100	70-130	5	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	93	89	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	104	104	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	92	67-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	96	95	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	94	67-134	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	114	107	67-134	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	100	94	70-130	7	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	95	89	69-135	8	25
Freon 113	N.D.	0.50	ppb(v)	91	88	67-115	3	25
Freon 114	N.D.	0.20	ppb(v)	111	108	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	92	88	60-125	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	98	98	62-120	0	25
2-Hexanone	N.D.	0.50	ppb(v)	95	87	54-166	9	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	102	101	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	93	88	61-145	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	91	90	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1325767
Reported: 08/13/12 at 11:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	101	97	70-139	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	98	96	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	109	102	70-130	7	25
Toluene	N.D.	0.20	ppb(v)	100	96	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	117	113	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	104	98	68-128	6	25
Trichloroethene	N.D.	0.20	ppb(v)	103	99	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	117	117	70-130	0	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	96	91	69-138	6	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	101	96	71-142	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	110	113	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	101	95	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	104	103	70-130	2	25
Batch number: A1221930AB	Sample number(s): 6740102-6740115							
Acetone	N.D.	0.50	ppb(v)	81	82	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	84	87	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	90	91	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	85	88	71-150	3	25
Bromomethane	N.D.	0.20	ppb(v)	86	83	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	79	76	60-135	3	25
2-Butanone	N.D.	0.50	ppb(v)	83	87	66-129	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	65	67	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	79	83	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	85	82	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	90	88	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	81	81	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	90	80	58-129	11	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	84	68-138	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	86	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	103	99	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	94	96	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	101	100	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	84	85	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	83	86	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	86	87	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	73	72	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	81	79	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	80	80	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	88	70-130	5	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	83	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	95	67-134	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	81	83	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	82	86	69-135	5	25
Freon 113	N.D.	0.50	ppb(v)	72	76	67-115	5	25
Freon 114	N.D.	0.20	ppb(v)	85	84	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	82	85	60-125	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1325767
Reported: 08/13/12 at 11:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	77	80	62-120	3	25
2-Hexanone	N.D.	0.50	ppb(v)	106	110	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	77	80	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	103	105	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	75	75	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	89	89	70-139	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	87	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	77	79	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	80	80	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	83	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	84	86	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	82	86	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	90	86	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	97	94	69-138	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	88	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	82	82	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	81	81	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	87	84	70-130	3	25
Batch number: A1221930AC	Sample number(s): 6740112,6740114,6740116-6740119							
Acetone	N.D.	0.50	ppb(v)	81	82	67-138	2	25
Benzene	N.D.	0.20	ppb(v)	84	87	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	90	91	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	85	88	71-150	3	25
Bromomethane	N.D.	0.20	ppb(v)	86	83	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	79	76	60-135	3	25
2-Butanone	N.D.	0.50	ppb(v)	83	87	66-129	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	65	67	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	79	83	70-130	4	25
Chlorobenzene	N.D.	0.20	ppb(v)	85	82	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	90	88	71-129	2	25
Chloroform	N.D.	0.20	ppb(v)	81	81	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	90	80	58-129	11	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	84	68-138	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	85	86	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	103	99	71-143	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	94	96	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	101	100	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	84	85	72-140	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	83	86	66-126	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	86	87	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	73	72	64-117	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	81	79	69-120	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	80	80	67-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	88	70-130	5	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	83	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	95	67-134	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1325767
Reported: 08/13/12 at 11:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	81	83	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	82	86	69-135	5	25
Freon 113	N.D.	0.50	ppb(v)	72	76	67-115	5	25
Freon 114	N.D.	0.20	ppb(v)	85	84	66-120	2	25
Heptane	N.D.	0.20	ppb(v)	82	85	60-125	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	77	80	62-120	3	25
2-Hexanone	N.D.	0.50	ppb(v)	106	110	54-166	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	77	80	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	103	105	61-145	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	75	75	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	89	89	70-139	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	87	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	77	79	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	80	80	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	83	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	84	86	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	82	86	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	90	86	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	97	94	69-138	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	88	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	82	82	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	81	81	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	87	84	70-130	3	25
Batch number: A1222130AA	Sample number(s): 6740118,6740120							
Acetone	N.D.	0.50	ppb(v)	80	89	67-138	12	25
Benzene	N.D.	0.20	ppb(v)	76	85	70-130	12	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	84	93	70-138	11	25
Bromoform	N.D.	0.20	ppb(v)	76	83	71-150	8	25
Bromomethane	N.D.	0.20	ppb(v)	82	89	70-130	8	25
1,3-Butadiene	N.D.	0.40	ppb(v)	78	83	60-135	7	25
2-Butanone	N.D.	0.50	ppb(v)	82	91	66-129	11	25
Carbon Disulfide	N.D.	0.50	ppb(v)	65	71	56-106	10	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	78	90	70-130	14	25
Chlorobenzene	N.D.	0.20	ppb(v)	74	81	70-130	9	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	87	93	71-129	7	25
Chloroform	N.D.	0.20	ppb(v)	79	84	70-130	6	25
Chloromethane	N.D.	0.20	ppb(v)	89	95	58-129	6	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	73	78	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	79	85	71-135	8	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	99	71-143	8	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	87	94	68-136	7	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	92	96	67-140	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	83	88	72-140	6	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	80	88	66-126	9	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	80	91	70-130	12	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	74	82	64-117	10	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1325767
Reported: 08/13/12 at 11:16 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	77	87	69-120	12	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	79	87	67-121	10	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	79	88	70-130	11	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	76	79	67-134	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	87	93	67-134	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	75	80	70-130	6	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	77	85	69-135	11	25
Freon 113	N.D.	0.50	ppb(v)	72	84	67-115	15	25
Freon 114	N.D.	0.20	ppb(v)	83	87	66-120	5	25
Heptane	N.D.	0.20	ppb(v)	77	85	60-125	9	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	78	84	62-120	7	25
2-Hexanone	N.D.	0.50	ppb(v)	93	103	54-166	10	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	77	85	64-124	10	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	92	106	61-145	14	25
Methylene Chloride	N.D.	0.20	ppb(v)	75	82	70-130	9	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	78	86	70-139	10	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	80	88	67-145	10	25
Tetrachloroethene	N.D.	0.20	ppb(v)	72	77	70-130	7	25
Toluene	N.D.	0.20	ppb(v)	73	77	70-130	6	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	80	91	70-130	13	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	79	81	68-128	3	25
Trichloroethene	N.D.	0.20	ppb(v)	77	86	70-130	11	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	87	94	70-130	8	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	96	69-138	10	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	82	91	71-142	10	25
Vinyl Chloride	N.D.	0.20	ppb(v)	84	89	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	74	76	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	80	86	70-130	8	25
Batch number: A1222130AB	Sample number(s): 6740120							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	74	82	64-117	10	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	80	91	70-130	13	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1325767 For Lancaster Laboratories use only Sample # 674098-120 Bottle Order (SCR) # 125588

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 ☐ MTBE ☐ BTEX | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2) Sample Identification

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
MP 05	7/30/12	10:30						—	848	6	—
Undiluted	7/30/12	12:11						—	527	6	—
VW 3	7/30/12	11:49						—	886	6	—
MP 04	7/30/12	10:35						—	123	6	—
MW 64	7/30/12	11:25						—	113	6	—
SVE 4	7/30/12	11:41						—	110	6	—
SVE 5 ~~SVE 6~~ KAK 8350 per label + T. Hall.	7/30/12	10:50						—	532	6	—
VW 5	7/30/12	11:12						—	812	6	—
MP 11	7/30/12	11:58						—	854	6	—
VW 6	7/30/12	10:41						—	513	6	—
SVE 1	7/30/12	11:30						—	196	6	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CRST	7/23/12 12:30	CP	7/30/12				
Relinquished by: CS	Date/Time: 7/30/12	Received by: UPS	Date/Time: 7/30/12	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [illegible]	Date/Time: 8/1/12 0920

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1325767 For Lancaster Laboratories use only Sample # 6740098-120 Bottle Order (SCR) # 125

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co

Account #:

Project Name/#: Flaney Branch SVE

Project Manager: Todd Hall

P.O. #:

Sampler: Calvin Pruitt

Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15; EPA 18 ☐ MTBE ☐ BTEX; EPA 25 (select range below); Helium as tracer; O2/CO2; Library Search

(2) Sample Identification

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
MP 03	7/30/12	10:46						—	1436	6	—
SVE 3	7/30/12	11:37						—	800	6	—
MP 09	7/30/12	12:06						—	876	6	—
MW 605	7/30/12	11:21						—	826	6	—
MP 07	7/30/12	11:06						—	863	6	—
SVE 6	7/30/12	10:55						—	537	6	—
MP 06	7/30/12	11:01						—	838	6	—
MP 10	7/30/12	11:46						—	12	6	—
MP 02	7/30/12	11:54						—	534	6	—
SVE 2	7/30/12	11:34						—	832	6	—
MP 08	7/30/12	11:17						—	49	6	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CDS	7-31-12 2035						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Victoria Hall	Date/Time: 8/1/12 0920

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1325767 For Lancaster Laboratories use only Sample # 674009S - 120 Bottle Order (SCR) # 125588

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Wahl
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 | ☐ BTEX ☐ MTBE | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2) Sample Identification

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
SVE 7	7/30/12	12:02						—	531	6	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
GBF	7-23-12 2238						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Deborah Veal	Date/Time: 8/1/12 0920

Kathy Klinefelter

From: Todd Hall [TAH@jcomail.com]
Sent: Monday, August 06, 2012 5:04 PM
To: Kathy Klinefelter
Cc: Patrick Smart; Joel Behrsing
Subject: RE: 1325767 - Sample ID discrepancy noted.

Kathy,

I spoke with Joel and he confirmed your proposed changes are correct. The operator's field form confirms that the sample times are correct, SVE 6 was collected in summa #537, and SVE 5 was collected in summa #532. Please make your proposed changes and proceed with sample processing.

Thanks,

Todd Hall, P.E.
Senior Engineer
The Johnson Company
100 State Street, Suite 600
Montpelier, Vermont 05602
tel: 802.229.4600
cel: 802.249.9072
fax: 802.229.5876
e-mail: thall@jcomail.com
www.johnsonco.com

The materials transmitted by this electronic mail are confidential, are only for use by the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender, and also remove this message from your hard drive, diskette, and any other storage device.

From: Kathy Klinefelter [mailto:KKlinefelter@lancasterlabs.com]
Sent: Monday, August 06, 2012 4:13 PM
To: Todd Hall
Subject: FW: 1325767 - Sample ID discrepancy noted.

Hi Todd,

Have you had a chance to look into this?

Thanks,
Kathy

From: Kathy Klinefelter
Sent: Friday, August 03, 2012 5:47 PM
To: 'Todd Hall'
Cc: Wendy Kozma
Subject: 1325767 - Sample ID discrepancy noted.

<<1325767c.pdf>> <<1325767d.pdf>>

Hello Todd,

Please see the attached COC and sample receipt doc log. 2 locations were marked on the COC as SVE 6, but the label on the summa can for the sample collected at 1050 identified the sample as SVE 5.

Please confirm that the following collection information is correct.

SVE 5 was collected 7/30/12 at 1050 as per the label. We will amend the COC to change the sample ID from SVE 6 to SVE 5.

SVE 6 was collected 7/30/12 at 1055 as per the label and COC. No change needed.

Thanks,

Kathy Klinefelter
Principal Project Manager, Environmental Client Services

Eurofins Lancaster Laboratories, Inc.
2425 New Holland Pike
Lancaster, PA 17601
Phone: 717-556-7256
Fax: 717-656-6766

Website: www.LancasterLabsEnv.com

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 8/1/12

Time of Receipt: 0920

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers

Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

+ 2 Flow Controllers + Rods

SVE 6 = SVE 5 on Label

Unpacker Signature/Emp#: Darlene 208 **Date/Time:** 8/1/12 0940

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

September 19, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 09/06/2012
Group Number: 1333618
PO Number: 1-0145-4
State of Sample Origin: GA


Client Sample Description	Lancaster Labs (LLI) #
MP 02 Summa #897 Air	6778778
MP 03 Summa #414 Air	6778779
MP 04 Summa #167 Air	6778780
MP 05 Summa #141 Air	6778781
MP 06 Summa #055 Air	6778782
MP 07 Summa #1032 Air	6778783
MP 08 Summa #856 Air	6778784
MP 09 Summa #069 Air	6778785
MP 10 Summa #865 Air	6778786
MP 11 Summa #1033 Air	6778787
VW 3 Summa #539 Air	6778788
VW 5 Summa #1022 Air	6778789
VW 6 Summa #531 Air	6778790
MW 64 Summa #140 Air	6778791
MW 65s Summa #891 Air	6778792
SVE 1 Summa #061 Air	6778793
SVE 2 Summa #263 Air	6778794
SVE 3 Summa #113 Air	6778795
SVE 4 Summa #1108 Air	6778796
SVE 5 Summa #1081 Air	6778797
SVE 6 Summa #847 Air	6778798
SVE 7 Summa #832 Air	6778799
Undiluted Summa #859 Air	6778800

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa #897 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778778
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:22 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	330		5.0	790		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	260		5.0	770		15	10
05298	Carbon Disulfide	75-15-0	12		5.0	38		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	3.7	J	2.0	18	J	9.8	10
05298	Chloromethane	74-87-3	3.3	J	2.0	6.8	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	37		2.0	150		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,400		4.0	5,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	15	J	5.0	60	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	3.8	J	2.0	11	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa #897 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778778
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:22 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	440	2.0	2,400	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/11/2012 23:06	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AE	09/13/2012 01:00	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa #414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778779
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:45 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13		0.50	31		1.2	1
05298	Benzene	71-43-2	0.41	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.7	J	0.50	5.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	2.4		0.50	7.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.2		0.20	7.8		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.59	J	0.20	2.9	J	0.98	1
05298	Chloromethane	74-87-3	0.42	J	0.20	0.86	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.20	J	0.20	0.99	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.64	J	0.20	3.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	5.1		0.20	21		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.30	J	0.20	1.2	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	110		2.0	450		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.29	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.25	J	0.20	1.8	J	1.4	1
05298	Heptane	142-82-5	0.67	J	0.20	2.8	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.1		0.20	4.0		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	0.23	J	0.20	1.1	J	0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	5.3		0.20	18		0.69	1
05298	Octane	111-65-9	0.21	J	0.20	0.99	J	0.93	1
05298	Pentane	109-66-0	6.0		0.20	18		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	4.3		0.20	29		1.4	1
05298	Toluene	108-88-3	36		0.20	140		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa #414 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778779
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:45 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	160		2.0	890		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	12		0.20	65		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.35	J	0.20	1.7	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.3		0.20	5.8		0.87	1
05298	o-Xylene	95-47-6	0.50	J	0.20	2.2	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/11/2012 23:54	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AE	09/12/2012 21:21	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa #167 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778780
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:54 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.2		0.50	12		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.96	J	0.50	2.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.58	J	0.50	1.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.2		0.20	7.6		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.40	J	0.20	0.83	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.28	J	0.20	1.4	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.75	J	0.20	3.0	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	0.28	J	0.20	2.0	J	1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.43	J	0.20	1.5	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.57	J	0.20	1.7	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.58	J	0.20	4.0	J	1.4	1
05298	Toluene	108-88-3	0.53	J	0.20	2.0	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa #167 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778780
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:54 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	14	0.20	76	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 00:42	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa #141 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778781
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:59 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.5		0.50	8.3		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.66	J	0.50	2.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.64	J	0.50	2.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.8		0.20	6.3		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.38	J	0.20	0.79	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.30	J	0.20	1.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	13		0.20	53		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.24	J	0.20	0.72	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.48	J	0.20	3.2	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Sample Description: MP 05 Summa #141 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778781
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:59 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	12	0.20	70	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 01:29	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa #055 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778782
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:32 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.6	J	5.0	13	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	20	J	5.0	58	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.6	J	2.0	9.3	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.7	J	2.0	15	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	150		2.0	580		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.0	J	2.0	14	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	24		2.0	92		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa #055 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778782
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:32 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	38	2.0	210	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	15	2.0	86	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 02:13	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa #1032 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778783
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:28 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.2	J	5.0	12	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	13		2.0	51		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	460		2.0	1,800		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.5	J	2.0	8.8	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	24		2.0	92		7.5	10

Sample Description: MP 07 Summa #1032 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778783
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:28 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	250	2.0	1,400	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	13	2.0	71	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 02:56	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa #856 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778784
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:18 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.1	J	2.0	7.4	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	290		2.0	1,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.1	J	2.0	7.3	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa #856 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778784
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:18 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	81	2.0	440	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	15	2.0	83	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 03:39	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa #069 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778785
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:05 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	30		5.0	71		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	6.1	J	5.0	18	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	11		2.0	53		9.8	10
05298	Chloromethane	74-87-3	2.0	J	2.0	4.2	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.5	J	2.0	18	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	350		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	2.3	J	2.0	6.8	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa #069 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778785
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:05 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	77	2.0	420	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 04:23	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa #865 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778786
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:33 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	29		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.7		0.50	14		1.5	1
05298	Carbon Disulfide	75-15-0	2.3		0.50	7.2		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.26	J	0.20	0.93	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.2		0.20	11		0.98	1
05298	Chloromethane	74-87-3	0.92	J	0.20	1.9	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.27	J	0.20	1.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.26	J	0.20	1.6	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.32	J	0.20	1.9	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.31	J	0.20	1.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.62	J	0.20	3.1	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.1		0.20	33		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	8.5		0.20	34		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.50	J	0.20	2.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.42	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.26	J	0.20	1.8	J	1.4	1
05298	Toluene	108-88-3	0.33	J	0.20	1.3	J	0.75	1

eurofins | Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MP 10 Summa #865 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778786
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:33 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	27		0.20	150		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.34	J	0.20	1.9	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.4		0.20	6.2		0.87	1
05298	o-Xylene	95-47-6	0.73	J	0.20	3.2	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AA	09/14/2012 00:26	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa #1033 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778787
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:16 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	46		5.0	110		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	14	J	5.0	42	J	15	10
05298	Carbon Disulfide	75-15-0	6.0	J	5.0	19	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.2	J	2.0	37	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,700		5.0	6,600		20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa #1033 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778787
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:16 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	790	5.0	4,300	27	25
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 05:49	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AE	09/12/2012 22:04	Michael A Ziegler	25

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa #539 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778788
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:27 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	630		5.0	1,500		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	71		5.0	210		15	10
05298	Carbon Disulfide	75-15-0	7.5	J	5.0	23	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.4	J	2.0	12	J	9.8	10
05298	Chloromethane	74-87-3	2.0	J	2.0	4.2	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	6.7	J	2.0	27	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	710		4.0	2,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.6	J	2.0	17	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa #539 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778788
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:27 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	440	2.0	2,400	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 06:32	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AE	09/12/2012 22:48	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa #1022 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778789
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:14 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	630	J	500	1,500	J	1,200	1000
05298	Benzene	71-43-2	300	J	200	970	J	640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	720	J	200	2,900	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	49,000		200	190,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	220	J	200	780	J	700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	240	J	200	1,100	J	930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	340	J	200	1,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	350	J	200	1,000	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	520	J	200	2,000	J	750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa #1022 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778789
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:14 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	5,000		200	27,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	260	J	200	1,400	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AA	09/14/2012 01:11	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa #531 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778790
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:50 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	5.0	28	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	2.2	J	2.0	7.6	J	7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	18		2.0	73		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	260		2.0	1,000		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.1	J	2.0	14	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa #531 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778790
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:50 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	7.1	J	2.0	39	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	17		2.0	97		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225030AD	09/12/2012 07:16	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778791
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:09 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	3,400		200	14,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	95,000		400	380,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	470	J	200	1,600	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa #140 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778791
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:09 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	51,000		200	280,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	370	J	200	2,000	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AA	09/14/2012 01:55	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AB	09/15/2012 05:15	Jeffrey B Smith	2000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65s Summa #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778792
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:23 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	760	J	500	1,800	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	350	J	200	1,400	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	180,000		4,000	710,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	380	J	200	1,300	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65s Summa #891 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778792
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:23 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	28,000		200	150,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	290	J	200	1,600	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AA	09/14/2012 03:26	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AB	09/15/2012 04:31	Jeffrey B Smith	20000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa #061 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778793
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:04 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	4,300		200	17,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	320	J	200	1,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	2,500		200	9,300		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa #061 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778793
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:04 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	47,000		200	250,000		1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		200	N.D.		1,100	1000
05298	Trichloroethene	79-01-6	280	J	200	1,500	J	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.		200	N.D.		1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		200	N.D.		1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		200	N.D.		980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		200	N.D.		980	1000
05298	Vinyl Chloride	75-01-4	N.D.		200	N.D.		510	1000
05298	m/p-Xylene	179601-23-1	N.D.		200	N.D.		870	1000
05298	o-Xylene	95-47-6	N.D.		200	N.D.		870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AA	09/14/2012 04:10	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa #263 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778794
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:49 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		10	N.D.		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	100		4.0	400		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,700		20	6,700		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	5.8	J	4.0	20	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	1,400		4.0	5,200		15	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa #263 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778794
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:49 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,100		4.0	5,800		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	10	J	4.0	44	J	17	20
05298	o-Xylene	95-47-6	4.5	J	4.0	20	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AB	09/15/2012 02:57	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AC	09/16/2012 23:32	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa #113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778795
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:44 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		0.50	42		1.2	1
05298	Benzene	71-43-2	0.40	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.5		0.50	7.2		1.5	1
05298	Carbon Disulfide	75-15-0	1.8		0.50	5.7		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.0	J	0.20	3.5	J	0.71	1
05298	Chloroethane	75-00-3	0.21	J	0.20	0.55	J	0.53	1
05298	Chloroform	67-66-3	1.1		0.20	5.4		0.98	1
05298	Chloromethane	74-87-3	1.3		0.20	2.7		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.65	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	13		0.20	53		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	65		0.20	260		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.30	J	0.20	1.0	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.23	J	0.20	0.67	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.49	J	0.20	3.3	J	1.4	1
05298	Toluene	108-88-3	1.9		0.20	7.2		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa #113 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778795
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:44 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	19		0.20	100		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	6.1		0.20	35		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.25	J	0.20	0.63	J	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1225730AB	09/15/2012 03:46	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa #1108 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778796
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:40 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	5.0	N.D.	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	5.0	N.D.	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.	2.0	N.D.	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	N.D.	2.0	N.D.	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	5.0	N.D.	17	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa #1108 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778796
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:40 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		2.0	N.D.		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	4.9	J	2.0	27	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AB	09/19/2012 13:11	Jeffrey B Smith	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa #1081 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778797
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:41 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.8		0.50	23		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.2	J	0.50	3.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.57	J	0.50	1.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.9		0.20	6.6		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.26	J	0.20	1.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.37	J	0.20	1.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	6.3		0.20	26		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	330		4.0	1,300		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.50	N.D.		1.7	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.51	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	9.0		1.4	1
05298	Toluene	108-88-3	1.4		0.20	5.1		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa #1081 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778797
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:41 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	59		0.20	320		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.22	J	0.20	1.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	17		0.20	93		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AA	09/19/2012 01:32	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AB	09/19/2012 13:53	Jeffrey B Smith	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa #847 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778798
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:37 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		0.50	45		1.2	1
05298	Benzene	71-43-2	0.34	J	0.20	1.1	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.8	J	0.50	5.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.6		0.50	4.9		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.33	J	0.20	1.2	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.32	J	0.20	1.6	J	0.98	1
05298	Chloromethane	74-87-3	0.31	J	0.20	0.63	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.5		0.20	7.5		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.43	J	0.20	2.6	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.43	J	0.20	2.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.47	J	0.20	2.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.46	J	0.20	2.3	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	42		0.20	170		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.81	J	0.20	3.3	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	460		20	1,800		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.3		0.20	5.8		0.87	1
05298	4-Ethyltoluene	622-96-8	0.26	J	0.20	1.3	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.22	J	0.20	0.90	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.61	J	0.50	2.1	J	1.7	1
05298	Octane	111-65-9	0.42	J	0.20	2.0	J	0.93	1
05298	Pentane	109-66-0	0.43	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	0.22	J	0.20	0.93	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.1		0.20	7.3		1.4	1
05298	Toluene	108-88-3	15		0.20	57		0.75	1

Sample Description: SVE 6 Summa #847 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778798
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 12:37 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,200		20	6,700		110	100
05298	1,1,2-Trichloroethane	79-00-5	0.48	J	0.20	2.6	J	1.1	1
05298	Trichloroethene	79-01-6	0.73	J	0.20	3.9	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	20		0.20	110		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.33	J	0.20	1.6	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.27	J	0.20	1.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	0.43	J	0.20	1.1	J	0.51	1
05298	m/p-Xylene	179601-23-1	3.5		0.20	15		0.87	1
05298	o-Xylene	95-47-6	2.0		0.20	8.5		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AA	09/19/2012 02:20	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AB	09/19/2012 16:04	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Summa #832 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778799
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:11 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	53		0.50	130		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	48		0.50	140		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	3.1		0.20	15		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.75	J	0.20	3.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	0.37	J	0.20	1.5	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	580		20	2,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	1.4	J	0.50	10	J	3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.50	N.D.		1.7	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.98	J	0.20	6.6	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Sample Description: SVE 7 Summa #832 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778799
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:11 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	920		20	5,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.30	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	N.D.		0.20	N.D.		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AA	09/19/2012 03:07	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AB	09/19/2012 16:51	Jeffrey B Smith	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa #859 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778800
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:00 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		0.50	25		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.1		0.50	6.3		1.5	1
05298	Carbon Disulfide	75-15-0	6.9		0.50	22		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.9		0.20	6.9		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.33	J	0.20	0.68	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.38	J	0.20	1.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.1		0.20	33		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.26	J	0.20	1.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	350		4.0	1,400		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.34	J	0.20	1.5	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.62	J	0.50	2.1	J	1.7	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.21	J	0.20	0.63	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.55	J	0.20	3.8	J	1.4	1
05298	Toluene	108-88-3	44		0.20	170		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa #859 Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6778800
LLI Group # 1333618
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 08/31/2012 11:00 by CP

Submitted: 09/06/2012 10:50
Reported: 09/19/2012 20:46

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	380		4.0	2,100		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.29	J	0.20	1.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	13		0.20	75		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.7		0.20	7.5		0.87	1
05298	o-Xylene	95-47-6	0.77	J	0.20	3.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AA	09/19/2012 03:54	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1226330AB	09/19/2012 14:34	Jeffrey B Smith	20

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1226330AA	Sample number(s): 6778797-6778800							
Acetone	N.D.	0.50	ppb(v)	100	96	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	96	92	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	94	91	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	98	96	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	96	95	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	92	91	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	101	100	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	77	75	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	93	88	70-130	6	25
Chlorobenzene	N.D.	0.20	ppb(v)	92	91	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	98	96	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	91	85	70-130	7	25
Chloromethane	N.D.	0.20	ppb(v)	89	90	58-129	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	93	90	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	94	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	90	89	71-143	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	87	86	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	84	83	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	94	97	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	94	88	66-126	6	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	98	93	70-130	5	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	89	69-120	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	87	67-121	5	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	90	87	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	99	94	67-134	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	93	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	100	100	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	93	93	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	86	81	67-115	5	25
Freon 114	N.D.	0.20	ppb(v)	86	86	66-120	0	25
Heptane	N.D.	0.20	ppb(v)	93	89	60-125	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	86	62-120	6	25
2-Hexanone	N.D.	0.50	ppb(v)	92	93	54-166	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	95	92	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	102	100	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	84	70-130	5	25
Octane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	98	98	70-139	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	93	91	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	91	88	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	99	97	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	88	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	94	92	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	93	89	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	97	96	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	92	91	69-138	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	98	97	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	96	97	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	110	109	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	105	105	70-130	0	25
Batch number: C1226330AB	Sample number(s): 6778796-6778800							
Acetone	N.D.	0.50	ppb(v)	100	96	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	96	92	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	94	91	70-138	3	25
Bromoform	N.D.	0.20	ppb(v)	98	96	71-150	2	25
Bromomethane	N.D.	0.20	ppb(v)	96	95	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	92	91	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	101	100	66-129	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	77	75	56-106	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	93	88	70-130	6	25
Chlorobenzene	N.D.	0.20	ppb(v)	92	91	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	98	96	71-129	1	25
Chloroform	N.D.	0.20	ppb(v)	91	85	70-130	7	25
Chloromethane	N.D.	0.20	ppb(v)	89	90	58-129	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	93	90	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	94	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	90	89	71-143	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	87	86	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	84	83	67-140	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	94	97	72-140	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	94	88	66-126	6	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	98	93	70-130	5	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	87	84	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	94	89	69-120	5	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	91	87	67-121	5	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	90	87	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	99	94	67-134	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	93	67-134	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	100	100	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	93	93	69-135	1	25
Freon 113	N.D.	0.50	ppb(v)	86	81	67-115	5	25
Freon 114	N.D.	0.20	ppb(v)	86	86	66-120	0	25
Heptane	N.D.	0.20	ppb(v)	93	89	60-125	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	86	62-120	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
2-Hexanone	N.D.	0.50	ppb(v)	92	93	54-166	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	95	92	64-124	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	102	100	61-145	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	84	70-130	5	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	98	98	70-139	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	93	91	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	91	88	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	99	97	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	95	88	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	94	92	68-128	2	25
Trichloroethene	N.D.	0.20	ppb(v)	93	89	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	97	96	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	92	91	69-138	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	98	97	71-142	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	96	97	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	110	109	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	105	105	70-130	0	25
Batch number: D1225030AD	Sample number(s): 6778778-6778785,6778787-6778788,6778790							
Acetone	N.D.	0.50	ppb(v)	81	83	67-138	3	25
Benzene	N.D.	0.20	ppb(v)	78	80	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	89	87	70-138	2	25
Bromoform	N.D.	0.20	ppb(v)	99	96	71-150	3	25
Bromomethane	N.D.	0.20	ppb(v)	85	87	70-130	3	25
1,3-Butadiene	N.D.	0.40	ppb(v)	81	90	60-135	11	25
2-Butanone	N.D.	0.50	ppb(v)	68	70	66-129	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	77	82	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	92	89	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	84	83	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	86	79	71-129	8	25
Chloroform	N.D.	0.20	ppb(v)	81	81	70-130	0	25
Chloromethane	N.D.	0.20	ppb(v)	82	88	58-129	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	94	92	68-138	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	89	87	71-135	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	84	82	71-143	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	84	83	68-136	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	85	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	98	105	72-140	6	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	90	90	66-126	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	92	90	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	85	88	64-117	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	79	81	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	90	67-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	75	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	82	82	67-134	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	86	85	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	87	85	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Ethyltoluene	N.D.	0.20	ppb(v)	80	78	69-135	3	25
Freon 113	N.D.	0.50	ppb(v)	83	85	67-115	2	25
Freon 114	N.D.	0.20	ppb(v)	81	88	66-120	8	25
Heptane	N.D.	0.20	ppb(v)	80	82	60-125	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	85	84	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	66	66	54-166	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	82	64-124	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	67	67	61-145	0	25
Methylene Chloride	N.D.	0.20	ppb(v)	84	87	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	85	84	70-139	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	81	80	67-145	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	89	89	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	87	87	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	87	87	70-130	0	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	89	88	68-128	1	25
Trichloroethene	N.D.	0.20	ppb(v)	85	86	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	100	93	70-130	7	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	80	77	69-138	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	84	81	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	86	97	70-130	11	25
m/p-Xylene	N.D.	0.20	ppb(v)	94	92	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	92	90	70-130	2	25
Batch number: D1225030AE	Sample number(s): 6778778-6778779,6778787-6778788							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	85	88	64-117	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	87	87	70-130	0	25
Batch number: D1225730AA	Sample number(s): 6778786,6778789,6778791-6778793							
Acetone	N.D.	0.50	ppb(v)	93	82	67-138	13	25
Benzene	N.D.	0.20	ppb(v)	89	83	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	104	93	70-138	11	25
Bromoform	N.D.	0.20	ppb(v)	111	99	71-150	11	25
Bromomethane	N.D.	0.20	ppb(v)	119	98	70-130	19	25
1,3-Butadiene	N.D.	0.40	ppb(v)	99	99	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	76	73	66-129	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	94	87	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	106	97	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	84	70-130	10	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	88	71-129	21	25
Chloroform	N.D.	0.20	ppb(v)	93	85	70-130	9	25
Chloromethane	N.D.	0.20	ppb(v)	99	103	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	107	94	68-138	12	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	98	88	71-135	11	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	81	71-143	12	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	93	82	68-136	13	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	95	85	67-140	11	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	114	112	72-140	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,1-Dichloroethane	N.D.	0.20	ppb(v)	105	97	66-126	7	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	106	94	70-130	12	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	90	64-117	10	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	83	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	101	95	67-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	78	70-130	7	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	85	67-134	7	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	94	85	67-134	10	25
Ethylbenzene	N.D.	0.20	ppb(v)	95	85	70-130	11	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	77	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	98	87	67-115	12	25
Freon 114	N.D.	0.20	ppb(v)	95	93	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	92	85	60-125	8	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	87	62-120	6	25
2-Hexanone	N.D.	0.50	ppb(v)	72	65	54-166	11	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	91	84	64-124	8	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	75	68	61-145	9	25
Methylene Chloride	N.D.	0.20	ppb(v)	99	89	70-130	11	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	95	83	70-139	13	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	90	79	67-145	12	25
Tetrachloroethene	N.D.	0.20	ppb(v)	100	91	70-130	9	25
Toluene	N.D.	0.20	ppb(v)	96	88	70-130	9	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	101	93	70-130	9	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	90	68-128	10	25
Trichloroethene	N.D.	0.20	ppb(v)	98	91	70-130	7	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	123	109	70-130	12	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	78	69-138	11	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	93	82	71-142	12	25
Vinyl Chloride	N.D.	0.20	ppb(v)	103	108	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	104	92	70-130	12	25
o-Xylene	N.D.	0.20	ppb(v)	102	90	70-130	12	25
Batch number: D1225730AB	Sample number(s): 6778791-6778792,6778794-6778795							
Acetone	N.D.	0.50	ppb(v)	93	82	67-138	13	25
Benzene	N.D.	0.20	ppb(v)	89	83	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	104	93	70-138	11	25
Bromoform	N.D.	0.20	ppb(v)	111	99	71-150	11	25
Bromomethane	N.D.	0.20	ppb(v)	119	98	70-130	19	25
1,3-Butadiene	N.D.	0.40	ppb(v)	99	99	60-135	0	25
2-Butanone	N.D.	0.50	ppb(v)	76	73	66-129	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	94	87	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	106	97	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	84	70-130	10	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	109	88	71-129	21	25
Chloroform	N.D.	0.20	ppb(v)	93	85	70-130	9	25
Chloromethane	N.D.	0.20	ppb(v)	99	103	58-129	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	107	94	68-138	12	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1333618
Reported: 09/19/12 at 08:46 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,2-Dibromoethane	N.D.	0.20	ppb(v)	98	88	71-135	11	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	81	71-143	12	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	93	82	68-136	13	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	95	85	67-140	11	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	114	112	72-140	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	105	97	66-126	7	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	106	94	70-130	12	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	90	64-117	10	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	83	69-120	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	101	95	67-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	84	78	70-130	7	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	85	67-134	7	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	94	85	67-134	10	25
Ethylbenzene	N.D.	0.20	ppb(v)	95	85	70-130	11	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	77	69-135	13	25
Freon 113	N.D.	0.50	ppb(v)	98	87	67-115	12	25
Freon 114	N.D.	0.20	ppb(v)	95	93	66-120	3	25
Heptane	N.D.	0.20	ppb(v)	92	85	60-125	8	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	87	62-120	6	25
2-Hexanone	N.D.	0.50	ppb(v)	72	65	54-166	11	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	91	84	64-124	8	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	75	68	61-145	9	25
Methylene Chloride	N.D.	0.20	ppb(v)	99	89	70-130	11	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	95	83	70-139	13	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	90	79	67-145	12	25
Tetrachloroethene	N.D.	0.20	ppb(v)	100	91	70-130	9	25
Toluene	N.D.	0.20	ppb(v)	96	88	70-130	9	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	101	93	70-130	9	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	90	68-128	10	25
Trichloroethene	N.D.	0.20	ppb(v)	98	91	70-130	7	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	123	109	70-130	12	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	87	78	69-138	11	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	93	82	71-142	12	25
Vinyl Chloride	N.D.	0.20	ppb(v)	103	108	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	104	92	70-130	12	25
o-Xylene	N.D.	0.20	ppb(v)	102	90	70-130	12	25
Batch number: D1225730AC	Sample number(s): 6778794							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	99	90	64-117	10	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 65526 Group # 1333618 For Lancaster Laboratories use only Sample # 6778778-78800 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co

Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall

P.O. #:

Sampler: Calvin Pruitt

Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 02	8/31/12	11:22							897			X						
MP 03	"	12:45							414			X						
MP 04	"	12:54							167			X						
MP 05	"	12:59							141			X						
MP 06	"	12:32							055			X						
MP 07	"	12:28							~~856~~ 1032			X						
MP 08	"	12:18							856			X						
MP 09	"	11:05							069			X						
MP 10	"	11:33							865			X						
MP 11	"	11:16							1033			X						
~~MP~~ VW 3	"	11:27							539			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)

☐ C1 - C4 ☐ C2 - C10

☐ C1 - C10 ☐ C4 - C10 (GRO)

☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 9/6/12 10

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 10556 Group # 1333618 For Lancaster Laboratories use only Sample # 6778778-78800 Bottle Order (SCR) #

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co. Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall P.O. #:

Sampler: Calvin Pruitt Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one): (Standard) Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW5	8/31/12	12:14							1022			X						
VW 6	"	12:50							531			X						
MW 64	"	12:09							140			X						
MW 65S	"	12:23							891			X						
SVE 1	"	12:04							061			X						
SVE 2	"	11:49							263			X						
SVE 3	"	11:44							113			X						
SVE 4	"	11:40							1108			X						
SVE 5	"	12:41							1081			X						
SVE 6	"	12:37							847			X						
SVE 7	"	11:11							832			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one): ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 9.6.12 10:5

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 65556 Group # 1353618 For Lancaster Laboratories use only Sample # LE778778-78800 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co — Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required? Yes / No

(5) EDD Required? Yes / No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 / ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
Undiluted	8/31/12	11:00							859			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 9-6-12 10:30

eurofins | Lancaster Laboratories

G-1333618

Environmental Sample Administration
Receipt Documentation Log

Client/Project: The Johnson CO

Date of Receipt: 9.6.12

Time of Receipt: 1050

Source Code: 50-2

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

Rec 2 Bags of Parts

Unpacker Signature/Emp#: [signature] 2299 **Date/Time:** 9.6.12 1120

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

October 15, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 10/03/2012
Group Number: 1339635
PO Number: 1-0145-4
State of Sample Origin: GA


Client Sample Description	Lancaster Labs (LLI) #
MP 02 Summa Can 1033 Grab Air	6810554
MP 03 Summa Can 1022 Grab Air	6810555
MP 04 Summa Can 895 Grab Air	6810556
MP 05 Summa Can 1028 Grab Air	6810557
MP 06 Summa Can 800 Grab Air	6810558
MP 07 Summa Can 848 Grab Air	6810559
MP 08 Summa Can 1084 Grab Air	6810560
MP 09 Summa Can 823 Grab Air	6810561
MP 10 Summa Can 113 Grab Air	6810562
MP 11 Summa Can 849 Grab Air	6810563
VW 3 Summa Can 1038 Grab Air	6810564
VW 5 Summa Can 882 Grab Air	6810565
VW 6 Summa Can 539 Grab Air	6810566
MW 64 Summa Can 844 Grab Air	6810567
MW 65S Summa Can 1109 Grab Air	6810568
SVE 1 Summa Can 1105 Grab Air	6810569
SVE 2 Summa Can 524 Grab Air	6810570
SVE 3 Summa Can 069 Grab Air	6810571
SVE 4 Summa Can 888 Grab Air	6810572
SVE 5 Summa Can 897 Grab Air	6810573
SVE 6 Summa Can 514 Grab Air	6810574
SVE 7 Summa Can 061 Grab Air	6810575
Undiluted Summa Can 531 Grab Air	6810576

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can 1033 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810554
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:50 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	370		5.0	870		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	280		5.0	820		15	10
05298	Carbon Disulfide	75-15-0	16		5.0	49		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	5.9	J	2.0	29	J	9.8	10
05298	Chloromethane	74-87-3	3.0	J	2.0	6.2	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	110		2.0	450		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	2,000		40	7,900		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	13	J	5.0	53	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	12		2.0	36		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.5	J	2.0	17	J	14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 02 Summa Can 1033 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810554
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:50 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	550	2.0	3,000	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	17	2.0	44	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 00:39	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 12:59	Michael A Ziegler	200

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 03 Summa Can 1022 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810555
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:28 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		0.50	25		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.2		0.50	6.4		1.5	1
05298	Carbon Disulfide	75-15-0	1.7		0.50	5.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.0		0.20	7.0		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.5		0.20	35		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	190		2.0	750		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.26	J	0.20	0.92	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.40	J	0.20	1.4	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.5		0.20	4.5		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.6		0.20	18		1.4	1
05298	Toluene	108-88-3	19		0.20	70		0.75	1

Sample Description: MP 03 Summa Can 1022 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810555
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:28 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	210		2.0	1,200		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	12		0.20	67		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.21	J	0.20	0.53	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.32	J	0.20	1.4	J	0.87	1
05298	o-Xylene	95-47-6	0.23	J	0.20	0.98	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 01:27	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 09:19	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can 895 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810556
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:16 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.1		0.50	17		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.0		0.50	5.9		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.3		0.20	8.1		0.71	1
05298	Chloroethane	75-00-3	0.29	J	0.20	0.78	J	0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.36	J	0.20	0.73	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.35	J	0.20	1.7	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.22	J	0.20	0.91	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	1.6		0.20	6.2		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.35	J	0.20	1.2	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.20	J	0.20	0.70	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.30	J	0.20	2.0	J	1.4	1
05298	Toluene	108-88-3	0.24	J	0.20	0.90	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 04 Summa Can 895 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810556
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:16 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.44	J	0.20	2.4	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	13		0.20	74		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 02:15	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can 1028 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810557
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:11 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	28		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.7		0.50	8.1		1.5	1
05298	Carbon Disulfide	75-15-0	11		0.50	34		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.3		0.20	8.1		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.43	J	0.20	0.89	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.91	J	0.20	4.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.28	J	0.20	1.7	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.26	J	0.20	1.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.28	J	0.20	1.7	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.61	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	12		0.20	47		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.66	J	0.20	2.9	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.55	J	0.20	1.9	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.23	J	0.20	0.81	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.42	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.59	J	0.20	4.0	J	1.4	1
05298	Toluene	108-88-3	1.2		0.20	4.5		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 05 Summa Can 1028 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810557
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:11 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	11		0.20	59		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.29	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.23	J	0.20	1.1	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.9		0.20	8.4		0.87	1
05298	o-Xylene	95-47-6	1.2		0.20	5.0		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 03:03	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can 800 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810558
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:46 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.7		0.50	16		1.2	1
05298	Benzene	71-43-2	0.27	J	0.20	0.86	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.0	J	0.50	3.0	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.0		0.20	7.1		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.32	J	0.20	0.65	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.21	J	0.20	1.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.30	J	0.20	1.8	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.28	J	0.20	1.7	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.31	J	0.20	1.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	4.6		0.20	19		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	150		2.0	600		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.97	J	0.20	4.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.76	J	0.20	2.7	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.27	J	0.20	0.92	J	0.69	1
05298	Octane	111-65-9	0.21	J	0.20	0.97	J	0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	0.99	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	4.0		0.20	15		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 06 Summa Can 800 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810558
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:46 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	27		0.20	150		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	14		0.20	80		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.36	J	0.20	1.8	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.20	J	0.20	1.0	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.8		0.20	12		0.87	1
05298	o-Xylene	95-47-6	1.5		0.20	6.5		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 03:51	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 10:03	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can 848 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810559
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:52 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		0.50	25		1.2	1
05298	Benzene	71-43-2	0.29	J	0.20	0.94	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.2		0.50	6.6		1.5	1
05298	Carbon Disulfide	75-15-0	0.68	J	0.50	2.1	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.9		0.20	6.8		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.37	J	0.20	0.77	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.23	J	0.20	1.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	15		0.20	62		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.65	J	0.20	2.6	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	640		4.0	2,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.75	J	0.20	3.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.97	J	0.20	3.4	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.4		0.20	4.8		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.50	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.39	J	0.20	2.6	J	1.4	1
05298	Toluene	108-88-3	33		0.20	120		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 07 Summa Can 848 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810559
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:52 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	190		4.0	1,100		22	20
05298	1,1,2-Trichloroethane	79-00-5	0.27	J	0.20	1.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.43	J	0.20	2.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	14		0.20	78		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.5		0.20	15		0.87	1
05298	o-Xylene	95-47-6	1.5		0.20	6.4		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 04:39	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 10:47	Michael A Ziegler	20

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can 1084 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810560
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:59 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.3		0.50	10		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.2	J	0.50	3.5	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.8		0.20	6.2		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.25	J	0.20	0.53	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.64	J	0.20	3.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.56	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.2		0.20	8.9		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.29	J	0.20	1.2	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	280		2.0	1,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.32	J	0.20	1.4	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.69	J	0.20	2.4	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.2		0.20	4.0		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.38	J	0.20	1.1	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	3.4		0.20	13		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 08 Summa Can 1084 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810560
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:59 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	83		2.0	450		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.30	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	13		0.20	72		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.86	J	0.20	3.8	J	0.87	1
05298	o-Xylene	95-47-6	0.49	J	0.20	2.1	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 05:27	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 11:30	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can 823 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810561
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:05 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	37		0.50	87		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	14		0.50	43		1.5	1
05298	Carbon Disulfide	75-15-0	1.0		0.50	3.2		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.29	J	0.20	1.0	J	0.71	1
05298	Chloroethane	75-00-3	0.20	J	0.20	0.54	J	0.53	1
05298	Chloroform	67-66-3	5.1		0.20	25		0.98	1
05298	Chloromethane	74-87-3	0.74	J	0.20	1.5	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.56	J	0.20	2.8	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.42	J	0.20	2.5	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	2.0		0.20	8.1		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	130		2.0	500		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	0.25	J	0.20	0.98	J	0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.20	J	0.20	0.72	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	2.5		0.50	10		2.0	1
05298	Methylene Chloride	75-09-2	0.23	J	0.20	0.81	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.49	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	0.29	J	0.20	1.2	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.98	J	0.20	3.7	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can 823 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810561
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:05 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	17		0.20	92		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.36	J	0.20	2.0	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.21	J	0.20	1.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	1.3		0.20	3.2		0.51	1
05298	m/p-Xylene	179601-23-1	0.45	J	0.20	1.9	J	0.87	1
05298	o-Xylene	95-47-6	0.22	J	0.20	0.97	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 06:15	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 12:14	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can 113 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810562
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:39 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		0.50	43		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	8.4		0.50	25		1.5	1
05298	Carbon Disulfide	75-15-0	1.5		0.50	4.5		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.41	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.2		0.20	11		0.98	1
05298	Chloromethane	74-87-3	1.3		0.20	2.7		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.41	J	0.20	2.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.30	J	0.20	1.8	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	6.5		0.20	26		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	7.8		0.20	31		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.26	J	0.20	0.91	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.70	J	0.20	2.1	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.27	J	0.20	1.0	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 10 Summa Can 113 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810562
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:39 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	19		0.20	110		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.41	J	0.20	2.3	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AB	10/09/2012 07:03	Michael A Ziegler	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can 849 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810563
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:54 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	60		5.0	140		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	24		5.0	72		15	10
05298	Carbon Disulfide	75-15-0	7.4	J	5.0	23	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.3	J	2.0	11	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	21		2.0	84		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	3,400		20	13,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	7.3	J	5.0	30	J	20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	3.6	J	2.0	10	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 11 Summa Can 849 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810563
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:54 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300	20	7,000	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/09/2012 19:46	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/10/2012 00:26	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can 1038 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810564
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:45 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	240		5.0	570		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	46		5.0	140		15	10
05298	Carbon Disulfide	75-15-0	9.8	J	5.0	31	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	2.3	J	2.0	11	J	9.8	10
05298	Chloromethane	74-87-3	3.3	J	2.0	6.8	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.3	J	2.0	17	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	350		2.0	1,400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 3 Summa Can 1038 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810564
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:45 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	160	2.0	890	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/09/2012 20:30	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can 882 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810565
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:53 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	990		50	2,300		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	190	J	50	560	J	150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	880		20	3,500		81	100
05298	1,2-Dichloroethane	107-06-2	28	J	20	110	J	81	100
05298	1,1-Dichloroethene	75-35-4	41,000		400	160,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	71	J	20	250	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	240		20	840		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	190		20	550		59	100
05298	Styrene	100-42-5	43	J	20	180	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	99	J	20	370	J	75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 5 Summa Can 882 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810565
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:53 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,600		20	36,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	66	J	20	360	J	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	26	J	20	110	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/09/2012 21:18	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/10/2012 10:06	Michael A Ziegler	2000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can 539 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810566
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:22 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	24		0.50	58		1.2	1
05298	Benzene	71-43-2	0.39	J	0.20	1.2	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	9.7		0.50	29		1.5	1
05298	Carbon Disulfide	75-15-0	0.83	J	0.50	2.6	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	2.2		0.20	7.7		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.39	J	0.20	1.9	J	0.98	1
05298	Chloromethane	74-87-3	0.47	J	0.20	0.96	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.24	J	0.20	1.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.65	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	22		0.20	88		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.51	J	0.20	2.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	300		2.0	1,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.2		0.20	4.2		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.63	J	0.20	2.2	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.70	J	0.20	2.1	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	2.8		0.20	19		1.4	1
05298	Toluene	108-88-3	3.1		0.20	12		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: VW 6 Summa Can 539 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810566
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:22 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	8.2		0.20	45		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	15		0.20	83		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.23	J	0.20	0.58	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.82	J	0.20	3.6	J	0.87	1
05298	o-Xylene	95-47-6	0.39	J	0.20	1.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/09/2012 22:06	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/10/2012 10:50	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can 844 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810567
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:12 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	580	J	500	1,400	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	2,200		200	8,900		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	69,000		200	280,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	450	J	200	1,600	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	280	J	200	820	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 64 Summa Can 844 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810567
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:12 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	32,000	200	180,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228230AC	10/09/2012 22:50	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW 65S Summa Can 1109 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810568
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:06 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	740	J	500	1,800	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	330	J	200	1,400	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	190,000		4,000	750,000		16,000	20000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	390	J	200	1,300	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	220	J	200	660	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Sample Description: MW 65S Summa Can 1109 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810568
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:06 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	25,000	200	140,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/11/2012 01:02	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/11/2012 12:23	Michael A Ziegler	20000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can 1105 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810569
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:18 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	2,500		200	10,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	350	J	200	1,200	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	1,400		200	5,300		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can 1105 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810569
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:18 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	29,000	200	160,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/11/2012 01:47	Michael A Ziegler	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can 524 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810570
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:24 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11	J	5.0	27	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	5.4	J	5.0	17	J	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	99		2.0	400		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,700		20	6,800		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	4.3	J	2.0	15	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	800		20	3,000		75	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 2 Summa Can 524 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810570
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:24 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	730		2.0	4,000		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	9.5	J	2.0	41	J	8.7	10
05298	o-Xylene	95-47-6	4.2	J	2.0	18	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AA	10/10/2012 11:34	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/10/2012 21:18	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can 069 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810571
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:28 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		0.50	41		1.2	1
05298	Benzene	71-43-2	0.39	J	0.20	1.2	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.0		0.50	9.0		1.5	1
05298	Carbon Disulfide	75-15-0	1.3		0.50	4.1		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.93	J	0.20	4.5	J	0.98	1
05298	Chloromethane	74-87-3	0.49	J	0.20	1.0	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.73	J	0.20	3.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	11		0.20	44		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	53		0.20	210		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.32	J	0.20	1.1	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.82	J	0.20	2.8	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	1.4		0.20	4.0		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	1.8		0.20	6.7		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 3 Summa Can 069 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810571
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:28 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	12		0.20	63		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	2.9		0.20	16		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.28	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.53	J	0.20	2.3	J	0.87	1
05298	o-Xylene	95-47-6	0.29	J	0.20	1.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AA	10/10/2012 12:57	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can 888 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810572
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:33 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		0.50	25		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.6		0.50	7.8		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.92	J	0.20	3.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.60	J	0.20	2.9	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.21	J	0.20	1.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.55	J	0.20	2.2	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.47	J	0.20	1.4	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.25	J	0.20	0.95	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can 888 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810572
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 11:33 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	0.60 J	0.20	3.3 J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	4.0	0.20	23	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AA	10/10/2012 13:45	Jeffrey B Smith	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can 897 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810573
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:35 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		0.50	24		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	1.8		0.20	6.3		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.21	J	0.20	1.2	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	8.3		0.20	33		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	260		2.0	1,000		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.38	J	0.20	1.7	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.21	J	0.20	0.73	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.20	J	0.20	0.70	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.32	J	0.20	0.95	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.99	J	0.20	6.7	J	1.4	1
05298	Toluene	108-88-3	1.9		0.20	7.3		0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Summa Can 897 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810573
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:35 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	48		0.20	260		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	10		0.20	57		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.23	J	0.20	0.59	J	0.51	1
05298	m/p-Xylene	179601-23-1	1.1		0.20	4.7		0.87	1
05298	o-Xylene	95-47-6	0.55	J	0.20	2.4	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AA	10/10/2012 14:33	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/10/2012 22:02	Michael A Ziegler	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 6 Summa Can 514 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810574
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:40 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.6	J	5.0	16	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	26		2.0	100		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	460		2.0	1,800		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	5.8	J	2.0	22	J	7.5	10

Sample Description: SVE 6 Summa Can 514 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810574
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 10:40 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,800	20	9,900	110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	13	2.0	75	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AA	10/10/2012 15:17	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/10/2012 22:50	Michael A Ziegler	100

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Summa Can 061 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810575
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:00 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	59	5.0	140	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	33	5.0	98	15	10
05298	Carbon Disulfide	75-15-0	N.D.	5.0	N.D.	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.	2.0	N.D.	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	1,000	5.0	4,000	20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 7 Summa Can 061 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810575
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:00 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300	5.0	7,400	27	25
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/10/2012 23:34	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/11/2012 13:06	Michael A Ziegler	25

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can 531 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810576
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:11 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.1	J	5.0	12	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	7.4	J	2.0	30	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	310		2.0	1,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	42		2.0	160		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: Undiluted Summa Can 531 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6810576
LLI Group # 1339635
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 09/28/2012 12:11 by CP

Submitted: 10/03/2012 11:30
Reported: 10/15/2012 21:08

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	580	2.0	3,200	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	13	2.0	71	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1228430AB	10/11/2012 00:18	Michael A Ziegler	10

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1339635
Reported: 10/15/12 at 09:08 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1228230AB	Sample number(s): 6810554-6810562							
Acetone	N.D.	0.50	ppb(v)	104	108	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	100	98	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	104	103	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	107	108	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	121	114	70-130	6	25
1,3-Butadiene	N.D.	0.40	ppb(v)	112	106	60-135	5	25
2-Butanone	N.D.	0.50	ppb(v)	93	98	66-129	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	98	95	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	101	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	96	96	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	118	108	71-129	9	25
Chloroform	N.D.	0.20	ppb(v)	96	95	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	114	129	58-129	12	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	102	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	100	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	100	101	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	96	98	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	98	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	118	113	72-140	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	99	99	66-126	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	103	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	112	108	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	96	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	108	103	67-121	5	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	94	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	98	98	67-134	0	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	97	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	103	103	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	96	99	69-135	4	25
Freon 113	N.D.	0.50	ppb(v)	102	96	67-115	6	25
Freon 114	N.D.	0.20	ppb(v)	104	101	66-120	4	25
Heptane	N.D.	0.20	ppb(v)	98	98	60-125	0	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	97	96	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	79	83	54-166	6	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	94	93	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	80	84	61-145	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	101	97	70-130	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1339635
Reported: 10/15/12 at 09:08 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	103	103	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	103	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	101	101	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	101	101	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	98	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	104	104	68-128	0	25
Trichloroethene	N.D.	0.20	ppb(v)	105	100	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	125	122	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	96	100	69-138	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	99	102	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	119	113	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	111	110	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	110	109	70-130	1	25
Batch number: D1228230AC	Sample number(s): 6810563-6810567							
Acetone	N.D.	0.50	ppb(v)	104	108	67-138	4	25
Benzene	N.D.	0.20	ppb(v)	100	98	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	104	103	70-138	1	25
Bromoform	N.D.	0.20	ppb(v)	107	108	71-150	0	25
Bromomethane	N.D.	0.20	ppb(v)	121	114	70-130	6	25
1,3-Butadiene	N.D.	0.50	ppb(v)	112	106	60-135	5	25
2-Butanone	N.D.	0.50	ppb(v)	93	98	66-129	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	98	95	56-106	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	101	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	96	96	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	118	108	71-129	9	25
Chloroform	N.D.	0.20	ppb(v)	96	95	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	114	129	58-129	12	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	103	102	68-138	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	100	71-135	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	100	101	71-143	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	96	98	68-136	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	98	67-140	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	118	113	72-140	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	99	99	66-126	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	103	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	112	108	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	96	69-120	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	108	103	67-121	5	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	94	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	98	98	67-134	0	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	97	67-134	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	103	103	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	96	99	69-135	4	25
Freon 113	N.D.	0.50	ppb(v)	102	96	67-115	6	25
Freon 114	N.D.	0.20	ppb(v)	104	101	66-120	4	25
Heptane	N.D.	0.20	ppb(v)	98	98	60-125	0	25
Hexachloroethane	N.D.	0.20	ppb(v)					

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1339635
Reported: 10/15/12 at 09:08 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Hexane	N.D.	0.20	ppb(v)	97	96	62-120	1	25
2-Hexanone	N.D.	0.50	ppb(v)	79	83	54-166	6	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	94	93	64-124	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	80	84	61-145	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	101	97	70-130	4	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	103	103	70-139	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	103	105	67-145	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	101	101	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	101	101	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	98	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	104	104	68-128	0	25
Trichloroethene	N.D.	0.20	ppb(v)	105	100	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	125	122	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	96	100	69-138	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	99	102	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	119	113	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	111	110	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	110	109	70-130	1	25
Batch number: D1228430AA	Sample number(s): 6810570-6810574							
Acetone	N.D.	0.50	ppb(v)	108	101	67-138	6	25
Benzene	N.D.	0.20	ppb(v)	95	90	70-130	5	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	105	97	70-138	7	25
Bromoform	N.D.	0.20	ppb(v)	109	102	71-150	7	25
Bromomethane	N.D.	0.20	ppb(v)	121	114	70-130	6	25
1,3-Butadiene	N.D.	0.50	ppb(v)	108	101	60-135	6	25
2-Butanone	N.D.	0.50	ppb(v)	97	90	66-129	8	25
Carbon Disulfide	N.D.	0.50	ppb(v)	101	94	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	107	98	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	87	70-130	7	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	104	100	71-129	4	25
Chloroform	N.D.	0.20	ppb(v)	98	90	70-130	8	25
Chloromethane	N.D.	0.20	ppb(v)	105	96	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	102	96	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	91	71-135	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	99	94	71-143	5	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	90	68-136	8	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	98	91	67-140	7	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	122	112	72-140	8	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	93	66-126	7	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	102	96	70-130	7	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	107	103	64-117	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	88	69-120	8	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	97	67-121	7	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	86	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	90	67-134	6	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	86	67-134	5	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1339635
Reported: 10/15/12 at 09:08 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Ethylbenzene	N.D.	0.20	ppb(v)	94	91	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	90	87	69-135	2	25
Freon 113	N.D.	0.50	ppb(v)	97	91	67-115	6	25
Freon 114	N.D.	0.20	ppb(v)	107	99	66-120	8	25
Heptane	N.D.	0.20	ppb(v)	93	88	60-125	6	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	95	88	62-120	8	25
2-Hexanone	N.D.	0.50	ppb(v)	77	71	54-166	8	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	87	64-124	6	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	82	74	61-145	10	25
Methylene Chloride	N.D.	0.20	ppb(v)	99	93	70-130	6	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	96	92	70-139	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	101	96	67-145	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	98	93	70-130	6	25
Toluene	N.D.	0.20	ppb(v)	94	91	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	101	92	70-130	8	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	94	68-128	5	25
Trichloroethene	N.D.	0.20	ppb(v)	101	93	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	128	120	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	90	88	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	93	90	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	119	110	70-130	8	25
m/p-Xylene	N.D.	0.20	ppb(v)	102	99	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	99	97	70-130	2	25
Batch number: D1228430AB	Sample number(s): 6810568-6810570,6810573-6810576							
Acetone	N.D.	0.50	ppb(v)	108	101	67-138	6	25
Benzene	N.D.	0.20	ppb(v)	95	90	70-130	5	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	105	97	70-138	7	25
Bromoform	N.D.	0.20	ppb(v)	109	102	71-150	7	25
Bromomethane	N.D.	0.20	ppb(v)	121	114	70-130	6	25
1,3-Butadiene	N.D.	0.50	ppb(v)	108	101	60-135	6	25
2-Butanone	N.D.	0.50	ppb(v)	97	90	66-129	8	25
Carbon Disulfide	N.D.	0.50	ppb(v)	101	94	56-106	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	107	98	70-130	9	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	87	70-130	7	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	104	100	71-129	4	25
Chloroform	N.D.	0.20	ppb(v)	98	90	70-130	8	25
Chloromethane	N.D.	0.20	ppb(v)	105	96	58-129	9	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	102	96	68-138	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	96	91	71-135	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	99	94	71-143	5	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	90	68-136	8	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	98	91	67-140	7	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	122	112	72-140	8	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	93	66-126	7	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	102	96	70-130	7	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	107	103	64-117	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1339635
Reported: 10/15/12 at 09:08 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	88	69-120	8	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	97	67-121	7	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	91	86	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	95	90	67-134	6	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	86	67-134	5	25
Ethylbenzene	N.D.	0.20	ppb(v)	94	91	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	90	87	69-135	2	25
Freon 113	N.D.	0.50	ppb(v)	97	91	67-115	6	25
Freon 114	N.D.	0.20	ppb(v)	107	99	66-120	8	25
Heptane	N.D.	0.20	ppb(v)	93	88	60-125	6	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	95	88	62-120	8	25
2-Hexanone	N.D.	0.50	ppb(v)	77	71	54-166	8	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	87	64-124	6	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	82	74	61-145	10	25
Methylene Chloride	N.D.	0.20	ppb(v)	99	93	70-130	6	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	96	92	70-139	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	101	96	67-145	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	98	93	70-130	6	25
Toluene	N.D.	0.20	ppb(v)	94	91	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	101	92	70-130	8	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	99	94	68-128	5	25
Trichloroethene	N.D.	0.20	ppb(v)	101	93	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	128	120	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	90	88	69-138	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	93	90	71-142	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	119	110	70-130	8	25
m/p-Xylene	N.D.	0.20	ppb(v)	102	99	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	99	97	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1339635 For Lancaster Laboratories use only Sample # 681055 4-76 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Control — Account #:

Project Name/#: Flowery Branch SVE — P.O. #:

Project Manager: Todd Hall — Quote #:

Sampler: Calvin Pruitt

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required?

Yes — No

(5) EDD Required?

Yes — No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 02	9/28	11:50							1033			X						
MP 03	"	10:28							1022			X						
MP 04	"	10:16							895			X						
MP 05	"	10:11							1028			X						
MP 06	"	10:46							800			X						
MP 07	"	10:52							848			X						
MP 08	"	10:59							1084			X						
MP 09	"	12:05							823			X						
MP 10	"	11:39							113			X						
MP 11	"	11:54							849			X						
VW 3	"	11:45							1038			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ .C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by: Calvin Pruitt	Date/Time: 9/28 13:21pm	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Pat Eyler	Date/Time: 10/3/12 1138

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 133963S For Lancaster Laboratories use only Sample # 681055 4-76 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co — Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW 5	9/28	10:53							882			X						
VW 6	"	10:22							539			X						
MW 64	"	11:12							844			X						
MW 65S	"	11:06							1109			X						
SVE 1	"	11:18							1105			X						
SVE 2	"	11:24							524			X						
SVE 3	"	11:28							069			X						
SVE 4	"	11:33							888			X						
SVE 5	"	10:35							897			X						
SVE 6	"	10:40							514			X						
SVE 7	"	12:00							061			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 10/3/12 1130

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1334635 For Lancaster Laboratories use only Sample # 6810554-76 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company — Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
Undiluted	9/28	12:11								531		X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Pat Lyle	Date/Time: 10/3/12 1130

eurofins | Lancaster Laboratories

Grp # 1339635

Environmental Sample Administration Receipt Documentation Log

Client/Project: Johnson Company

Date of Receipt: 10/3/12

Time of Receipt: 1130

Source Code: SO-2

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

rec'd 1 flow controller and 4 bag of swaglock tubing

Unpacker Signature/Emp#: Pat Gyla 3472 **Date/Time:** 10/3/12 1155

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		**Inorganic Qualifiers**	
A	TIC is a possible aldol-condensation product	**B**	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	**E**	Estimated due to interference
C	Pesticide result confirmed by GC/MS	**M**	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	**N**	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	**S**	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	**U**	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	**W**	Post digestion spike out of control limits
U	Compound was not detected	*****	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	**+**	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

November 13, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 11/02/2012
Group Number: 1346234
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
SVE 5 Grab Air	6845720
Undiluted Grab Air	6845721
MP 03 Grab Air	6845722
MP 06 Grab Air	6845723
MP 10 Grab Air	6845724
VW 3 Grab Air	6845725
MW-65S Grab Air	6845726
VW 5 Grab Air	6845727
MW 64 Grab Air	6845728
MP 02 Grab Air	6845729
SVE 7 Grab Air	6845730
MP 09 Grab Air	6845731
SVE 4 Grab Air	6845732
SVE 1 Grab Air	6845733
SVE 3 Grab Air	6845734
MP 11 Grab Air	6845735
SVE 2 Grab Air	6845736
MP 04 Grab Air	6845737
MP 07 Grab Air	6845738
MP 08 Grab Air	6845739
MP 05 Grab Air	6845740
VW 6 Grab Air	6845741
SVE 6 Grab Air	6845742

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: SVE 5 Grab Air
Summa Can #328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845720
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:29 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	7.6	J	2.0	31	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	240		2.0	930		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 5 Grab Air
Summa Can #328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845720
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:29 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	73		2.0	400		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	5.3	J	2.0	30	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 04:21	Michael A Ziegler	10

Sample Description: Undiluted Grab Air
Summa Can #860
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845721
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:56 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14	J	5.0	34	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	130		2.0	530		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: Undiluted Grab Air
Summa Can #860
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845721
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:56 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	19	2.0	100	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 05:04	Michael A Ziegler	10

Sample Description: MP 03 Grab Air
Summa Can #175
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845722
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:24 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	8.4	J	2.0	34	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	40		2.0	160		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.0	J	2.0	7.0	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10

Sample Description: MP 03 Grab Air
Summa Can #175
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845722
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:24 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	11		2.0	43		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	490		2.0	2,700		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	5.5	J	2.0	31	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 05:47	Michael A Ziegler	10

Sample Description: MP 06 Grab Air
Summa Can #519
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845723
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:39 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.8	J	2.0	15	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	120		2.0	470		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 06 Grab Air
Summa Can #519
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845723
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:39 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	33		2.0	180		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	4.3	J	2.0	24	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 06:30	Michael A Ziegler	10

Sample Description: MP 10 Grab Air
Summa Can #863
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845724
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:30 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15		0.50	34		1.2	1
05298	Benzene	71-43-2	0.46	J	0.20	1.5	J	0.64	1
05298	Bromobenzene	108-86-1	0.74	J	0.20	4.8	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.2	J	0.50	3.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.2		0.50	3.6		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.49	J	0.20	2.2	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.1		0.20	10		0.98	1
05298	Chloromethane	74-87-3	0.28	J	0.20	0.58	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.80	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	3.0		0.20	18		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.8		0.20	17		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	3.0		0.20	18		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	5.3		0.20	22		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	8.2		0.20	32		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	6.5		0.20	28		0.87	1
05298	4-Ethyltoluene	622-96-8	1.8		0.20	8.8		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.22	J	0.20	0.92	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.33	J	0.20	1.2	J	0.69	1
05298	Octane	111-65-9	1.8		0.20	8.4		0.93	1
05298	Pentane	109-66-0	0.54	J	0.20	1.6	J	0.59	1
05298	Styrene	100-42-5	0.78	J	0.20	3.3	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.86	J	0.20	5.9	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.91	J	0.20	6.2	J	1.4	1

Sample Description: MP 10 Grab Air
Summa Can #863
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845724
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:30 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.6		0.20	6.2		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	28		0.20	150		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.44	J	0.20	2.5	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.59	J	0.20	3.5	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.6		0.20	13		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.8		0.20	8.8		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	15		0.20	66		0.87	1
05298	o-Xylene	95-47-6	9.5		0.20	41		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/06/2012 23:33	Michael A Ziegler	1

Sample Description: VW 3 Grab Air
Summa Can #15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845725
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:35 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	5.0	28	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.8	J	2.0	15	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	110		2.0	450		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	4.2	J	2.0	18	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: VW 3 Grab Air
Summa Can #15
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845725
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:35 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	59		2.0	320		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	14		2.0	59		8.7	10
05298	o-Xylene	95-47-6	7.1	J	2.0	31	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 07:13	Michael A Ziegler	10

Sample Description: MW-65S Grab Air
Summa Can #883
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845726
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:10 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	400	J	200	1,600	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	170,000		2,000	670,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	1,100		200	4,000		690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: MW-65S Grab Air
Summa Can #883
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845726
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:10 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	39,000	200	210,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/07/2012 22:34	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 18:10	Michael A Ziegler	10000

Sample Description: VW 5 Grab Air
Summa Can #842
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845727
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:00 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	910	J	200	3,700	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	62,000		200	250,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	900	J	200	3,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: VW 5 Grab Air
Summa Can #842
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845727
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:00 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	8,000	200	44,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/07/2012 23:17	Michael A Ziegler	1000

Sample Description: MW 64 Grab Air
Summa Can #505
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845728
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:49 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	700	J	500	1,700	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		200	N.D.		620	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	2,200		200	9,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	88,000		400	350,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	570	J	200	2,000	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	260	J	200	760	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: MW 64 Grab Air
Summa Can #505
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845728
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:49 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	41,000	200	230,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231130AB	11/07/2012 01:06	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 18:52	Michael A Ziegler	2000

Sample Description: MP 02 Grab Air
Summa Can #67
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845729
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:37 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	62		5.0	150		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	68		5.0	200		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	7.5	J	2.0	37	J	9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	66		2.0	270		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,100		20	4,400		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	65		2.0	190		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.4	J	2.0	16	J	14	10

Sample Description: MP 02 Grab Air
Summa Can #67
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845729
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:37 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	3.3	J	2.0	12	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	730		2.0	4,000		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.0	J	2.0	8.8	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 00:44	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 19:37	Michael A Ziegler	100

Sample Description: SVE 7 Grab Air
Summa Can #517
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845730
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:46 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.5	J	5.0	20	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.9	J	2.0	12	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	640		20	2,500		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: SVE 7 Grab Air
Summa Can #517
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845730
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:46 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	630		20	3,400		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.6	J	2.0	11	J	8.7	10
05298	o-Xylene	95-47-6	2.5	J	2.0	11	J	8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 01:27	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 20:23	Michael A Ziegler	100

Sample Description: MP 09 Grab Air
Summa Can #1021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845731
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:51 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	23		0.50	54		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.77	J	0.50	2.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.20	J	0.20	0.71	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.29	J	0.20	0.60	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	8.5		0.20	34		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.26	J	0.20	1.1	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	260		2.0	1,000		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.28	J	0.20	1.2	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.63	J	0.20	2.2	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.58	J	0.20	3.9	J	1.4	1

Sample Description: MP 09 Grab Air
Summa Can #1021
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845731
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:51 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	25		2.0	95		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	480		2.0	2,600		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.24	J	0.20	1.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	3.2		0.20	18		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.2		0.20	5.1		0.87	1
05298	o-Xylene	95-47-6	0.53	J	0.20	2.3	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 00:22	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 08:54	Michael A Ziegler	10

Sample Description: SVE 4 Grab Air
Summa Can #1038
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845732
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:25 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.3		0.50	13		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.89	J	0.50	2.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.64	J	0.20	3.1	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.23	J	0.20	1.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.29	J	0.20	1.7	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	0.65	J	0.20	2.6	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.31	J	0.20	1.3	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.61	J	0.20	1.8	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

Sample Description: SVE 4 Grab Air
Summa Can #1038
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845732
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:25 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.56	J	0.20	3.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	2.3		0.20	13		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.72	J	0.20	3.1	J	0.87	1
05298	o-Xylene	95-47-6	0.38	J	0.20	1.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 01:11	Michael A Ziegler	1

Sample Description: SVE 1 Grab Air
Summa Can #897
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845733
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:11 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	5,200		200	20,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	820	J	200	2,900	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: SVE 1 Grab Air
Summa Can #897
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845733
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:11 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	2,200	200	8,200	750	1000
05298	1,1,1-Trichloroethane	71-55-6	54,000	200	300,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 00:00	Michael A Ziegler	1000

Sample Description: SVE 3 Grab Air
Summa Can #524
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845734
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:21 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	50		0.50	120		1.2	1
05298	Benzene	71-43-2	1.2		0.20	4.0		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.4		0.50	7.2		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.92	J	0.20	4.5	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.46	J	0.20	2.8	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.43	J	0.20	2.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.47	J	0.20	2.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	16		0.20	67		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	54		0.20	220		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.6		0.20	6.8		0.87	1
05298	4-Ethyltoluene	622-96-8	0.25	J	0.20	1.2	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.44	J	0.20	2.1	J	0.93	1
05298	Pentane	109-66-0	0.25	J	0.20	0.74	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.45	J	0.20	3.0	J	1.4	1

Sample Description: SVE 3 Grab Air
Summa Can #524
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845734
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:21 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.7		0.20	10		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	11		0.20	60		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.9		0.20	11		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.43	J	0.20	2.1	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.28	J	0.20	1.4	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.1		0.20	18		0.87	1
05298	o-Xylene	95-47-6	2.3		0.20	9.9		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 02:00	Michael A Ziegler	1

Sample Description: MP 11 Grab Air
Summa Can #69
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845735
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:42 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	400		50	960		120	100
05298	Benzene	71-43-2	35	J	20	110	J	64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	28	J	20	87	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	31	J	20	110	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,800		20	11,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	36	J	20	160	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	100	J	20	410	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	100		20	360		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	290		20	1,000		69	100
05298	Octane	111-65-9	46	J	20	210	J	93	100
05298	Pentane	109-66-0	200		20	590		59	100
05298	Styrene	100-42-5	56	J	20	240	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Sample Description: MP 11 Grab Air
Summa Can #69
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845735
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:42 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	48	J	20	180	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	1,100		20	6,200		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	29	J	20	160	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	36	J	20	180	J	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	30	J	20	150	J	98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	120		20	510		87	100
05298	o-Xylene	95-47-6	36	J	20	160	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231130AB	11/07/2012 02:33	Michael A Ziegler	100

Sample Description: SVE 2 Grab Air
Summa Can #1028
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845736
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:16 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14	J	10	32	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	160		4.0	630		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,100		20	4,400		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	12	J	4.0	53	J	17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	5.2	J	4.0	18	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	4.2	J	4.0	28	J	27	20

Sample Description: SVE 2 Grab Air
Summa Can #1028
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845736
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:16 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	510	20	1,900	75	100
05298	1,1,1-Trichloroethane	71-55-6	950	4.0	5,200	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	41	4.0	180	17	20
05298	o-Xylene	95-47-6	20	4.0	88	17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 02:10	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 21:09	Michael A Ziegler	100

Sample Description: MP 04 Grab Air
Summa Can #531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845737
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:20 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.4		0.50	10		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.70	J	0.50	2.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.31	J	0.20	1.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.41	J	0.20	2.0	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.44	J	0.20	1.7	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.25	J	0.20	1.7	J	1.4	1

Sample Description: MP 04 Grab Air
Summa Can #531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845737
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:20 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	0.20	N.D.	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	N.D.	0.20	N.D.	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 02:49	Michael A Ziegler	1

Sample Description: MP 07 Grab Air
Summa Can #848
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845738
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:44 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.9	J	5.0	16	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	14		2.0	56		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	550		2.0	2,200		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	3.1	J	2.0	13	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.6	J	2.0	9.1	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 07 Grab Air
Summa Can #848
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845738
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:44 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	17		2.0	64		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	250		2.0	1,400		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	5.7	J	2.0	32	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	7.9	J	2.0	34	J	8.7	10
05298	o-Xylene	95-47-6	3.7	J	2.0	16	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 02:54	Michael A Ziegler	10

Sample Description: MP 08 Grab Air
Summa Can #829
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845739
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:06 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	230		2.0	920		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.1	J	2.0	7.4	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 08 Grab Air
Summa Can #829
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845739
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 11:06 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	80		2.0	440		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	5.8	J	2.0	32	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 03:37	Michael A Ziegler	10

Sample Description: MP 05 Grab Air
Summa Can #839
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845740
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:15 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.2		0.50	9.9		1.2	1
05298	Benzene	71-43-2	0.21	J	0.20	0.66	J	0.64	1
05298	Bromobenzene	108-86-1	0.26	J	0.20	1.7	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.64	J	0.50	1.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.22	J	0.20	1.0	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.31	J	0.20	1.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.26	J	0.20	0.53	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.78	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.83	J	0.20	5.0	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.82	J	0.20	4.9	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.89	J	0.20	5.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	7.9		0.20	31		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.2		0.20	9.5		0.87	1
05298	4-Ethyltoluene	622-96-8	0.39	J	0.20	1.9	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.53	J	0.20	2.5	J	0.93	1
05298	Pentane	109-66-0	0.26	J	0.20	0.78	J	0.59	1
05298	Styrene	100-42-5	0.29	J	0.20	1.2	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.22	J	0.20	1.5	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.73	J	0.20	4.9	J	1.4	1

Sample Description: MP 05 Grab Air
Summa Can #839
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845740
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:15 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.67	J	0.20	2.5	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	3.3		0.20	19		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.55	J	0.20	2.7	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.42	J	0.20	2.1	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	5.4		0.20	23		0.87	1
05298	o-Xylene	95-47-6	3.0		0.20	13		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AA	11/07/2012 03:38	Michael A Ziegler	1

Sample Description: VW 6 Grab Air
Summa Can #539
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845741
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:55 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.9		0.50	24		1.2	1
05298	Benzene	71-43-2	0.28	J	0.20	0.89	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	3.1		0.50	9.2		1.5	1
05298	Carbon Disulfide	75-15-0	0.78	J	0.20	2.4	J	0.62	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.35	J	0.20	1.7	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.31	J	0.20	1.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	18		0.20	71		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.41	J	0.20	1.6	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	290		2.0	1,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.26	J	0.20	1.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.45	J	0.20	1.3	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	1.5		0.20	10		1.4	1

Sample Description: VW 6 Grab Air
Summa Can #539
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845741
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:55 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.29	J	0.20	1.1	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	3.8		0.20	21		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	5.7		0.20	32		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.24	J	0.20	0.62	J	0.51	1
05298	m/p-Xylene	179601-23-1	0.69	J	0.20	3.0	J	0.87	1
05298	o-Xylene	95-47-6	0.39	J	0.20	1.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1231130AB	11/08/2012 04:21	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231530AA	11/10/2012 21:54	Michael A Ziegler	1

Sample Description: SVE 6 Grab Air
Summa Can #874
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845742
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:35 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	460		50	1,100		120	100
05298	Benzene	71-43-2	190		20	600		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	28	J	20	88	J	62	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	45	J	20	160	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	21	J	20	100	J	98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	420		20	1,700		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	110		20	490		87	100
05298	4-Ethyltoluene	622-96-8	42	J	20	200	J	98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	140		20	590		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	120		20	420		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	35	J	20	160	J	93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	300		20	1,100		69	100
05298	Octane	111-65-9	74	J	20	350	J	93	100
05298	Pentane	109-66-0	130		20	380		59	100
05298	Styrene	100-42-5	91	J	20	390	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Sample Description: SVE 6 Grab Air
Summa Can #874
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6845742
LLI Group # 1346234
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 10/30/2012 10:35 by CP

Submitted: 11/02/2012 09:15
Reported: 11/13/2012 18:11

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	160		20	610		75	100
05298	1,1,1-Trichloroethane	71-55-6	980		20	5,300		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	43	J	20	240	J	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	150		20	740		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	120		20	580		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	600		20	2,600		87	100
05298	o-Xylene	95-47-6	140		20	610		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1231130AB	11/07/2012 03:18	Michael A Ziegler	100

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1346234
Reported: 11/13/12 at 06:11 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1231130AB	Sample number(s): 6845728,6845735,6845742							
Acetone	N.D.	0.50	ppb(v)	95	94	61-134	1	25
Benzene	N.D.	0.20	ppb(v)	89	89	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	96	96	70-129	1	25
Bromoform	N.D.	0.20	ppb(v)	118	119	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	102	100	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	89	87	66-129	2	25
2-Butanone	N.D.	0.50	ppb(v)	100	95	55-131	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	78	76	57-107	3	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	105	103	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	93	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	91	70-131	4	25
Chloroform	N.D.	0.20	ppb(v)	90	88	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	79	76	64-133	4	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	102	103	65-127	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	103	103	65-126	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	116	115	62-132	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	107	108	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	108	109	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	108	106	69-143	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	86	84	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	100	99	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	88	64-119	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	80	78	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	92	89	66-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	73	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	97	96	64-125	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	91	61-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	102	102	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	109	108	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	92	89	63-114	4	25
Freon 114	N.D.	0.20	ppb(v)	92	91	63-123	2	25
Heptane	N.D.	0.20	ppb(v)	77	76	65-119	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	82	79	63-117	4	25
2-Hexanone	N.D.	0.50	ppb(v)	99	100	41-152	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	92	90	60-121	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1346234
Reported: 11/13/12 at 06:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	95	95	53-140	0	25
Methylene Chloride	N.D.	0.20	ppb(v)	87	85	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	110	110	64-130	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	94	58-133	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	100	100	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	100	101	70-130	0	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	99	97	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	93	93	65-125	1	25
Trichloroethene	N.D.	0.20	ppb(v)	96	95	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	114	112	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	111	109	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	118	116	61-132	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	95	92	70-130	3	25
m/p-Xylene	N.D.	0.20	ppb(v)	116	115	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	115	115	70-130	0	25
Batch number: C1231530AA	Sample number(s): 6845726,6845728-6845730,6845736,6845741							
Acetone	N.D.	0.50	ppb(v)	105	101	61-134	4	25
Benzene	N.D.	0.20	ppb(v)	96	93	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	102	98	70-129	4	25
Bromoform	N.D.	0.20	ppb(v)	106	102	64-141	4	25
Bromomethane	N.D.	0.20	ppb(v)	105	103	70-130	2	25
1,3-Butadiene	N.D.	0.50	ppb(v)	105	105	66-129	1	25
2-Butanone	N.D.	0.50	ppb(v)	106	100	55-131	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	88	87	57-107	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	97	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	92	89	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	107	106	70-131	0	25
Chloroform	N.D.	0.20	ppb(v)	97	94	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	97	96	64-133	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	96	93	65-127	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	99	96	65-126	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	101	98	62-132	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	93	91	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	93	89	63-127	4	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	114	112	69-143	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	94	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	101	97	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	96	96	64-119	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	93	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	100	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	88	85	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	105	101	64-125	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	98	95	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	98	94	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	98	93	59-126	5	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1346234
Reported: 11/13/12 at 06:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	91	89	63-114	2	25
Freon 114	N.D.	0.20	ppb(v)	102	100	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	96	93	65-119	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	95	93	63-117	2	25
2-Hexanone	N.D.	0.50	ppb(v)	116	112	41-152	3	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	88	86	60-121	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	106	102	53-140	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	95	92	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	104	99	64-130	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	99	94	58-133	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	84	81	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	98	95	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	96	95	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	90	86	65-125	4	25
Trichloroethene	N.D.	0.20	ppb(v)	90	89	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	111	110	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	100	96	60-128	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	105	100	61-132	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	106	104	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	110	106	70-130	4	25
o-Xylene	N.D.	0.20	ppb(v)	104	100	70-130	3	25
Batch number: D1231130AA	Sample number(s): 6845720-6845725,6845731-6845732,6845734,6845737,6845740							
Acetone	N.D.	0.50	ppb(v)	90	91	61-134	2	25
Benzene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	110	113	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	108	107	64-141	0	25
Bromomethane	N.D.	0.20	ppb(v)	100	105	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	97	103	66-129	6	25
2-Butanone	N.D.	0.50	ppb(v)	87	89	55-131	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	82	85	57-107	4	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	109	111	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	96	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	105	109	70-131	4	25
Chloroform	N.D.	0.20	ppb(v)	105	106	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	97	97	64-133	0	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	108	110	65-127	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	108	108	65-126	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	85	88	62-132	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	84	85	63-125	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	83	84	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	101	104	69-143	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	108	110	67-124	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	118	119	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	94	64-119	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1346234
Reported: 11/13/12 at 06:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	107	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	104	106	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	95	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	111	111	64-125	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	101	101	61-126	0	25
Ethylbenzene	N.D.	0.20	ppb(v)	89	90	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	91	92	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	96	99	63-114	3	25
Freon 114	N.D.	0.20	ppb(v)	91	95	63-123	4	25
Heptane	N.D.	0.20	ppb(v)	107	110	65-119	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	102	106	63-117	4	25
2-Hexanone	N.D.	0.50	ppb(v)	92	96	41-152	4	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	82	84	60-121	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	90	95	53-140	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	97	100	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	94	95	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	98	58-133	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	110	112	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	93	93	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	110	111	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	113	111	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	108	111	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	107	109	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	89	91	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	95	96	61-132	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	105	112	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	92	91	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	96	97	70-130	1	25
Batch number: D1231130AB	Sample number(s): 6845726-6845727,6845729-6845730,6845733,6845736,6845738-6845739,6845741							
Acetone	N.D.	0.50	ppb(v)	90	91	61-134	2	25
Benzene	N.D.	0.20	ppb(v)	107	110	70-130	3	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	110	113	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	108	107	64-141	0	25
Bromomethane	N.D.	0.20	ppb(v)	100	105	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	97	103	66-129	6	25
2-Butanone	N.D.	0.50	ppb(v)	87	89	55-131	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	82	85	57-107	4	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	109	111	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	94	96	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	105	109	70-131	4	25
Chloroform	N.D.	0.20	ppb(v)	105	106	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	97	97	64-133	0	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	108	110	65-127	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1346234
Reported: 11/13/12 at 06:11 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,2-Dibromoethane	N.D.	0.20	ppb(v)	108	108	65-126	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	85	88	62-132	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	84	85	63-125	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	83	84	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	101	104	69-143	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	108	110	67-124	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	118	119	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	94	64-119	3	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	107	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	104	106	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	95	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	111	111	64-125	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	101	101	61-126	0	25
Ethylbenzene	N.D.	0.20	ppb(v)	89	90	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	91	92	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	96	99	63-114	3	25
Freon 114	N.D.	0.20	ppb(v)	91	95	63-123	4	25
Heptane	N.D.	0.20	ppb(v)	107	110	65-119	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	102	106	63-117	4	25
2-Hexanone	N.D.	0.50	ppb(v)	92	96	41-152	4	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	82	84	60-121	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	90	95	53-140	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	97	100	70-130	3	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	94	95	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	98	58-133	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	110	112	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	93	93	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	110	111	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	113	111	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	108	111	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	107	109	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	89	91	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	95	96	61-132	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	105	112	70-130	6	25
m/p-Xylene	N.D.	0.20	ppb(v)	92	91	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	96	97	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 16556 Group # 1346284 For Lancaster Laboratories use only Sample # 684572-742 Bottle Order (SCR) # 129998

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calum Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard | Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 ☐ BTEX ☐ MTBE | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)
SVE 5	10/30	10:29						—	328	6	—
Undiluted	"	11:56						—	860	6	—
MP 03	"	10:24						—	175	6	—
MP 06	"	10:39						—	519	6	—
MP 10	"	11:30						—	863	6	—
VW 3	"	11:35						—	15	6	—
MW-65s	"	11:10						—	883	6	—
VW 5	"	11:00						—	842	6	—
MW 64	"	10:49						—	505	6	—
MP 02	"	11:37						—	67	6	—
SVE 7	"	11:46						—	517	6	—

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
ISF	10/30 10:24						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 11/2/20915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 10550 Group # 1346234 For Lancaster Laboratories use only Sample # 1084572a-742 Bottle Order (SCR) # 129998

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co. Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall P.O. #:

Sampler: Calvin Pruitt Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 ☐ BTEX ☐ MTBE | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ BTEX ☐ MTBE	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search
MP 09	10/30	11:51						—	1021	6	—	X					
SVE 4	"	11:25						—	1038	6	—	X					
SVE 1	"	11:11						—	897	6	—	X					
SVE 3	"	11:21						—	524	6	—	X					
MP 11	"	11:42						—	69	6	—	X					
SVE 2	"	11:16						—	1028	6	—	X					
MP 04	"	10:20						—	531	6	—	X					
MP 07	"	10:44						—	848	6	—	X					
MP 08	"	11:06						—	829	6	—	X					
MP 05	"	10:15						—	839	6	—	X					
VW 6	"	10:55						—	539	6	—	X					

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
GSS	10-31-12 1037						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 11/2/12 0915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1346234 For Lancaster Laboratories use only Sample # 6845720-742 Bottle Order (SCR) # 129998

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Co — Account #:

Project Name/#: Flaveny Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required? Yes / No

(5) EDD Required? Yes / No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | ☐ MTBE ☐ BTEX EPA 18 | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search
SVE 6	10/30	10:35							874	6	—	X					

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
C858	10:34 10:39						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
							11/2/12 0915

Lancaster Laboratories, Inc. • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

The white copy should accompany samples to Lancaster Laboratories. The yellow copy should be retained by the client.

Issued by Dept. 40 Management

7056.02

eurofins | Lancaster Laboratories

G-1346234

Environmental Sample Administration Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 11/2/12

Time of Receipt: 0915

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

#874 = SVE-5 time matches

Unpacker Signature/Emp#: 964 **Date/Time:** 11/2/12 0931

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

December 12, 2012

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 12/04/2012
Group Number: 1353361
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
VW 3 Grab Air	6880589
MW 64 Grab Air	6880590
SVE 5 Grab Air	6880591
SVE 6 Grab Air	6880592
MP 07 Grab Air	6880593
MP 02 Grab Air	6880594
MP 03 Grab Air	6880595
SVE 2 Grab Air	6880596
VW 5 Grab Air	6880597
MP 11 Grab Air	6880598
MW 65s Grab Air	6880599
MP 09 Grab Air	6880600
MP 08 Grab Air	6880601
SVE 7 Grab Air	6880602
MP 04 Grab Air	6880603
SVE 1 Grab Air	6880604
MP 10 Grab Air	6880605
SVE 4 Grab Air	6880606
VW 6 Grab Air	6880607
MP 06 Grab Air	6880608
SVE 3 Grab Air	6880609
Undiluted Grab Air	6880610
MP 05 Grab Air	6880611

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: VW 3 Grab Air
Summa Canister #0013
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880589
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:31 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.8		0.50	19		1.2	1
05298	Benzene	71-43-2	0.40	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.1		0.50	6.1		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.81	J	0.20	4.0	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.25	J	0.20	1.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.22	J	0.20	1.3	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	2.5		0.20	10		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	190		2.0	760		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.22	J	0.20	0.94	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	2.3		0.20	6.8		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.62	J	0.20	4.2	J	1.4	1

Sample Description: VW 3 Grab Air
Summa Canister #0013
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880589
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:31 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.6		0.20	5.9		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	72		0.20	390		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.25	J	0.20	1.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.31	J	0.20	1.8	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	0.72	J	0.20	3.1	J	0.87	1
05298	o-Xylene	95-47-6	0.39	J	0.20	1.7	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/05/2012 20:57	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 12:38	Michael A Ziegler	10

Sample Description: MW 64 Grab Air
Summa Canister #0047
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880590
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:55 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,700		200	6,800		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	60,000		200	240,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	290	J	200	1,000	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: MW 64 Grab Air
Summa Canister #0047
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880590
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:55 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	35,000	200	190,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/05/2012 21:39	Michael A Ziegler	1000

Sample Description: SVE 5 Grab Air
Summa Canister #1031
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880591
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:40 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.6	J	2.5	11	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	4.8	J	1.0	19	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	280		1.0	1,100		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: SVE 5 Grab Air
Summa Canister #1031
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880591
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:40 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	48		1.0	260		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.8	J	1.0	16	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.6	J	1.0	7.0	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/05/2012 22:21	Michael A Ziegler	5

Sample Description: SVE 6 Grab Air
Summa Canister #0519
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880592
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:44 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	10	N.D.	24	20
05298	Benzene	71-43-2	N.D.	4.0	N.D.	13	20
05298	Bromobenzene	108-86-1	N.D.	4.0	N.D.	26	20
05298	Bromodichloromethane	75-27-4	N.D.	4.0	N.D.	27	20
05298	Bromoform	75-25-2	N.D.	4.0	N.D.	41	20
05298	Bromomethane	74-83-9	N.D.	4.0	N.D.	16	20
05298	1,3-Butadiene	106-99-0	N.D.	10	N.D.	22	20
05298	2-Butanone	78-93-3	N.D.	10	N.D.	29	20
05298	Carbon Disulfide	75-15-0	N.D.	10	N.D.	31	20
05298	Carbon Tetrachloride	56-23-5	N.D.	4.0	N.D.	25	20
05298	Chlorobenzene	108-90-7	N.D.	4.0	N.D.	18	20
05298	Chlorodifluoromethane	75-45-6	N.D.	4.0	N.D.	14	20
05298	Chloroethane	75-00-3	N.D.	4.0	N.D.	11	20
05298	Chloroform	67-66-3	N.D.	4.0	N.D.	20	20
05298	Chloromethane	74-87-3	N.D.	4.0	N.D.	8.3	20
05298	3-Chloropropene	107-05-1	N.D.	4.0	N.D.	13	20
05298	Cumene	98-82-8	N.D.	4.0	N.D.	20	20
05298	Dibromochloromethane	124-48-1	N.D.	4.0	N.D.	34	20
05298	1,2-Dibromoethane	106-93-4	N.D.	4.0	N.D.	31	20
05298	Dibromomethane	74-95-3	N.D.	4.0	N.D.	28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.	4.0	N.D.	24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.	4.0	N.D.	24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.	4.0	N.D.	24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.	4.0	N.D.	20	20
05298	1,1-Dichloroethane	75-34-3	24	4.0	96	16	20
05298	1,2-Dichloroethane	107-06-2	N.D.	4.0	N.D.	16	20
05298	1,1-Dichloroethene	75-35-4	520	4.0	2,000	16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	4.0	N.D.	16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	4.0	N.D.	16	20
05298	Dichlorofluoromethane	75-43-4	N.D.	4.0	N.D.	17	20
05298	1,2-Dichloropropane	78-87-5	N.D.	4.0	N.D.	18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	4.0	N.D.	18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	4.0	N.D.	18	20
05298	Ethylbenzene	100-41-4	N.D.	4.0	N.D.	17	20
05298	4-Ethyltoluene	622-96-8	N.D.	4.0	N.D.	20	20
05298	Freon 113	76-13-1	N.D.	10	N.D.	77	20
05298	Freon 114	76-14-2	N.D.	4.0	N.D.	28	20
05298	Heptane	142-82-5	N.D.	4.0	N.D.	16	20
05298	Hexachloroethane	67-72-1	N.D.	4.0	N.D.	39	20
05298	Hexane	110-54-3	N.D.	4.0	N.D.	14	20
05298	2-Hexanone	591-78-6	N.D.	10	N.D.	41	20
05298	Isooctane	540-84-1	N.D.	4.0	N.D.	19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	4.0	N.D.	14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	10	N.D.	41	20
05298	Methylene Chloride	75-09-2	N.D.	4.0	N.D.	14	20
05298	Octane	111-65-9	N.D.	4.0	N.D.	19	20
05298	Pentane	109-66-0	N.D.	4.0	N.D.	12	20
05298	Styrene	100-42-5	N.D.	4.0	N.D.	17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	4.0	N.D.	27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	4.0	N.D.	27	20
05298	Tetrachloroethene	127-18-4	N.D.	4.0	N.D.	27	20

Sample Description: SVE 6 Grab Air
Summa Canister #0519
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880592
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:44 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20
05298	1,1,1-Trichloroethane	71-55-6	2,000		40	11,000		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	4.3	J	4.0	24	J	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	9.8	J	4.0	43	J	17	20
05298	o-Xylene	95-47-6	5.6	J	4.0	24	J	17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/05/2012 23:03	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 13:20	Michael A Ziegler	200

Sample Description: MP 07 Grab Air
Summa Canister #0531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880593
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:51 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	4.1	J	2.0	25	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	4.0	J	2.0	24	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	4.3	J	2.0	26	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	8.9	J	2.0	36	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	340		2.0	1,300		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	4.4	J	2.0	19	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	2.1	J	2.0	7.4	J	6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 07 Grab Air
Summa Canister #0531
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880593
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:51 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	11		2.0	40		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	150		2.0	810		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.2	J	2.0	12	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	15		2.0	65		8.7	10
05298	o-Xylene	95-47-6	7.4	J	2.0	32	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/05/2012 23:45	Michael A Ziegler	10

Sample Description: MP 02 Grab Air
Summa Canister #1130
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880594
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:40 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	41		10	97		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	20	J	10	59	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	4.6	J	4.0	23	J	20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	89		4.0	360		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,200		40	4,900		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: MP 02 Grab Air
Summa Canister #1130
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880594
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:40 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	4.0	N.D.	15	20
05298	1,1,1-Trichloroethane	71-55-6	420	4.0	2,300	22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.	4.0	N.D.	22	20
05298	Trichloroethene	79-01-6	N.D.	4.0	N.D.	21	20
05298	Trichlorofluoromethane	75-69-4	N.D.	4.0	N.D.	22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.	4.0	N.D.	24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	4.0	N.D.	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	4.0	N.D.	20	20
05298	Vinyl Chloride	75-01-4	N.D.	4.0	N.D.	10	20
05298	m/p-Xylene	179601-23-1	N.D.	4.0	N.D.	17	20
05298	o-Xylene	95-47-6	N.D.	4.0	N.D.	17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 00:27	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 14:01	Michael A Ziegler	200

Sample Description: MP 03 Grab Air
Summa Canister #1105
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880595
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:36 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	7.0	J	2.0	28	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	270		2.0	1,100		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.0	J	2.0	14	J	14	10

Sample Description: MP 03 Grab Air
Summa Canister #1105
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880595
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:36 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	37		2.0	140		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	560		2.0	3,100		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.8	J	2.0	16	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	2.9	J	2.0	13	J	8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 01:09	Michael A Ziegler	10

Sample Description: SVE 2 Grab Air
Summa Canister #1032
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880596
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:14 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		10	N.D.		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	4.2	J	4.0	25	J	24	20
05298	1,3-Dichlorobenzene	541-73-1	4.1	J	4.0	24	J	24	20
05298	1,4-Dichlorobenzene	106-46-7	4.4	J	4.0	27	J	24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	80		4.0	320		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,500		40	6,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	4.7	J	4.0	20	J	17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	4.5	J	4.0	16	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: SVE 2 Grab Air
Summa Canister #1032
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880596
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:14 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	600		4.0	2,300		15	20
05298	1,1,1-Trichloroethane	71-55-6	1,400		40	7,600		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	18	J	4.0	79	J	17	20
05298	o-Xylene	95-47-6	8.4	J	4.0	36	J	17	20

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 01:50	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 14:43	Michael A Ziegler	200

Sample Description: VW 5 Grab Air
Summa Canister #0879
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880597
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:58 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	470	J	200	1,900	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	31,000		200	120,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	230	J	200	800	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: VW 5 Grab Air
Summa Canister #0879
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880597
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:58 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	5,300	200	29,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AA	12/06/2012 02:32	Michael A Ziegler	1000

Sample Description: MP 11 Grab Air
Summa Canister #0546
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880598
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:35 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	660		100	1,600		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	N.D.		100	N.D.		290	200
05298	Carbon Disulfide	75-15-0	N.D.		100	N.D.		310	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	N.D.		40	N.D.		160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	7,400		40	30,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	41	J	40	180	J	170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	55	J	40	230	J	160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	41	J	40	150	J	140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	150	J	40	510	J	140	200
05298	Octane	111-65-9	53	J	40	250	J	190	200
05298	Pentane	109-66-0	63	J	40	190	J	120	200
05298	Styrene	100-42-5	67	J	40	280	J	170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Sample Description: MP 11 Grab Air
Summa Canister #0546
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880598
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:35 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	42	J	40	160	J	150	200
05298	1,1,1-Trichloroethane	71-55-6	1,800		40	9,800		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		40	N.D.		220	200
05298	Trichloroethene	79-01-6	N.D.		40	N.D.		210	200
05298	Trichlorofluoromethane	75-69-4	N.D.		40	N.D.		220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.		40	N.D.		240	200
05298	1,2,4-Trimethylbenzene	95-63-6	60	J	40	300	J	200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		40	N.D.		200	200
05298	Vinyl Chloride	75-01-4	N.D.		40	N.D.		100	200
05298	m/p-Xylene	179601-23-1	63	J	40	270	J	170	200
05298	o-Xylene	95-47-6	N.D.		40	N.D.		170	200

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234630AA	12/12/2012 08:23	Michael A Ziegler	200

Sample Description: MW 65s Grab Air
Summa Canister #0135
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880599
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:05 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		1,000	N.D.		2,400	2000
05298	Benzene	71-43-2	N.D.		400	N.D.		1,300	2000
05298	Bromobenzene	108-86-1	N.D.		400	N.D.		2,600	2000
05298	Bromodichloromethane	75-27-4	N.D.		400	N.D.		2,700	2000
05298	Bromoform	75-25-2	N.D.		400	N.D.		4,100	2000
05298	Bromomethane	74-83-9	N.D.		400	N.D.		1,600	2000
05298	1,3-Butadiene	106-99-0	N.D.		1,000	N.D.		2,200	2000
05298	2-Butanone	78-93-3	N.D.		1,000	N.D.		2,900	2000
05298	Carbon Disulfide	75-15-0	N.D.		1,000	N.D.		3,100	2000
05298	Carbon Tetrachloride	56-23-5	N.D.		400	N.D.		2,500	2000
05298	Chlorobenzene	108-90-7	N.D.		400	N.D.		1,800	2000
05298	Chlorodifluoromethane	75-45-6	N.D.		400	N.D.		1,400	2000
05298	Chloroethane	75-00-3	N.D.		400	N.D.		1,100	2000
05298	Chloroform	67-66-3	N.D.		400	N.D.		2,000	2000
05298	Chloromethane	74-87-3	N.D.		400	N.D.		830	2000
05298	3-Chloropropene	107-05-1	N.D.		400	N.D.		1,300	2000
05298	Cumene	98-82-8	N.D.		400	N.D.		2,000	2000
05298	Dibromochloromethane	124-48-1	N.D.		400	N.D.		3,400	2000
05298	1,2-Dibromoethane	106-93-4	N.D.		400	N.D.		3,100	2000
05298	Dibromomethane	74-95-3	N.D.		400	N.D.		2,800	2000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		400	N.D.		2,400	2000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		400	N.D.		2,400	2000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		400	N.D.		2,400	2000
05298	Dichlorodifluoromethane	75-71-8	N.D.		400	N.D.		2,000	2000
05298	1,1-Dichloroethane	75-34-3	680	J	400	2,700	J	1,600	2000
05298	1,2-Dichloroethane	107-06-2	N.D.		400	N.D.		1,600	2000
05298	1,1-Dichloroethene	75-35-4	240,000		8,000	970,000		32,000	40000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		400	N.D.		1,600	2000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		400	N.D.		1,600	2000
05298	Dichlorofluoromethane	75-43-4	N.D.		400	N.D.		1,700	2000
05298	1,2-Dichloropropane	78-87-5	N.D.		400	N.D.		1,800	2000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		400	N.D.		1,800	2000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		400	N.D.		1,800	2000
05298	Ethylbenzene	100-41-4	N.D.		400	N.D.		1,700	2000
05298	4-Ethyltoluene	622-96-8	N.D.		400	N.D.		2,000	2000
05298	Freon 113	76-13-1	N.D.		1,000	N.D.		7,700	2000
05298	Freon 114	76-14-2	N.D.		400	N.D.		2,800	2000
05298	Heptane	142-82-5	N.D.		400	N.D.		1,600	2000
05298	Hexachloroethane	67-72-1	N.D.		400	N.D.		3,900	2000
05298	Hexane	110-54-3	N.D.		400	N.D.		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		1,000	N.D.		4,100	2000
05298	Isooctane	540-84-1	N.D.		400	N.D.		1,900	2000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		400	N.D.		1,400	2000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1,000	N.D.		4,100	2000
05298	Methylene Chloride	75-09-2	N.D.		400	N.D.		1,400	2000
05298	Octane	111-65-9	N.D.		400	N.D.		1,900	2000
05298	Pentane	109-66-0	N.D.		400	N.D.		1,200	2000
05298	Styrene	100-42-5	N.D.		400	N.D.		1,700	2000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		400	N.D.		2,700	2000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		400	N.D.		2,700	2000
05298	Tetrachloroethene	127-18-4	N.D.		400	N.D.		2,700	2000

Sample Description: MW 65s Grab Air
Summa Canister #0135
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880599
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:05 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		400	N.D.		1,500	2000
05298	1,1,1-Trichloroethane	71-55-6	27,000		400	150,000		2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		400	N.D.		2,200	2000
05298	Trichloroethene	79-01-6	N.D.		400	N.D.		2,100	2000
05298	Trichlorofluoromethane	75-69-4	N.D.		400	N.D.		2,200	2000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		400	N.D.		2,400	2000
05298	1,2,4-Trimethylbenzene	95-63-6	420	J	400	2,100	J	2,000	2000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		400	N.D.		2,000	2000
05298	Vinyl Chloride	75-01-4	N.D.		400	N.D.		1,000	2000
05298	m/p-Xylene	179601-23-1	850	J	400	3,700	J	1,700	2000
05298	o-Xylene	95-47-6	520	J	400	2,300	J	1,700	2000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1234030AB	12/06/2012 23:59	Michael A Ziegler	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234630AA	12/12/2012 09:05	Michael A Ziegler	40000

Sample Description: MP 09 Grab Air
Summa Canister #0003
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880600
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:50 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	15	J	5.0	35	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.9	J	2.0	20	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	240		2.0	960		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 09 Grab Air
Summa Canister #0003
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880600
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:50 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	32	2.0	180	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1234030AB	12/07/2012 10:58	Michael A Ziegler	10

Sample Description: MP 08 Grab Air
Summa Canister #0328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880601
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:02 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	720		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	2.7	J	2.0	12	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 08 Grab Air
Summa Canister #0328
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880601
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:02 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	56		2.0	300		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.3	J	2.0	13	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	7.7	J	2.0	34	J	8.7	10
05298	o-Xylene	95-47-6	4.1	J	2.0	18	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1234030AB	12/06/2012 20:09	Michael A Ziegler	10

Sample Description: SVE 7 Grab Air
Summa Canister #0817
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880602
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:44 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	10	28	J	24	20
05298	Benzene	71-43-2	11	J	4.0	36	J	13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	N.D.		4.0	N.D.		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,200		4.0	4,800		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	12	J	4.0	50	J	17	20
05298	4-Ethyltoluene	622-96-8	4.5	J	4.0	22	J	20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	18	J	4.0	75	J	16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	9.8	J	4.0	34	J	14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	13	J	4.0	60	J	19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: SVE 7 Grab Air
Summa Canister #0817
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880602
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:44 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	53		4.0	200		15	20
05298	1,1,1-Trichloroethane	71-55-6	1,200		4.0	6,300		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	8.9	J	4.0	44	J	20	20
05298	1,3,5-Trimethylbenzene	108-67-8	5.2	J	4.0	26	J	20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	61		4.0	270		17	20
05298	o-Xylene	95-47-6	27		4.0	120		17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1234030AB	12/07/2012 10:15	Michael A Ziegler	20

Sample Description: MP 04 Grab Air
Summa Canister #0862
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880603
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:28 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.4		0.50	11		1.2	1
05298	Benzene	71-43-2	0.26	J	0.20	0.84	J	0.64	1
05298	Bromobenzene	108-86-1	1.5		0.20	9.3		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.76	J	0.20	7.8	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.3	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.95	J	0.20	4.4	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.27	J	0.20	0.96	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.6		0.20	8.0		0.98	1
05298	Dibromochloromethane	124-48-1	0.27	J	0.20	2.3	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	0.53	J	0.20	4.1	J	1.5	1
05298	Dibromomethane	74-95-3	0.20	J	0.20	1.5	J	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	5.5		0.20	33		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	5.4		0.20	32		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	5.8		0.20	35		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.35	J	0.20	1.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.95	J	0.20	3.8	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	8.7		0.20	38		0.87	1
05298	4-Ethyltoluene	622-96-8	4.1		0.20	20		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	2.2		0.20	10		0.93	1
05298	Pentane	109-66-0	0.31	J	0.20	0.91	J	0.59	1
05298	Styrene	100-42-5	2.3		0.20	9.7		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.4		0.20	9.6		1.4	1
05298	Tetrachloroethene	127-18-4	1.8		0.20	12		1.4	1

Sample Description: MP 04 Grab Air
Summa Canister #0862
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880603
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:28 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.7		0.20	6.3		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.39	J	0.20	2.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.27	J	0.20	1.5	J	1.1	1
05298	Trichloroethene	79-01-6	0.29	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.2		0.20	13		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.96	J	0.20	5.8	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	5.3		0.20	26		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	3.9		0.20	19		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	23		0.20	100		0.87	1
05298	o-Xylene	95-47-6	14		0.20	62		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 19:54	Michael A Ziegler	1

Sample Description: SVE 1 Grab Air
Summa Canister #0828
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880604
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:10 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	N.D.		200	N.D.		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	4,000		200	16,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	220	J	200	780	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: SVE 1 Grab Air
Summa Canister #0828
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880604
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:10 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	2,000	200	7,400	750	1000
05298	1,1,1-Trichloroethane	71-55-6	66,000	200	360,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/07/2012 10:41	Michael A Ziegler	1000

Sample Description: MP 10 Grab Air
Summa Canister #0820
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880605
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:27 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.0		0.50	9.4		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	0.24	J	0.20	1.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.96	J	0.50	2.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.20	J	0.20	0.94	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.2		0.20	5.7		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.87	J	0.20	5.2	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.88	J	0.20	5.3	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.90	J	0.20	5.4	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	3.5		0.20	14		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.9		0.20	19		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.5		0.20	6.6		0.87	1
05298	4-Ethyltoluene	622-96-8	0.46	J	0.20	2.3	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.32	J	0.20	1.5	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.42	J	0.20	1.8	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.26	J	0.20	1.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.36	J	0.20	2.5	J	1.4	1

Sample Description: MP 10 Grab Air
Summa Canister #0820
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880605
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:27 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.28	J	0.20	1.0	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	14		0.20	75		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.25	J	0.20	1.4	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.72	J	0.20	3.6	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.53	J	0.20	2.6	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.5		0.20	19		0.87	1
05298	o-Xylene	95-47-6	2.6		0.20	11		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 20:39	Michael A Ziegler	1

Sample Description: SVE 4 Grab Air
Summa Canister #0061
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880606
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:21 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.4		0.50	20		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.0	J	0.50	5.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.36	J	0.20	1.8	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.61	J	0.20	3.7	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.60	J	0.20	3.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.80	J	0.20	4.8	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	0.33	J	0.20	1.4	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.2		0.20	5.2		0.87	1
05298	4-Ethyltoluene	622-96-8	0.31	J	0.20	1.5	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.26	J	0.20	1.2	J	0.93	1
05298	Pentane	109-66-0	0.24	J	0.20	0.70	J	0.59	1
05298	Styrene	100-42-5	0.33	J	0.20	1.4	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.26	J	0.20	1.8	J	1.4	1

Sample Description: SVE 4 Grab Air
Summa Canister #0061
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880606
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:21 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.25	J	0.20	0.93	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.48	J	0.20	2.6	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.1		0.20	6.1		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.45	J	0.20	2.2	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.35	J	0.20	1.7	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.6		0.20	16		0.87	1
05298	o-Xylene	95-47-6	2.0		0.20	8.6		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 21:24	Michael A Ziegler	1

Sample Description: VW 6 Grab Air
Summa Canister #0832
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880607
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:32 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.5	J	5.0	13	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	14		2.0	55		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	220		2.0	890		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	2.1	J	2.0	14	J	14	10

Sample Description: VW 6 Grab Air
Summa Canister #0832
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880607
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:32 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	4.2	J	2.0	23	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.0	J	2.0	17	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	4.3	J	2.0	19	J	8.7	10
05298	o-Xylene	95-47-6	3.3	J	2.0	14	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 22:06	Michael A Ziegler	10

Sample Description: MP 06 Grab Air
Summa Canister #0536
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880608
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:47 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.1	J	2.5	7.4	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	1.4	J	1.0	9.3	J	6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	1.4	J	1.0	14	J	10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	1.3	J	1.0	6.2	J	4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	6.6		1.0	40		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	6.0		1.0	36		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	6.6		1.0	39		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	2.3	J	1.0	9.2	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	64		1.0	260		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	9.6		1.0	42		4.3	5
05298	4-Ethyltoluene	622-96-8	3.2	J	1.0	16	J	4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	2.7	J	1.0	13	J	4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	2.5	J	1.0	10	J	4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	2.8	J	1.0	19	J	6.8	5

Sample Description: MP 06 Grab Air
Summa Canister #0536
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880608
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:47 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.1	J	1.0	7.9	J	3.8	5
05298	1,1,1-Trichloroethane	71-55-6	29		1.0	160		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	1.4	J	1.0	7.8	J	5.4	5
05298	Trichlorofluoromethane	75-69-4	2.3	J	1.0	13	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	4.4	J	1.0	21	J	4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	3.8	J	1.0	19	J	4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	28		1.0	120		4.3	5
05298	o-Xylene	95-47-6	16		1.0	70		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 22:50	Michael A Ziegler	5

Sample Description: SVE 3 Grab Air
Summa Canister #0834
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880609
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:17 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	41		0.50	98		1.2	1
05298	Benzene	71-43-2	0.71	J	0.20	2.3	J	0.64	1
05298	Bromobenzene	108-86-1	0.49	J	0.20	3.1	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.37	J	0.20	3.8	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.9	J	0.50	5.5	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.7		0.50	5.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.42	J	0.20	1.9	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.59	J	0.20	2.9	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.31	J	0.20	1.5	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.9		0.20	12		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.9		0.20	11		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.1		0.20	12		1.2	1
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.20	N.D.		0.99	1
05298	1,1-Dichloroethane	75-34-3	11		0.20	44		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	68		0.20	270		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	3.4		0.20	15		0.87	1
05298	4-Ethyltoluene	622-96-8	1.3		0.20	6.2		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.99	J	0.20	4.6	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.76	J	0.20	3.3	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.55	J	0.20	3.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.70	J	0.20	4.8	J	1.4	1

Sample Description: SVE 3 Grab Air
Summa Canister #0834
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880609
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:17 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.2		0.20	8.3		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	15		0.20	81		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.88	J	0.20	4.9	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.33	J	0.20	2.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.8		0.20	8.7		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.4		0.20	6.9		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	9.5		0.20	41		0.87	1
05298	o-Xylene	95-47-6	5.6		0.20	24		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/06/2012 23:39	Michael A Ziegler	1

Sample Description: Undiluted Grab Air
Summa Canister #0030
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880610
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:55 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.5	J	2.5	20	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	1.1	J	1.0	6.3	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	1.1	J	1.0	6.7	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	5.4		1.0	22		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	210		1.0	840		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	1.7	J	1.0	7.4	J	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.1	J	1.0	7.5	J	6.8	5

Sample Description: Undiluted Grab Air
Summa Canister #0030
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880610
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 10:55 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	30		1.0	110		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	520		4.0	2,800		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.2	J	1.0	13	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	6.1		1.0	26		4.3	5
05298	o-Xylene	95-47-6	3.2	J	1.0	14	J	4.3	5

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/07/2012 00:28	Michael A Ziegler	5
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/07/2012 13:22	Michael A Ziegler	20

Sample Description: MP 05 Grab Air
Summa Canister #0326
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880611
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:25 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2.5		0.50	6.0		1.2	1
05298	Benzene	71-43-2	0.28	J	0.20	0.89	J	0.64	1
05298	Bromobenzene	108-86-1	1.0		0.20	6.7		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.98	J	0.20	10	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.61	J	0.50	1.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.86	J	0.20	4.0	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.32	J	0.20	1.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.0		0.20	9.8		0.98	1
05298	Dibromochloromethane	124-48-1	0.36	J	0.20	3.1	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	0.41	J	0.20	3.2	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	3.8		0.20	23		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	3.6		0.20	21		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	3.6		0.20	22		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.39	J	0.20	1.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	8.6		0.20	34		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	8.0		0.20	35		0.87	1
05298	4-Ethyltoluene	622-96-8	2.9		0.20	14		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	1.9		0.20	19		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	2.5		0.20	12		0.93	1
05298	Pentane	109-66-0	0.34	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	1.8		0.20	7.7		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	0.29	J	0.20	2.0	J	1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.1		0.20	7.3		1.4	1
05298	Tetrachloroethene	127-18-4	1.1		0.20	7.5		1.4	1

Sample Description: MP 05 Grab Air
Summa Canister #0326
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6880611
LLI Group # 1353361
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 11/30/2012 09:25 by CP

Submitted: 12/04/2012 09:20
Reported: 12/12/2012 18:18

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.7		0.20	6.4		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.24	J	0.20	1.3	J	1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7		0.20	9.4		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.56	J	0.20	3.4	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	4.1		0.20	20		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	3.6		0.20	18		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	22		0.20	94		0.87	1
05298	o-Xylene	95-47-6	14		0.20	60		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1234030AB	12/07/2012 09:59	Michael A Ziegler	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1353361
Reported: 12/12/12 at 06:18 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1234030AA	Sample number(s): 6880589-6880597							
Acetone	N.D.	0.50	ppb(v)	84	80	61-134	5	25
Benzene	N.D.	0.20	ppb(v)	82	83	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	92	93	70-129	1	25
Bromoform	N.D.	0.20	ppb(v)	106	106	64-141	0	25
Bromomethane	N.D.	0.20	ppb(v)	91	92	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	74	76	66-129	2	25
2-Butanone	N.D.	0.50	ppb(v)	76	76	55-131	0	25
Carbon Disulfide	N.D.	0.50	ppb(v)	69	68	57-107	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	103	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	90	91	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	87	89	70-131	3	25
Chloroform	N.D.	0.20	ppb(v)	88	90	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	72	72	64-133	0	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	99	100	65-127	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	95	95	65-126	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	91	62-132	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	90	90	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	90	90	63-127	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	100	102	69-143	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	85	85	67-124	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	94	95	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	80	80	64-119	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	82	65-121	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	84	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	76	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	84	64-125	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	88	88	61-126	0	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	93	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	90	90	59-126	0	25
Freon 113	N.D.	0.50	ppb(v)	87	86	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	85	85	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	71	74	65-119	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	78	76	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	67	68	41-152	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	75	76	60-121	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1353361
Reported: 12/12/12 at 06:18 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	70	72	53-140	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	82	81	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	92	93	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	89	86	58-133	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	92	93	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	90	92	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	97	98	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	92	93	65-125	1	25
Trichloroethene	N.D.	0.20	ppb(v)	84	87	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	106	105	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	91	92	60-128	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	95	96	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	82	83	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	100	100	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	97	98	70-130	1	25
Batch number: C1234030AB	Sample number(s): 6880603-6880611							
Acetone	N.D.	0.50	ppb(v)	84	80	61-134	5	25
Benzene	N.D.	0.20	ppb(v)	82	83	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	92	93	70-129	1	25
Bromoform	N.D.	0.20	ppb(v)	106	106	64-141	0	25
Bromomethane	N.D.	0.20	ppb(v)	91	92	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	74	76	66-129	2	25
2-Butanone	N.D.	0.50	ppb(v)	76	76	55-131	0	25
Carbon Disulfide	N.D.	0.50	ppb(v)	69	68	57-107	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	103	103	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	90	91	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	87	89	70-131	3	25
Chloroform	N.D.	0.20	ppb(v)	88	90	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	72	72	64-133	0	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	99	100	65-127	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	95	95	65-126	0	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	91	91	62-132	0	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	90	90	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	90	90	63-127	0	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	100	102	69-143	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	85	85	67-124	0	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	94	95	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	80	80	64-119	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	82	65-121	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	84	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	76	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	84	64-125	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	88	88	61-126	0	25
Ethylbenzene	N.D.	0.20	ppb(v)	93	93	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	90	90	59-126	0	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1353361
Reported: 12/12/12 at 06:18 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	87	86	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	85	85	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	71	74	65-119	5	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	78	76	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	67	68	41-152	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	75	76	60-121	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	70	72	53-140	2	25
Methylene Chloride	N.D.	0.20	ppb(v)	82	81	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	92	93	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	89	86	58-133	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	92	93	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	90	92	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	97	98	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	92	93	65-125	1	25
Trichloroethene	N.D.	0.20	ppb(v)	84	87	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	106	105	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	91	92	60-128	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	95	96	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	82	83	70-130	1	25
m/p-Xylene	N.D.	0.20	ppb(v)	100	100	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	97	98	70-130	1	25
Batch number: C1234630AA	Sample number(s): 6880598-6880599							
Acetone	N.D.	0.50	ppb(v)	104	100	61-134	3	25
Benzene	N.D.	0.20	ppb(v)	103	102	70-130	2	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	117	115	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	116	115	64-141	2	25
Bromomethane	N.D.	0.20	ppb(v)	98	97	70-130	1	25
1,3-Butadiene	N.D.	0.50	ppb(v)	85	82	66-129	4	25
2-Butanone	N.D.	0.50	ppb(v)	105	104	55-131	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	80	80	57-107	0	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	107	104	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	102	101	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	97	96	70-131	1	25
Chloroform	N.D.	0.20	ppb(v)	108	105	70-130	3	25
Chloromethane	N.D.	0.20	ppb(v)	78	77	64-133	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	112	111	65-127	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	115	113	65-126	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	104	103	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	102	101	63-125	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	102	100	63-127	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	102	101	69-143	2	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	100	97	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	108	105	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	81	80	64-119	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1353361
Reported: 12/12/12 at 06:18 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98	94	65-121	4	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	93	92	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	101	98	70-130	3	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	105	64-125	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	108	106	61-126	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	105	104	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	108	107	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	96	95	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	91	89	63-123	2	25
Heptane	N.D.	0.20	ppb(v)	90	88	65-119	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	86	63-117	1	25
2-Hexanone	N.D.	0.50	ppb(v)	74	72	41-152	2	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	98	95	60-121	3	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	83	80	53-140	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	93	91	70-130	2	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	108	107	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	118	116	58-133	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	101	100	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	103	103	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	106	103	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	122	119	65-125	3	25
Trichloroethene	N.D.	0.20	ppb(v)	89	87	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	105	103	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	111	109	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	111	111	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	93	92	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	111	111	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	110	109	70-130	1	25
Batch number: D1234030AB	Sample number(s): 6880599-6880602							
Acetone	N.D.	0.50	ppb(v)	100	106	61-134	5	25
Benzene	N.D.	0.20	ppb(v)	89	95	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	94	99	70-129	5	25
Bromoform	N.D.	0.20	ppb(v)	99	99	64-141	0	25
Bromomethane	N.D.	0.20	ppb(v)	92	100	70-130	8	25
1,3-Butadiene	N.D.	0.40	ppb(v)	89	96	66-129	7	25
2-Butanone	N.D.	0.50	ppb(v)	92	95	55-131	3	25
Carbon Disulfide	N.D.	0.50	ppb(v)	76	81	57-107	7	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	102	105	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	88	88	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	92	101	70-131	9	25
Chloroform	N.D.	0.20	ppb(v)	91	95	70-130	4	25
Chloromethane	N.D.	0.20	ppb(v)	80	90	64-133	11	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	94	97	65-127	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	93	93	65-126	0	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1353361
Reported: 12/12/12 at 06:18 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	96	98	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	88	91	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	92	94	63-127	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	107	111	69-143	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	93	98	67-124	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	104	110	70-130	5	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	91	98	64-119	8	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	94	65-121	6	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	95	99	66-121	4	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	81	82	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	96	101	64-125	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	93	93	61-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	95	98	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	89	91	59-126	2	25
Freon 113	N.D.	0.50	ppb(v)	85	89	63-114	5	25
Freon 114	N.D.	0.20	ppb(v)	85	91	63-123	6	25
Heptane	N.D.	0.20	ppb(v)	87	93	65-119	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	95	63-117	8	25
2-Hexanone	N.D.	0.50	ppb(v)	90	95	41-152	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	95	96	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	93	97	53-140	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	88	94	70-130	7	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	92	96	64-130	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	88	91	58-133	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	93	98	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	92	96	70-130	5	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	105	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	93	93	65-125	0	25
Trichloroethene	N.D.	0.20	ppb(v)	90	94	70-130	4	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	107	112	70-130	5	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	91	93	60-128	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	96	99	61-132	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	92	99	70-130	8	25
m/p-Xylene	N.D.	0.20	ppb(v)	104	107	70-130	3	25
o-Xylene	N.D.	0.20	ppb(v)	101	105	70-130	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1353361 For Eurofins Lancaster Laboratories use only Sample # 6880589-611 Bottle Order (SCR) # 131336

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: Georgia

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW 3	11/30/12	10:31						—	13	6	—	X						
MW 6d	"	9:55						—	47	6	—	X						
SVE 5	"	9:40						—	1031	6	—	X						
SVE 6	"	9:44						—	59	6	—	X						
MP 07	"	9:51						—	531	6	—	X						
MP 02	"	10:40						—	1130	6	—	X						
MP 03	"	9:36						—	1105	6	—	X						
SVE 2	"	10:14						—	1032	6	—	X						
VW 5	"	9:58						—	879	6	—	X						
MP 11	"	10:35						—	546	6	—	X						
MW 65s	"	10:05						—	135	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
[signature]	13:30 11-30-12	[signature]		[signature]		[signature]	
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
[signature]		[signature]					
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
[signature]		[signature]				[signature]	12/4/12 0730

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1353361 For Eurofins Lancaster Laboratories use only Sample # 6880589-611 Bottle Order (SCR) # 131336

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company — Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: Georgia

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required? Yes / No

(5) EDD Required? Yes / No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 09	11/30/12	10:50						—	3	6	—	X						
MP 08	"	10:02						—	328	6	—	X						
SVE 7	"	10:44						—	817	6	—	X						
MP 04	"	9:28						—	862	6	—	X						
SVE 1	"	10:10						—	828	6	—	X						
MP 10	"	10:27						—	820	6	—	X						
SVE 4	"	10:21						—	61	6	—	X						
VW 6	"	9:32						—	832	6	—	X						
MP 06	"	9:47						—	536	6	—	X						
SVE 3	"	10:17						—	834	6	—	X						
Undiluted	"	10:55						—	30	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	(8) Date/Time:
FedEx	13:30 11-26-12						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 12/4/12 0920

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1353361 For Eurofins Lancaster Laboratories use only Sample # 6880589-611 Bottle Order (SCR) # 131336

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company

Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall

P.O. #:

Sampler: Calvin Pruitt

Quote #:

Name of state where samples were collected: Georgia

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

☐ MTBE ☐ BTEX ☐ EPA 25 (select range below)

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search	
MP 05	11/30/12	9:25						—	3260	6	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)

☐ C1 - C4 ☐ C2 - C10

☐ C1 - C10 ☐ C4 - C10 (GRO)

☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CIBY	11/26/12 13:30						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Pat Eyk	Date/Time: 12/4/12 0920

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log 1353361

Client/Project: Johnson Co

Date of Receipt: 12/4/12

Time of Receipt: 0920

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Rec'd 2 flow controllers + bag of swagelock tubing pieces

Unpacker Signature/Emp#: Pat Gh 3472 **Date/Time:** 12/4/12 0935

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

January 17, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 01/04/2013
Group Number: 1359835
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP 02 Grab Air	6912267
MP 03 Grab Air	6912268
MP 04 Grab Air	6912269
MP 05 Grab Air	6912270
MP 06 Grab Air	6912271
MP 07 Grab Air	6912272
MP 08 Grab Air	6912273
MP 09 Grab Air	6912274
MP 10 Grab Air	6912275
MP 11 Grab Air	6912276
VW 3 Grab Air	6912277
VW 5 Grab Air	6912278
VW 6 Grab Air	6912279
MW 64 Grab Air	6912280
MW 65S Grab Air	6912281
SVE 1 Grab Air	6912282
SVE 2 Grab Air	6912283
SVE 3 Grab Air	6912284
SVE 4 Grab Air	6912285
SVE 5 Grab Air	6912286
SVE 6 Grab Air	6912287
Undiluted Grab Air	6912288
SVE 7 Grab Air	6912289

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: MP 02 Grab Air
Summa Can# 1061
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912267
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:31 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	48		10	120		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	22	J	10	64	J	29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	51		4.0	210		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,600		40	6,300		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	6.7	J	4.0	20	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: MP 02 Grab Air
Summa Can# 1061
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912267
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:31 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20
05298	1,1,1-Trichloroethane	71-55-6	380		4.0	2,100		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	12	J	4.0	31	J	10	20
05298	m/p-Xylene	179601-23-1	6.4	J	4.0	28	J	17	20
05298	o-Xylene	95-47-6	4.5	J	4.0	20	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/13/2013 21:18	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AC	01/16/2013 19:07	Michael A Ziegler	200

Sample Description: MP 03 Grab Air
Summa Can# 978
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912268
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:19 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11	J	5.0	26	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	11		2.0	66		12	10
05298	1,3-Dichlorobenzene	541-73-1	10		2.0	61		12	10
05298	1,4-Dichlorobenzene	106-46-7	12		2.0	72		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.7	J	2.0	23	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	150		2.0	610		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	11		2.0	46		8.7	10
05298	4-Ethyltoluene	622-96-8	4.3	J	2.0	21	J	9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	3.4	J	2.0	16	J	9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	3.1	J	2.0	13	J	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	3.3	J	2.0	23	J	14	10
05298	Tetrachloroethene	127-18-4	4.4	J	2.0	30	J	14	10

Sample Description: MP 03 Grab Air
Summa Can# 978
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912268
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:19 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	19		2.0	73		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	93		2.0	510		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	2.5	J	2.0	15	J	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	7.0	J	2.0	34	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	4.5	J	2.0	22	J	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	31		2.0	140		8.7	10
05298	o-Xylene	95-47-6	16		2.0	71		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/13/2013 22:08	Michael A Ziegler	10

Sample Description: MP 04 Grab Air
Summa Can# 1019
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912269
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:28 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	28		1.2	1
05298	Benzene	71-43-2	0.92	J	0.20	2.9	J	0.64	1
05298	Bromobenzene	108-86-1	0.68	J	0.20	4.3	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.47	J	0.20	4.9	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.1		0.50	6.3		1.5	1
05298	Carbon Disulfide	75-15-0	4.5		0.50	14		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.40	J	0.20	1.8	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.42	J	0.20	1.5	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.9		0.20	19		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.41	J	0.20	3.1	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.4		0.20	14		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.4		0.20	14		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.9		0.20	18		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.36	J	0.20	1.4	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	3.4		0.20	15		0.87	1
05298	4-Ethyltoluene	622-96-8	1.0	J	0.20	4.9	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.42	J	0.20	1.7	J	0.82	1
05298	Hexachloroethane	67-72-1	0.37	J	0.20	3.6	J	1.9	1
05298	Hexane	110-54-3	0.57	J	0.20	2.0	J	0.70	1
05298	2-Hexanone	591-78-6	1.5	J	0.50	6.0	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.46	J	0.20	1.6	J	0.69	1
05298	Octane	111-65-9	1.1		0.20	5.3		0.93	1
05298	Pentane	109-66-0	7.1		0.20	21		0.59	1
05298	Styrene	100-42-5	0.80	J	0.20	3.4	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.50	J	0.20	3.4	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.61	J	0.20	4.1	J	1.4	1

Sample Description: MP 04 Grab Air
Summa Can# 1019
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912269
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:28 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.4		0.20	5.4		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.5		0.20	8.5		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.33	J	0.20	2.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.8		0.20	8.7		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.1		0.20	5.5		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	9.0		0.20	39		0.87	1
05298	o-Xylene	95-47-6	5.3		0.20	23		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/13/2013 22:55	Michael A Ziegler	1

Sample Description: MP 05 Grab Air
Summa Can# 1090
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912270
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:31 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		0.50	25		1.2	1
05298	Benzene	71-43-2	0.49	J	0.20	1.6	J	0.64	1
05298	Bromobenzene	108-86-1	0.23	J	0.20	1.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.9	J	0.50	5.7	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.40	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.25	J	0.20	0.51	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.4		0.20	17		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.97	J	0.20	5.9	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.97	J	0.20	5.8	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.3		0.20	7.6		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	9.8		0.20	39		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.1		0.20	4.8		0.87	1
05298	4-Ethyltoluene	622-96-8	0.37	J	0.20	1.8	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.26	J	0.20	0.92	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	0.30	J	0.20	1.4	J	0.93	1
05298	Pentane	109-66-0	0.35	J	0.20	1.0	J	0.59	1
05298	Styrene	100-42-5	0.38	J	0.20	1.6	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.79	J	0.20	5.4	J	1.4	1

Sample Description: MP 05 Grab Air
Summa Can# 1090
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912270
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:31 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.45	J	0.20	1.7	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.3		0.20	7.1		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.55	J	0.20	2.7	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.37	J	0.20	1.8	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.3		0.20	14		0.87	1
05298	o-Xylene	95-47-6	1.7		0.20	7.5		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/13/2013 23:43	Michael A Ziegler	1

Sample Description: MP 06 Grab Air
Summa Can# 990
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912271
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:06 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.5		0.50	22		1.2	1
05298	Benzene	71-43-2	2.3		0.20	7.3		0.64	1
05298	Bromobenzene	108-86-1	1.6		0.20	10		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.96	J	0.20	9.9	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.5	J	0.50	4.5	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.99	J	0.20	4.6	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.40	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.62	J	0.20	1.3	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.6		0.20	13		0.98	1
05298	Dibromochloromethane	124-48-1	0.30	J	0.20	2.6	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	0.70	J	0.20	5.4	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	6.2		0.20	37		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	5.9		0.20	36		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	6.6		0.20	39		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.50	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.8		0.20	7.4		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	38		0.20	150		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	10		0.20	46		0.87	1
05298	4-Ethyltoluene	622-96-8	4.0		0.20	20		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	1.2		0.20	4.8		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.3		0.20	4.6		0.70	1
05298	2-Hexanone	591-78-6	0.74	J	0.50	3.0	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.31	J	0.20	1.1	J	0.69	1
05298	Octane	111-65-9	3.7		0.20	17		0.93	1
05298	Pentane	109-66-0	0.57	J	0.20	1.7	J	0.59	1
05298	Styrene	100-42-5	2.6		0.20	11		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.8		0.20	12		1.4	1
05298	Tetrachloroethene	127-18-4	1.6		0.20	11		1.4	1

Sample Description: MP 06 Grab Air
Summa Can# 990
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912271
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:06 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	3.3	0.20	12	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	6.2	0.20	34	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	0.30 J	0.20	1.6 J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.4	0.20	8.1	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	1.1	0.20	6.8	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	5.4	0.20	27	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	4.1	0.20	20	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	27	0.20	120	0.87	1
05298	o-Xylene	95-47-6	16	0.20	69	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 00:31	Michael A Ziegler	1

Sample Description: MP 07 Grab Air
Summa Can# 971
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912272
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:02 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13	J	5.0	31	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	5.7	J	2.0	23	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	260		2.0	1,000		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP 07 Grab Air
Summa Can# 971
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912272
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:02 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	5.9	J	2.0	22	J	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	76		2.0	420		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 01:15	Michael A Ziegler	10

Sample Description: MP 08 Grab Air
Summa Can# 918
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912273
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:40 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	22		2.5	53		5.9	5
05298	Benzene	71-43-2	1.6	J	1.0	5.0	J	3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	2.5	J	2.5	7.4	J	7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	2.8	J	1.0	14	J	4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	2.6	J	1.0	16	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	2.2	J	1.0	13	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	2.6	J	1.0	16	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	N.D.		1.0	N.D.		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	130		1.0	520		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	2.9	J	1.0	13	J	4.3	5
05298	4-Ethyltoluene	622-96-8	1.1	J	1.0	5.3	J	4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.1	J	1.0	3.7	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	4.1	J	1.0	12	J	3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: MP 08 Grab Air
Summa Can# 918
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912273
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:40 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.4	J	1.0	5.4	J	3.8	5
05298	1,1,1-Trichloroethane	71-55-6	37		1.0	200		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.3	J	1.0	7.4	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	1.5	J	1.0	7.6	J	4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	1.0	J	1.0	5.0	J	4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	8.2		1.0	36		4.3	5
05298	o-Xylene	95-47-6	4.5	J	1.0	20	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 01:58	Michael A Ziegler	5

Sample Description: MP 09 Grab Air
Summa Can# 981
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912274
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:45 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		2.5	43		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	2.7	J	2.5	7.8	J	7.4	5
05298	Carbon Disulfide	75-15-0	2.9	J	2.5	9.1	J	7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	1.1	J	1.0	6.3	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	1.0	J	1.0	6.1	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	1.2	J	1.0	7.4	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	11		1.0	44		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	200		1.0	790		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	1.3	J	1.0	5.7	J	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: MP 09 Grab Air
Summa Can# 981
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912274
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:45 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	26		1.0	140		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	N.D.		1.0	N.D.		5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	1.7	J	1.0	4.4	J	2.6	5
05298	m/p-Xylene	179601-23-1	3.0	J	1.0	13	J	4.3	5
05298	o-Xylene	95-47-6	1.8	J	1.0	7.7	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 02:42	Michael A Ziegler	5

Sample Description: MP 10 Grab Air
Summa Can# 965
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912275
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:22 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12		0.50	29		1.2	1
05298	Benzene	71-43-2	0.31	J	0.20	0.98	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	0.61	J	0.50	1.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.21	J	0.20	0.74	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.69	J	0.20	3.3	J	0.98	1
05298	Chloromethane	74-87-3	0.38	J	0.20	0.79	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	N.D.		0.20	N.D.		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.49	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	5.0		0.20	20		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.1		0.20	16		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.45	J	0.20	1.6	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	3.3		0.20	11		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.51	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

Sample Description: MP 10 Grab Air
Summa Can# 965
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912275
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:22 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	4.9		0.20	27		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.28	J	0.20	1.6	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 03:30	Michael A Ziegler	1

Sample Description: MP 11 Grab Air
Summa Can# 1043
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912276
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:35 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	490		100	1,200		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	N.D.		100	N.D.		290	200
05298	Carbon Disulfide	75-15-0	N.D.		100	N.D.		310	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	N.D.		40	N.D.		160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	6,500		40	26,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	N.D.		40	N.D.		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	100	J	40	360	J	140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	80	J	40	240	J	120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Sample Description: MP 11 Grab Air
Summa Can# 1043
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912276
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:35 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	40	N.D.	150	200
05298	1,1,1-Trichloroethane	71-55-6	1,100	40	5,900	220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.	40	N.D.	220	200
05298	Trichloroethene	79-01-6	N.D.	40	N.D.	210	200
05298	Trichlorofluoromethane	75-69-4	N.D.	40	N.D.	220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.	40	N.D.	240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	40	N.D.	200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	40	N.D.	200	200
05298	Vinyl Chloride	75-01-4	N.D.	40	N.D.	100	200
05298	m/p-Xylene	179601-23-1	N.D.	40	N.D.	170	200
05298	o-Xylene	95-47-6	N.D.	40	N.D.	170	200

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 04:14	Michael A Ziegler	200

Sample Description: VW 3 Grab Air
Summa Can# 970
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912277
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:26 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	39		2.5	93		5.9	5
05298	Benzene	71-43-2	2.7	J	1.0	8.7	J	3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	11		2.5	33		7.4	5
05298	Carbon Disulfide	75-15-0	5.8		2.5	18		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	2.7	J	1.0	5.6	J	2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	1.2	J	1.0	5.1	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	350		1.0	1,400		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	1.1	J	1.0	4.7	J	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	1.1	J	1.0	4.5	J	4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	1.8	J	1.0	6.4	J	3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	1.6	J	1.0	4.7	J	3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.0	J	1.0	7.0	J	6.8	5

Sample Description: VW 3 Grab Air
Summa Can# 970
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912277
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:26 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	100		1.0	540		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	N.D.		1.0	N.D.		5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.3	J	1.0	5.6	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 04:58	Michael A Ziegler	5

Sample Description: VW 5 Grab Air
Summa Can# 922
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912278
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:59 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air	**EPA TO-15**		ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	520	J	500	1,200	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,200		200	5,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	49,000		400	200,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	210	J	200	710	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: VW 5 Grab Air
Summa Can# 922
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912278
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:59 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	12,000	200	67,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 05:41	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AB	01/15/2013 23:10	Michael A Ziegler	2000

Sample Description: VW 6 Grab Air
Summa Can# 912
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912279
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:24 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	6.0	J	2.5	14	J	5.9	5
05298	Benzene	71-43-2	4.6	J	1.0	15	J	3.2	5
05298	Bromobenzene	108-86-1	1.8	J	1.0	12	J	6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	4.7	J	1.0	49	J	10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	3.7	J	1.0	17	J	4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	1.9	J	1.0	9.5	J	4.9	5
05298	Dibromochloromethane	124-48-1	1.3	J	1.0	11	J	8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	1.1	J	1.0	6.5	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	14		1.0	56		4.0	5
05298	1,2-Dichloroethane	107-06-2	1.7	J	1.0	6.8	J	4.0	5
05298	1,1-Dichloroethene	75-35-4	260		1.0	1,100		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	45		1.0	200		4.3	5
05298	4-Ethyltoluene	622-96-8	1.6	J	1.0	7.9	J	4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	12		1.0	49		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	4.0	J	1.0	14	J	3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	3.0	J	1.0	11	J	3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.0	J	1.0	3.6	J	3.5	5
05298	Octane	111-65-9	22		1.0	100		4.7	5
05298	Pentane	109-66-0	2.1	J	1.0	6.2	J	3.0	5
05298	Styrene	100-42-5	2.2	J	1.0	9.5	J	4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	1.2	J	1.0	8.4	J	6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	2.6	J	1.0	18	J	6.9	5
05298	Tetrachloroethene	127-18-4	11		1.0	74		6.8	5

Sample Description: VW 6 Grab Air
Summa Can# 912
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912279
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:24 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	18		1.0	67		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	2.2	J	1.0	12	J	5.5	5
05298	1,1,2-Trichloroethane	79-00-5	1.6	J	1.0	8.6	J	5.5	5
05298	Trichloroethene	79-01-6	5.3		1.0	28		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.1	J	1.0	12	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	1.9	J	1.0	11	J	6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	1.0	J	1.0	5.1	J	4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	60		1.0	260		4.3	5
05298	o-Xylene	95-47-6	27		1.0	120		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 06:24	Michael A Ziegler	5

Sample Description: MW 64 Grab Air
Summa Can# 956
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912280
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:17 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	660	J	500	1,600	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	3,900		200	16,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	180,000		500	720,000		2,000	2500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	420	J	200	1,500	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: MW 64 Grab Air
Summa Can# 956
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912280
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:17 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	69,000	200	380,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 07:08	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301030AB	01/14/2013 08:50	Michael A Ziegler	2500

Sample Description: MW 65S Grab Air
Summa Can# 941
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912281
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:35 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	1,000	N.D.	2,400	2000
05298	Benzene	71-43-2	N.D.	400	N.D.	1,300	2000
05298	Bromobenzene	108-86-1	N.D.	400	N.D.	2,600	2000
05298	Bromodichloromethane	75-27-4	N.D.	400	N.D.	2,700	2000
05298	Bromoform	75-25-2	N.D.	400	N.D.	4,100	2000
05298	Bromomethane	74-83-9	N.D.	400	N.D.	1,600	2000
05298	1,3-Butadiene	106-99-0	N.D.	1,000	N.D.	2,200	2000
05298	2-Butanone	78-93-3	N.D.	1,000	N.D.	2,900	2000
05298	Carbon Disulfide	75-15-0	N.D.	1,000	N.D.	3,100	2000
05298	Carbon Tetrachloride	56-23-5	N.D.	400	N.D.	2,500	2000
05298	Chlorobenzene	108-90-7	N.D.	400	N.D.	1,800	2000
05298	Chlorodifluoromethane	75-45-6	N.D.	400	N.D.	1,400	2000
05298	Chloroethane	75-00-3	N.D.	400	N.D.	1,100	2000
05298	Chloroform	67-66-3	N.D.	400	N.D.	2,000	2000
05298	Chloromethane	74-87-3	N.D.	400	N.D.	830	2000
05298	3-Chloropropene	107-05-1	N.D.	400	N.D.	1,300	2000
05298	Cumene	98-82-8	N.D.	400	N.D.	2,000	2000
05298	Dibromochloromethane	124-48-1	N.D.	400	N.D.	3,400	2000
05298	1,2-Dibromoethane	106-93-4	N.D.	400	N.D.	3,100	2000
05298	Dibromomethane	74-95-3	N.D.	400	N.D.	2,800	2000
05298	1,2-Dichlorobenzene	95-50-1	N.D.	400	N.D.	2,400	2000
05298	1,3-Dichlorobenzene	541-73-1	N.D.	400	N.D.	2,400	2000
05298	1,4-Dichlorobenzene	106-46-7	N.D.	400	N.D.	2,400	2000
05298	Dichlorodifluoromethane	75-71-8	N.D.	400	N.D.	2,000	2000
05298	1,1-Dichloroethane	75-34-3	N.D.	400	N.D.	1,600	2000
05298	1,2-Dichloroethane	107-06-2	N.D.	400	N.D.	1,600	2000
05298	1,1-Dichloroethene	75-35-4	140,000	400	550,000	1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	400	N.D.	1,600	2000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	400	N.D.	1,600	2000
05298	Dichlorofluoromethane	75-43-4	N.D.	400	N.D.	1,700	2000
05298	1,2-Dichloropropane	78-87-5	N.D.	400	N.D.	1,800	2000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	400	N.D.	1,800	2000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	400	N.D.	1,800	2000
05298	Ethylbenzene	100-41-4	N.D.	400	N.D.	1,700	2000
05298	4-Ethyltoluene	622-96-8	N.D.	400	N.D.	2,000	2000
05298	Freon 113	76-13-1	N.D.	1,000	N.D.	7,700	2000
05298	Freon 114	76-14-2	N.D.	400	N.D.	2,800	2000
05298	Heptane	142-82-5	N.D.	400	N.D.	1,600	2000
05298	Hexachloroethane	67-72-1	N.D.	400	N.D.	3,900	2000
05298	Hexane	110-54-3	N.D.	400	N.D.	1,400	2000
05298	2-Hexanone	591-78-6	N.D.	1,000	N.D.	4,100	2000
05298	Isooctane	540-84-1	N.D.	400	N.D.	1,900	2000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	400	N.D.	1,400	2000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	1,000	N.D.	4,100	2000
05298	Methylene Chloride	75-09-2	N.D.	400	N.D.	1,400	2000
05298	Octane	111-65-9	N.D.	400	N.D.	1,900	2000
05298	Pentane	109-66-0	N.D.	400	N.D.	1,200	2000
05298	Styrene	100-42-5	N.D.	400	N.D.	1,700	2000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	400	N.D.	2,700	2000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	400	N.D.	2,700	2000
05298	Tetrachloroethene	127-18-4	N.D.	400	N.D.	2,700	2000

Sample Description: MW 65S Grab Air
Summa Can# 941
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912281
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:35 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	400	N.D.	1,500	2000
05298	1,1,1-Trichloroethane	71-55-6	11,000	400	60,000	2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	400	N.D.	2,200	2000
05298	Trichloroethene	79-01-6	N.D.	400	N.D.	2,100	2000
05298	Trichlorofluoromethane	75-69-4	N.D.	400	N.D.	2,200	2000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	400	N.D.	2,400	2000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	400	N.D.	2,000	2000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	400	N.D.	2,000	2000
05298	Vinyl Chloride	75-01-4	N.D.	400	N.D.	1,000	2000
05298	m/p-Xylene	179601-23-1	N.D.	400	N.D.	1,700	2000
05298	o-Xylene	95-47-6	N.D.	400	N.D.	1,700	2000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 00:40	Michael A Ziegler	2000

Sample Description: SVE 1 Grab Air
Summa Can# 1065
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912282
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:13 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	160	J	100	380	J	240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	N.D.		100	N.D.		290	200
05298	Carbon Disulfide	75-15-0	N.D.		100	N.D.		310	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	N.D.		40	N.D.		160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	400		40	1,600		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	N.D.		40	N.D.		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	79	J	40	270	J	140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	N.D.		40	N.D.		120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Sample Description: SVE 1 Grab Air
Summa Can# 1065
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912282
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:13 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	87	J	40	330	J	150	200
05298	1,1,1-Trichloroethane	71-55-6	1,600		40	9,000		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		40	N.D.		220	200
05298	Trichloroethene	79-01-6	N.D.		40	N.D.		210	200
05298	Trichlorofluoromethane	75-69-4	N.D.		40	N.D.		220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.		40	N.D.		240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		40	N.D.		200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		40	N.D.		200	200
05298	Vinyl Chloride	75-01-4	N.D.		40	N.D.		100	200
05298	m/p-Xylene	179601-23-1	N.D.		40	N.D.		170	200
05298	o-Xylene	95-47-6	N.D.		40	N.D.		170	200

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 12:31	Michael A Ziegler	200

Sample Description: SVE 2 Grab Air
Summa Can# 1007
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912283
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:09 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13	J	10	31	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	120		4.0	480		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	2,500		40	10,000		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	5.1	J	4.0	22	J	17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	6.7	J	4.0	23	J	14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: SVE 2 Grab Air
Summa Can# 1007
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912283
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:09 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1,100		4.0	4,100		15	20
05298	1,1,1-Trichloroethane	71-55-6	820		4.0	4,500		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	21		4.0	92		17	20
05298	o-Xylene	95-47-6	13	J	4.0	58	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 02:07	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AC	01/16/2013 19:51	Michael A Ziegler	200

Sample Description: SVE 3 Grab Air
Summa Can# 1057
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912284
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:04 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20		0.50	47		1.2	1
05298	Benzene	71-43-2	5.3		0.20	17		0.64	1
05298	Bromobenzene	108-86-1	2.9		0.20	19		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	1.5		0.20	15		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.4		0.50	7.2		1.5	1
05298	Carbon Disulfide	75-15-0	1.1		0.50	3.4		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	1.4		0.20	6.3		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.26	J	0.20	0.93	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.46	J	0.20	2.3	J	0.98	1
05298	Chloromethane	74-87-3	0.20	J	0.20	0.42	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.6		0.20	7.9		0.98	1
05298	Dibromochloromethane	124-48-1	0.41	J	0.20	3.5	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	1.6		0.20	13		1.5	1
05298	Dibromomethane	74-95-3	0.36	J	0.20	2.6	J	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	13		0.20	78		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	12		0.20	73		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	15		0.20	90		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.45	J	0.20	2.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	10		0.20	41		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.29	J	0.20	1.2	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	86		2.0	340		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	14		0.20	62		0.87	1
05298	4-Ethyltoluene	622-96-8	7.2		0.20	36		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	1.6		0.20	6.7		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	1.8		0.20	6.4		0.70	1
05298	2-Hexanone	591-78-6	2.5		0.50	10		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	2.2		0.50	8.9		2.0	1
05298	Methylene Chloride	75-09-2	0.36	J	0.20	1.2	J	0.69	1
05298	Octane	111-65-9	4.1		0.20	19		0.93	1
05298	Pentane	109-66-0	0.58	J	0.20	1.7	J	0.59	1
05298	Styrene	100-42-5	6.0		0.20	26		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	4.1		0.20	28		1.4	1
05298	Tetrachloroethene	127-18-4	2.9		0.20	20		1.4	1

Sample Description: SVE 3 Grab Air
Summa Can# 1057
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912284
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:04 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	5.5		0.20	21		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	13		0.20	71		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.62	J	0.20	3.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.77	J	0.20	4.1	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.81	J	0.20	4.5	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	3.5		0.20	21		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	9.4		0.20	46		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	6.1		0.20	30		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	34		0.20	150		0.87	1
05298	o-Xylene	95-47-6	20		0.20	86		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 02:56	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 13:15	Michael A Ziegler	10

Sample Description: SVE 4 Grab Air
Summa Can# 1041
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912285
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:00 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	31		0.50	74		1.2	1
05298	Benzene	71-43-2	0.74	J	0.20	2.4	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	5.2		0.50	15		1.5	1
05298	Carbon Disulfide	75-15-0	1.9		0.50	5.8		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.28	J	0.20	0.98	J	0.71	1
05298	Chloroethane	75-00-3	0.20	J	0.20	0.54	J	0.53	1
05298	Chloroform	67-66-3	0.34	J	0.20	1.7	J	0.98	1
05298	Chloromethane	74-87-3	0.85	J	0.20	1.8	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.53	J	0.20	2.6	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.48	J	0.20	2.4	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.44	J	0.20	1.8	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.7		0.20	7.2		0.87	1
05298	4-Ethyltoluene	622-96-8	0.62	J	0.20	3.0	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.27	J	0.20	1.1	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.37	J	0.20	1.3	J	0.70	1
05298	2-Hexanone	591-78-6	0.53	J	0.50	2.2	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.37	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	0.46	J	0.20	2.2	J	0.93	1
05298	Pentane	109-66-0	2.1		0.20	6.1		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.29	J	0.20	2.0	J	1.4	1

Sample Description: SVE 4 Grab Air
Summa Can# 1041
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912285
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:00 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.89	J	0.20	3.4	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.99	J	0.20	5.4	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.3		0.20	7.3		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.36	J	0.20	1.8	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.38	J	0.20	1.9	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.7		0.20	21		0.87	1
05298	o-Xylene	95-47-6	2.0		0.20	8.8		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 03:44	Michael A Ziegler	1

Sample Description: SVE 5 Grab Air
Summa Can# 1042
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912286
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:15 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14	J	5.0	34	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.2	J	2.0	17	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	120		2.0	480		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	5.2	J	2.0	15	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: SVE 5 Grab Air
Summa Can# 1042
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912286
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:15 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	16	2.0	86	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 04:27	Michael A Ziegler	10

Sample Description: SVE 6 Grab Air
Summa Can# 1060
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912287
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:11 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	21	5.0	49	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	5.0	N.D.	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	11	2.0	45	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	270	2.0	1,100	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10

Sample Description: SVE 6 Grab Air
Summa Can# 1060
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912287
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 13:11 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	240	2.0	1,300	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 14:43	Michael A Ziegler	10

Sample Description: Undiluted Grab Air
Summa Can# 1010
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912288
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:49 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18	J	5.0	43	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	5.1	J	2.0	30	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	5.3	J	2.0	32	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	5.4	J	2.0	33	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.9	J	2.0	16	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	720		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	7.5	J	2.0	33	J	8.7	10
05298	4-Ethyltoluene	622-96-8	3.2	J	2.0	16	J	9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	2.3	J	2.0	11	J	9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	2.3	J	2.0	9.9	J	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: Undiluted Grab Air
Summa Can# 1010
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912288
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:49 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	11		2.0	40		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	110		2.0	590		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	3.4	J	2.0	17	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	2.8	J	2.0	14	J	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	20		2.0	88		8.7	10
05298	o-Xylene	95-47-6	13		2.0	54		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 05:59	Michael A Ziegler	10

Sample Description: SVE 7 Grab Air
Summa Can# 1016
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912289
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:41 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	27	J	10	65	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	N.D.		4.0	N.D.		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,600		40	6,200		160	200
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: SVE 7 Grab Air
Summa Can# 1016
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6912289
LLI Group # 1359835
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 12/31/2012 12:41 by CP

Submitted: 01/04/2013 09:50
Reported: 01/17/2013 21:14

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20
05298	1,1,1-Trichloroethane	71-55-6	1,700		40	9,200		220	200
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	6.0	J	4.0	26	J	17	20
05298	o-Xylene	95-47-6	5.4	J	4.0	23	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/13
The sample was received at the lab on 1/7/13 at 09:35.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AA	01/15/2013 06:43	Michael A Ziegler	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1301430AC	01/16/2013 20:35	Michael A Ziegler	200

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1359835
Reported: 01/17/13 at 09:14 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1301030AB	Sample number(s): 6912267-6912280							
Acetone	N.D.	0.50	ppb(v)	88	99	61-134	12	25
Benzene	N.D.	0.20	ppb(v)	87	95	70-130	8	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	87	94	70-129	7	25
Bromoform	N.D.	0.20	ppb(v)	100	102	64-141	2	25
Bromomethane	N.D.	0.20	ppb(v)	98	105	70-130	7	25
1,3-Butadiene	N.D.	0.40	ppb(v)	92	102	66-129	10	25
2-Butanone	N.D.	0.50	ppb(v)	87	98	55-131	11	25
Carbon Disulfide	N.D.	0.50	ppb(v)	76	83	57-107	9	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	93	99	70-130	6	25
Chlorobenzene	N.D.	0.20	ppb(v)	91	96	70-130	5	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	91	101	70-131	11	25
Chloroform	N.D.	0.20	ppb(v)	87	93	70-130	6	25
Chloromethane	N.D.	0.20	ppb(v)	86	96	64-133	11	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	90	96	65-127	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	97	102	65-126	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	92	96	62-132	4	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	89	92	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	90	95	63-127	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	96	103	69-143	7	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	88	95	67-124	8	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	91	96	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	88	95	64-119	8	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	84	92	65-121	8	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	98	66-121	9	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	83	88	70-130	6	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	89	99	64-125	10	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	92	97	61-126	6	25
Ethylbenzene	N.D.	0.20	ppb(v)	98	101	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	92	95	59-126	3	25
Freon 113	N.D.	0.50	ppb(v)	84	90	63-114	8	25
Freon 114	N.D.	0.20	ppb(v)	83	91	63-123	9	25
Heptane	N.D.	0.20	ppb(v)	85	93	65-119	8	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	86	94	63-117	9	25
2-Hexanone	N.D.	0.50	ppb(v)	92	100	41-152	9	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	85	91	60-121	7	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1359835
Reported: 01/17/13 at 09:14 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	86	96	53-140	11	25
Methylene Chloride	N.D.	0.20	ppb(v)	82	94	70-130	13	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	99	104	64-130	4	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	97	99	58-133	3	25
Tetrachloroethene	N.D.	0.20	ppb(v)	93	99	70-130	6	25
Toluene	N.D.	0.20	ppb(v)	99	103	70-130	4	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	90	96	70-130	6	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	95	99	65-125	5	25
Trichloroethene	N.D.	0.20	ppb(v)	87	92	70-130	6	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	98	105	70-130	6	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	88	93	60-128	6	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	95	100	61-132	5	25
Vinyl Chloride	N.D.	0.20	ppb(v)	97	106	70-130	9	25
m/p-Xylene	N.D.	0.20	ppb(v)	105	110	70-130	4	25
o-Xylene	N.D.	0.20	ppb(v)	102	105	70-130	3	25
Batch number: D1301430AA	Sample number(s): 6912281-6912289							
Acetone	N.D.	0.50	ppb(v)	81	87	61-134	6	25
Benzene	N.D.	0.20	ppb(v)	78	86	70-130	9	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	80	86	70-129	8	25
Bromoform	N.D.	0.20	ppb(v)	89	92	64-141	3	25
Bromomethane	N.D.	0.20	ppb(v)	90	92	70-130	3	25
1,3-Butadiene	N.D.	0.40	ppb(v)	88	89	66-129	1	25
2-Butanone	N.D.	0.50	ppb(v)	82	90	55-131	9	25
Carbon Disulfide	N.D.	0.50	ppb(v)	72	73	57-107	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	82	84	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	82	87	70-130	6	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	88	86	70-131	2	25
Chloroform	N.D.	0.20	ppb(v)	76	80	70-130	5	25
Chloromethane	N.D.	0.20	ppb(v)	78	92	64-133	17	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	81	86	65-127	6	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	86	91	65-126	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	85	90	62-132	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	81	86	63-125	6	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	81	88	63-127	8	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	89	92	69-143	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	76	79	67-124	5	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	81	88	70-130	9	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	83	64-119	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	75	77	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	81	81	66-121	0	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	74	81	70-130	8	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	89	64-125	6	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	84	86	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	87	91	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	79	84	59-126	6	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1359835
Reported: 01/17/13 at 09:14 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	76	77	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	77	80	63-123	4	25
Heptane	N.D.	0.20	ppb(v)	78	82	65-119	6	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	76	78	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	87	93	41-152	6	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	76	80	60-121	5	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	82	92	53-140	11	25
Methylene Chloride	N.D.	0.20	ppb(v)	77	78	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	90	94	64-130	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	82	85	58-133	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	83	88	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	88	93	70-130	6	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	79	82	70-130	4	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	86	91	65-125	5	25
Trichloroethene	N.D.	0.20	ppb(v)	80	87	70-130	9	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	92	92	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	79	83	60-128	5	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	84	90	61-132	7	25
Vinyl Chloride	N.D.	0.20	ppb(v)	92	94	70-130	2	25
m/p-Xylene	N.D.	0.20	ppb(v)	94	101	70-130	6	25
o-Xylene	N.D.	0.20	ppb(v)	92	96	70-130	4	25
Batch number: D1301430AB	Sample number(s): 6912278							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	83	64-119	1	25
Batch number: D1301430AC	Sample number(s): 6912267,6912283,6912289							
1,1-Dichloroethene	N.D.	0.20	ppb(v)	84	83	64-119	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	79	82	70-130	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1359835 For Eurofins Lancaster Laboratories use only Sample # 6912267-89 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 | EPA 18 | ☐ BTEX ☐ MTBE | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	BTEX	MTBE	EPA 25	Helium as tracer	O2/CO2	Library Search
MP 02	12/31/12	12:31							1061			X							
MP 03	"	13:19							978			X							
MP 04	"	13:28							1019			X							
MP 05	"	13:31							1090			X							
MP 06	"	13:06							990			X							
MP 07	"	13:02							971			X							
MP 08	"	13:40							918			X							
MP 09	"	12:45							981			X							
MP 10	"	12:22							965			X							
MP 11	"	12:35							1043			X							
VW 3	"	12:26							970			X							

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Deborah Neslund	Date/Time: 1/4/13 0950

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1359835 For Eurofins Lancaster Laboratories use only Sample # 6912267-89 Bottle Order (SCR) # _____

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company — Account #:

Project Name/#: Flowery Branch SVE

Project Manager: Todd Hall — P.O. #:

Sampler: Calvin Pruitt — Quote #:

Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard — Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW 5	12/31/12	12:59							922			X						
VW 6	"	13:24							912			X						
MW 6d	"	12:17							956			X						
MW 65s	"	13:35						didn't sound right	941			X						
SVE 1	"	12:13							1065			X						
SVE 2	"	12:09							1007			X						
SVE 3	"	12:04							1057			X						
SVE 4	"	12:00							1041			X						
SVE 5	"	1:15							1042			X						
SVE 6	"	1:11							1060			X						
Unclulated	"	12:49							1010			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Deborah Neslund	Date/Time: 1/4/13 0950

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

For Eurofins Lancaster Laboratories use only
Acct. # 6556 Group # 1359835 Sample # 6912267-89 Bottle Order (SCR) # _____
Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)
Standard | Rush (specify) _____

(4) Data Package Required? Yes / No

(5) EDD Required? Yes / No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 / ☐ MTBE	☐ BTEX / EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
SVE 7	12/31/12	12:41							1016			X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Deborah Reslund	Date/Time: 1/4/13 0950

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

1359835

Client/Project: Johnson Co.

Date of Receipt: 1/4/13

Time of Receipt: 0950

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

Rec'd 17 Summa cans, Missing 6 summa cans

Rec'd 1 Flow Controller, Swagelock Tubing

SC# 1061, 965, 956, 1060, 1010, 1016 } missing

Unpacker Signature/Emp#: JMoslund /208 **Date/Time:** 1/4/13 /1000

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Co

Date of Receipt: 1-7-13

Time of Receipt: 0935

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

received missing Summas from 1-4-13

Unpacker Signature/Emp#: 2123 **Date/Time:** 1-7-13 1033

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

February 13, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 02/04/2013
Group Number: 1366294
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
VW 5 Summa Can #956 Grab Air	6941508
VW 6 Summa Can #1141 Grab Air	6941509
MP 05 Summa Can #944 Grab Air	6941510
MP 10 Summa Can #1090 Grab Air	6941511
SVE 6 Summa Can #1140 Grab Air	6941512
MP 06 Summa Can #941 Grab Air	6941513
MW 65s Summa Can #981 Grab Air	6941514
MW 64 Summa Can #1093 Grab Air	6941515
MP 02 Summa Can #1066 Grab Air	6941516
SVE 5 Summa Can #1139 Grab Air	6941517
MP 03 Summa Can #1143 Grab Air	6941518
SVE 7 Summa Can #917 Grab Air	6941519
Undiluted Summa Can #971 Grab Air	6941520
MP 07 Summa Can #1065 Grab Air	6941521
MP 09 Summa Can #1064 Grab Air	6941522
SVE 3 Summa Can #1145 Grab Air	6941523
MP 04 Summa Can #1142 Grab Air	6941524
MP 11 Summa Can #912 Grab Air	6941525
VW 3 Summa Can #965 Grab Air	6941526
SVE 2 Summa Can #1057 Grab Air	6941527
MP 08 Summa Can #999 Grab Air	6941528
SVE 1 Summa Can #1096 Grab Air	6941529
SVE 4 Summa Can #1043 Grab Air	6941530

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: VW 5 Summa Can #956 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941508
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:15 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	N.D.	500	N.D.	1,200	1000
05298	Benzene	71-43-2	N.D.	200	N.D.	640	1000
05298	Bromobenzene	108-86-1	N.D.	200	N.D.	1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.	200	N.D.	1,300	1000
05298	Bromoform	75-25-2	N.D.	200	N.D.	2,100	1000
05298	Bromomethane	74-83-9	N.D.	200	N.D.	780	1000
05298	1,3-Butadiene	106-99-0	N.D.	500	N.D.	1,100	1000
05298	2-Butanone	78-93-3	N.D.	500	N.D.	1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.	500	N.D.	1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.	200	N.D.	1,300	1000
05298	Chlorobenzene	108-90-7	N.D.	200	N.D.	920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.	200	N.D.	710	1000
05298	Chloroethane	75-00-3	N.D.	200	N.D.	530	1000
05298	Chloroform	67-66-3	N.D.	200	N.D.	980	1000
05298	Chloromethane	74-87-3	N.D.	200	N.D.	410	1000
05298	3-Chloropropene	107-05-1	N.D.	200	N.D.	630	1000
05298	Cumene	98-82-8	N.D.	200	N.D.	980	1000
05298	Dibromochloromethane	124-48-1	N.D.	200	N.D.	1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.	200	N.D.	1,500	1000
05298	Dibromomethane	74-95-3	N.D.	200	N.D.	1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.	200	N.D.	1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.	200	N.D.	1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.	200	N.D.	1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.	200	N.D.	990	1000
05298	1,1-Dichloroethane	75-34-3	1,100	200	4,600	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.	200	N.D.	810	1000
05298	1,1-Dichloroethene	75-35-4	72,000	200	290,000	790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	200	N.D.	790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	200	N.D.	790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.	200	N.D.	840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.	200	N.D.	920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	200	N.D.	910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	200	N.D.	910	1000
05298	Ethylbenzene	100-41-4	N.D.	200	N.D.	870	1000
05298	4-Ethyltoluene	622-96-8	N.D.	200	N.D.	980	1000
05298	Freon 113	76-13-1	N.D.	500	N.D.	3,800	1000
05298	Freon 114	76-14-2	N.D.	200	N.D.	1,400	1000
05298	Heptane	142-82-5	N.D.	200	N.D.	820	1000
05298	Hexachloroethane	67-72-1	N.D.	200	N.D.	1,900	1000
05298	Hexane	110-54-3	N.D.	200	N.D.	700	1000
05298	2-Hexanone	591-78-6	N.D.	500	N.D.	2,000	1000
05298	Isooctane	540-84-1	N.D.	200	N.D.	930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	200	N.D.	720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	500	N.D.	2,000	1000
05298	Methylene Chloride	75-09-2	N.D.	200	N.D.	690	1000
05298	Octane	111-65-9	N.D.	200	N.D.	930	1000
05298	Pentane	109-66-0	N.D.	200	N.D.	590	1000
05298	Styrene	100-42-5	N.D.	200	N.D.	850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	200	N.D.	1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	200	N.D.	1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.	200	N.D.	1,400	1000
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000

Sample Description: VW 5 Summa Can #956 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941508
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:15 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,700	200	37,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304030AA	02/09/2013 18:47	Michael A Ziegler	1000

Sample Description: VW 6 Summa Can #1141 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941509
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:41 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	22		5.0	52		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	9.1	J	2.0	37	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	190		2.0	740		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: VW 6 Summa Can #1141 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941509
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:41 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.4	J	2.0	24	J	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.5	J	2.0	14	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304030AA	02/09/2013 19:30	Michael A Ziegler	10

Sample Description: MP 05 Summa Can #944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941510
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:30 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.7		0.50	14		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.1	J	0.50	3.2	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.29	J	0.20	1.0	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.56	J	0.20	1.2	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.3		0.20	16		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.9	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	7.9		0.20	31		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.21	J	0.20	0.72	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.26	J	0.20	0.75	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.35	J	0.20	2.4	J	1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Sample Description: MP 05 Summa Can #944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941510
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:30 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.	0.20	N.D.	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.5	0.20	8.4	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304030AA	02/09/2013 20:18	Michael A Ziegler	1

Sample Description: MP 10 Summa Can #1090 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941511
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:48 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		0.50	42		1.2	1
05298	Benzene	71-43-2	0.24	J	0.20	0.76	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	11		0.50	34		1.5	1
05298	Carbon Disulfide	75-15-0	1.4		0.50	4.3		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	0.27	J	0.20	0.72	J	0.53	1
05298	Chloroform	67-66-3	1.7		0.20	8.4		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.74	J	0.20	3.6	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.25	J	0.20	1.5	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	36		0.20	140		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	41		0.20	160		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	0.51	J	0.50	2.1	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	2.4		0.50	10		2.0	1
05298	Methylene Chloride	75-09-2	0.46	J	0.20	1.6	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	0.39	J	0.20	1.2	J	0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.39	J	0.20	2.6	J	1.4	1
05298	Toluene	108-88-3	0.31	J	0.20	1.2	J	0.75	1

Sample Description: MP 10 Summa Can #1090 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941511
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:48 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	59		2.0	320		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.33	J	0.20	1.8	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		0.20	N.D.		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		0.20	N.D.		0.98	1
05298	Vinyl Chloride	75-01-4	0.22	J	0.20	0.58	J	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.		0.20	N.D.		0.87	1
05298	o-Xylene	95-47-6	N.D.		0.20	N.D.		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/10/2013 23:41	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 11:40	Michael A Ziegler	10

Sample Description: SVE 6 Summa Can #1140 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941512
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:55 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	31	5.0	74	12	10
05298	Benzene	71-43-2	N.D.	2.0	N.D.	6.4	10
05298	Bromobenzene	108-86-1	N.D.	2.0	N.D.	13	10
05298	Bromodichloromethane	75-27-4	N.D.	2.0	N.D.	13	10
05298	Bromoform	75-25-2	N.D.	2.0	N.D.	21	10
05298	Bromomethane	74-83-9	N.D.	2.0	N.D.	7.8	10
05298	1,3-Butadiene	106-99-0	N.D.	5.0	N.D.	11	10
05298	2-Butanone	78-93-3	N.D.	5.0	N.D.	15	10
05298	Carbon Disulfide	75-15-0	N.D.	5.0	N.D.	16	10
05298	Carbon Tetrachloride	56-23-5	N.D.	2.0	N.D.	13	10
05298	Chlorobenzene	108-90-7	N.D.	2.0	N.D.	9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.	2.0	N.D.	7.1	10
05298	Chloroethane	75-00-3	N.D.	2.0	N.D.	5.3	10
05298	Chloroform	67-66-3	N.D.	2.0	N.D.	9.8	10
05298	Chloromethane	74-87-3	N.D.	2.0	N.D.	4.1	10
05298	3-Chloropropene	107-05-1	N.D.	2.0	N.D.	6.3	10
05298	Cumene	98-82-8	N.D.	2.0	N.D.	9.8	10
05298	Dibromochloromethane	124-48-1	N.D.	2.0	N.D.	17	10
05298	1,2-Dibromoethane	106-93-4	N.D.	2.0	N.D.	15	10
05298	Dibromomethane	74-95-3	N.D.	2.0	N.D.	14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2.0	N.D.	12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2.0	N.D.	12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2.0	N.D.	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.	2.0	N.D.	9.9	10
05298	1,1-Dichloroethane	75-34-3	11	2.0	43	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.	2.0	N.D.	8.1	10
05298	1,1-Dichloroethene	75-35-4	290	2.0	1,100	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2.0	N.D.	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2.0	N.D.	7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.	2.0	N.D.	8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.	2.0	N.D.	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2.0	N.D.	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2.0	N.D.	9.1	10
05298	Ethylbenzene	100-41-4	N.D.	2.0	N.D.	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.	2.0	N.D.	9.8	10
05298	Freon 113	76-13-1	N.D.	5.0	N.D.	38	10
05298	Freon 114	76-14-2	N.D.	2.0	N.D.	14	10
05298	Heptane	142-82-5	N.D.	2.0	N.D.	8.2	10
05298	Hexachloroethane	67-72-1	N.D.	2.0	N.D.	19	10
05298	Hexane	110-54-3	N.D.	2.0	N.D.	7.0	10
05298	2-Hexanone	591-78-6	N.D.	5.0	N.D.	20	10
05298	Isooctane	540-84-1	N.D.	2.0	N.D.	9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2.0	N.D.	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5.0	N.D.	20	10
05298	Methylene Chloride	75-09-2	N.D.	2.0	N.D.	6.9	10
05298	Octane	111-65-9	N.D.	2.0	N.D.	9.3	10
05298	Pentane	109-66-0	N.D.	2.0	N.D.	5.9	10
05298	Styrene	100-42-5	N.D.	2.0	N.D.	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2.0	N.D.	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2.0	N.D.	14	10
05298	Tetrachloroethene	127-18-4	N.D.	2.0	N.D.	14	10
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10

Sample Description: SVE 6 Summa Can #1140 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941512
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:55 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	140		2.0	740		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.6	J	2.0	15	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 00:24	Michael A Ziegler	10

Sample Description: MP 06 Summa Can #941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941513
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:59 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	2.9		0.50	6.9		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	N.D.		0.50	N.D.		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.33	J	0.20	0.69	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.38	J	0.20	1.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.56	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.3		0.20	5.4		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	34		0.20	130		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.21	J	0.20	0.72	J	0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.21	J	0.20	0.78	J	0.75	1

Sample Description: MP 06 Summa Can #941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941513
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:59 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	3.8	0.20	21	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8	0.20	9.9	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 01:55	Michael A Ziegler	1

Sample Description: MW 65s Summa Can #981 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941514
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:21 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	37,000		5,000	89,000		12,000	10000
05298	Benzene	71-43-2	N.D.		2,000	N.D.		6,400	10000
05298	Bromobenzene	108-86-1	N.D.		2,000	N.D.		13,000	10000
05298	Bromodichloromethane	75-27-4	N.D.		2,000	N.D.		13,000	10000
05298	Bromoform	75-25-2	N.D.		2,000	N.D.		21,000	10000
05298	Bromomethane	74-83-9	N.D.		2,000	N.D.		7,800	10000
05298	1,3-Butadiene	106-99-0	N.D.		5,000	N.D.		11,000	10000
05298	2-Butanone	78-93-3	N.D.		5,000	N.D.		15,000	10000
05298	Carbon Disulfide	75-15-0	N.D.		5,000	N.D.		16,000	10000
05298	Carbon Tetrachloride	56-23-5	N.D.		2,000	N.D.		13,000	10000
05298	Chlorobenzene	108-90-7	N.D.		2,000	N.D.		9,200	10000
05298	Chlorodifluoromethane	75-45-6	N.D.		2,000	N.D.		7,100	10000
05298	Chloroethane	75-00-3	N.D.		2,000	N.D.		5,300	10000
05298	Chloroform	67-66-3	N.D.		2,000	N.D.		9,800	10000
05298	Chloromethane	74-87-3	N.D.		2,000	N.D.		4,100	10000
05298	3-Chloropropene	107-05-1	N.D.		2,000	N.D.		6,300	10000
05298	Cumene	98-82-8	N.D.		2,000	N.D.		9,800	10000
05298	Dibromochloromethane	124-48-1	N.D.		2,000	N.D.		17,000	10000
05298	1,2-Dibromoethane	106-93-4	N.D.		2,000	N.D.		15,000	10000
05298	Dibromomethane	74-95-3	N.D.		2,000	N.D.		14,000	10000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2,000	N.D.		12,000	10000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2,000	N.D.		12,000	10000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2,000	N.D.		12,000	10000
05298	Dichlorodifluoromethane	75-71-8	N.D.		2,000	N.D.		9,900	10000
05298	1,1-Dichloroethane	75-34-3	N.D.		2,000	N.D.		8,100	10000
05298	1,2-Dichloroethane	107-06-2	N.D.		2,000	N.D.		8,100	10000
05298	1,1-Dichloroethene	75-35-4	430,000		2,000	1,700,000		7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2,000	N.D.		7,900	10000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2,000	N.D.		7,900	10000
05298	Dichlorofluoromethane	75-43-4	N.D.		2,000	N.D.		8,400	10000
05298	1,2-Dichloropropane	78-87-5	N.D.		2,000	N.D.		9,200	10000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2,000	N.D.		9,100	10000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2,000	N.D.		9,100	10000
05298	Ethylbenzene	100-41-4	N.D.		2,000	N.D.		8,700	10000
05298	4-Ethyltoluene	622-96-8	N.D.		2,000	N.D.		9,800	10000
05298	Freon 113	76-13-1	N.D.		5,000	N.D.		38,000	10000
05298	Freon 114	76-14-2	N.D.		2,000	N.D.		14,000	10000
05298	Heptane	142-82-5	2,500	J	2,000	10,000	J	8,200	10000
05298	Hexachloroethane	67-72-1	N.D.		2,000	N.D.		19,000	10000
05298	Hexane	110-54-3	2,500	J	2,000	8,700	J	7,000	10000
05298	2-Hexanone	591-78-6	N.D.		5,000	N.D.		20,000	10000
05298	Isooctane	540-84-1	N.D.		2,000	N.D.		9,300	10000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2,000	N.D.		7,200	10000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5,000	N.D.		20,000	10000
05298	Methylene Chloride	75-09-2	13,000		2,000	44,000		6,900	10000
05298	Octane	111-65-9	2,000	J	2,000	9,500	J	9,300	10000
05298	Pentane	109-66-0	3,000	J	2,000	8,700	J	5,900	10000
05298	Styrene	100-42-5	N.D.		2,000	N.D.		8,500	10000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2,000	N.D.		14,000	10000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2,000	N.D.		14,000	10000
05298	Tetrachloroethene	127-18-4	N.D.		2,000	N.D.		14,000	10000
05298	Toluene	108-88-3	N.D.		2,000	N.D.		7,500	10000

Sample Description: MW 65s Summa Can #981 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941514
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:21 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	58,000		2,000	310,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2,000	N.D.		11,000	10000
05298	Trichloroethene	79-01-6	N.D.		2,000	N.D.		11,000	10000
05298	Trichlorofluoromethane	75-69-4	N.D.		2,000	N.D.		11,000	10000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2,000	N.D.		12,000	10000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2,000	N.D.		9,800	10000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2,000	N.D.		9,800	10000
05298	Vinyl Chloride	75-01-4	N.D.		2,000	N.D.		5,100	10000
05298	m/p-Xylene	179601-23-1	4,800	J	2,000	21,000	J	8,700	10000
05298	o-Xylene	95-47-6	N.D.		2,000	N.D.		8,700	10000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 02:44	Michael A Ziegler	10000

Sample Description: MW 64 Summa Can #1093 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941515
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:10 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	3,700		200	15,000		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	140,000		500	550,000		2,000	2500
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	390	J	200	1,400	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Sample Description: MW 64 Summa Can #1093 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941515
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:10 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	61,000	200	330,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 03:27	Michael A Ziegler	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 12:23	Michael A Ziegler	2500

Sample Description: MP 02 Summa Can #1066 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941516
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:58 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	320		50	760		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	54	J	50	160	J	150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	56	J	20	230	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,100		20	8,200		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	97	J	20	340	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	N.D.		20	N.D.		75	100

Sample Description: MP 02 Summa Can #1066 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941516
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:58 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	230		20	1,300		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	24	J	20	61	J	51	100
05298	m/p-Xylene	179601-23-1	46	J	20	200	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 04:15	Michael A Ziegler	100

Sample Description: SVE 5 Summa Can #1139 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941517
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:50 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	27		5.0	64		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.9	J	2.0	12	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	98		2.0	390		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: SVE 5 Summa Can #1139 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941517
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:50 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	14		2.0	75		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.2	J	2.0	12	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 04:58	Michael A Ziegler	10

Sample Description: MP 03 Summa Can #1143 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941518
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:45 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	20		5.0	48		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.7	J	2.0	19	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	210		2.0	850		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	3.4	J	2.0	13	J	7.5	10

Sample Description: MP 03 Summa Can #1143 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941518
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:45 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	44		2.0	240		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.1	J	2.0	12	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 05:42	Michael A Ziegler	10

Sample Description: SVE 7 Summa Can #917 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941519
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:07 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	14	J	5.0	33	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.4	J	2.0	14	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	410		2.0	1,600		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: SVE 7 Summa Can #917 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941519
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:07 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	95	2.0	520	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 13:06	Michael A Ziegler	10

Sample Description: Undiluted Summa Can #971 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941520
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:17 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	5.0	28	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	2.6	J	2.0	11	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	130		2.0	500		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	9.3	J	2.0	35	J	7.5	10

Sample Description: Undiluted Summa Can #971 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941520
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:17 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	64	2.0	350	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 07:13	Michael A Ziegler	10

Sample Description: MP 07 Summa Can #1065 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941521
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:05 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		5.0	N.D.		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	4.1	J	2.0	17	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	210		2.0	830		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	2.4	J	2.0	9.1	J	7.5	10

Sample Description: MP 07 Summa Can #1065 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941521
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:05 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	58		2.0	320		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.1	J	2.0	12	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 07:56	Michael A Ziegler	10

Sample Description: MP 09 Summa Can #1064 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941522
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:12 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.8	J	5.0	21	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	43		2.0	170		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	1,000		5.0	4,100		20	25
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MP 09 Summa Can #1064 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941522
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:12 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	120		2.0	680		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	2.1	J	2.0	5.5	J	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 08:38	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 13:50	Michael A Ziegler	25

Sample Description: SVE 3 Summa Can #1145 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941523
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:32 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	23	2.5	56	5.9	5
05298	Benzene	71-43-2	N.D.	1.0	N.D.	3.2	5
05298	Bromobenzene	108-86-1	N.D.	1.0	N.D.	6.4	5
05298	Bromodichloromethane	75-27-4	N.D.	1.0	N.D.	6.7	5
05298	Bromoform	75-25-2	N.D.	1.0	N.D.	10	5
05298	Bromomethane	74-83-9	N.D.	1.0	N.D.	3.9	5
05298	1,3-Butadiene	106-99-0	N.D.	2.5	N.D.	5.5	5
05298	2-Butanone	78-93-3	N.D.	2.5	N.D.	7.4	5
05298	Carbon Disulfide	75-15-0	N.D.	2.5	N.D.	7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.	1.0	N.D.	6.3	5
05298	Chlorobenzene	108-90-7	N.D.	1.0	N.D.	4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.	1.0	N.D.	3.5	5
05298	Chloroethane	75-00-3	N.D.	1.0	N.D.	2.6	5
05298	Chloroform	67-66-3	N.D.	1.0	N.D.	4.9	5
05298	Chloromethane	74-87-3	N.D.	1.0	N.D.	2.1	5
05298	3-Chloropropene	107-05-1	N.D.	1.0	N.D.	3.1	5
05298	Cumene	98-82-8	N.D.	1.0	N.D.	4.9	5
05298	Dibromochloromethane	124-48-1	N.D.	1.0	N.D.	8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.	1.0	N.D.	7.7	5
05298	Dibromomethane	74-95-3	N.D.	1.0	N.D.	7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.	1.0	N.D.	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.	1.0	N.D.	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.	1.0	N.D.	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.	1.0	N.D.	4.9	5
05298	1,1-Dichloroethane	75-34-3	11	1.0	43	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.	1.0	N.D.	4.0	5
05298	1,1-Dichloroethene	75-35-4	64	1.0	250	4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	1.0	N.D.	4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	1.0	N.D.	4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.	1.0	N.D.	4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.	1.0	N.D.	4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	1.0	N.D.	4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	1.0	N.D.	4.5	5
05298	Ethylbenzene	100-41-4	N.D.	1.0	N.D.	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.	1.0	N.D.	4.9	5
05298	Freon 113	76-13-1	N.D.	2.5	N.D.	19	5
05298	Freon 114	76-14-2	N.D.	1.0	N.D.	7.0	5
05298	Heptane	142-82-5	N.D.	1.0	N.D.	4.1	5
05298	Hexachloroethane	67-72-1	N.D.	1.0	N.D.	9.7	5
05298	Hexane	110-54-3	N.D.	1.0	N.D.	3.5	5
05298	2-Hexanone	591-78-6	N.D.	2.5	N.D.	10	5
05298	Isooctane	540-84-1	N.D.	1.0	N.D.	4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	1.0	N.D.	3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	2.5	N.D.	10	5
05298	Methylene Chloride	75-09-2	N.D.	1.0	N.D.	3.5	5
05298	Octane	111-65-9	N.D.	1.0	N.D.	4.7	5
05298	Pentane	109-66-0	N.D.	1.0	N.D.	3.0	5
05298	Styrene	100-42-5	N.D.	1.0	N.D.	4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.0	N.D.	6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.0	N.D.	6.9	5
05298	Tetrachloroethene	127-18-4	N.D.	1.0	N.D.	6.8	5
05298	Toluene	108-88-3	N.D.	1.0	N.D.	3.8	5

Sample Description: SVE 3 Summa Can #1145 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941523
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:32 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6.0		1.0	32		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.6	J	1.0	8.9	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	N.D.		1.0	N.D.		4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 09:21	Michael A Ziegler	5

Sample Description: MP 04 Summa Can #1142 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941524
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:35 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	28		0.50	67		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.5	J	0.50	4.6	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.27	J	0.20	0.96	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.8		0.20	8.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.59	J	0.20	2.4	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	5.5		0.20	22		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	N.D.		0.20	N.D.		0.75	1

Sample Description: MP 04 Summa Can #1142 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941524
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 13:35 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2.8	0.20	15	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8	0.20	10	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 10:09	Michael A Ziegler	1

Sample Description: MP 11 Summa Can #912 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941525
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:02 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	480		50	1,100		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	53	J	20	210	J	81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	6,700		200	27,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	23	J	20	82	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	160		20	550		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	N.D.		20	N.D.		75	100

Sample Description: MP 11 Summa Can #912 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941525
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 15:02 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	810		20	4,400		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	64	J	20	280	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 10:57	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304130AA	02/11/2013 14:33	Michael A Ziegler	1000

Sample Description: VW 3 Summa Can #965 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941526
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:53 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18	J	5.0	43	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	2.1	J	2.0	4.3	J	4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	730		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10

Sample Description: VW 3 Summa Can #965 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941526
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:53 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	41	2.0	220	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/11/2013 20:46	Michael A Ziegler	10

Sample Description: SVE 2 Summa Can #1057 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941527
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:37 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	440		50	1,000		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	22	J	20	78	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	190		20	750		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	3,500		20	14,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	31	J	20	130	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	34	J	20	120	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	140		20	470		69	100
05298	Octane	111-65-9	28	J	20	130	J	93	100
05298	Pentane	109-66-0	49	J	20	140	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	1,900		20	7,100		75	100

Sample Description: SVE 2 Summa Can #1057 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941527
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:37 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300		20	6,800		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	70	J	20	300	J	87	100
05298	o-Xylene	95-47-6	21	J	20	91	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/12/2013 08:49	Michael A Ziegler	100

Sample Description: MP 08 Summa Can #999 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941528
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:16 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.3	J	2.5	17	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	N.D.		1.0	N.D.		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	80		1.0	320		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5

Sample Description: MP 08 Summa Can #999 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941528
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:16 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	26		1.0	140		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.6	J	1.0	8.7	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	N.D.		1.0	N.D.		4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/11/2013 22:17	Michael A Ziegler	5

Sample Description: SVE 1 Summa Can #1096 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941529
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:41 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	320		50	760		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	22	J	20	78	J	71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	340		20	1,400		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	11,000		200	44,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	28	J	20	120	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	31	J	20	110	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	120		20	420		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	23	J	20	67	J	59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	5,200		200	20,000		750	1000

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: SVE 1 Summa Can #1096 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941529
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:41 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	44,000	200	240,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	20	N.D.	110	100
05298	Trichloroethene	79-01-6	N.D.	20	N.D.	110	100
05298	Trichlorofluoromethane	75-69-4	N.D.	20	N.D.	110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.	20	N.D.	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	20	N.D.	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	20	N.D.	98	100
05298	Vinyl Chloride	75-01-4	N.D.	20	N.D.	51	100
05298	m/p-Xylene	179601-23-1	200	20	850	87	100
05298	o-Xylene	95-47-6	110	20	490	87	100

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/11/2013 23:05	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/12/2013 09:32	Michael A Ziegler	1000

Sample Description: SVE 4 Summa Can #1043 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941530
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:27 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	7.4		0.50	18		1.2	1
05298	Benzene	71-43-2	0.23	J	0.20	0.75	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.6	J	0.50	4.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.35	J	0.20	1.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.34	J	0.20	1.7	J	0.98	1
05298	Chloromethane	74-87-3	0.27	J	0.20	0.56	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.53	J	0.20	2.6	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.44	J	0.20	1.8	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	N.D.		0.20	N.D.		0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	N.D.		0.20	N.D.		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	28		0.20	83		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1
05298	Toluene	108-88-3	0.30	J	0.20	1.1	J	0.75	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Analysis Report

Sample Description: SVE 4 Summa Can #1043 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6941530
LLI Group # 1366294
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 02/01/2013 14:27 by CP

Submitted: 02/04/2013 09:15
Reported: 02/13/2013 12:25

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.3	0.20	7.1	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.	0.20	N.D.	1.1	1
05298	Trichloroethene	79-01-6	N.D.	0.20	N.D.	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8	0.20	10	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.	0.20	N.D.	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.20	N.D.	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.20	N.D.	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.	0.20	N.D.	0.51	1
05298	m/p-Xylene	179601-23-1	N.D.	0.20	N.D.	0.87	1
05298	o-Xylene	95-47-6	N.D.	0.20	N.D.	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1304230AA	02/11/2013 23:54	Michael A Ziegler	1

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1366294
Reported: 02/13/13 at 12:25 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1304030AA	Sample number(s): 6941508-6941510							
Acetone	N.D.	0.50	ppb(v)	89	90	61-134	1	25
Benzene	N.D.	0.20	ppb(v)	82	85	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	87	91	70-129	4	25
Bromoform	N.D.	0.20	ppb(v)	88	89	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	114	119	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	105	110	66-129	5	25
2-Butanone	N.D.	0.50	ppb(v)	92	93	55-131	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	88	92	57-107	4	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	89	92	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	81	82	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	119	109	70-131	8	25
Chloroform	N.D.	0.20	ppb(v)	81	83	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	102	122	64-133	18	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	86	86	65-127	0	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	83	85	65-126	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	79	80	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	76	78	63-125	2	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	76	78	63-127	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	119	123	69-143	3	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	82	85	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	88	91	70-130	3	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	95	99	64-119	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	86	65-121	3	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	91	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	75	79	70-130	5	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	86	64-125	4	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	78	79	61-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	77	78	70-130	0	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	79	79	59-126	0	25
Freon 113	N.D.	0.50	ppb(v)	80	84	63-114	4	25
Freon 114	N.D.	0.20	ppb(v)	101	105	63-123	4	25
Heptane	N.D.	0.20	ppb(v)	83	86	65-119	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	81	84	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	88	89	41-152	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	75	77	60-121	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1366294
Reported: 02/13/13 at 12:25 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	92	96	53-140	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	84	88	70-130	4	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	79	79	64-130	0	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	84	84	58-133	0	25
Tetrachloroethene	N.D.	0.20	ppb(v)	86	86	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	75	76	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	83	86	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	82	82	65-125	1	25
Trichloroethene	N.D.	0.20	ppb(v)	87	91	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	111	115	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	81	81	60-128	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	83	83	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	115	120	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	83	83	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	82	82	70-130	1	25
Batch number: D1304130AA	Sample number(s): 6941511-6941525							
Acetone	N.D.	0.50	ppb(v)	90	90	61-134	0	25
Benzene	N.D.	0.20	ppb(v)	92	92	70-130	0	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	95	95	70-129	1	25
Bromoform	N.D.	0.20	ppb(v)	100	99	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	118	123	70-130	4	25
1,3-Butadiene	N.D.	0.40	ppb(v)	110	114	66-129	3	25
2-Butanone	N.D.	0.50	ppb(v)	95	94	55-131	1	25
Carbon Disulfide	N.D.	0.50	ppb(v)	91	95	57-107	4	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	99	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	89	89	70-130	0	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	119	123	70-131	3	25
Chloroform	N.D.	0.20	ppb(v)	91	93	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	121	124	64-133	3	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	94	94	65-127	0	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	93	92	65-126	1	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	86	83	62-132	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	82	81	63-125	1	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	82	80	63-127	2	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	118	124	69-143	5	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	93	94	67-124	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	96	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	105	106	64-119	1	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	93	93	65-121	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	96	66-121	3	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	86	85	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	93	91	64-125	2	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	90	89	61-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	86	84	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	82	82	59-126	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1366294
Reported: 02/13/13 at 12:25 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	94	92	63-114	2	25
Freon 114	N.D.	0.20	ppb(v)	104	108	63-123	4	25
Heptane	N.D.	0.20	ppb(v)	88	88	65-119	0	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	90	91	63-117	1	25
2-Hexanone	N.D.	0.50	ppb(v)	98	99	41-152	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	84	83	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	94	95	53-140	1	25
Methylene Chloride	N.D.	0.20	ppb(v)	95	95	70-130	0	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	88	86	64-130	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	92	90	58-133	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	93	93	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	85	84	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	96	96	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	93	91	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	96	98	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	120	124	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	82	82	60-128	1	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	86	85	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	117	122	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	89	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	89	87	70-130	1	25
Batch number: D1304230AA	Sample number(s): 6941526-6941530							
Acetone	N.D.	0.50	ppb(v)	81	87	61-134	8	25
Benzene	N.D.	0.20	ppb(v)	82	88	70-130	7	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	87	92	70-129	5	25
Bromoform	N.D.	0.20	ppb(v)	91	94	64-141	3	25
Bromomethane	N.D.	0.20	ppb(v)	106	121	70-130	14	25
1,3-Butadiene	N.D.	0.40	ppb(v)	95	109	66-129	14	25
2-Butanone	N.D.	0.50	ppb(v)	84	93	55-131	9	25
Carbon Disulfide	N.D.	0.50	ppb(v)	81	90	57-107	12	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	89	95	70-130	6	25
Chlorobenzene	N.D.	0.20	ppb(v)	79	84	70-130	6	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	103	116	70-131	12	25
Chloroform	N.D.	0.20	ppb(v)	83	89	70-130	8	25
Chloromethane	N.D.	0.20	ppb(v)	91	108	64-133	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	87	91	65-127	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	84	88	65-126	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	78	83	62-132	6	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	75	81	63-125	7	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	74	80	63-127	8	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	108	124	69-143	14	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	83	90	67-124	8	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	86	92	70-130	6	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	92	98	64-119	7	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1366294
Reported: 02/13/13 at 12:25 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	82	87	65-121	6	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	85	90	66-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	73	79	70-130	8	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	84	88	64-125	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	79	83	61-126	5	25
Ethylbenzene	N.D.	0.20	ppb(v)	77	80	70-130	4	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	79	81	59-126	2	25
Freon 113	N.D.	0.50	ppb(v)	81	87	63-114	7	25
Freon 114	N.D.	0.20	ppb(v)	94	107	63-123	13	25
Heptane	N.D.	0.20	ppb(v)	78	81	65-119	4	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	79	84	63-117	7	25
2-Hexanone	N.D.	0.50	ppb(v)	88	96	41-152	9	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	74	80	60-121	8	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	87	93	53-140	7	25
Methylene Chloride	N.D.	0.20	ppb(v)	82	89	70-130	7	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	79	84	64-130	6	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	85	87	58-133	2	25
Tetrachloroethene	N.D.	0.20	ppb(v)	85	88	70-130	4	25
Toluene	N.D.	0.20	ppb(v)	75	80	70-130	6	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	86	92	70-130	7	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	81	86	65-125	5	25
Trichloroethene	N.D.	0.20	ppb(v)	87	92	70-130	5	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	108	119	70-130	9	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	79	82	60-128	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	81	85	61-132	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	103	117	70-130	13	25
m/p-Xylene	N.D.	0.20	ppb(v)	81	86	70-130	5	25
o-Xylene	N.D.	0.20	ppb(v)	80	85	70-130	5	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1366294 For Eurofins Lancaster Laboratories use only Sample # 6941508-30 Bottle Order (SCR) # 134357

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch GA
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required?

Yes No

(5) EDD Required?

Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

EPA TO - 15 ☑ | EPA 18 ☐ MTBE ☐ BTEX | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

(2)

Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	MTBE	BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search
VW 5	2/1	14:15						—	956	1	—	X							
VW 6	2/1	13:41						—	1141	1	—	X							
MP 05	"	13:30						—	944	1	—	X							
MP 10	"	14:48						—	1090	1	—	X							
SVE 6	"	13:55						—	1140	1	—	X							
MP 06	"	13:59						—	941	1	—	X							
MW 65s	"	14:21						—	981	1	—	X							
MW 64	"	14:10						—	~~1093~~ 1066	1	—	X							
MP 02	"	14:58						—	1066	1	—	X							
SVE 5	"	13:50						—	1139	1	—	X							
MP 03	"	13:45						—	1143	1	—	X							

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
C1558	1-28 13:36						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: LLJ	Date/Time: 2/4/13 0915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1366294 For Eurofins Lancaster Laboratories use only Sample # 6941508-30 Bottle Order (SCR) # 134357

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	EPA 18	BTEX	MTBE	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search
SVE 7	2/1	15:07						—	917	1	—	X							
Undiluted	2/1	15:17						—	971	1	—	X							
MP 07	2/1	14:05						—	1065	1	—	X							
MP 09	2/1	15:12						—	1064	1	—	X							
SVE 3	"	14:32						—	1145	1	—	X							
MP 04	"	13:35						—	1142	1	—	X							
MP 11	"	15:02						—	912	1	—	X							
VW 3	"	14:53						—	965	1	—	X							
SVE 2	"	14:37						—	1057	1	—	X							
MP 08	"	14:16						—	999	1	—	X							
SVE 1	"	14:41						—	1096	1	—	X							

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	(8) Date/Time:
[signature]	13:36 1-28-13	[signature]		[signature]		[signature]	
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
[signature]							
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [signature]	Date/Time: 2/4/13 0915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1366294 For Eurofins Lancaster Laboratories use only Sample # 6941508-30 Bottle Order (SCR) # 134357

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flaveny Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 / ☐ MTBE / ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
SVE 4	2/1	14:27						—	1043	1	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
CASS	1-28-13 1356						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 2/4/13 0915

eurofins | Lancaster Laboratories

Grp #1366294

Environmental Sample Administration
Receipt Documentation Log

Client/Project: Johnson Company

Date of Receipt: 2/4/13

Time of Receipt: 0915

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

Received bag of Swagelock tubing + 1 flow controller.

Unpacker Signature/Emp#: Corey Cohen 3647 **Date/Time:** 2/4/13 1010

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

March 22, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 03/05/2013
Group Number: 1372976
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP10 Grab Air	6972195
SVE7 Grab Air	6972196
MP03 Grab Air	6972197
MW65S Grab Air	6972198
MP05 Grab Air	6972199
MW64 Grab Air	6972200
SVE1 Grab Air	6972201
SVE5 Grab Air	6972202
MP08 Grab Air	6972203
SVE6 Grab Air	6972204
MP02 Grab Air	6972205
Undiluted Grab Air	6972206
VW6 Grab Air	6972207
MP07 Grab Air	6972208
SVE2 Grab Air	6972209
MP06 Grab Air	6972210
MP09 Grab Air	6972211
MP11 Grab Air	6972212
MP4 Grab Air	6972213
SVE3 Grab Air	6972214
SVE4 Grab Air	6972215
VW3 Grab Air	6972216
VW5 Grab Air	6972217

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: MP10 Grab Air
Summa Canister #1046
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972195
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:24 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	16		0.50	39		1.2	1
05298	Benzene	71-43-2	0.25	J	0.20	0.79	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	7.8		0.50	23		1.5	1
05298	Carbon Disulfide	75-15-0	1.0		0.50	3.2		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	2.7		0.20	13		0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.63	J	0.20	3.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.37	J	0.20	2.2	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.44	J	0.20	2.6	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.42	J	0.20	2.6	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.55	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	58		0.20	240		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	68		4.0	270		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.60	J	0.20	2.6	J	0.87	1
05298	4-Ethyltoluene	622-96-8	0.34	J	0.20	1.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.38	J	0.20	1.5	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	7.9		0.20	28		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.72	J	0.50	3.0	J	2.0	1
05298	Methylene Chloride	75-09-2	2.1		0.20	7.1		0.69	1
05298	Octane	111-65-9	0.23	J	0.20	1.1	J	0.93	1
05298	Pentane	109-66-0	400		4.0	1,200		12	20
05298	Styrene	100-42-5	0.28	J	0.20	1.2	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.49	J	0.20	3.3	J	1.4	1

Sample Description: MP10 Grab Air
Summa Canister #1046
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972195
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:24 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	12		0.20	45		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	120		4.0	660		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.40	J	0.20	2.3	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.52	J	0.20	2.6	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.34	J	0.20	1.7	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.8		0.20	8.0		0.87	1
05298	o-Xylene	95-47-6	1.2		0.20	5.0		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 00:30	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 03:30	Michael A Ziegler	20

Sample Description: SVE7 Grab Air
Summa Canister #981
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972196
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:43 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17	J	5.0	41	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	N.D.		2.0	N.D.		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	28		2.0	110		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: SVE7 Grab Air
Summa Canister #981
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972196
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:43 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	2.0	N.D.	7.5	10
05298	1,1,1-Trichloroethane	71-55-6	17	2.0	95	11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.	2.0	N.D.	11	10
05298	Trichloroethene	79-01-6	N.D.	2.0	N.D.	11	10
05298	Trichlorofluoromethane	75-69-4	N.D.	2.0	N.D.	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.	2.0	N.D.	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	2.0	N.D.	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	2.0	N.D.	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.	2.0	N.D.	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.	2.0	N.D.	8.7	10
05298	o-Xylene	95-47-6	N.D.	2.0	N.D.	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 01:13	Jeffrey B Smith	10

Sample Description: MP03 Grab Air
Summa Canister #965
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972197
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:15 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	4.4	J	2.5	10	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	5.8		1.0	23		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	120		1.0	490		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.3	J	1.0	4.4	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: MP03 Grab Air
Summa Canister #965
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972197
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:15 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	13		1.0	69		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.2	J	1.0	12	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	N.D.		1.0	N.D.		4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 01:56	Jeffrey B Smith	5

Sample Description: MW65S Grab Air
Summa Canister #912
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972198
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:54 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	74,000	5,000	180,000	12,000	10000
05298	Benzene	71-43-2	N.D.	2,000	N.D.	6,400	10000
05298	Bromobenzene	108-86-1	N.D.	2,000	N.D.	13,000	10000
05298	Bromodichloromethane	75-27-4	N.D.	2,000	N.D.	13,000	10000
05298	Bromoform	75-25-2	N.D.	2,000	N.D.	21,000	10000
05298	Bromomethane	74-83-9	N.D.	2,000	N.D.	7,800	10000
05298	1,3-Butadiene	106-99-0	N.D.	5,000	N.D.	11,000	10000
05298	2-Butanone	78-93-3	N.D.	5,000	N.D.	15,000	10000
05298	Carbon Disulfide	75-15-0	N.D.	5,000	N.D.	16,000	10000
05298	Carbon Tetrachloride	56-23-5	N.D.	2,000	N.D.	13,000	10000
05298	Chlorobenzene	108-90-7	N.D.	2,000	N.D.	9,200	10000
05298	Chlorodifluoromethane	75-45-6	N.D.	2,000	N.D.	7,100	10000
05298	Chloroethane	75-00-3	N.D.	2,000	N.D.	5,300	10000
05298	Chloroform	67-66-3	N.D.	2,000	N.D.	9,800	10000
05298	Chloromethane	74-87-3	N.D.	2,000	N.D.	4,100	10000
05298	3-Chloropropene	107-05-1	N.D.	2,000	N.D.	6,300	10000
05298	Cumene	98-82-8	N.D.	2,000	N.D.	9,800	10000
05298	Dibromochloromethane	124-48-1	N.D.	2,000	N.D.	17,000	10000
05298	1,2-Dibromoethane	106-93-4	N.D.	2,000	N.D.	15,000	10000
05298	Dibromomethane	74-95-3	N.D.	2,000	N.D.	14,000	10000
05298	1,2-Dichlorobenzene	95-50-1	N.D.	2,000	N.D.	12,000	10000
05298	1,3-Dichlorobenzene	541-73-1	N.D.	2,000	N.D.	12,000	10000
05298	1,4-Dichlorobenzene	106-46-7	N.D.	2,000	N.D.	12,000	10000
05298	Dichlorodifluoromethane	75-71-8	N.D.	2,000	N.D.	9,900	10000
05298	1,1-Dichloroethane	75-34-3	N.D.	2,000	N.D.	8,100	10000
05298	1,2-Dichloroethane	107-06-2	N.D.	2,000	N.D.	8,100	10000
05298	1,1-Dichloroethene	75-35-4	250,000	2,000	1,000,000	7,900	10000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.	2,000	N.D.	7,900	10000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.	2,000	N.D.	7,900	10000
05298	Dichlorofluoromethane	75-43-4	N.D.	2,000	N.D.	8,400	10000
05298	1,2-Dichloropropane	78-87-5	N.D.	2,000	N.D.	9,200	10000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.	2,000	N.D.	9,100	10000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.	2,000	N.D.	9,100	10000
05298	Ethylbenzene	100-41-4	N.D.	2,000	N.D.	8,700	10000
05298	4-Ethyltoluene	622-96-8	N.D.	2,000	N.D.	9,800	10000
05298	Freon 113	76-13-1	N.D.	5,000	N.D.	38,000	10000
05298	Freon 114	76-14-2	N.D.	2,000	N.D.	14,000	10000
05298	Heptane	142-82-5	N.D.	2,000	N.D.	8,200	10000
05298	Hexachloroethane	67-72-1	N.D.	2,000	N.D.	19,000	10000
05298	Hexane	110-54-3	N.D.	2,000	N.D.	7,000	10000
05298	2-Hexanone	591-78-6	N.D.	5,000	N.D.	20,000	10000
05298	Isooctane	540-84-1	N.D.	2,000	N.D.	9,300	10000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.	2,000	N.D.	7,200	10000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.	5,000	N.D.	20,000	10000
05298	Methylene Chloride	75-09-2	25,000	2,000	85,000	6,900	10000
05298	Octane	111-65-9	N.D.	2,000	N.D.	9,300	10000
05298	Pentane	109-66-0	N.D.	2,000	N.D.	5,900	10000
05298	Styrene	100-42-5	N.D.	2,000	N.D.	8,500	10000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2,000	N.D.	14,000	10000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2,000	N.D.	14,000	10000
05298	Tetrachloroethene	127-18-4	N.D.	2,000	N.D.	14,000	10000

Sample Description: MW65S Grab Air
Summa Canister #912
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972198
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:54 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2,300	J	2,000	8,500	J	7,500	10000
05298	1,1,1-Trichloroethane	71-55-6	65,000		2,000	360,000		11,000	10000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2,000	N.D.		11,000	10000
05298	Trichloroethene	79-01-6	N.D.		2,000	N.D.		11,000	10000
05298	Trichlorofluoromethane	75-69-4	N.D.		2,000	N.D.		11,000	10000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2,000	N.D.		12,000	10000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2,000	N.D.		9,800	10000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2,000	N.D.		9,800	10000
05298	Vinyl Chloride	75-01-4	N.D.		2,000	N.D.		5,100	10000
05298	m/p-Xylene	179601-23-1	2,300	J	2,000	9,800	J	8,700	10000
05298	o-Xylene	95-47-6	N.D.		2,000	N.D.		8,700	10000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 07:09	Michael A Ziegler	10000

Sample Description: MP05 Grab Air
Summa Canister #958
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972199
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:00 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		0.50	43		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	0.99	J	0.20	6.3	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.39	J	0.20	4.0	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.1		0.50	6.1		1.5	1
05298	Carbon Disulfide	75-15-0	0.90	J	0.50	2.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.63	J	0.20	2.9	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.32	J	0.20	1.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.94	J	0.20	2.0	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	6.6		0.20	32		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.37	J	0.20	2.9	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	4.1		0.20	25		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	3.8		0.20	23		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	4.1		0.20	25		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	5.3		0.20	21		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	4.1		0.20	18		0.87	1
05298	4-Ethyltoluene	622-96-8	7.5		0.20	37		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.23	J	0.20	0.93	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.60	J	0.20	2.1	J	0.69	1
05298	Octane	111-65-9	0.58	J	0.20	2.7	J	0.93	1
05298	Pentane	109-66-0	0.25	J	0.20	0.73	J	0.59	1
05298	Styrene	100-42-5	2.0		0.20	8.4		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.68	J	0.20	4.6	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.97	J	0.20	6.6	J	1.4	1

Sample Description: MP05 Grab Air
Summa Canister #958
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972199
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:00 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.58	J	0.20	2.2	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	0.20	J	0.20	1.1	J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.29	J	0.20	1.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.4		0.20	7.9		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.53	J	0.20	3.2	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	18		2.0	88		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	18		0.20	90		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	15		0.20	66		0.87	1
05298	o-Xylene	95-47-6	11		0.20	50		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 02:44	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 04:13	Michael A Ziegler	10

Sample Description: MW64 Grab Air
Summa Canister #943
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972200
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:44 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3,800	J	2,500	9,100	J	5,900	5000
05298	Benzene	71-43-2	N.D.		1,000	N.D.		3,200	5000
05298	Bromobenzene	108-86-1	N.D.		1,000	N.D.		6,400	5000
05298	Bromodichloromethane	75-27-4	N.D.		1,000	N.D.		6,700	5000
05298	Bromoform	75-25-2	N.D.		1,000	N.D.		10,000	5000
05298	Bromomethane	74-83-9	N.D.		1,000	N.D.		3,900	5000
05298	1,3-Butadiene	106-99-0	N.D.		2,500	N.D.		5,500	5000
05298	2-Butanone	78-93-3	N.D.		2,500	N.D.		7,400	5000
05298	Carbon Disulfide	75-15-0	N.D.		2,500	N.D.		7,800	5000
05298	Carbon Tetrachloride	56-23-5	N.D.		1,000	N.D.		6,300	5000
05298	Chlorobenzene	108-90-7	N.D.		1,000	N.D.		4,600	5000
05298	Chlorodifluoromethane	75-45-6	N.D.		1,000	N.D.		3,500	5000
05298	Chloroethane	75-00-3	N.D.		1,000	N.D.		2,600	5000
05298	Chloroform	67-66-3	N.D.		1,000	N.D.		4,900	5000
05298	Chloromethane	74-87-3	N.D.		1,000	N.D.		2,100	5000
05298	3-Chloropropene	107-05-1	N.D.		1,000	N.D.		3,100	5000
05298	Cumene	98-82-8	N.D.		1,000	N.D.		4,900	5000
05298	Dibromochloromethane	124-48-1	N.D.		1,000	N.D.		8,500	5000
05298	1,2-Dibromoethane	106-93-4	N.D.		1,000	N.D.		7,700	5000
05298	Dibromomethane	74-95-3	N.D.		1,000	N.D.		7,100	5000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1,000	N.D.		6,000	5000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1,000	N.D.		6,000	5000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1,000	N.D.		6,000	5000
05298	Dichlorodifluoromethane	75-71-8	N.D.		1,000	N.D.		4,900	5000
05298	1,1-Dichloroethane	75-34-3	3,100	J	1,000	12,000	J	4,000	5000
05298	1,2-Dichloroethane	107-06-2	N.D.		1,000	N.D.		4,000	5000
05298	1,1-Dichloroethene	75-35-4	94,000		1,000	370,000		4,000	5000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1,000	N.D.		4,000	5000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1,000	N.D.		4,000	5000
05298	Dichlorofluoromethane	75-43-4	N.D.		1,000	N.D.		4,200	5000
05298	1,2-Dichloropropane	78-87-5	N.D.		1,000	N.D.		4,600	5000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1,000	N.D.		4,500	5000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1,000	N.D.		4,500	5000
05298	Ethylbenzene	100-41-4	N.D.		1,000	N.D.		4,300	5000
05298	4-Ethyltoluene	622-96-8	N.D.		1,000	N.D.		4,900	5000
05298	Freon 113	76-13-1	N.D.		2,500	N.D.		19,000	5000
05298	Freon 114	76-14-2	N.D.		1,000	N.D.		7,000	5000
05298	Heptane	142-82-5	N.D.		1,000	N.D.		4,100	5000
05298	Hexachloroethane	67-72-1	N.D.		1,000	N.D.		9,700	5000
05298	Hexane	110-54-3	N.D.		1,000	N.D.		3,500	5000
05298	2-Hexanone	591-78-6	N.D.		2,500	N.D.		10,000	5000
05298	Isooctane	540-84-1	N.D.		1,000	N.D.		4,700	5000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1,000	N.D.		3,600	5000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2,500	N.D.		10,000	5000
05298	Methylene Chloride	75-09-2	1,600	J	1,000	5,700	J	3,500	5000
05298	Octane	111-65-9	N.D.		1,000	N.D.		4,700	5000
05298	Pentane	109-66-0	N.D.		1,000	N.D.		3,000	5000
05298	Styrene	100-42-5	N.D.		1,000	N.D.		4,300	5000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1,000	N.D.		6,900	5000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1,000	N.D.		6,900	5000
05298	Tetrachloroethene	127-18-4	N.D.		1,000	N.D.		6,800	5000

Sample Description: MW64 Grab Air
Summa Canister #943
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972200
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:44 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1,000	N.D.		3,800	5000
05298	1,1,1-Trichloroethane	71-55-6	63,000		1,000	350,000		5,500	5000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1,000	N.D.		5,500	5000
05298	Trichloroethene	79-01-6	N.D.		1,000	N.D.		5,400	5000
05298	Trichlorofluoromethane	75-69-4	N.D.		1,000	N.D.		5,600	5000
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1,000	N.D.		6,000	5000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1,000	N.D.		4,900	5000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1,000	N.D.		4,900	5000
05298	Vinyl Chloride	75-01-4	N.D.		1,000	N.D.		2,600	5000
05298	m/p-Xylene	179601-23-1	1,400	J	1,000	6,000	J	4,300	5000
05298	o-Xylene	95-47-6	1,000	J	1,000	4,400	J	4,300	5000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 07:52	Michael A Ziegler	5000

Sample Description: SVE1 Grab Air
Summa Canister #1057
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972201
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:01 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	580		100	1,400		240	200
05298	Benzene	71-43-2	N.D.		40	N.D.		130	200
05298	Bromobenzene	108-86-1	N.D.		40	N.D.		260	200
05298	Bromodichloromethane	75-27-4	N.D.		40	N.D.		270	200
05298	Bromoform	75-25-2	N.D.		40	N.D.		410	200
05298	Bromomethane	74-83-9	N.D.		40	N.D.		160	200
05298	1,3-Butadiene	106-99-0	N.D.		100	N.D.		220	200
05298	2-Butanone	78-93-3	N.D.		100	N.D.		290	200
05298	Carbon Disulfide	75-15-0	N.D.		100	N.D.		310	200
05298	Carbon Tetrachloride	56-23-5	N.D.		40	N.D.		250	200
05298	Chlorobenzene	108-90-7	N.D.		40	N.D.		180	200
05298	Chlorodifluoromethane	75-45-6	N.D.		40	N.D.		140	200
05298	Chloroethane	75-00-3	N.D.		40	N.D.		110	200
05298	Chloroform	67-66-3	N.D.		40	N.D.		200	200
05298	Chloromethane	74-87-3	N.D.		40	N.D.		83	200
05298	3-Chloropropene	107-05-1	N.D.		40	N.D.		130	200
05298	Cumene	98-82-8	N.D.		40	N.D.		200	200
05298	Dibromochloromethane	124-48-1	N.D.		40	N.D.		340	200
05298	1,2-Dibromoethane	106-93-4	N.D.		40	N.D.		310	200
05298	Dibromomethane	74-95-3	N.D.		40	N.D.		280	200
05298	1,2-Dichlorobenzene	95-50-1	N.D.		40	N.D.		240	200
05298	1,3-Dichlorobenzene	541-73-1	N.D.		40	N.D.		240	200
05298	1,4-Dichlorobenzene	106-46-7	N.D.		40	N.D.		240	200
05298	Dichlorodifluoromethane	75-71-8	N.D.		40	N.D.		200	200
05298	1,1-Dichloroethane	75-34-3	1,500		40	6,000		160	200
05298	1,2-Dichloroethane	107-06-2	N.D.		40	N.D.		160	200
05298	1,1-Dichloroethene	75-35-4	44,000		400	170,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		40	N.D.		160	200
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		40	N.D.		160	200
05298	Dichlorofluoromethane	75-43-4	N.D.		40	N.D.		170	200
05298	1,2-Dichloropropane	78-87-5	N.D.		40	N.D.		180	200
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		40	N.D.		180	200
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		40	N.D.		180	200
05298	Ethylbenzene	100-41-4	210		40	910		170	200
05298	4-Ethyltoluene	622-96-8	N.D.		40	N.D.		200	200
05298	Freon 113	76-13-1	N.D.		100	N.D.		770	200
05298	Freon 114	76-14-2	N.D.		40	N.D.		280	200
05298	Heptane	142-82-5	N.D.		40	N.D.		160	200
05298	Hexachloroethane	67-72-1	N.D.		40	N.D.		390	200
05298	Hexane	110-54-3	N.D.		40	N.D.		140	200
05298	2-Hexanone	591-78-6	N.D.		100	N.D.		410	200
05298	Isooctane	540-84-1	N.D.		40	N.D.		190	200
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		40	N.D.		140	200
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		100	N.D.		410	200
05298	Methylene Chloride	75-09-2	170	J	40	580	J	140	200
05298	Octane	111-65-9	N.D.		40	N.D.		190	200
05298	Pentane	109-66-0	N.D.		40	N.D.		120	200
05298	Styrene	100-42-5	N.D.		40	N.D.		170	200
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		40	N.D.		270	200
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		40	N.D.		270	200
05298	Tetrachloroethene	127-18-4	N.D.		40	N.D.		270	200

Sample Description: SVE1 Grab Air
Summa Canister #1057
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972201
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:01 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	54,000		400	210,000		1,500	2000
05298	1,1,1-Trichloroethane	71-55-6	190,000		4,000	1,000,000		22,000	20000
05298	1,1,2-Trichloroethane	79-00-5	N.D.		40	N.D.		220	200
05298	Trichloroethene	79-01-6	81	J	40	430	J	210	200
05298	Trichlorofluoromethane	75-69-4	N.D.		40	N.D.		220	200
05298	1,2,3-Trichloropropane	96-18-4	N.D.		40	N.D.		240	200
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		40	N.D.		200	200
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		40	N.D.		200	200
05298	Vinyl Chloride	75-01-4	N.D.		40	N.D.		100	200
05298	m/p-Xylene	179601-23-1	1,200		40	5,200		170	200
05298	o-Xylene	95-47-6	710		40	3,100		170	200

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 08:36	Michael A Ziegler	200
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 13:04	Michael A Ziegler	2000
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 03:10	Michael A Ziegler	20000

Sample Description: SVE5 Grab Air
Summa Canister #1093
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972202
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:20 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		1.0	27		2.4	2
05298	Benzene	71-43-2	N.D.		0.40	N.D.		1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	1.3	J	1.0	3.8	J	2.9	2
05298	Carbon Disulfide	75-15-0	N.D.		1.0	N.D.		3.1	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	0.40	J	0.40	1.4	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	N.D.		0.40	N.D.		0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	0.66	J	0.40	3.3	J	2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	1.7	J	0.40	9.9	J	2.4	2
05298	1,3-Dichlorobenzene	541-73-1	1.7	J	0.40	10	J	2.4	2
05298	1,4-Dichlorobenzene	106-46-7	1.9	J	0.40	12	J	2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.40	2.9	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	8.7		0.40	35		1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	150		0.40	580		1.6	2
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	1.1	J	0.40	4.7	J	1.7	2
05298	4-Ethyltoluene	622-96-8	0.77	J	0.40	3.8	J	2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	0.67	J	0.40	2.3	J	1.4	2
05298	Octane	111-65-9	N.D.		0.40	N.D.		1.9	2
05298	Pentane	109-66-0	N.D.		0.40	N.D.		1.2	2
05298	Styrene	100-42-5	0.47	J	0.40	2.0	J	1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.42	J	0.40	2.9	J	2.7	2
05298	Tetrachloroethene	127-18-4	0.56	J	0.40	3.8	J	2.7	2

Sample Description: SVE5 Grab Air
Summa Canister #1093
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972202
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:20 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	2.3		0.40	8.8		1.5	2
05298	1,1,1-Trichloroethane	71-55-6	88		0.40	480		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	2.1		0.40	12		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	1.2	J	0.40	6.0	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	0.78	J	0.40	3.8	J	2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	3.3		0.40	14		1.7	2
05298	o-Xylene	95-47-6	1.6	J	0.40	7.1	J	1.7	2

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 03:29	Jeffrey B Smith	2

Sample Description: MP08 Grab Air
Summa Canister #1141
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972203
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:49 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	30		0.50	72		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.5	J	0.50	4.4	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	0.40	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.60	J	0.20	1.2	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	6.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.39	J	0.20	2.4	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.41	J	0.20	2.5	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.42	J	0.20	2.5	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.4		0.20	5.7		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.25	J	0.20	1.0	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	85		4.0	340		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	0.47	J	0.20	2.1	J	0.87	1
05298	4-Ethyltoluene	622-96-8	N.D.		0.20	N.D.		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.1		0.20	3.7		0.69	1
05298	Octane	111-65-9	N.D.		0.20	N.D.		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	N.D.		0.20	N.D.		1.4	1

Sample Description: MP08 Grab Air
Summa Canister #1141
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972203
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:49 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.54	J	0.20	2.0	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	45		0.20	240		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.8		0.20	10		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.29	J	0.20	1.4	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.30	J	0.20	1.5	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	1.4		0.20	6.2		0.87	1
05298	o-Xylene	95-47-6	0.83	J	0.20	3.6	J	0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 05:05	Jeffrey B Smith	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 04:55	Michael A Ziegler	20

Sample Description: SVE6 Grab Air
Summa Canister #916
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972204
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:24 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	5.0	29	J	12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	2.4	J	2.0	15	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	2.9	J	2.0	17	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	3.4	J	2.0	20	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	8.9	J	2.0	36	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	730		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	2.7	J	2.0	12	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: SVE6 Grab Air
Summa Canister #916
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972204
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:24 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	280		2.0	1,500		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	2.3	J	2.0	13	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	6.4	J	2.0	28	J	8.7	10
05298	o-Xylene	95-47-6	4.2	J	2.0	18	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 10:07	Michael A Ziegler	10

Sample Description: MP02 Grab Air
Summa Canister #1010
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972205
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:34 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	66		5.0	160		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	29		5.0	87		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	N.D.		2.0	N.D.		12	10
05298	1,3-Dichlorobenzene	541-73-1	N.D.		2.0	N.D.		12	10
05298	1,4-Dichlorobenzene	106-46-7	N.D.		2.0	N.D.		12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	12		2.0	48		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	800		4.0	3,200		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	N.D.		2.0	N.D.		8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	2.1	J	2.0	6.3	J	5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10

Sample Description: MP02 Grab Air
Summa Canister #1010
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972205
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:34 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		2.0	N.D.		7.5	10
05298	1,1,1-Trichloroethane	71-55-6	170		2.0	950		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	N.D.		2.0	N.D.		11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		2.0	N.D.		9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	3.3	J	2.0	8.5	J	5.1	10
05298	m/p-Xylene	179601-23-1	N.D.		2.0	N.D.		8.7	10
05298	o-Xylene	95-47-6	N.D.		2.0	N.D.		8.7	10

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 07:20	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 05:38	Michael A Ziegler	20

Sample Description: Undiluted Grab Air
Summa Canister #999
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972206
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:54 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	10		2.5	24		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	3.8	J	1.0	16	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	110		1.0	450		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	1.3	J	1.0	5.4	J	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	5.1		1.0	18		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	2.0	J	1.0	6.9	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	370		4.0	1,100		12	20
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: Undiluted Grab Air
Summa Canister #999
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972206
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:54 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	38		1.0	140		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	120		1.0	680		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.8	J	1.0	9.9	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	3.2	J	1.0	14	J	4.3	5
05298	o-Xylene	95-47-6	1.6	J	1.0	7.2	J	4.3	5

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 08:03	Jeffrey B Smith	5
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 06:21	Michael A Ziegler	20

Sample Description: VW6 Grab Air
Summa Canister #995
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972207
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:11 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5.8	J	2.5	14	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	8.8		1.0	35		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	160		1.0	620		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.2	J	1.0	8.3	J	6.8	5

Sample Description: VW6 Grab Air
Summa Canister #995
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972207
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:11 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	1.8	J	1.0	9.6	J	5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.4	J	1.0	13	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.9	J	1.0	8.3	J	4.3	5
05298	o-Xylene	95-47-6	1.2	J	1.0	5.3	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 08:46	Jeffrey B Smith	5

Sample Description: MP07 Grab Air
Summa Canister #1096
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972208
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:35 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	3.3	J	2.5	7.9	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	1.3	J	1.0	6.3	J	4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	4.1	J	1.0	17	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	120		1.0	490		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.1	J	1.0	3.8	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: MP07 Grab Air
Summa Canister #1096
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972208
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:35 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	3.0	J	1.0	11	J	3.8	5
05298	1,1,1-Trichloroethane	71-55-6	56		1.0	310		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	1.5	J	1.0	8.2	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.4	J	1.0	6.3	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307430AA	03/16/2013 09:29	Jeffrey B Smith	5

Sample Description: SVE2 Grab Air
Summa Canister #986
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972209
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:06 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	740		50	1,800		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	370		20	1,500		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	4,700		20	19,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	27	J	20	120	J	87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	84	J	20	340	J	82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	44	J	20	160	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	190		20	650		69	100
05298	Octane	111-65-9	58	J	20	270	J	93	100
05298	Pentane	109-66-0	67	J	20	200	J	59	100
05298	Styrene	100-42-5	23	J	20	98	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Sample Description: SVE2 Grab Air
Summa Canister #986
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972209
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:06 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	4,300		20	16,000		75	100
05298	1,1,1-Trichloroethane	71-55-6	2,800		20	15,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	83	J	20	360	J	87	100
05298	o-Xylene	95-47-6	48	J	20	210	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 09:24	Michael A Ziegler	100

Sample Description: MP06 Grab Air
Summa Canister #1043
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972210
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:30 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.2		0.50	22		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	1.8		0.20	11		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.35	J	0.20	3.6	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.1		0.50	6.1		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.77	J	0.20	3.5	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.36	J	0.20	1.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.61	J	0.20	1.3	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.6		0.20	7.7		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	1.0		0.20	8.0		1.5	1
05298	Dibromomethane	74-95-3	0.31	J	0.20	2.2	J	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	6.5		0.20	39		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	5.8		0.20	35		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	7.1		0.20	43		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.3		0.20	5.1		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	25		0.20	99		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	4.4		0.20	19		0.87	1
05298	4-Ethyltoluene	622-96-8	4.2		0.20	21		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.37	J	0.20	1.5	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	4.5		0.50	18		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.4	J	0.50	5.7	J	2.0	1
05298	Methylene Chloride	75-09-2	0.37	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	1.5		0.20	7.2		0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	3.7		0.20	16		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.4		0.20	9.3		1.4	1
05298	Tetrachloroethene	127-18-4	1.4		0.20	9.2		1.4	1

Sample Description: MP06 Grab Air
Summa Canister #1043
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972210
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:30 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.3		0.20	4.9		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	2.9		0.20	16		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.30	J	0.20	1.6	J	1.1	1
05298	Trichloroethene	79-01-6	0.98	J	0.20	5.3	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7		0.20	9.4		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	2.0		0.20	12		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	6.8		0.20	33		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	4.1		0.20	20		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	12		0.20	50		0.87	1
05298	o-Xylene	95-47-6	7.4		0.20	32		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 10:55	Michael A Ziegler	1

Sample Description: MP09 Grab Air
Summa Canister #944
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972211
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:49 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	12	J	10	29	J	24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	N.D.		10	N.D.		29	20
05298	Carbon Disulfide	75-15-0	N.D.		10	N.D.		31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	N.D.		4.0	N.D.		8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	4.8	J	4.0	29	J	24	20
05298	1,3-Dichlorobenzene	541-73-1	5.4	J	4.0	33	J	24	20
05298	1,4-Dichlorobenzene	106-46-7	6.0	J	4.0	36	J	24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	22		4.0	89		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	390		4.0	1,600		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		10	N.D.		41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	N.D.		4.0	N.D.		12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20

Sample Description: MP09 Grab Air
Summa Canister #944
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972211
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:49 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20
05298	1,1,1-Trichloroethane	71-55-6	52		4.0	280		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	N.D.		4.0	N.D.		10	20
05298	m/p-Xylene	179601-23-1	6.4	J	4.0	28	J	17	20
05298	o-Xylene	95-47-6	4.0	J	4.0	18	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307630AB	03/19/2013 11:37	Michael A Ziegler	20

Sample Description: MP11 Grab Air
Summa Canister #988
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972212
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:38 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	580		50	1,400		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	23	J	20	140	J	120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	2,300		20	9,300		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	32	J	20	110	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	470		20	1,600		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100

Sample Description: MP11 Grab Air
Summa Canister #988
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972212
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:38 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	33	J	20	130	J	75	100
05298	1,1,1-Trichloroethane	71-55-6	550		20	3,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	31	J	20	140	J	87	100
05298	o-Xylene	95-47-6	23	J	20	98	J	87	100

The response for hexachloroethane in the continuing calibration verification standard is outside the QC acceptance limits. Hexachloroethane was not detected in this sample, therefore, the data is reported.
Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 03:58	Michael A Ziegler	100

Sample Description: MP4 Grab Air
Summa Canister #969
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972213
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:05 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		0.50	46		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	2.6		0.20	17		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	1.1		0.20	11		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.4		0.50	7.0		1.5	1
05298	Carbon Disulfide	75-15-0	0.74	J	0.50	2.3	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.84	J	0.20	3.9	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.47	J	0.20	1.7	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.24	J	0.20	1.2	J	0.98	1
05298	Chloromethane	74-87-3	0.66	J	0.20	1.4	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.9		0.20	19		0.98	1
05298	Dibromochloromethane	124-48-1	0.22	J	0.20	1.9	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	1.1		0.20	8.5		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	10		0.20	60		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	9.4		0.20	57		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	12		0.20	71		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.70	J	0.20	3.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.44	J	0.20	1.8	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.2		0.20	17		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	4.5		0.20	19		0.87	1
05298	4-Ethyltoluene	622-96-8	6.2		0.20	30		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.87	J	0.20	3.6	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.39	J	0.20	1.4	J	0.70	1
05298	2-Hexanone	591-78-6	2.8		0.50	11		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.1	J	0.50	4.5	J	2.0	1
05298	Methylene Chloride	75-09-2	6.7		0.20	23		0.69	1
05298	Octane	111-65-9	0.75	J	0.20	3.5	J	0.93	1
05298	Pentane	109-66-0	0.27	J	0.20	0.80	J	0.59	1
05298	Styrene	100-42-5	3.5		0.20	15		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	2.1		0.20	14		1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	8.3		1.4	1

Sample Description: MP4 Grab Air
Summa Canister #969
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972213
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:05 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.80	J	0.20	3.0	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	2.2		0.20	12		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.26	J	0.20	1.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.22	J	0.20	1.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7		0.20	9.8		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	1.9		0.20	12		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	8.3		0.20	41		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	4.2		0.20	21		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	12		0.20	52		0.87	1
05298	o-Xylene	95-47-6	7.4		0.20	32		0.87	1

The response for hexachloroethane in the continuing calibration verification standard is outside the QC acceptance limits. Hexachloroethane was not detected in this sample, therefore, the data is reported.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 04:46	Michael A Ziegler	1

Sample Description: SVE3 Grab Air
Summa Canister #1049
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972214
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:11 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		0.50	26		1.2	1
05298	Benzene	71-43-2	0.77	J	0.20	2.4	J	0.64	1
05298	Bromobenzene	108-86-1	2.0		0.20	13		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.72	J	0.20	7.5	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.0	J	0.50	5.8	J	1.5	1
05298	Carbon Disulfide	75-15-0	1.5		0.50	4.7		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.75	J	0.20	3.4	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.38	J	0.20	1.4	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.23	J	0.20	1.1	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.80	J	0.20	3.9	J	0.98	1
05298	Dibromochloromethane	124-48-1	0.21	J	0.20	1.8	J	1.7	1
05298	1,2-Dibromoethane	106-93-4	1.0		0.20	7.9		1.5	1
05298	Dibromomethane	74-95-3	0.32	J	0.20	2.3	J	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	6.4		0.20	39		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	6.3		0.20	38		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	7.9		0.20	47		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.60	J	0.20	3.0	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	17		0.20	69		0.81	1
05298	1,2-Dichloroethane	107-06-2	0.21	J	0.20	0.86	J	0.81	1
05298	1,1-Dichloroethene	75-35-4	67		0.20	270		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	4.0		0.20	17		0.87	1
05298	4-Ethyltoluene	622-96-8	4.5		0.20	22		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.45	J	0.20	1.8	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	2.8		0.50	11		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.95	J	0.50	3.9	J	2.0	1
05298	Methylene Chloride	75-09-2	0.38	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	0.95	J	0.20	4.4	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	2.2		0.20	9.4		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.4		0.20	9.9		1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	8.5		1.4	1

Sample Description: SVE3 Grab Air
Summa Canister #1049
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972214
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:11 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	1.5		0.20	5.6		0.75	1
05298	1,1,1-Trichloroethane	71-55-6	9.5		0.20	52		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.29	J	0.20	1.6	J	1.1	1
05298	Trichloroethene	79-01-6	0.26	J	0.20	1.4	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	2.0		0.20	11		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	1.3		0.20	7.7		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	8.2		0.20	40		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	5.4		0.20	27		0.98	1
05298	Vinyl Chloride	75-01-4	0.20	J	0.20	0.52	J	0.51	1
05298	m/p-Xylene	179601-23-1	12		0.20	50		0.87	1
05298	o-Xylene	95-47-6	7.4		0.20	32		0.87	1

The response for hexachloroethane in the continuing calibration verification standard is outside the QC acceptance limits. Hexachloroethane was not detected in this sample, therefore, the data is reported.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 05:34	Michael A Ziegler	1

Sample Description: SVE4 Grab Air
Summa Canister #1143
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972215
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:17 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	21		0.50	50		1.2	1
05298	Benzene	71-43-2	N.D.		0.20	N.D.		0.64	1
05298	Bromobenzene	108-86-1	0.86	J	0.20	5.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.5	J	0.50	4.5	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.42	J	0.20	2.0	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.27	J	0.20	0.95	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.29	J	0.20	1.4	J	0.98	1
05298	Chloromethane	74-87-3	N.D.		0.20	N.D.		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.87	J	0.20	4.3	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.30	J	0.20	2.3	J	1.5	1
05298	Dibromomethane	74-95-3	0.26	J	0.20	1.8	J	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	3.4		0.20	20		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.8		0.20	17		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	3.1		0.20	19		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.51	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.45	J	0.20	1.8	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	0.21	J	0.20	0.82	J	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.3		0.20	10		0.87	1
05298	4-Ethyltoluene	622-96-8	2.0		0.20	10		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.32	J	0.20	1.3	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	2.9		0.50	12		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	0.90	J	0.50	3.7	J	2.0	1
05298	Methylene Chloride	75-09-2	0.28	J	0.20	0.97	J	0.69	1
05298	Octane	111-65-9	0.89	J	0.20	4.1	J	0.93	1
05298	Pentane	109-66-0	N.D.		0.20	N.D.		0.59	1
05298	Styrene	100-42-5	0.94	J	0.20	4.0	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	1.3		0.20	8.6		1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	8.2		1.4	1

Sample Description: SVE4 Grab Air
Summa Canister #1143
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972215
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:17 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	0.48	J	0.20	1.8	J	0.75	1
05298	1,1,1-Trichloroethane	71-55-6	1.7		0.20	9.4		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.20	J	0.20	1.1	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.6		0.20	8.9		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.91	J	0.20	5.5	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.5		0.20	17		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	2.4		0.20	12		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	7.0		0.20	30		0.87	1
05298	o-Xylene	95-47-6	5.1		0.20	22		0.87	1

The response for hexachloroethane in the continuing calibration verification standard is outside the QC acceptance limits. Hexachloroethane was not detected in this sample, therefore, the data is reported.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 06:21	Michael A Ziegler	1

Sample Description: VW3 Grab Air
Summa Canister #1041
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972216
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:29 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		2.5	41		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	3.8	J	2.5	12	J	7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	1.5	J	1.0	6.0	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	220		1.0	870		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.3	J	1.0	4.7	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	48		1.0	140		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5

Sample Description: VW3 Grab Air
Summa Canister #1041
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972216
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 15:29 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5
05298	1,1,1-Trichloroethane	71-55-6	45		1.0	240		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	N.D.		1.0	N.D.		5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	1.3	J	1.0	5.5	J	4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

The response for hexachloroethane in the continuing calibration verification standard is outside the QC acceptance limits. Hexachloroethane was not detected in this sample, therefore, the data is reported.
Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1307930AA	03/21/2013 07:04	Michael A Ziegler	5

Sample Description: VW5 Grab Air
Summa Canister #917
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972217
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:39 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		500	N.D.		1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	240	J	200	640	J	530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	710	J	200	2,900	J	810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	44,000		200	180,000		790	1000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	310	J	200	1,100	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	890	J	200	2,600	J	590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000

Sample Description: VW5 Grab Air
Summa Canister #917
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 6972217
LLI Group # 1372976
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/01/2013 14:39 by CP

Submitted: 03/05/2013 09:25
Reported: 03/22/2013 17:49

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Toluene	108-88-3	N.D.	200	N.D.	750	1000
05298	1,1,1-Trichloroethane	71-55-6	3,900	200	21,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	D1308030AA	03/21/2013 22:28	Michael A Ziegler	1000

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1372976
Reported: 03/22/13 at 05:49 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D1307430AA	Sample number(s): 6972195-6972197,6972199,6972202-6972203,6972205-6972208							
Acetone	N.D.	0.50	ppb(v)	104	112	61-134	8	25
Benzene	N.D.	0.20	ppb(v)	109	116	70-130	6	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	108	110	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	111	110	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	84	99	70-130	16	25
1,3-Butadiene	N.D.	0.40	ppb(v)	83	101	66-129	20	25
2-Butanone	N.D.	0.50	ppb(v)	102	114	55-131	11	25
Carbon Disulfide	N.D.	0.50	ppb(v)	70	80	57-107	13	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	112	109	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	109	111	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	93	106	70-131	13	25
Chloroform	N.D.	0.20	ppb(v)	103	107	70-130	4	25
Chloromethane	N.D.	0.20	ppb(v)	76	108	64-133	34*	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	109	110	65-127	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	115	118	65-126	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	112	114	62-132	2	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	108	108	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	112	111	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	82	93	69-143	12	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	109	116	67-124	6	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	111	114	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	89	92	64-119	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	103	111	65-121	8	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	102	107	66-121	5	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	103	112	70-130	9	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	114	121	64-125	6	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	117	121	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	121	122	70-130	1	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	109	107	59-126	2	25
Freon 113	N.D.	0.50	ppb(v)	98	101	63-114	3	25
Freon 114	N.D.	0.20	ppb(v)	76	86	63-123	13	25
Heptane	N.D.	0.20	ppb(v)	104	111	65-119	7	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	104	114	63-117	8	25
2-Hexanone	N.D.	0.50	ppb(v)	92	96	41-152	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	113	125*	60-121	10	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1372976
Reported: 03/22/13 at 05:49 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	94	98	53-140	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	97	105	70-130	8	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	119	120	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	99	98	58-133	0	25
Tetrachloroethene	N.D.	0.20	ppb(v)	83	85	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	119	122	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	111	111	70-130	0	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	110	112	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	100	103	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	92	95	70-130	3	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	109	105	60-128	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	115	112	61-132	3	25
Vinyl Chloride	N.D.	0.20	ppb(v)	87	108	70-130	22	25
m/p-Xylene	N.D.	0.20	ppb(v)	128	129	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	115	115	70-130	0	25
Batch number: D1307630AB	Sample number(s): 6972195,6972198-6972201,6972203-6972206,6972209-6972211							
Acetone	N.D.	0.50	ppb(v)	86	82	61-134	5	25
Benzene	N.D.	0.20	ppb(v)	97	98	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	96	94	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	108	103	64-141	5	25
Bromomethane	N.D.	0.20	ppb(v)	78	85	70-130	9	25
1,3-Butadiene	N.D.	0.40	ppb(v)	80	86	66-129	7	25
2-Butanone	N.D.	0.50	ppb(v)	90	86	55-131	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	65	69	57-107	6	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	99	99	70-130	0	25
Chlorobenzene	N.D.	0.20	ppb(v)	99	96	70-130	4	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	83	87	70-131	4	25
Chloroform	N.D.	0.20	ppb(v)	95	94	70-130	0	25
Chloromethane	N.D.	0.20	ppb(v)	71	83	64-133	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	99	95	65-127	3	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	109	104	65-126	5	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	100	93	62-132	7	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	96	90	63-125	5	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	92	63-127	5	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	78	82	69-143	5	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	95	95	67-124	1	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	101	99	70-130	1	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	76	79	64-119	4	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	89	91	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	86	87	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	95	93	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	111	108	64-125	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	107	102	61-126	5	25
Ethylbenzene	N.D.	0.20	ppb(v)	110	107	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	99	92	59-126	7	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1372976
Reported: 03/22/13 at 05:49 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	83	83	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	72	76	63-123	5	25
Heptane	N.D.	0.20	ppb(v)	93	92	65-119	2	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	87	92	63-117	6	25
2-Hexanone	N.D.	0.50	ppb(v)	87	81	41-152	6	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	93	92	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	86	79	53-140	8	25
Methylene Chloride	N.D.	0.20	ppb(v)	81	84	70-130	4	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	115	110	64-130	5	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	96	92	58-133	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	76	74	70-130	2	25
Toluene	N.D.	0.20	ppb(v)	112	110	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	98	98	70-130	0	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	101	100	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	90	90	70-130	0	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	83	87	70-130	5	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	91	84	60-128	9	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	103	95	61-132	8	25
Vinyl Chloride	N.D.	0.20	ppb(v)	81	87	70-130	7	25
m/p-Xylene	N.D.	0.20	ppb(v)	115	110	70-130	4	25
o-Xylene	N.D.	0.20	ppb(v)	112	106	70-130	6	25
Batch number: D1307930AA	Sample number(s): 6972201,6972212-6972216							
Acetone	N.D.	0.50	ppb(v)	84	90	61-134	7	25
Benzene	N.D.	0.20	ppb(v)	88	87	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	80	82	70-129	2	25
Bromoform	N.D.	0.20	ppb(v)	82	84	64-141	3	25
Bromomethane	N.D.	0.20	ppb(v)	90	95	70-130	6	25
1,3-Butadiene	N.D.	0.40	ppb(v)	98	103	66-129	5	25
2-Butanone	N.D.	0.50	ppb(v)	88	94	55-131	6	25
Carbon Disulfide	N.D.	0.50	ppb(v)	72	74	57-107	2	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	84	83	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	79	80	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	95	97	70-131	3	25
Chloroform	N.D.	0.20	ppb(v)	81	81	70-130	1	25
Chloromethane	N.D.	0.20	ppb(v)	83	87	64-133	5	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	79	80	65-127	1	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	83	85	65-126	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	78	85	62-132	9	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	73	81	63-125	10	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	77	83	63-127	7	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	91	95	69-143	4	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	89	86	67-124	4	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	88	87	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	83	83	64-119	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1372976
Reported: 03/22/13 at 05:49 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	88	81	65-121	7	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	82	66-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	76	78	70-130	2	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	83	93	64-125	11	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	84	83	61-126	1	25
Ethylbenzene	N.D.	0.20	ppb(v)	85	87	70-130	3	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	78	80	59-126	3	25
Freon 113	N.D.	0.50	ppb(v)	74	74	63-114	0	25
Freon 114	N.D.	0.20	ppb(v)	80	84	63-123	5	25
Heptane	N.D.	0.20	ppb(v)	86	85	65-119	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	86	84	63-117	2	25
2-Hexanone	N.D.	0.50	ppb(v)	87	87	41-152	0	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	80	82	60-121	2	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	85	90	53-140	6	25
Methylene Chloride	N.D.	0.20	ppb(v)	79	80	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	87	89	64-130	3	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	67	80	58-133	17	25
Tetrachloroethene	N.D.	0.20	ppb(v)	82	82	70-130	0	25
Toluene	N.D.	0.20	ppb(v)	88	89	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	83	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	81	84	65-125	3	25
Trichloroethene	N.D.	0.20	ppb(v)	86	88	70-130	3	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	87	89	70-130	2	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	75	78	60-128	4	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	82	85	61-132	4	25
Vinyl Chloride	N.D.	0.20	ppb(v)	101	105	70-130	4	25
m/p-Xylene	N.D.	0.20	ppb(v)	90	92	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	88	90	70-130	3	25
Batch number: D1308030AA	Sample number(s): 6972217							
Acetone	N.D.	0.50	ppb(v)	88	92	61-134	5	25
Benzene	N.D.	0.20	ppb(v)	83	86	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	80	84	70-129	4	25
Bromoform	N.D.	0.20	ppb(v)	81	80	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	89	99	70-130	11	25
1,3-Butadiene	N.D.	0.40	ppb(v)	97	107	66-129	10	25
2-Butanone	N.D.	0.50	ppb(v)	86	91	55-131	5	25
Carbon Disulfide	N.D.	0.50	ppb(v)	72	79	57-107	9	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	84	87	70-130	3	25
Chlorobenzene	N.D.	0.20	ppb(v)	77	76	70-130	1	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	90	101	70-131	12	25
Chloroform	N.D.	0.20	ppb(v)	79	83	70-130	5	25
Chloromethane	N.D.	0.20	ppb(v)	80	94	64-133	16	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	78	79	65-127	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	81	81	65-126	0	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1372976
Reported: 03/22/13 at 05:49 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	81	80	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	77	75	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	78	76	63-127	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	97	105	69-143	8	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	82	89	67-124	8	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	88	92	70-130	4	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	82	91	64-119	10	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	83	85	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	82	86	66-121	6	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	72	72	70-130	0	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	89	92	64-125	3	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	81	79	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	84	82	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	78	76	59-126	3	25
Freon 113	N.D.	0.50	ppb(v)	73	78	63-114	6	25
Freon 114	N.D.	0.20	ppb(v)	83	90	63-123	8	25
Heptane	N.D.	0.20	ppb(v)	83	85	65-119	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	80	86	63-117	7	25
2-Hexanone	N.D.	0.50	ppb(v)	87	88	41-152	1	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	81	82	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	88	92	53-140	4	25
Methylene Chloride	N.D.	0.20	ppb(v)	75	81	70-130	8	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	85	84	64-130	2	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	76	75	58-133	1	25
Tetrachloroethene	N.D.	0.20	ppb(v)	79	80	70-130	1	25
Toluene	N.D.	0.20	ppb(v)	85	84	70-130	1	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	84	87	70-130	2	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	79	78	65-125	1	25
Trichloroethene	N.D.	0.20	ppb(v)	83	84	70-130	1	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	90	98	70-130	9	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	76	74	60-128	3	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	82	81	61-132	2	25
Vinyl Chloride	N.D.	0.20	ppb(v)	98	110	70-130	11	25
m/p-Xylene	N.D.	0.20	ppb(v)	88	88	70-130	0	25
o-Xylene	N.D.	0.20	ppb(v)	87	86	70-130	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1372976 For Eurofins Lancaster Laboratories use only Sample # 6972195-17 Bottle Order (SCR) # 135398

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 10	3/1	15:24						—	1046	1	—	X						
SVE 7	"	15:43						—	981	1	—	X						
MP 03	"	14:15						—	965	1	—	X						
MW 65S	"	14:54						—	912	1	—	X						
MP 05	"	14:00						—	958	1	—	X						
MW 64	"	14:44						—	943	1	—	X						
SVE 1	"	15:01						—	1057	1	—	X						
SVE 5	"	14:20						—	1093	1	—	X						
MP 08	"	14:49						—	1141	1	—	X						
SVE 6	"	14:24						—	916	1	—	X						
MP 02	"	15:34						—	1010	1	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
[illegible]	2-25 13 21:17	Calvin Pruitt	3/1				
Relinquished by: Calvin Pruitt	Date/Time: 3/1	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: Deborah Neslund	Date/Time: 3/5/13 0950 0925

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1372976 For Eurofins Lancaster Laboratories use only Sample # 6972195-17 Bottle Order (SCR) # 135398

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO-15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
Undiluted	3/1	15:54						—	999	1	—	X						
VW 6	"	14:11						—	995	1	—	X						
MP 07	"	14:35						—	1096	1	—	X						
SVE 2	"	15:06						—	986	1	—	X						
MP 06	"	14:30						—	1043	1	—	X						
MP 09	"	15:49						—	944	1	—	X						
MP 11	"	15:38						—	988	1	—	X						
MP 4	"	14:05						—	969	1	—	X						
SVE 3	"	15:11						—	1049	1	—	X						
SVE 4	"	15:17						—	1143	1	—	X						
VW 3	"	15:29						—	1041	1	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
[signature]	2-28-13 21:17	Calvin	3/1				
Relinquished by: Calvin Pruitt	Date/Time: 3/1	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [signature]	Date/Time: 3/5/13 0950

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1372976 For Eurofins Lancaster Laboratories use only Sample # 6972195 - 17 Bottle Order (SCR) # 135398

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flaway Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

(Standard) Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F)		Pressure ("Hg)	
	Start	Stop	Start	Stop
Ambient				
Maximum				
Minimum				

(6) Analyses Requested

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 / ☐ BTEX / ☐ MTBE	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
VW 5	3/1	14:39						—	917	1	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one)
☐ C1 - C4 ☐ C2 - C10
☐ C1 - C10 ☐ C4 - C10 (GRO)
☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: (8)
[signature]	2-25-13 21:17	Calvin	3/1				
Relinquished by: Calvin Pruitt	Date/Time: 3/1	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by: [signature]	Date/Time: 0950 3/5/13 ~~0925~~ 3/5/13

Eurofins Lancaster Laboratories, Inc. • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

Issued by Dept. 40 Management

The white copy should accompany samples to Eurofins Lancaster Laboratories. The yellow copy should be retained by the client.

7056.02

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

1372976

Client/Project: Johnson Company

Date of Receipt: 3/5/13

Time of Receipt: 0950

Source Code: 60-1

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers

Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

1 Swagelock tubing

Unpacker Signature/Emp#: DA Nesland /208 **Date/Time:** 3/5/13 0955

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

April 23, 2013

Project: Avery Dennison / Flowery Branch, GA

Submittal Date: 04/02/2013
Group Number: 1379504
PO Number: 1-0145-4
State of Sample Origin: GA

Client Sample Description	Lancaster Labs (LLI) #
MP04 Summa Can 1093 Grab Air	7004664
VW6 Summa Can 979 Grab Air	7004665
SVE6 Summa Can 1046 Grab Air	7004666
MP07 Summa Can 970 Grab Air	7004667
MP05 Summa Can 1141 Grab Air	7004668
SVE5 Summa Can 944 Grab Air	7004669
SVE2 Summa Can 943 Grab Air	7004670
VW5 Summa Can 969 Grab Air	7004671
MP03 Summa Can 1010 Grab Air	7004672
Undiluted Summa Can 1043 Grab Air	7004673
MP09 Summa Can 911 Grab Air	7004674
MW65s Summa Can 988 Grab Air	7004675
MW64 Summa Can 916 Grab Air	7004676
SVE7 Summa Can 1063 Grab Air	7004677
MP06 Summa Can 985 Grab Air	7004678
MP11 Summa Can 1049 Grab Air	7004679
SVE3 Summa Can 990 Grab Air	7004680
SVE4 Summa Can 1041 Grab Air	7004681
VW3 Summa Can 999 Grab Air	7004682
MP02 Summa Can 930 Grab Air	7004683
SVE1 Summa Can 941 Grab Air	7004684
MP10 Summa Can 1143 Grab Air	7004685
MP08 Summa Can 1097 Grab Air	7004686

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO The Johnson Company, Inc. Attn: Todd Hall

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: MP04 Summa Can 1093 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004664
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:04 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	17		0.50	40		1.2	1
05298	Benzene	71-43-2	0.52	J	0.20	1.6	J	0.64	1
05298	Bromobenzene	108-86-1	0.51	J	0.20	3.3	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	4.3		0.50	13		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	0.20	J	0.20	1.3	J	1.3	1
05298	Chlorobenzene	108-90-7	0.50	J	0.20	2.3	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.61	J	0.20	2.1	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.34	J	0.20	0.71	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	3.9		0.20	19		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.37	J	0.20	2.9	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.3		0.20	14		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.2		0.20	13		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.4		0.20	14		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.64	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.72	J	0.20	2.9	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	5.2		0.20	21		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	0.24	J	0.20	0.93	J	0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.3		0.20	10		0.87	1
05298	4-Ethyltoluene	622-96-8	1.5		0.20	7.4		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.33	J	0.20	1.3	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.37	J	0.20	1.3	J	0.70	1
05298	2-Hexanone	591-78-6	0.83	J	0.50	3.4	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.37	J	0.20	1.3	J	0.69	1
05298	Octane	111-65-9	1.0	J	0.20	4.7	J	0.93	1
05298	Pentane	109-66-0	0.55	J	0.20	1.6	J	0.59	1
05298	Styrene	100-42-5	0.79	J	0.20	3.4	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.64	J	0.20	4.4	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.93	J	0.20	6.3	J	1.4	1
05298	Toluene	108-88-3	1.3		0.20	4.9		0.75	1

Sample Description: MP04 Summa Can 1093 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004664
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:04 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2.9		0.20	16		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	0.26	J	0.20	1.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.29	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	3.4		0.20	19		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.40	J	0.20	2.4	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	2.2		0.20	11		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.4		0.20	6.8		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	5.5		0.20	24		0.87	1
05298	o-Xylene	95-47-6	3.4		0.20	15		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/17/2013 23:29	Michael A Ziegler	1

Sample Description: VW6 Summa Can 979 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004665
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:09 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	9.9	J	2.5	24	J	5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	3.6	J	2.5	11	J	7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	1.1	J	1.0	6.5	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	1.0	J	1.0	6.2	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	1.2	J	1.0	7.0	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	8.8		1.0	36		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	160		1.0	620		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	1.6	J	1.0	6.8	J	4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	1.4	J	1.0	4.2	J	3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.8	J	1.0	12	J	6.8	5
05298	Toluene	108-88-3	1.3	J	1.0	4.9	J	3.8	5

Sample Description: VW6 Summa Can 979 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004665
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:09 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.5	J	1.0	8.3	J	5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	3.4	J	1.0	19	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	1.2	J	1.0	6.0	J	4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	3.4	J	1.0	15	J	4.3	5
05298	o-Xylene	95-47-6	2.2	J	1.0	9.6	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 00:12	Michael A Ziegler	5

Sample Description: SVE6 Summa Can 1046 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004666
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:22 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	21		5.0	50		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	N.D.		5.0	N.D.		15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	4.7	J	2.0	28	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	4.5	J	2.0	27	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	5.1	J	2.0	31	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	13		2.0	54		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	180		2.0	720		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	4.1	J	2.0	18	J	8.7	10
05298	4-Ethyltoluene	622-96-8	2.5	J	2.0	12	J	9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	2.9	J	2.0	11	J	7.5	10

Sample Description: SVE6 Summa Can 1046 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004666
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:22 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	540		2.0	3,000		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.5	J	2.0	20	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	4.1	J	2.0	20	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	2.3	J	2.0	11	J	9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	8.7	J	2.0	38	J	8.7	10
05298	o-Xylene	95-47-6	5.8	J	2.0	25	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 00:55	Michael A Ziegler	10

Sample Description: MP07 Summa Can 970 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004667
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:33 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	11		2.5	27		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1.0	N.D.		6.0	5
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1.0	N.D.		6.0	5
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1.0	N.D.		6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	3.9	J	1.0	16	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	120		1.0	460		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	N.D.		1.0	N.D.		4.3	5
05298	4-Ethyltoluene	622-96-8	N.D.		1.0	N.D.		4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	1.2	J	1.0	4.0	J	3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5
05298	Toluene	108-88-3	N.D.		1.0	N.D.		3.8	5

Sample Description: MP07 Summa Can 970 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004667
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:33 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	39		1.0	210		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	3.7	J	1.0	21	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		1.0	N.D.		4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	N.D.		1.0	N.D.		4.3	5
05298	o-Xylene	95-47-6	N.D.		1.0	N.D.		4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 01:37	Michael A Ziegler	5

Sample Description: MP05 Summa Can 1141 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004668
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:00 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	27		0.50	64		1.2	1
05298	Benzene	71-43-2	0.33	J	0.20	1.0	J	0.64	1
05298	Bromobenzene	108-86-1	0.39	J	0.20	2.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.0	J	0.50	5.9	J	1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.27	J	0.20	1.2	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.54	J	0.20	1.9	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.22	J	0.20	0.46	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.5		0.20	12		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.9		0.20	12		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.7		0.20	10		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.8		0.20	11		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	N.D.		0.20	N.D.		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	4.2		0.20	17		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.9		0.20	8.2		0.87	1
05298	4-Ethyltoluene	622-96-8	1.1		0.20	5.2		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.22	J	0.20	0.78	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.21	J	0.20	0.74	J	0.69	1
05298	Octane	111-65-9	0.73	J	0.20	3.4	J	0.93	1
05298	Pentane	109-66-0	0.54	J	0.20	1.6	J	0.59	1
05298	Styrene	100-42-5	0.30	J	0.20	1.3	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.57	J	0.20	3.9	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.89	J	0.20	6.0	J	1.4	1
05298	Toluene	108-88-3	0.84	J	0.20	3.1	J	0.75	1

Sample Description: MP05 Summa Can 1141 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004668
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:00 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.20	N.D.		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	2.9		0.20	16		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.30	J	0.20	1.8	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.7		0.20	8.4		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.1		0.20	5.4		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.6		0.20	20		0.87	1
05298	o-Xylene	95-47-6	3.1		0.20	14		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 02:24	Michael A Ziegler	1

Sample Description: SVE5 Summa Can 944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004669
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:17 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13		2.5	32		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	N.D.		2.5	N.D.		7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	1.0	J	1.0	2.1	J	2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	N.D.		1.0	N.D.		4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	3.7	J	1.0	22	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	3.6	J	1.0	21	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	4.2	J	1.0	25	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	6.4		1.0	26		4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	120		1.0	490		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	3.1	J	1.0	13	J	4.3	5
05298	4-Ethyltoluene	622-96-8	2.2	J	1.0	11	J	4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	1.1	J	1.0	5.0	J	4.7	5
05298	Pentane	109-66-0	1.1	J	1.0	3.3	J	3.0	5
05298	Styrene	100-42-5	1.2	J	1.0	4.9	J	4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	N.D.		1.0	N.D.		6.8	5
05298	Toluene	108-88-3	3.0	J	1.0	11	J	3.8	5

Sample Description: SVE5 Summa Can 944 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004669
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:17 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	98		1.0	530		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	2.9	J	1.0	16	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	3.2	J	1.0	16	J	4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	1.7	J	1.0	8.3	J	4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	7.1		1.0	31		4.3	5
05298	o-Xylene	95-47-6	4.3	J	1.0	19	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 03:08	Michael A Ziegler	5

Sample Description: SVE2 Summa Can 943 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004670
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:04 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	350		50	830		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	210		20	850		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	3,300		20	13,000		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	N.D.		20	N.D.		70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	89	J	20	310	J	69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	N.D.		20	N.D.		59	100
05298	Styrene	100-42-5	N.D.		20	N.D.		85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	2,100		20	8,100		75	100

Sample Description: SVE2 Summa Can 943 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004670
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:04 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1,300		20	7,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	40	J	20	170	J	87	100
05298	o-Xylene	95-47-6	26	J	20	110	J	87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 21:28	Jeffrey B Smith	100

Sample Description: VW5 Summa Can 969 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004671
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:42 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	960	J	500	2,300	J	1,200	1000
05298	Benzene	71-43-2	N.D.		200	N.D.		640	1000
05298	Bromobenzene	108-86-1	N.D.		200	N.D.		1,300	1000
05298	Bromodichloromethane	75-27-4	N.D.		200	N.D.		1,300	1000
05298	Bromoform	75-25-2	N.D.		200	N.D.		2,100	1000
05298	Bromomethane	74-83-9	N.D.		200	N.D.		780	1000
05298	1,3-Butadiene	106-99-0	N.D.		500	N.D.		1,100	1000
05298	2-Butanone	78-93-3	N.D.		500	N.D.		1,500	1000
05298	Carbon Disulfide	75-15-0	N.D.		500	N.D.		1,600	1000
05298	Carbon Tetrachloride	56-23-5	N.D.		200	N.D.		1,300	1000
05298	Chlorobenzene	108-90-7	N.D.		200	N.D.		920	1000
05298	Chlorodifluoromethane	75-45-6	N.D.		200	N.D.		710	1000
05298	Chloroethane	75-00-3	N.D.		200	N.D.		530	1000
05298	Chloroform	67-66-3	N.D.		200	N.D.		980	1000
05298	Chloromethane	74-87-3	N.D.		200	N.D.		410	1000
05298	3-Chloropropene	107-05-1	N.D.		200	N.D.		630	1000
05298	Cumene	98-82-8	N.D.		200	N.D.		980	1000
05298	Dibromochloromethane	124-48-1	N.D.		200	N.D.		1,700	1000
05298	1,2-Dibromoethane	106-93-4	N.D.		200	N.D.		1,500	1000
05298	Dibromomethane	74-95-3	N.D.		200	N.D.		1,400	1000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		200	N.D.		1,200	1000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		200	N.D.		1,200	1000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		200	N.D.		1,200	1000
05298	Dichlorodifluoromethane	75-71-8	N.D.		200	N.D.		990	1000
05298	1,1-Dichloroethane	75-34-3	1,300		200	5,100		810	1000
05298	1,2-Dichloroethane	107-06-2	N.D.		200	N.D.		810	1000
05298	1,1-Dichloroethene	75-35-4	91,000		400	360,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		200	N.D.		790	1000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		200	N.D.		790	1000
05298	Dichlorofluoromethane	75-43-4	N.D.		200	N.D.		840	1000
05298	1,2-Dichloropropane	78-87-5	N.D.		200	N.D.		920	1000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		200	N.D.		910	1000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		200	N.D.		910	1000
05298	Ethylbenzene	100-41-4	N.D.		200	N.D.		870	1000
05298	4-Ethyltoluene	622-96-8	N.D.		200	N.D.		980	1000
05298	Freon 113	76-13-1	N.D.		500	N.D.		3,800	1000
05298	Freon 114	76-14-2	N.D.		200	N.D.		1,400	1000
05298	Heptane	142-82-5	N.D.		200	N.D.		820	1000
05298	Hexachloroethane	67-72-1	N.D.		200	N.D.		1,900	1000
05298	Hexane	110-54-3	N.D.		200	N.D.		700	1000
05298	2-Hexanone	591-78-6	N.D.		500	N.D.		2,000	1000
05298	Isooctane	540-84-1	N.D.		200	N.D.		930	1000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		200	N.D.		720	1000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		500	N.D.		2,000	1000
05298	Methylene Chloride	75-09-2	230	J	200	810	J	690	1000
05298	Octane	111-65-9	N.D.		200	N.D.		930	1000
05298	Pentane	109-66-0	N.D.		200	N.D.		590	1000
05298	Styrene	100-42-5	N.D.		200	N.D.		850	1000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		200	N.D.		1,400	1000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		200	N.D.		1,400	1000
05298	Tetrachloroethene	127-18-4	N.D.		200	N.D.		1,400	1000
05298	Toluene	108-88-3	N.D.		200	N.D.		750	1000

Sample Description: VW5 Summa Can 969 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004671
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:42 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6,000	200	33,000	1,100	1000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	200	N.D.	1,100	1000
05298	Trichloroethene	79-01-6	N.D.	200	N.D.	1,100	1000
05298	Trichlorofluoromethane	75-69-4	N.D.	200	N.D.	1,100	1000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	200	N.D.	1,200	1000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	200	N.D.	980	1000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	200	N.D.	980	1000
05298	Vinyl Chloride	75-01-4	N.D.	200	N.D.	510	1000
05298	m/p-Xylene	179601-23-1	N.D.	200	N.D.	870	1000
05298	o-Xylene	95-47-6	N.D.	200	N.D.	870	1000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 22:10	Jeffrey B Smith	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/19/2013 10:15	Jeffrey B Smith	2000

Sample Description: MP03 Summa Can 1010 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004672
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:13 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	18		2.5	43		5.9	5
05298	Benzene	71-43-2	N.D.		1.0	N.D.		3.2	5
05298	Bromobenzene	108-86-1	N.D.		1.0	N.D.		6.4	5
05298	Bromodichloromethane	75-27-4	N.D.		1.0	N.D.		6.7	5
05298	Bromoform	75-25-2	N.D.		1.0	N.D.		10	5
05298	Bromomethane	74-83-9	N.D.		1.0	N.D.		3.9	5
05298	1,3-Butadiene	106-99-0	N.D.		2.5	N.D.		5.5	5
05298	2-Butanone	78-93-3	4.0	J	2.5	12	J	7.4	5
05298	Carbon Disulfide	75-15-0	N.D.		2.5	N.D.		7.8	5
05298	Carbon Tetrachloride	56-23-5	N.D.		1.0	N.D.		6.3	5
05298	Chlorobenzene	108-90-7	N.D.		1.0	N.D.		4.6	5
05298	Chlorodifluoromethane	75-45-6	N.D.		1.0	N.D.		3.5	5
05298	Chloroethane	75-00-3	N.D.		1.0	N.D.		2.6	5
05298	Chloroform	67-66-3	N.D.		1.0	N.D.		4.9	5
05298	Chloromethane	74-87-3	N.D.		1.0	N.D.		2.1	5
05298	3-Chloropropene	107-05-1	N.D.		1.0	N.D.		3.1	5
05298	Cumene	98-82-8	1.6	J	1.0	7.8	J	4.9	5
05298	Dibromochloromethane	124-48-1	N.D.		1.0	N.D.		8.5	5
05298	1,2-Dibromoethane	106-93-4	N.D.		1.0	N.D.		7.7	5
05298	Dibromomethane	74-95-3	N.D.		1.0	N.D.		7.1	5
05298	1,2-Dichlorobenzene	95-50-1	1.7	J	1.0	10	J	6.0	5
05298	1,3-Dichlorobenzene	541-73-1	1.7	J	1.0	9.9	J	6.0	5
05298	1,4-Dichlorobenzene	106-46-7	1.8	J	1.0	11	J	6.0	5
05298	Dichlorodifluoromethane	75-71-8	N.D.		1.0	N.D.		4.9	5
05298	1,1-Dichloroethane	75-34-3	4.6	J	1.0	18	J	4.0	5
05298	1,2-Dichloroethane	107-06-2	N.D.		1.0	N.D.		4.0	5
05298	1,1-Dichloroethene	75-35-4	110		1.0	440		4.0	5
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1.0	N.D.		4.0	5
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1.0	N.D.		4.0	5
05298	Dichlorofluoromethane	75-43-4	N.D.		1.0	N.D.		4.2	5
05298	1,2-Dichloropropane	78-87-5	N.D.		1.0	N.D.		4.6	5
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1.0	N.D.		4.5	5
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1.0	N.D.		4.5	5
05298	Ethylbenzene	100-41-4	2.0	J	1.0	8.7	J	4.3	5
05298	4-Ethyltoluene	622-96-8	1.1	J	1.0	5.2	J	4.9	5
05298	Freon 113	76-13-1	N.D.		2.5	N.D.		19	5
05298	Freon 114	76-14-2	N.D.		1.0	N.D.		7.0	5
05298	Heptane	142-82-5	N.D.		1.0	N.D.		4.1	5
05298	Hexachloroethane	67-72-1	N.D.		1.0	N.D.		9.7	5
05298	Hexane	110-54-3	N.D.		1.0	N.D.		3.5	5
05298	2-Hexanone	591-78-6	N.D.		2.5	N.D.		10	5
05298	Isooctane	540-84-1	N.D.		1.0	N.D.		4.7	5
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1.0	N.D.		3.6	5
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2.5	N.D.		10	5
05298	Methylene Chloride	75-09-2	N.D.		1.0	N.D.		3.5	5
05298	Octane	111-65-9	N.D.		1.0	N.D.		4.7	5
05298	Pentane	109-66-0	N.D.		1.0	N.D.		3.0	5
05298	Styrene	100-42-5	N.D.		1.0	N.D.		4.3	5
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1.0	N.D.		6.9	5
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1.0	N.D.		6.9	5
05298	Tetrachloroethene	127-18-4	1.2	J	1.0	8.3	J	6.8	5
05298	Toluene	108-88-3	1.7	J	1.0	6.4	J	3.8	5

Sample Description: MP03 Summa Can 1010 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004672
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:13 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	25		1.0	140		5.5	5
05298	1,1,2-Trichloroethane	79-00-5	N.D.		1.0	N.D.		5.5	5
05298	Trichloroethene	79-01-6	N.D.		1.0	N.D.		5.4	5
05298	Trichlorofluoromethane	75-69-4	3.0	J	1.0	17	J	5.6	5
05298	1,2,3-Trichloropropane	96-18-4	N.D.		1.0	N.D.		6.0	5
05298	1,2,4-Trimethylbenzene	95-63-6	1.8	J	1.0	8.8	J	4.9	5
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		1.0	N.D.		4.9	5
05298	Vinyl Chloride	75-01-4	N.D.		1.0	N.D.		2.6	5
05298	m/p-Xylene	179601-23-1	4.4	J	1.0	19	J	4.3	5
05298	o-Xylene	95-47-6	3.0	J	1.0	13	J	4.3	5

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 03:51	Michael A Ziegler	5

Sample Description: Undiluted Summa Can 1043 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004673
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:29 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	45		5.0	110		12	10
05298	Benzene	71-43-2	N.D.		2.0	N.D.		6.4	10
05298	Bromobenzene	108-86-1	N.D.		2.0	N.D.		13	10
05298	Bromodichloromethane	75-27-4	N.D.		2.0	N.D.		13	10
05298	Bromoform	75-25-2	N.D.		2.0	N.D.		21	10
05298	Bromomethane	74-83-9	N.D.		2.0	N.D.		7.8	10
05298	1,3-Butadiene	106-99-0	N.D.		5.0	N.D.		11	10
05298	2-Butanone	78-93-3	8.5	J	5.0	25	J	15	10
05298	Carbon Disulfide	75-15-0	N.D.		5.0	N.D.		16	10
05298	Carbon Tetrachloride	56-23-5	N.D.		2.0	N.D.		13	10
05298	Chlorobenzene	108-90-7	N.D.		2.0	N.D.		9.2	10
05298	Chlorodifluoromethane	75-45-6	N.D.		2.0	N.D.		7.1	10
05298	Chloroethane	75-00-3	N.D.		2.0	N.D.		5.3	10
05298	Chloroform	67-66-3	N.D.		2.0	N.D.		9.8	10
05298	Chloromethane	74-87-3	N.D.		2.0	N.D.		4.1	10
05298	3-Chloropropene	107-05-1	N.D.		2.0	N.D.		6.3	10
05298	Cumene	98-82-8	N.D.		2.0	N.D.		9.8	10
05298	Dibromochloromethane	124-48-1	N.D.		2.0	N.D.		17	10
05298	1,2-Dibromoethane	106-93-4	N.D.		2.0	N.D.		15	10
05298	Dibromomethane	74-95-3	N.D.		2.0	N.D.		14	10
05298	1,2-Dichlorobenzene	95-50-1	2.9	J	2.0	17	J	12	10
05298	1,3-Dichlorobenzene	541-73-1	3.0	J	2.0	18	J	12	10
05298	1,4-Dichlorobenzene	106-46-7	2.9	J	2.0	17	J	12	10
05298	Dichlorodifluoromethane	75-71-8	N.D.		2.0	N.D.		9.9	10
05298	1,1-Dichloroethane	75-34-3	3.8	J	2.0	15	J	8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		2.0	N.D.		8.1	10
05298	1,1-Dichloroethene	75-35-4	100		2.0	400		7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		2.0	N.D.		7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		2.0	N.D.		7.9	10
05298	Dichlorofluoromethane	75-43-4	N.D.		2.0	N.D.		8.4	10
05298	1,2-Dichloropropane	78-87-5	N.D.		2.0	N.D.		9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		2.0	N.D.		9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		2.0	N.D.		9.1	10
05298	Ethylbenzene	100-41-4	3.3	J	2.0	14	J	8.7	10
05298	4-Ethyltoluene	622-96-8	N.D.		2.0	N.D.		9.8	10
05298	Freon 113	76-13-1	N.D.		5.0	N.D.		38	10
05298	Freon 114	76-14-2	N.D.		2.0	N.D.		14	10
05298	Heptane	142-82-5	N.D.		2.0	N.D.		8.2	10
05298	Hexachloroethane	67-72-1	N.D.		2.0	N.D.		19	10
05298	Hexane	110-54-3	N.D.		2.0	N.D.		7.0	10
05298	2-Hexanone	591-78-6	N.D.		5.0	N.D.		20	10
05298	Isooctane	540-84-1	N.D.		2.0	N.D.		9.3	10
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		2.0	N.D.		7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		5.0	N.D.		20	10
05298	Methylene Chloride	75-09-2	N.D.		2.0	N.D.		6.9	10
05298	Octane	111-65-9	N.D.		2.0	N.D.		9.3	10
05298	Pentane	109-66-0	N.D.		2.0	N.D.		5.9	10
05298	Styrene	100-42-5	N.D.		2.0	N.D.		8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		2.0	N.D.		14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		2.0	N.D.		14	10
05298	Tetrachloroethene	127-18-4	N.D.		2.0	N.D.		14	10
05298	Toluene	108-88-3	19		2.0	71		7.5	10

Sample Description: Undiluted Summa Can 1043 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004673
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:29 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	120		2.0	670		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		2.0	N.D.		11	10
05298	Trichloroethene	79-01-6	N.D.		2.0	N.D.		11	10
05298	Trichlorofluoromethane	75-69-4	3.9	J	2.0	22	J	11	10
05298	1,2,3-Trichloropropane	96-18-4	N.D.		2.0	N.D.		12	10
05298	1,2,4-Trimethylbenzene	95-63-6	3.6	J	2.0	18	J	9.8	10
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		2.0	N.D.		9.8	10
05298	Vinyl Chloride	75-01-4	N.D.		2.0	N.D.		5.1	10
05298	m/p-Xylene	179601-23-1	7.5	J	2.0	33	J	8.7	10
05298	o-Xylene	95-47-6	5.2	J	2.0	23	J	8.7	10

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 04:31	Michael A Ziegler	10

Sample Description: MP09 Summa Can 911 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004674
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:23 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	39		0.50	92		1.2	1
05298	Benzene	71-43-2	0.56	J	0.20	1.8	J	0.64	1
05298	Bromobenzene	108-86-1	0.67	J	0.20	4.3	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.40	J	0.20	4.1	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	5.6		0.50	17		1.5	1
05298	Carbon Disulfide	75-15-0	2.1		0.50	6.4		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.44	J	0.20	2.0	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	0.23	J	0.20	0.60	J	0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	1.5		0.20	3.2		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	4.1		0.20	20		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.49	J	0.20	3.8	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	2.4		0.20	14		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	2.5		0.20	15		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	2.6		0.20	16		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.57	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.8		0.20	7.3		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	32		0.20	130		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	2.9		0.20	13		0.87	1
05298	4-Ethyltoluene	622-96-8	2.5		0.20	12		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.21	J	0.20	0.86	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.23	J	0.20	0.82	J	0.70	1
05298	2-Hexanone	591-78-6	1.5	J	0.50	6.0	J	2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	1.9	J	0.50	8.0	J	2.0	1
05298	Methylene Chloride	75-09-2	0.25	J	0.20	0.87	J	0.69	1
05298	Octane	111-65-9	1.1		0.20	5.0		0.93	1
05298	Pentane	109-66-0	0.38	J	0.20	1.1	J	0.59	1
05298	Styrene	100-42-5	1.3		0.20	5.5		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.97	J	0.20	6.6	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.64	J	0.20	4.4	J	1.4	1
05298	Toluene	108-88-3	1.3		0.20	4.9		0.75	1

Sample Description: MP09 Summa Can 911 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004674
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:23 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.4		0.20	24		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.22	J	0.20	1.2	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.38	J	0.20	2.1	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.66	J	0.20	4.0	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	3.0		0.20	15		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.7		0.20	8.4		0.98	1
05298	Vinyl Chloride	75-01-4	0.47	J	0.20	1.2	J	0.51	1
05298	m/p-Xylene	179601-23-1	7.2		0.20	31		0.87	1
05298	o-Xylene	95-47-6	4.0		0.20	17		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 08:52	Michael A Ziegler	1

Sample Description: MW65s Summa Can 988 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004675
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:53 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	63		1.8	150		4.4	3.667
05298	Benzene	71-43-2	1.1	J	0.73	3.5	J	2.3	3.667
05298	Bromobenzene	108-86-1	2.1	J	0.73	14	J	4.7	3.667
05298	Bromodichloromethane	75-27-4	N.D.		0.73	N.D.		4.9	3.667
05298	Bromoform	75-25-2	0.76	J	0.73	7.9	J	7.6	3.667
05298	Bromomethane	74-83-9	N.D.		0.73	N.D.		2.8	3.667
05298	1,3-Butadiene	106-99-0	N.D.		1.8	N.D.		4.1	3.667
05298	2-Butanone	78-93-3	6.7	J	1.8	20	J	5.4	3.667
05298	Carbon Disulfide	75-15-0	N.D.		1.8	N.D.		5.7	3.667
05298	Carbon Tetrachloride	56-23-5	N.D.		0.73	N.D.		4.6	3.667
05298	Chlorobenzene	108-90-7	1.5	J	0.73	7.1	J	3.4	3.667
05298	Chlorodifluoromethane	75-45-6	N.D.		0.73	N.D.		2.6	3.667
05298	Chloroethane	75-00-3	N.D.		0.73	N.D.		1.9	3.667
05298	Chloroform	67-66-3	N.D.		0.73	N.D.		3.6	3.667
05298	Chloromethane	74-87-3	N.D.		0.73	N.D.		1.5	3.667
05298	3-Chloropropene	107-05-1	N.D.		0.73	N.D.		2.3	3.667
05298	Cumene	98-82-8	0.90	J	0.73	4.4	J	3.6	3.667
05298	Dibromochloromethane	124-48-1	N.D.		0.73	N.D.		6.2	3.667
05298	1,2-Dibromoethane	106-93-4	1.5	J	0.73	11	J	5.6	3.667
05298	Dibromomethane	74-95-3	N.D.		0.73	N.D.		5.2	3.667
05298	1,2-Dichlorobenzene	95-50-1	8.7		0.73	52		4.4	3.667
05298	1,3-Dichlorobenzene	541-73-1	8.4		0.73	51		4.4	3.667
05298	1,4-Dichlorobenzene	106-46-7	11		0.73	65		4.4	3.667
05298	Dichlorodifluoromethane	75-71-8	N.D.		0.73	N.D.		3.6	3.667
05298	1,1-Dichloroethane	75-34-3	N.D.		0.73	N.D.		3.0	3.667
05298	1,2-Dichloroethane	107-06-2	N.D.		0.73	N.D.		3.0	3.667
05298	1,1-Dichloroethene	75-35-4	N.D.		0.73	N.D.		2.9	3.667
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.73	N.D.		2.9	3.667
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.73	N.D.		2.9	3.667
05298	Dichlorofluoromethane	75-43-4	N.D.		0.73	N.D.		3.1	3.667
05298	1,2-Dichloropropane	78-87-5	N.D.		0.73	N.D.		3.4	3.667
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.73	N.D.		3.3	3.667
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.73	N.D.		3.3	3.667
05298	Ethylbenzene	100-41-4	7.6		0.73	33		3.2	3.667
05298	4-Ethyltoluene	622-96-8	5.4		0.73	26		3.6	3.667
05298	Freon 113	76-13-1	N.D.		1.8	N.D.		14	3.667
05298	Freon 114	76-14-2	N.D.		0.73	N.D.		5.1	3.667
05298	Heptane	142-82-5	N.D.		0.73	N.D.		3.0	3.667
05298	Hexachloroethane	67-72-1	N.D.		0.73	N.D.		7.1	3.667
05298	Hexane	110-54-3	0.84	J	0.73	3.0	J	2.6	3.667
05298	2-Hexanone	591-78-6	5.1	J	1.8	21	J	7.5	3.667
05298	Isooctane	540-84-1	N.D.		0.73	N.D.		3.4	3.667
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.73	N.D.		2.6	3.667
05298	4-Methyl-2-Pentanone	108-10-1	2.2	J	1.8	8.9	J	7.5	3.667
05298	Methylene Chloride	75-09-2	0.90	J	0.73	3.1	J	2.5	3.667
05298	Octane	111-65-9	2.6	J	0.73	12	J	3.4	3.667
05298	Pentane	109-66-0	0.77	J	0.73	2.3	J	2.2	3.667
05298	Styrene	100-42-5	4.5		0.73	19		3.1	3.667
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.73	N.D.		5.0	3.667
05298	1,1,2,2-Tetrachloroethane	79-34-5	2.5	J	0.73	17	J	5.0	3.667
05298	Tetrachloroethene	127-18-4	4.5		0.73	30		5.0	3.667
05298	Toluene	108-88-3	3.1	J	0.73	12	J	2.8	3.667

Sample Description: MW65s Summa Can 988 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004675
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:53 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	N.D.		0.73	N.D.		4.0	3.667
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.73	N.D.		4.0	3.667
05298	Trichloroethene	79-01-6	1.1	J	0.73	6.1	J	3.9	3.667
05298	Trichlorofluoromethane	75-69-4	N.D.		0.73	N.D.		4.1	3.667
05298	1,2,3-Trichloropropane	96-18-4	2.4	J	0.73	15	J	4.4	3.667
05298	1,2,4-Trimethylbenzene	95-63-6	7.1		0.73	35		3.6	3.667
05298	1,3,5-Trimethylbenzene	108-67-8	4.1		0.73	20		3.6	3.667
05298	Vinyl Chloride	75-01-4	N.D.		0.73	N.D.		1.9	3.667
05298	m/p-Xylene	179601-23-1	19		0.73	83		3.2	3.667
05298	o-Xylene	95-47-6	10		0.73	45		3.2	3.667

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1311030AA	04/20/2013 22:19	Michael A Ziegler	3.667

Sample Description: MW64 Summa Can 916 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004676
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:37 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	5,800	J	2,500	14,000	J	5,900	5000
05298	Benzene	71-43-2	N.D.		1,000	N.D.		3,200	5000
05298	Bromobenzene	108-86-1	N.D.		1,000	N.D.		6,400	5000
05298	Bromodichloromethane	75-27-4	N.D.		1,000	N.D.		6,700	5000
05298	Bromoform	75-25-2	N.D.		1,000	N.D.		10,000	5000
05298	Bromomethane	74-83-9	N.D.		1,000	N.D.		3,900	5000
05298	1,3-Butadiene	106-99-0	N.D.		2,500	N.D.		5,500	5000
05298	2-Butanone	78-93-3	N.D.		2,500	N.D.		7,400	5000
05298	Carbon Disulfide	75-15-0	N.D.		2,500	N.D.		7,800	5000
05298	Carbon Tetrachloride	56-23-5	N.D.		1,000	N.D.		6,300	5000
05298	Chlorobenzene	108-90-7	N.D.		1,000	N.D.		4,600	5000
05298	Chlorodifluoromethane	75-45-6	N.D.		1,000	N.D.		3,500	5000
05298	Chloroethane	75-00-3	N.D.		1,000	N.D.		2,600	5000
05298	Chloroform	67-66-3	N.D.		1,000	N.D.		4,900	5000
05298	Chloromethane	74-87-3	N.D.		1,000	N.D.		2,100	5000
05298	3-Chloropropene	107-05-1	N.D.		1,000	N.D.		3,100	5000
05298	Cumene	98-82-8	N.D.		1,000	N.D.		4,900	5000
05298	Dibromochloromethane	124-48-1	N.D.		1,000	N.D.		8,500	5000
05298	1,2-Dibromoethane	106-93-4	N.D.		1,000	N.D.		7,700	5000
05298	Dibromomethane	74-95-3	N.D.		1,000	N.D.		7,100	5000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		1,000	N.D.		6,000	5000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		1,000	N.D.		6,000	5000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		1,000	N.D.		6,000	5000
05298	Dichlorodifluoromethane	75-71-8	N.D.		1,000	N.D.		4,900	5000
05298	1,1-Dichloroethane	75-34-3	4,900	J	1,000	20,000	J	4,000	5000
05298	1,2-Dichloroethane	107-06-2	N.D.		1,000	N.D.		4,000	5000
05298	1,1-Dichloroethene	75-35-4	190,000		1,000	750,000		4,000	5000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		1,000	N.D.		4,000	5000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		1,000	N.D.		4,000	5000
05298	Dichlorofluoromethane	75-43-4	N.D.		1,000	N.D.		4,200	5000
05298	1,2-Dichloropropane	78-87-5	N.D.		1,000	N.D.		4,600	5000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		1,000	N.D.		4,500	5000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		1,000	N.D.		4,500	5000
05298	Ethylbenzene	100-41-4	N.D.		1,000	N.D.		4,300	5000
05298	4-Ethyltoluene	622-96-8	N.D.		1,000	N.D.		4,900	5000
05298	Freon 113	76-13-1	N.D.		2,500	N.D.		19,000	5000
05298	Freon 114	76-14-2	N.D.		1,000	N.D.		7,000	5000
05298	Heptane	142-82-5	N.D.		1,000	N.D.		4,100	5000
05298	Hexachloroethane	67-72-1	N.D.		1,000	N.D.		9,700	5000
05298	Hexane	110-54-3	N.D.		1,000	N.D.		3,500	5000
05298	2-Hexanone	591-78-6	N.D.		2,500	N.D.		10,000	5000
05298	Isooctane	540-84-1	N.D.		1,000	N.D.		4,700	5000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		1,000	N.D.		3,600	5000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		2,500	N.D.		10,000	5000
05298	Methylene Chloride	75-09-2	2,000	J	1,000	6,900	J	3,500	5000
05298	Octane	111-65-9	N.D.		1,000	N.D.		4,700	5000
05298	Pentane	109-66-0	N.D.		1,000	N.D.		3,000	5000
05298	Styrene	100-42-5	N.D.		1,000	N.D.		4,300	5000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		1,000	N.D.		6,900	5000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		1,000	N.D.		6,900	5000
05298	Tetrachloroethene	127-18-4	N.D.		1,000	N.D.		6,800	5000
05298	Toluene	108-88-3	N.D.		1,000	N.D.		3,800	5000

Sample Description: MW64 Summa Can 916 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004676
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:37 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	91,000	1,000	500,000	5,500	5000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	1,000	N.D.	5,500	5000
05298	Trichloroethene	79-01-6	N.D.	1,000	N.D.	5,400	5000
05298	Trichlorofluoromethane	75-69-4	N.D.	1,000	N.D.	5,600	5000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	1,000	N.D.	6,000	5000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	1,000	N.D.	4,900	5000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	1,000	N.D.	4,900	5000
05298	Vinyl Chloride	75-01-4	N.D.	1,000	N.D.	2,600	5000
05298	m/p-Xylene	179601-23-1	N.D.	1,000	N.D.	4,300	5000
05298	o-Xylene	95-47-6	N.D.	1,000	N.D.	4,300	5000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1311030AA	04/20/2013 23:01	Michael A Ziegler	5000

Sample Description: SVE7 Summa Can 1063 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004677
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:29 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	47		0.50	110		1.2	1
05298	Benzene	71-43-2	0.66	J	0.20	2.1	J	0.64	1
05298	Bromobenzene	108-86-1	0.46	J	0.20	3.0	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.30	J	0.20	3.1	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	19		0.50	56		1.5	1
05298	Carbon Disulfide	75-15-0	0.59	J	0.50	1.8	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	0.21	J	0.20	1.3	J	1.3	1
05298	Chlorobenzene	108-90-7	0.74	J	0.20	3.4	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.27	J	0.20	0.97	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.28	J	0.20	1.4	J	0.98	1
05298	Chloromethane	74-87-3	0.86	J	0.20	1.8	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	6.8		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.36	J	0.20	2.8	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.46	J	0.20	2.8	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.56	J	0.20	3.3	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.48	J	0.20	2.9	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.9		0.20	7.6		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	270		4.0	1,100		16	20
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	5.5		0.20	24		0.87	1
05298	4-Ethyltoluene	622-96-8	1.5		0.20	7.2		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	0.27	J	0.20	1.1	J	0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.23	J	0.20	0.79	J	0.69	1
05298	Octane	111-65-9	3.1		0.20	15		0.93	1
05298	Pentane	109-66-0	0.37	J	0.20	1.1	J	0.59	1
05298	Styrene	100-42-5	0.64	J	0.20	2.7	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.83	J	0.20	5.7	J	1.4	1
05298	Tetrachloroethene	127-18-4	1.3		0.20	8.7		1.4	1
05298	Toluene	108-88-3	2.4		0.20	9.0		0.75	1

Sample Description: SVE7 Summa Can 1063 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004677
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:29 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	160		4.0	890		22	20
05298	1,1,2-Trichloroethane	79-00-5	0.26	J	0.20	1.4	J	1.1	1
05298	Trichloroethene	79-01-6	0.27	J	0.20	1.5	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.27	J	0.20	1.5	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.37	J	0.20	2.2	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.64	J	0.20	3.1	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.1		0.20	5.2		0.98	1
05298	Vinyl Chloride	75-01-4	0.21	J	0.20	0.55	J	0.51	1
05298	m/p-Xylene	179601-23-1	12		0.20	51		0.87	1
05298	o-Xylene	95-47-6	5.8		0.20	25		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 06:00	Michael A Ziegler	1
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 09:34	Michael A Ziegler	20

Sample Description: MP06 Summa Can 985 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004678
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:28 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.9		0.50	21		1.2	1
05298	Benzene	71-43-2	0.40	J	0.20	1.3	J	0.64	1
05298	Bromobenzene	108-86-1	0.35	J	0.20	2.2	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	0.21	J	0.20	2.2	J	2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.3		0.50	6.8		1.5	1
05298	Carbon Disulfide	75-15-0	N.D.		0.50	N.D.		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.30	J	0.20	1.4	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.65	J	0.20	2.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.50	J	0.20	1.0	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.65	J	0.20	3.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	0.21	J	0.20	1.6	J	1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.4		0.20	8.4		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.3		0.20	7.9		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.5		0.20	8.9		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.56	J	0.20	2.8	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	1.1		0.20	4.3		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	25		0.20	99		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.8		0.20	8.0		0.87	1
05298	4-Ethyltoluene	622-96-8	1.0		0.20	5.0		0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.23	J	0.20	0.82	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.27	J	0.20	0.94	J	0.69	1
05298	Octane	111-65-9	0.73	J	0.20	3.4	J	0.93	1
05298	Pentane	109-66-0	0.52	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	0.70	J	0.20	3.0	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.40	J	0.20	2.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.30	J	0.20	2.0	J	1.4	1
05298	Toluene	108-88-3	1.2		0.20	4.6		0.75	1

Sample Description: MP06 Summa Can 985 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004678
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:28 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	2.6		0.20	14		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	3.5		0.20	20		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.24	J	0.20	1.4	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.3		0.20	6.5		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.85	J	0.20	4.2	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.5		0.20	20		0.87	1
05298	o-Xylene	95-47-6	2.5		0.20	11		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 06:46	Michael A Ziegler	1

Sample Description: MP11 Summa Can 1049 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004679
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:34 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	640		50	1,500		120	100
05298	Benzene	71-43-2	N.D.		20	N.D.		64	100
05298	Bromobenzene	108-86-1	N.D.		20	N.D.		130	100
05298	Bromodichloromethane	75-27-4	N.D.		20	N.D.		130	100
05298	Bromoform	75-25-2	N.D.		20	N.D.		210	100
05298	Bromomethane	74-83-9	N.D.		20	N.D.		78	100
05298	1,3-Butadiene	106-99-0	N.D.		50	N.D.		110	100
05298	2-Butanone	78-93-3	N.D.		50	N.D.		150	100
05298	Carbon Disulfide	75-15-0	N.D.		50	N.D.		160	100
05298	Carbon Tetrachloride	56-23-5	N.D.		20	N.D.		130	100
05298	Chlorobenzene	108-90-7	N.D.		20	N.D.		92	100
05298	Chlorodifluoromethane	75-45-6	N.D.		20	N.D.		71	100
05298	Chloroethane	75-00-3	N.D.		20	N.D.		53	100
05298	Chloroform	67-66-3	N.D.		20	N.D.		98	100
05298	Chloromethane	74-87-3	N.D.		20	N.D.		41	100
05298	3-Chloropropene	107-05-1	N.D.		20	N.D.		63	100
05298	Cumene	98-82-8	N.D.		20	N.D.		98	100
05298	Dibromochloromethane	124-48-1	N.D.		20	N.D.		170	100
05298	1,2-Dibromoethane	106-93-4	N.D.		20	N.D.		150	100
05298	Dibromomethane	74-95-3	N.D.		20	N.D.		140	100
05298	1,2-Dichlorobenzene	95-50-1	N.D.		20	N.D.		120	100
05298	1,3-Dichlorobenzene	541-73-1	N.D.		20	N.D.		120	100
05298	1,4-Dichlorobenzene	106-46-7	N.D.		20	N.D.		120	100
05298	Dichlorodifluoromethane	75-71-8	N.D.		20	N.D.		99	100
05298	1,1-Dichloroethane	75-34-3	N.D.		20	N.D.		81	100
05298	1,2-Dichloroethane	107-06-2	N.D.		20	N.D.		81	100
05298	1,1-Dichloroethene	75-35-4	1,500		20	5,900		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		20	N.D.		79	100
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		20	N.D.		79	100
05298	Dichlorofluoromethane	75-43-4	N.D.		20	N.D.		84	100
05298	1,2-Dichloropropane	78-87-5	N.D.		20	N.D.		92	100
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		20	N.D.		91	100
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		20	N.D.		91	100
05298	Ethylbenzene	100-41-4	N.D.		20	N.D.		87	100
05298	4-Ethyltoluene	622-96-8	N.D.		20	N.D.		98	100
05298	Freon 113	76-13-1	N.D.		50	N.D.		380	100
05298	Freon 114	76-14-2	N.D.		20	N.D.		140	100
05298	Heptane	142-82-5	N.D.		20	N.D.		82	100
05298	Hexachloroethane	67-72-1	N.D.		20	N.D.		190	100
05298	Hexane	110-54-3	22	J	20	78	J	70	100
05298	2-Hexanone	591-78-6	N.D.		50	N.D.		200	100
05298	Isooctane	540-84-1	N.D.		20	N.D.		93	100
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		20	N.D.		72	100
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		50	N.D.		200	100
05298	Methylene Chloride	75-09-2	110		20	380		69	100
05298	Octane	111-65-9	N.D.		20	N.D.		93	100
05298	Pentane	109-66-0	23	J	20	68	J	59	100
05298	Styrene	100-42-5	38	J	20	160	J	85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		20	N.D.		140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		20	N.D.		140	100
05298	Tetrachloroethene	127-18-4	N.D.		20	N.D.		140	100
05298	Toluene	108-88-3	80	J	20	300	J	75	100

Sample Description: MP11 Summa Can 1049 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004679
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:34 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	550		20	3,000		110	100
05298	1,1,2-Trichloroethane	79-00-5	N.D.		20	N.D.		110	100
05298	Trichloroethene	79-01-6	N.D.		20	N.D.		110	100
05298	Trichlorofluoromethane	75-69-4	N.D.		20	N.D.		110	100
05298	1,2,3-Trichloropropane	96-18-4	N.D.		20	N.D.		120	100
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		20	N.D.		98	100
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		20	N.D.		98	100
05298	Vinyl Chloride	75-01-4	N.D.		20	N.D.		51	100
05298	m/p-Xylene	179601-23-1	40	J	20	170	J	87	100
05298	o-Xylene	95-47-6	N.D.		20	N.D.		87	100

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1311030AA	04/20/2013 23:48	Michael A Ziegler	100

Sample Description: SVE3 Summa Can 990 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004680
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:08 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	8.9		0.50	21		1.2	1
05298	Benzene	71-43-2	2.1		0.20	6.7		0.64	1
05298	Bromobenzene	108-86-1	0.27	J	0.20	1.7	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	1.0	J	0.50	3.1	J	1.5	1
05298	Carbon Disulfide	75-15-0	0.96	J	0.50	3.0	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.24	J	0.20	1.1	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.36	J	0.20	1.3	J	0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	0.32	J	0.20	0.67	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.23	J	0.20	1.1	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.0		0.20	6.3		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.0		0.20	6.2		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.1		0.20	6.6		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.54	J	0.20	2.7	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	13		0.20	51		0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	56		0.20	220		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.5		0.20	6.4		0.87	1
05298	4-Ethyltoluene	622-96-8	0.75	J	0.20	3.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.26	J	0.20	0.92	J	0.69	1
05298	Octane	111-65-9	0.58	J	0.20	2.7	J	0.93	1
05298	Pentane	109-66-0	0.32	J	0.20	0.95	J	0.59	1
05298	Styrene	100-42-5	0.43	J	0.20	1.8	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.28	J	0.20	1.9	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.48	J	0.20	3.2	J	1.4	1
05298	Toluene	108-88-3	1.8		0.20	6.7		0.75	1

Sample Description: SVE3 Summa Can 990 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004680
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:08 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	6.5		0.20	36		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	1.5		0.20	8.4		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.1		0.20	5.4		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.65	J	0.20	3.2	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	3.6		0.20	16		0.87	1
05298	o-Xylene	95-47-6	2.1		0.20	9.2		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AA	04/18/2013 07:33	Michael A Ziegler	1

Sample Description: SVE4 Summa Can 1041 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004681
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:13 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	13		0.50	32		1.2	1
05298	Benzene	71-43-2	0.47	J	0.20	1.5	J	0.64	1
05298	Bromobenzene	108-86-1	N.D.		0.20	N.D.		1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	2.8		0.50	8.1		1.5	1
05298	Carbon Disulfide	75-15-0	0.69	J	0.50	2.2	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	N.D.		0.20	N.D.		0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	0.24	J	0.20	1.2	J	0.98	1
05298	Chloromethane	74-87-3	1.1		0.20	2.2		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	0.45	J	0.20	2.2	J	0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	N.D.		0.20	N.D.		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	N.D.		0.20	N.D.		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	N.D.		0.20	N.D.		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.53	J	0.20	2.6	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.28	J	0.20	1.2	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	N.D.		0.20	N.D.		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.6		0.20	6.8		0.87	1
05298	4-Ethyltoluene	622-96-8	0.34	J	0.20	1.7	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.27	J	0.20	0.95	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	1.0		0.20	3.6		0.69	1
05298	Octane	111-65-9	0.66	J	0.20	3.1	J	0.93	1
05298	Pentane	109-66-0	3.0		0.20	8.7		0.59	1
05298	Styrene	100-42-5	N.D.		0.20	N.D.		0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.20	N.D.		1.4	1
05298	Tetrachloroethene	127-18-4	0.60	J	0.20	4.0	J	1.4	1
05298	Toluene	108-88-3	1.2		0.20	4.4		0.75	1

Sample Description: SVE4 Summa Can 1041 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004681
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:13 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	1.4		0.20	7.9		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	0.30	J	0.20	1.6	J	1.1	1
05298	Trichlorofluoromethane	75-69-4	1.7		0.20	9.7		1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.22	J	0.20	1.1	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.27	J	0.20	1.3	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	2.9		0.20	13		0.87	1
05298	o-Xylene	95-47-6	1.6		0.20	6.7		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 15:30	Jeffrey B Smith	1

Sample Description: VW3 Summa Can 999 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004682
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:43 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	70		2.5	170		5.9	5
05298	Benzene	71-43-2	0.77	J	0.20	2.4	J	0.64	1
05298	Bromobenzene	108-86-1	0.23	J	0.20	1.5	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	17		0.50	50		1.5	1
05298	Carbon Disulfide	75-15-0	6.3		0.50	20		1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.24	J	0.20	1.1	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	N.D.		0.20	N.D.		0.98	1
05298	Chloromethane	74-87-3	1.3		0.20	2.8		0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	1.4		0.20	7.0		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	0.56	J	0.20	3.4	J	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	0.69	J	0.20	4.1	J	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	0.53	J	0.20	3.2	J	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.65	J	0.20	3.2	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	0.38	J	0.20	1.5	J	0.81	1
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	15		0.20	57		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.8		0.20	7.6		0.87	1
05298	4-Ethyltoluene	622-96-8	0.80	J	0.20	3.9	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	N.D.		0.20	N.D.		0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		0.50	N.D.		2.0	1
05298	Methylene Chloride	75-09-2	0.24	J	0.20	0.82	J	0.69	1
05298	Octane	111-65-9	0.60	J	0.20	2.8	J	0.93	1
05298	Pentane	109-66-0	0.52	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	0.33	J	0.20	1.4	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.25	J	0.20	1.7	J	1.4	1
05298	Tetrachloroethene	127-18-4	1.2		0.20	8.2		1.4	1
05298	Toluene	108-88-3	1.1		0.20	4.0		0.75	1

Sample Description: VW3 Summa Can 999 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004682
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:43 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	4.8		0.20	26		1.1	1
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.36	J	0.20	2.0	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.20	N.D.		1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	0.82	J	0.20	4.0	J	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	0.75	J	0.20	3.7	J	0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.3		0.20	18		0.87	1
05298	o-Xylene	95-47-6	2.4		0.20	10		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 16:12	Jeffrey B Smith	5
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 19:08	Jeffrey B Smith	1

Sample Description: MP02 Summa Can 930 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004683
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:38 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	370		10	870		24	20
05298	Benzene	71-43-2	N.D.		4.0	N.D.		13	20
05298	Bromobenzene	108-86-1	N.D.		4.0	N.D.		26	20
05298	Bromodichloromethane	75-27-4	N.D.		4.0	N.D.		27	20
05298	Bromoform	75-25-2	N.D.		4.0	N.D.		41	20
05298	Bromomethane	74-83-9	N.D.		4.0	N.D.		16	20
05298	1,3-Butadiene	106-99-0	N.D.		10	N.D.		22	20
05298	2-Butanone	78-93-3	270		10	790		29	20
05298	Carbon Disulfide	75-15-0	19	J	10	58	J	31	20
05298	Carbon Tetrachloride	56-23-5	N.D.		4.0	N.D.		25	20
05298	Chlorobenzene	108-90-7	N.D.		4.0	N.D.		18	20
05298	Chlorodifluoromethane	75-45-6	N.D.		4.0	N.D.		14	20
05298	Chloroethane	75-00-3	N.D.		4.0	N.D.		11	20
05298	Chloroform	67-66-3	N.D.		4.0	N.D.		20	20
05298	Chloromethane	74-87-3	7.2	J	4.0	15	J	8.3	20
05298	3-Chloropropene	107-05-1	N.D.		4.0	N.D.		13	20
05298	Cumene	98-82-8	N.D.		4.0	N.D.		20	20
05298	Dibromochloromethane	124-48-1	N.D.		4.0	N.D.		34	20
05298	1,2-Dibromoethane	106-93-4	N.D.		4.0	N.D.		31	20
05298	Dibromomethane	74-95-3	N.D.		4.0	N.D.		28	20
05298	1,2-Dichlorobenzene	95-50-1	N.D.		4.0	N.D.		24	20
05298	1,3-Dichlorobenzene	541-73-1	N.D.		4.0	N.D.		24	20
05298	1,4-Dichlorobenzene	106-46-7	N.D.		4.0	N.D.		24	20
05298	Dichlorodifluoromethane	75-71-8	N.D.		4.0	N.D.		20	20
05298	1,1-Dichloroethane	75-34-3	28		4.0	110		16	20
05298	1,2-Dichloroethane	107-06-2	N.D.		4.0	N.D.		16	20
05298	1,1-Dichloroethene	75-35-4	1,400		20	5,400		79	100
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		4.0	N.D.		16	20
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		4.0	N.D.		16	20
05298	Dichlorofluoromethane	75-43-4	N.D.		4.0	N.D.		17	20
05298	1,2-Dichloropropane	78-87-5	N.D.		4.0	N.D.		18	20
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		4.0	N.D.		18	20
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		4.0	N.D.		18	20
05298	Ethylbenzene	100-41-4	N.D.		4.0	N.D.		17	20
05298	4-Ethyltoluene	622-96-8	N.D.		4.0	N.D.		20	20
05298	Freon 113	76-13-1	N.D.		10	N.D.		77	20
05298	Freon 114	76-14-2	N.D.		4.0	N.D.		28	20
05298	Heptane	142-82-5	N.D.		4.0	N.D.		16	20
05298	Hexachloroethane	67-72-1	N.D.		4.0	N.D.		39	20
05298	Hexane	110-54-3	N.D.		4.0	N.D.		14	20
05298	2-Hexanone	591-78-6	N.D.		10	N.D.		41	20
05298	Isooctane	540-84-1	N.D.		4.0	N.D.		19	20
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		4.0	N.D.		14	20
05298	4-Methyl-2-Pentanone	108-10-1	24	J	10	100	J	41	20
05298	Methylene Chloride	75-09-2	N.D.		4.0	N.D.		14	20
05298	Octane	111-65-9	N.D.		4.0	N.D.		19	20
05298	Pentane	109-66-0	8.0	J	4.0	24	J	12	20
05298	Styrene	100-42-5	N.D.		4.0	N.D.		17	20
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		4.0	N.D.		27	20
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		4.0	N.D.		27	20
05298	Tetrachloroethene	127-18-4	N.D.		4.0	N.D.		27	20
05298	Toluene	108-88-3	N.D.		4.0	N.D.		15	20

Sample Description: MP02 Summa Can 930 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004683
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:38 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	340		4.0	1,900		22	20
05298	1,1,2-Trichloroethane	79-00-5	N.D.		4.0	N.D.		22	20
05298	Trichloroethene	79-01-6	N.D.		4.0	N.D.		21	20
05298	Trichlorofluoromethane	75-69-4	N.D.		4.0	N.D.		22	20
05298	1,2,3-Trichloropropane	96-18-4	N.D.		4.0	N.D.		24	20
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.		4.0	N.D.		20	20
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.		4.0	N.D.		20	20
05298	Vinyl Chloride	75-01-4	9.8	J	4.0	25	J	10	20
05298	m/p-Xylene	179601-23-1	5.1	J	4.0	22	J	17	20
05298	o-Xylene	95-47-6	4.2	J	4.0	18	J	17	20

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 16:55	Jeffrey B Smith	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 20:42	Jeffrey B Smith	100

Sample Description: SVE1 Summa Can 941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004684
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:59 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	N.D.		1,000	N.D.		2,400	2000
05298	Benzene	71-43-2	N.D.		400	N.D.		1,300	2000
05298	Bromobenzene	108-86-1	N.D.		400	N.D.		2,600	2000
05298	Bromodichloromethane	75-27-4	N.D.		400	N.D.		2,700	2000
05298	Bromoform	75-25-2	N.D.		400	N.D.		4,100	2000
05298	Bromomethane	74-83-9	N.D.		400	N.D.		1,600	2000
05298	1,3-Butadiene	106-99-0	N.D.		1,000	N.D.		2,200	2000
05298	2-Butanone	78-93-3	N.D.		1,000	N.D.		2,900	2000
05298	Carbon Disulfide	75-15-0	N.D.		1,000	N.D.		3,100	2000
05298	Carbon Tetrachloride	56-23-5	N.D.		400	N.D.		2,500	2000
05298	Chlorobenzene	108-90-7	N.D.		400	N.D.		1,800	2000
05298	Chlorodifluoromethane	75-45-6	N.D.		400	N.D.		1,400	2000
05298	Chloroethane	75-00-3	N.D.		400	N.D.		1,100	2000
05298	Chloroform	67-66-3	N.D.		400	N.D.		2,000	2000
05298	Chloromethane	74-87-3	N.D.		400	N.D.		830	2000
05298	3-Chloropropene	107-05-1	N.D.		400	N.D.		1,300	2000
05298	Cumene	98-82-8	N.D.		400	N.D.		2,000	2000
05298	Dibromochloromethane	124-48-1	N.D.		400	N.D.		3,400	2000
05298	1,2-Dibromoethane	106-93-4	N.D.		400	N.D.		3,100	2000
05298	Dibromomethane	74-95-3	N.D.		400	N.D.		2,800	2000
05298	1,2-Dichlorobenzene	95-50-1	N.D.		400	N.D.		2,400	2000
05298	1,3-Dichlorobenzene	541-73-1	N.D.		400	N.D.		2,400	2000
05298	1,4-Dichlorobenzene	106-46-7	N.D.		400	N.D.		2,400	2000
05298	Dichlorodifluoromethane	75-71-8	N.D.		400	N.D.		2,000	2000
05298	1,1-Dichloroethane	75-34-3	490	J	400	2,000	J	1,600	2000
05298	1,2-Dichloroethane	107-06-2	N.D.		400	N.D.		1,600	2000
05298	1,1-Dichloroethene	75-35-4	13,000		400	51,000		1,600	2000
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		400	N.D.		1,600	2000
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		400	N.D.		1,600	2000
05298	Dichlorofluoromethane	75-43-4	N.D.		400	N.D.		1,700	2000
05298	1,2-Dichloropropane	78-87-5	N.D.		400	N.D.		1,800	2000
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		400	N.D.		1,800	2000
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		400	N.D.		1,800	2000
05298	Ethylbenzene	100-41-4	N.D.		400	N.D.		1,700	2000
05298	4-Ethyltoluene	622-96-8	N.D.		400	N.D.		2,000	2000
05298	Freon 113	76-13-1	N.D.		1,000	N.D.		7,700	2000
05298	Freon 114	76-14-2	N.D.		400	N.D.		2,800	2000
05298	Heptane	142-82-5	N.D.		400	N.D.		1,600	2000
05298	Hexachloroethane	67-72-1	N.D.		400	N.D.		3,900	2000
05298	Hexane	110-54-3	N.D.		400	N.D.		1,400	2000
05298	2-Hexanone	591-78-6	N.D.		1,000	N.D.		4,100	2000
05298	Isooctane	540-84-1	N.D.		400	N.D.		1,900	2000
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		400	N.D.		1,400	2000
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1,000	N.D.		4,100	2000
05298	Methylene Chloride	75-09-2	N.D.		400	N.D.		1,400	2000
05298	Octane	111-65-9	N.D.		400	N.D.		1,900	2000
05298	Pentane	109-66-0	N.D.		400	N.D.		1,200	2000
05298	Styrene	100-42-5	N.D.		400	N.D.		1,700	2000
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		400	N.D.		2,700	2000
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		400	N.D.		2,700	2000
05298	Tetrachloroethene	127-18-4	N.D.		400	N.D.		2,700	2000
05298	Toluene	108-88-3	12,000		400	47,000		1,500	2000

Sample Description: SVE1 Summa Can 941 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004684
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:59 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air EPA TO-15			ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	100,000	400	540,000	2,200	2000
05298	1,1,2-Trichloroethane	79-00-5	N.D.	400	N.D.	2,200	2000
05298	Trichloroethene	79-01-6	N.D.	400	N.D.	2,100	2000
05298	Trichlorofluoromethane	75-69-4	N.D.	400	N.D.	2,200	2000
05298	1,2,3-Trichloropropane	96-18-4	N.D.	400	N.D.	2,400	2000
05298	1,2,4-Trimethylbenzene	95-63-6	N.D.	400	N.D.	2,000	2000
05298	1,3,5-Trimethylbenzene	108-67-8	N.D.	400	N.D.	2,000	2000
05298	Vinyl Chloride	75-01-4	N.D.	400	N.D.	1,000	2000
05298	m/p-Xylene	179601-23-1	N.D.	400	N.D.	1,700	2000
05298	o-Xylene	95-47-6	N.D.	400	N.D.	1,700	2000

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1311030AB	04/21/2013 18:54	Michael A Ziegler	2000

Sample Description: MP10 Summa Can 1143 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004685
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:50 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	47		0.50	110		1.2	1
05298	Benzene	71-43-2	0.74	J	0.20	2.4	J	0.64	1
05298	Bromobenzene	108-86-1	0.29	J	0.20	1.9	J	1.3	1
05298	Bromodichloromethane	75-27-4	N.D.		0.20	N.D.		1.3	1
05298	Bromoform	75-25-2	N.D.		0.20	N.D.		2.1	1
05298	Bromomethane	74-83-9	N.D.		0.20	N.D.		0.78	1
05298	1,3-Butadiene	106-99-0	N.D.		0.50	N.D.		1.1	1
05298	2-Butanone	78-93-3	17		0.50	50		1.5	1
05298	Carbon Disulfide	75-15-0	0.69	J	0.50	2.1	J	1.6	1
05298	Carbon Tetrachloride	56-23-5	N.D.		0.20	N.D.		1.3	1
05298	Chlorobenzene	108-90-7	0.26	J	0.20	1.2	J	0.92	1
05298	Chlorodifluoromethane	75-45-6	N.D.		0.20	N.D.		0.71	1
05298	Chloroethane	75-00-3	N.D.		0.20	N.D.		0.53	1
05298	Chloroform	67-66-3	1.5		0.20	7.5		0.98	1
05298	Chloromethane	74-87-3	0.39	J	0.20	0.81	J	0.41	1
05298	3-Chloropropene	107-05-1	N.D.		0.20	N.D.		0.63	1
05298	Cumene	98-82-8	2.7		0.20	13		0.98	1
05298	Dibromochloromethane	124-48-1	N.D.		0.20	N.D.		1.7	1
05298	1,2-Dibromoethane	106-93-4	N.D.		0.20	N.D.		1.5	1
05298	Dibromomethane	74-95-3	N.D.		0.20	N.D.		1.4	1
05298	1,2-Dichlorobenzene	95-50-1	1.3		0.20	8.0		1.2	1
05298	1,3-Dichlorobenzene	541-73-1	1.5		0.20	9.0		1.2	1
05298	1,4-Dichlorobenzene	106-46-7	1.3		0.20	7.7		1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.52	J	0.20	2.5	J	0.99	1
05298	1,1-Dichloroethane	75-34-3	30		2.0	120		8.1	10
05298	1,2-Dichloroethane	107-06-2	N.D.		0.20	N.D.		0.81	1
05298	1,1-Dichloroethene	75-35-4	27		0.20	110		0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.20	N.D.		0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.20	N.D.		0.79	1
05298	Dichlorofluoromethane	75-43-4	N.D.		0.20	N.D.		0.84	1
05298	1,2-Dichloropropane	78-87-5	N.D.		0.20	N.D.		0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.20	N.D.		0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.20	N.D.		0.91	1
05298	Ethylbenzene	100-41-4	1.7		0.20	7.5		0.87	1
05298	4-Ethyltoluene	622-96-8	0.98	J	0.20	4.8	J	0.98	1
05298	Freon 113	76-13-1	N.D.		0.50	N.D.		3.8	1
05298	Freon 114	76-14-2	N.D.		0.20	N.D.		1.4	1
05298	Heptane	142-82-5	N.D.		0.20	N.D.		0.82	1
05298	Hexachloroethane	67-72-1	N.D.		0.20	N.D.		1.9	1
05298	Hexane	110-54-3	0.22	J	0.20	0.78	J	0.70	1
05298	2-Hexanone	591-78-6	N.D.		0.50	N.D.		2.0	1
05298	Isooctane	540-84-1	N.D.		0.20	N.D.		0.93	1
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.20	N.D.		0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	2.2		0.50	8.9		2.0	1
05298	Methylene Chloride	75-09-2	0.31	J	0.20	1.1	J	0.69	1
05298	Octane	111-65-9	0.77	J	0.20	3.6	J	0.93	1
05298	Pentane	109-66-0	0.49	J	0.20	1.5	J	0.59	1
05298	Styrene	100-42-5	0.36	J	0.20	1.5	J	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.20	N.D.		1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	0.41	J	0.20	2.8	J	1.4	1
05298	Tetrachloroethene	127-18-4	0.73	J	0.20	4.9	J	1.4	1
05298	Toluene	108-88-3	1.1		0.20	4.1		0.75	1

Sample Description: MP10 Summa Can 1143 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004685
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 13:50 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	78		2.0	420		11	10
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.20	N.D.		1.1	1
05298	Trichloroethene	79-01-6	N.D.		0.20	N.D.		1.1	1
05298	Trichlorofluoromethane	75-69-4	0.42	J	0.20	2.4	J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	0.21	J	0.20	1.2	J	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	1.6		0.20	7.6		0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.1		0.20	5.2		0.98	1
05298	Vinyl Chloride	75-01-4	N.D.		0.20	N.D.		0.51	1
05298	m/p-Xylene	179601-23-1	4.2		0.20	18		0.87	1
05298	o-Xylene	95-47-6	2.8		0.20	12		0.87	1

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 17:37	Jeffrey B Smith	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 19:55	Jeffrey B Smith	1

Sample Description: MP08 Summa Can 1097 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004686
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:48 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	Acetone	67-64-1	19		1.0	44		2.4	2
05298	Benzene	71-43-2	N.D.		0.40	N.D.		1.3	2
05298	Bromobenzene	108-86-1	N.D.		0.40	N.D.		2.6	2
05298	Bromodichloromethane	75-27-4	N.D.		0.40	N.D.		2.7	2
05298	Bromoform	75-25-2	N.D.		0.40	N.D.		4.1	2
05298	Bromomethane	74-83-9	N.D.		0.40	N.D.		1.6	2
05298	1,3-Butadiene	106-99-0	N.D.		1.0	N.D.		2.2	2
05298	2-Butanone	78-93-3	3.8	J	1.0	11	J	2.9	2
05298	Carbon Disulfide	75-15-0	N.D.		1.0	N.D.		3.1	2
05298	Carbon Tetrachloride	56-23-5	N.D.		0.40	N.D.		2.5	2
05298	Chlorobenzene	108-90-7	N.D.		0.40	N.D.		1.8	2
05298	Chlorodifluoromethane	75-45-6	0.66	J	0.40	2.3	J	1.4	2
05298	Chloroethane	75-00-3	N.D.		0.40	N.D.		1.1	2
05298	Chloroform	67-66-3	N.D.		0.40	N.D.		2.0	2
05298	Chloromethane	74-87-3	0.41	J	0.40	0.85	J	0.83	2
05298	3-Chloropropene	107-05-1	N.D.		0.40	N.D.		1.3	2
05298	Cumene	98-82-8	1.9	J	0.40	9.6	J	2.0	2
05298	Dibromochloromethane	124-48-1	N.D.		0.40	N.D.		3.4	2
05298	1,2-Dibromoethane	106-93-4	N.D.		0.40	N.D.		3.1	2
05298	Dibromomethane	74-95-3	N.D.		0.40	N.D.		2.8	2
05298	1,2-Dichlorobenzene	95-50-1	1.2	J	0.40	7.0	J	2.4	2
05298	1,3-Dichlorobenzene	541-73-1	1.1	J	0.40	6.5	J	2.4	2
05298	1,4-Dichlorobenzene	106-46-7	1.3	J	0.40	7.6	J	2.4	2
05298	Dichlorodifluoromethane	75-71-8	0.58	J	0.40	2.9	J	2.0	2
05298	1,1-Dichloroethane	75-34-3	0.59	J	0.40	2.4	J	1.6	2
05298	1,2-Dichloroethane	107-06-2	N.D.		0.40	N.D.		1.6	2
05298	1,1-Dichloroethene	75-35-4	55		0.40	220		1.6	2
05298	cis-1,2-Dichloroethene	156-59-2	N.D.		0.40	N.D.		1.6	2
05298	trans-1,2-Dichloroethene	156-60-5	N.D.		0.40	N.D.		1.6	2
05298	Dichlorofluoromethane	75-43-4	N.D.		0.40	N.D.		1.7	2
05298	1,2-Dichloropropane	78-87-5	N.D.		0.40	N.D.		1.8	2
05298	cis-1,3-Dichloropropene	10061-01-5	N.D.		0.40	N.D.		1.8	2
05298	trans-1,3-Dichloropropene	10061-02-6	N.D.		0.40	N.D.		1.8	2
05298	Ethylbenzene	100-41-4	1.3	J	0.40	5.6	J	1.7	2
05298	4-Ethyltoluene	622-96-8	0.50	J	0.40	2.5	J	2.0	2
05298	Freon 113	76-13-1	N.D.		1.0	N.D.		7.7	2
05298	Freon 114	76-14-2	N.D.		0.40	N.D.		2.8	2
05298	Heptane	142-82-5	N.D.		0.40	N.D.		1.6	2
05298	Hexachloroethane	67-72-1	N.D.		0.40	N.D.		3.9	2
05298	Hexane	110-54-3	N.D.		0.40	N.D.		1.4	2
05298	2-Hexanone	591-78-6	N.D.		1.0	N.D.		4.1	2
05298	Isooctane	540-84-1	N.D.		0.40	N.D.		1.9	2
05298	Methyl t-Butyl Ether	1634-04-4	N.D.		0.40	N.D.		1.4	2
05298	4-Methyl-2-Pentanone	108-10-1	N.D.		1.0	N.D.		4.1	2
05298	Methylene Chloride	75-09-2	0.69	J	0.40	2.4	J	1.4	2
05298	Octane	111-65-9	0.55	J	0.40	2.6	J	1.9	2
05298	Pentane	109-66-0	0.83	J	0.40	2.4	J	1.2	2
05298	Styrene	100-42-5	N.D.		0.40	N.D.		1.7	2
05298	1,1,1,2-Tetrachloroethane	630-20-6	N.D.		0.40	N.D.		2.7	2
05298	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		0.40	N.D.		2.7	2
05298	Tetrachloroethene	127-18-4	0.44	J	0.40	3.0	J	2.7	2
05298	Toluene	108-88-3	1.1	J	0.40	4.2	J	1.5	2

Sample Description: MP08 Summa Can 1097 Grab Air
Avery Dennison / Flowery Branch, GA

LLI Sample # AQ 7004686
LLI Group # 1379504
Account # 06556

Project Name: Avery Dennison / Flowery Branch, GA

Collected: 03/29/2013 12:48 by CP

Submitted: 04/02/2013 09:15
Reported: 04/23/2013 17:42

The Johnson Company, Inc.
100 State Street
Suite600
Montpelier VT 05602

CAT No.	Analysis Name	CAS Number	As Received Final Result		MDL	As Received Final Result		MDL	DF
Volatiles in Air EPA TO-15			ppb(v)		ppb(v)	ug/m3		ug/m3	
05298	1,1,1-Trichloroethane	71-55-6	17		0.40	93		2.2	2
05298	1,1,2-Trichloroethane	79-00-5	N.D.		0.40	N.D.		2.2	2
05298	Trichloroethene	79-01-6	N.D.		0.40	N.D.		2.1	2
05298	Trichlorofluoromethane	75-69-4	3.2		0.40	18		2.2	2
05298	1,2,3-Trichloropropane	96-18-4	N.D.		0.40	N.D.		2.4	2
05298	1,2,4-Trimethylbenzene	95-63-6	0.82	J	0.40	4.0	J	2.0	2
05298	1,3,5-Trimethylbenzene	108-67-8	0.48	J	0.40	2.3	J	2.0	2
05298	Vinyl Chloride	75-01-4	N.D.		0.40	N.D.		1.0	2
05298	m/p-Xylene	179601-23-1	2.9		0.40	13		1.7	2
05298	o-Xylene	95-47-6	1.8	J	0.40	8.0	J	1.7	2

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

PA DEP Lab Certification ID 36-00037, Expiration Date: 1/31/14

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1310730AB	04/18/2013 18:21	Jeffrey B Smith	2

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1379504
Reported: 04/23/13 at 05:42 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1310730AA	Sample number(s): 7004664-7004669,7004672-7004674,7004677-7004678,7004680							
Acetone	N.D.	0.50	ppb(v)	113	107	61-134	6	25
Benzene	N.D.	0.20	ppb(v)	103	102	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	107	107	70-129	0	25
Bromoform	N.D.	0.20	ppb(v)	106	105	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	113	113	70-130	0	25
1,3-Butadiene	N.D.	0.50	ppb(v)	110	110	66-129	0	25
2-Butanone	N.D.	0.50	ppb(v)	109	100	55-131	9	25
Carbon Disulfide	N.D.	0.50	ppb(v)	96	95	57-107	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	101	100	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	103	101	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	118	120	70-131	2	25
Chloroform	N.D.	0.20	ppb(v)	104	102	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	110	111	64-133	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	107	105	65-127	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	109	107	65-126	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	96	95	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	96	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	96	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	113	113	69-143	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	106	104	67-124	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	107	106	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	104	104	64-119	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	104	65-121	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	103	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	105	104	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	102	101	64-125	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	108	106	61-126	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	102	100	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	103	101	59-126	2	25
Freon 113	N.D.	0.50	ppb(v)	100	98	63-114	3	25
Freon 114	N.D.	0.20	ppb(v)	100	101	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	104	103	65-119	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	100	97	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	95	90	41-152	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	104	100	60-121	4	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1379504
Reported: 04/23/13 at 05:42 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	101	96	53-140	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	100	98	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	106	104	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	113	108	58-133	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	97	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	105	103	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	100	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	114	111	65-125	3	25
Trichloroethene	N.D.	0.20	ppb(v)	97	99	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	112	114	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	101	101	60-128	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	105	104	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	116	116	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	108	106	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	104	103	70-130	1	25
Batch number: C1310730AB	Sample number(s): 7004670-7004671,7004681-7004683,7004685-7004686							
Acetone	N.D.	0.50	ppb(v)	113	107	61-134	6	25
Benzene	N.D.	0.20	ppb(v)	103	102	70-130	1	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	107	107	70-129	0	25
Bromoform	N.D.	0.20	ppb(v)	106	105	64-141	1	25
Bromomethane	N.D.	0.20	ppb(v)	113	113	70-130	0	25
1,3-Butadiene	N.D.	0.50	ppb(v)	110	110	66-129	0	25
2-Butanone	N.D.	0.50	ppb(v)	109	100	55-131	9	25
Carbon Disulfide	N.D.	0.50	ppb(v)	96	95	57-107	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	101	100	70-130	1	25
Chlorobenzene	N.D.	0.20	ppb(v)	103	101	70-130	2	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	118	120	70-131	2	25
Chloroform	N.D.	0.20	ppb(v)	104	102	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	110	111	64-133	1	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	107	105	65-127	2	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	109	107	65-126	2	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	96	95	62-132	1	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	97	96	63-125	0	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	97	96	63-127	1	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	113	113	69-143	1	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	106	104	67-124	2	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	107	106	70-130	0	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	104	104	64-119	0	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	104	65-121	1	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	105	103	66-121	2	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	105	104	70-130	1	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	102	101	64-125	1	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	108	106	61-126	2	25
Ethylbenzene	N.D.	0.20	ppb(v)	102	100	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	103	101	59-126	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1379504
Reported: 04/23/13 at 05:42 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Freon 113	N.D.	0.50	ppb(v)	100	98	63-114	3	25
Freon 114	N.D.	0.20	ppb(v)	100	101	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	104	103	65-119	1	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	100	97	63-117	3	25
2-Hexanone	N.D.	0.50	ppb(v)	95	90	41-152	5	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	104	100	60-121	4	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	101	96	53-140	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	100	98	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	106	104	64-130	1	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	113	108	58-133	4	25
Tetrachloroethene	N.D.	0.20	ppb(v)	99	97	70-130	3	25
Toluene	N.D.	0.20	ppb(v)	105	103	70-130	2	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	102	100	70-130	1	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	114	111	65-125	3	25
Trichloroethene	N.D.	0.20	ppb(v)	97	99	70-130	2	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	112	114	70-130	1	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	101	101	60-128	0	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	105	104	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	116	116	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	108	106	70-130	1	25
o-Xylene	N.D.	0.20	ppb(v)	104	103	70-130	1	25
Batch number: C1311030AA	Sample number(s): 7004675-7004676,7004679							
Acetone	N.D.	0.50	ppb(v)	90	97	61-134	7	25
Benzene	N.D.	0.20	ppb(v)	93	90	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	98	94	70-129	4	25
Bromoform	N.D.	0.20	ppb(v)	91	88	64-141	3	25
Bromomethane	N.D.	0.20	ppb(v)	119	119	70-130	0	25
1,3-Butadiene	N.D.	0.50	ppb(v)	115	115	66-129	0	25
2-Butanone	N.D.	0.50	ppb(v)	90	97	55-131	8	25
Carbon Disulfide	N.D.	0.50	ppb(v)	99	100	57-107	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	95	93	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	90	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	114	116	70-131	1	25
Chloroform	N.D.	0.20	ppb(v)	95	93	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	113	121	64-133	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	95	91	65-127	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	97	95	65-126	3	25
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	62-132	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	63-127	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	119	120	69-143	0	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	93	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	94	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	105	107	64-119	2	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1379504
Reported: 04/23/13 at 05:42 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	95	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	98	66-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	94	90	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	86	64-125	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	94	91	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	90	88	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	88	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	93	92	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	105	106	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	94	91	65-119	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	91	63-117	1	25
2-Hexanone	N.D.	0.50	ppb(v)	87	93	41-152	7	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	85	86	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	96	53-140	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	94	93	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	93	91	64-130	3	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	100	58-133	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	86	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	93	91	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	93	90	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	96	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	93	86	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	113	118	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	88	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	91	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	124	124	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	95	94	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	90	89	70-130	1	25
Batch number: C1311030AB	Sample number(s): 7004684							
Acetone	N.D.	0.50	ppb(v)	90	97	61-134	7	25
Benzene	N.D.	0.20	ppb(v)	93	90	70-130	4	25
Bromobenzene	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)	98	94	70-129	4	25
Bromoform	N.D.	0.20	ppb(v)	91	88	64-141	3	25
Bromomethane	N.D.	0.20	ppb(v)	119	119	70-130	0	25
1,3-Butadiene	N.D.	0.50	ppb(v)	115	115	66-129	0	25
2-Butanone	N.D.	0.50	ppb(v)	90	97	55-131	8	25
Carbon Disulfide	N.D.	0.50	ppb(v)	99	100	57-107	1	25
Carbon Tetrachloride	N.D.	0.20	ppb(v)	95	93	70-130	2	25
Chlorobenzene	N.D.	0.20	ppb(v)	93	90	70-130	3	25
Chlorodifluoromethane	N.D.	0.20	ppb(v)					
Chloroethane	N.D.	0.20	ppb(v)	114	116	70-131	1	25
Chloroform	N.D.	0.20	ppb(v)	95	93	70-130	2	25
Chloromethane	N.D.	0.20	ppb(v)	113	121	64-133	7	25
3-Chloropropene	N.D.	0.20	ppb(v)					
Cumene	N.D.	0.20	ppb(v)					
Dibromochloromethane	N.D.	0.20	ppb(v)	95	91	65-127	4	25
1,2-Dibromoethane	N.D.	0.20	ppb(v)	97	95	65-126	3	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: The Johnson Company, Inc. Group Number: 1379504
Reported: 04/23/13 at 05:42 PM

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Dibromomethane	N.D.	0.20	ppb(v)					
1,2-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	62-132	3	25
1,3-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	63-125	3	25
1,4-Dichlorobenzene	N.D.	0.20	ppb(v)	86	84	63-127	3	25
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	119	120	69-143	0	25
1,1-Dichloroethane	N.D.	0.20	ppb(v)	96	93	67-124	3	25
1,2-Dichloroethane	N.D.	0.20	ppb(v)	96	94	70-130	2	25
1,1-Dichloroethene	N.D.	0.20	ppb(v)	105	107	64-119	2	25
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	96	95	65-121	2	25
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)	99	98	66-121	1	25
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
1,2-Dichloropropane	N.D.	0.20	ppb(v)	94	90	70-130	4	25
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91	86	64-125	5	25
trans-1,3-Dichloropropene	N.D.	0.20	ppb(v)	94	91	61-126	3	25
Ethylbenzene	N.D.	0.20	ppb(v)	90	88	70-130	2	25
4-Ethyltoluene	N.D.	0.20	ppb(v)	87	88	59-126	1	25
Freon 113	N.D.	0.50	ppb(v)	93	92	63-114	1	25
Freon 114	N.D.	0.20	ppb(v)	105	106	63-123	1	25
Heptane	N.D.	0.20	ppb(v)	94	91	65-119	3	25
Hexachloroethane	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)	92	91	63-117	1	25
2-Hexanone	N.D.	0.50	ppb(v)	87	93	41-152	7	25
Isooctane	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)	85	86	60-121	1	25
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)	91	96	53-140	5	25
Methylene Chloride	N.D.	0.20	ppb(v)	94	93	70-130	1	25
Octane	N.D.	0.20	ppb(v)					
Pentane	N.D.	0.20	ppb(v)					
Styrene	N.D.	0.20	ppb(v)	93	91	64-130	3	25
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb(v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb(v)	95	100	58-133	5	25
Tetrachloroethene	N.D.	0.20	ppb(v)	90	86	70-130	5	25
Toluene	N.D.	0.20	ppb(v)	93	91	70-130	3	25
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	93	90	70-130	3	25
1,1,2-Trichloroethane	N.D.	0.20	ppb(v)	98	96	65-125	2	25
Trichloroethene	N.D.	0.20	ppb(v)	93	86	70-130	8	25
Trichlorofluoromethane	N.D.	0.20	ppb(v)	113	118	70-130	4	25
1,2,3-Trichloropropane	N.D.	0.20	ppb(v)					
1,2,4-Trimethylbenzene	N.D.	0.20	ppb(v)	85	88	60-128	2	25
1,3,5-Trimethylbenzene	N.D.	0.20	ppb(v)	89	91	61-132	1	25
Vinyl Chloride	N.D.	0.20	ppb(v)	124	124	70-130	0	25
m/p-Xylene	N.D.	0.20	ppb(v)	95	94	70-130	2	25
o-Xylene	N.D.	0.20	ppb(v)	90	89	70-130	1	25

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1379504 For Eurofins Lancaster Laboratories use only Sample # 7004664-86 Bottle Order (SCR) # 136883

Instructions on reverse side correspond with circled numbers.

1 Client Information

Client: Johnson Company
Account #:
Project Name/#: Flaveny Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

3 Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

4 Data Package Required? Yes No

5 EDD Required? Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

6 Analyses Requested

EPA TO - 15 | ☐ MTBE ☐ BTEX EPA 18 | EPA 25 (select range below) | Helium as tracer | O2/CO2 | Library Search

2 Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18	EPA 25	Helium as tracer	O2/CO2	Library Search
MP 04	3/29	12:04						—	1093	1	—	X					
VW 6	"	12:09						—	979	1	—	X					
SVE 6	"	12:22						—	1046	1	—	X					
MP 07	"	12:33						—	970	1	—	X					
MP 05	"	12:00						—	1141	1	—	X					
SVE 5	"	12:17						—	944	1	—	X					
SVE 2	"	13:04						—	943	1	—	X					
VW 5	"	12:42						—	969	1	—	X					
MP 03	"	12:13						—	1010	1	—	X					
Undiluted	"	13:29						—	1043	1	—	X					
MP 09	"	13:23						—	911	1	—	X					

7 Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: 8
CSR	15:59 3-27-13						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 4/2/13 0915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1379504 For Eurofins Lancaster Laboratories use only Sample # 7004664-86 Bottle Order (SCR) # 136883

Instructions on reverse side correspond with circled numbers.

(1) Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Todd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

(3) Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

(4) Data Package Required? Yes No

(5) EDD Required? Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

(2) Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	(6) EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MW65s	3/29	12:53						—	988	1	—	X						
MW 64	"	12:37						—	916	1	—	X						
SVE 7	"	13:29						—	1063	1	—	X						
MP 06	"	12:38						—	985	1	—	X						

(7) Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	(8) Date/Time:
CSIV	3-28-13 13:01						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 4/2/13 0915

Summa Canister Field Test Data/Chain of Custody

eurofins | Lancaster Laboratories

Acct. # 6556 Group # 1379504 For Eurofins Lancaster Laboratories use only Sample # 7004664-86 Bottle Order (SCR) # 136883

Instructions on reverse side correspond with circled numbers.

1 Client Information

Client: Johnson Company
Account #:
Project Name/#: Flowery Branch SVE
Project Manager: Tadd Hall
P.O. #:
Sampler: Calvin Pruitt
Quote #:
Name of state where samples were collected: GA

3 Turnaround Time Requested (TAT) (circle one)

Standard Rush (specify) _____

4 Data Package Required? Yes No

5 EDD Required? Yes No

	Temperature (F) Start	Temperature (F) Stop	Pressure ("Hg) Start	Pressure ("Hg) Stop
Ambient				
Maximum				
Minimum				

6 Analyses Requested

2 Sample Identification	Sample Collection Date	Time Start (24 hr clock)	Time Stop (24 hr clock)	Canister Pressure in Field ("Hg) (Start)	Canister Pressure in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Flow Reg. ID	Can ID	Can Size (L)	Controller Flowrate (ml/min)	EPA TO - 15	EPA 18 ☐ MTBE ☐ BTEX	EPA 25 (select range below)	Helium as tracer	O2/CO2	Library Search	
MP 11	7/29	13:34						—	1049	1	—	X						
SVE 3	"	13:08						—	990	1	—	X						
SVE 4	"	13:13						—	1041	1	—	X						
VW 3	"	13:43						—	999	1	—	X						
MP 02	"	13:38						—	930	1	—	X						
SVE 1	"	12:59						—	941	1	—	X						
MP 10	"	13:50						—	1143	1	—	X						
MP 08	"	12:48						—	1097	1	—	X						

7 Instructions/QC Requirements & Comments

EPA 25 (check one) ☐ C1 - C4 ☐ C2 - C10 ☐ C1 - C10 ☐ C4 - C10 (GRO) ☐ C2 - C4

Canisters Shipped by:	Date/Time:	Canisters Received by:	Date/Time	Relinquished by:	Date/Time	Received by:	Date/Time: 8
CSR	3-27-13 16:00						
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Relinquished by:	Date/Time:	Received by:	Date/Time: 4/2/13 0915

eurofins | Lancaster Laboratories

Environmental Sample Administration Receipt Documentation Log

1379504

Client/Project: Johnson Company

Date of Receipt: 4/2/13

Time of Receipt: 0915

Source Code: 60

Shipping Container Sealed: (YES) NO

Custody Seal Present * : YES (NO)

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled (Not Chilled)

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: Ø

Paperwork Discrepancy/Unpacking Problems:

1 flow controller + 2 bags hardware
SC# 916 labelled VW-6 ON 4/4/13

Unpacker Signature/Emp#: 964 **Date/Time:** 4/3/13 0936

Issued by Dept. 6042 Management

2174.06

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.