

ENVIRONMENTAL PROTECTION DIVISION  
PUBLIC NOTICE  
WATERSHED PROTECTION BRANCH

June 15, 2023  
Notice Issue Date

Brookhaven / DeKalb  
City / County

July 15, 2023  
Notice Close Date

BV-044-23-07  
Control Number

DeKalb DWM – Tennis Area Sewer  
(GPS Coordinates: 33.89024, -84.33974)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch File Room, 2 MLK Jr. Drive, SW, West Tower, Balcony, Suite 418, Atlanta, GA 30334. Please contact [GORArequest.Water@dnr.ga.gov](mailto:GORArequest.Water@dnr.ga.gov) to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Comments may be submitted via e-mail to: [EPDcomments@dnr.ga.gov](mailto:EPDcomments@dnr.ga.gov). Comments may also be provided in writing to: Program Manager, Nonpoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1452 East, Atlanta, GA 30334. The words “Buffer Variance Comment”, including the Control Number shown above, should be placed in the e-mail subject line (if sent via e-mail) or on the top of the first page of written comments to ensure that your comments will be forwarded to the appropriate staff.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. § 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (d)

Description and Location of Proposed Activity:

The proposed sewer rehabilitation plans involve replacement of manholes and gravity sewer line near the entrance of Hampton Hall Swim and Tennis Club in the City of Brookhaven, DeKalb County. Land disturbing activities include clearing and open cut trenching for pipe removal and installation. Temporary buffer encroachments for this project total 840 square feet along 40 linear feet of an unnamed tributary to Nancy Creek within the Middle Chattahoochee Watershed (HUC 03130002). The project has been designed to reduce sanitary sewer overflows and subsequently decrease fecal coliform input. The buffer will be restored, stabilized, and revegetated upon completion of the project.

Name and Address of Permit Applicant: Mrs. Tiffany Ware Simpson  
DeKalb County Department of Watershed Management  
4572 Memorial Drive  
Decatur, GA 30032

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact: Madison McCrary  
Environmental Compliance Specialist  
EPD Watershed Protection Branch  
Nonpoint Source Program  
2 Martin Luther King Jr. Drive SW, Suite 1462 East  
Atlanta, GA 30334  
Telephone: (470) 524-0622  
Email: Madison.McCrary@dnr.ga.gov