## ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

January 2, 2025 Atlanta / Fulton County

Notice Issue Date City / County

<u>January 31, 2025</u> Notice Close Date

<u>BV-060-24-32</u>
Control Number

Enota Park Restoration and Expansion (GPS Coordinates: 33.7457, -84.4329)

## Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch File Room, 2 MLK Jr. Drive, SW, West Tower, Balcony, Suite 418, Atlanta, GA 30334. Please contact GORArequest. Water@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Comments may be submitted via e-mail to: <a href="mailto:EPDcomments@dnr.ga.gov">EPDcomments@dnr.ga.gov</a>. Comments may also be provided in writing to: Program Manager, Nonpoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1452 East, Atlanta, GA 30334. The words "Buffer Variance Comment", including the Control Number shown above, should be placed in the e-mail subject line (if sent via e-mail) or on the top of the first page of written comments to ensure that your comments will be forwarded to the appropriate staff.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. § 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (a) & (b)

Description and Location of Proposed Activity:

The expansion project and proposed activities aim to stabilize the eroding streambank along Proctor Creek in the city of Atlanta, Fulton County. Land disturbing activities include grading, bank stabilization practices, riffle construction, and associated BMPs. Encroachments total 35,867 square feet along 800 linear feet within the buffer of an unnamed tributary of Proctor Creek. The project is within the Middle Chattahoochee Watershed (03130002). The site will be revegetated with multi-trophic, native riparian species.

Name and Address of Permit Applicant: Keith Hicks

City of Atlanta

160 Trinity Avenue SW, Suite 2200

Atlanta, GA 30303

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact: Madison McCrary

Environmental Compliance Specialist EPD Watershed Protection Branch

Nonpoint Source Program

2 Martin Luther King Jr. Drive SW, Suite 1462 East

Atlanta, GA 30334

Telephone: (470) 524-0622

Email: Madison.McCrary@dnr.ga.gov