

ENVIRONMENTAL PROTECTION DIVISION  
PUBLIC NOTICE  
WATERSHED PROTECTION BRANCH

February 14, 2020  
Notice Issue Date

Gwinnett County  
City / County

March 16, 2020  
Notice Close Date

BV-067-19-15  
Control Number

Gwinnett County Department of Transportation  
Project Nos. F-1206-01 and F-0841-63 – Roadway Improvements  
(Oak Road / Gwin Oaks Drive, Lawrenceville, GA 30044)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Arnettia Murphy at (404) 656-4147 or email [arnettia.murphy@dnr.ga.gov](mailto:arnettia.murphy@dnr.ga.gov) to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

The proposed project will consist of constructing left and right turn lanes along Oak Road at the intersection with Gwin Oaks Drive and curbs, gutters and sidewalks along Oak Road from Wakefield Street to Ronald Reagan Parkway in Gwinnett County. Construction activities will result in approximately 121 linear feet total (1,903 square feet total) of buffer disturbances (including fill slopes) along an unnamed perennial stream, a tributary to the Yellow River in the Upper Ocmulgee Watershed.

Name and Address of Permit Applicant: Alan Chapman, Director  
Gwinnett County Department of Transportation  
75 Langley Drive  
Lawrenceville, GA 30046

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Frank M. Carubba, Environmental Engineer  
EPD Watershed Protection Branch  
NonPoint Source Program  
2 Martin Luther King Jr. Drive SW, Suite 1462 East  
Atlanta, GA 30334  
Telephone: (404) 651-8550