

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

February 27, 2020
Notice Issue Date

Gwinnett County
City / County

March 30, 2020
Notice Close Date

BV-067-20-01
Control Number

Gwinnett County Department of Water Resources - Lake Louella – Category I Dam
3200 Suwanee Creek Road, Suwanee, GA 30024
(GPS Coordinates: 34.01801, -84.08534)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Arnettia Murphy at (404) 656-4147 or email arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

To ensure compliance with the *Georgia Safe Dams Act*, this project will consist of removing all inappropriate vegetation and the *existing* CMP outlet pipe, installing a *new* principal spillway riser and labyrinth weir auxiliary spillway system and regrading the slopes of the dam along Lake Louella at Suwanee Creek Road in Gwinnett County. All disturbed areas will be restored to current conditions to the extent practicable. The proposed project will result in approximately 406 linear feet total (10,787 square feet total) of buffer disturbances along Lake Louella and Bennett Creek in the *Upper Ocmulgee Watershed*.

Name and Address of Permit Applicant: Michael Kajder
Gwinnett County Department of Water Resources
684 Winder Highway
Lawrenceville, GA 30045

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Frank M. Carubba, Environmental Engineer
EPD Watershed Protection Branch
NonPoint Source Program
2 Martin Luther King Jr. Drive SW, Suite 1462 East
Atlanta, GA 30334
Telephone: (404) 651-8550