ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

<u>July 20, 2023</u> <u>Lanier & Lowndes Counties</u>

Advisory Issue Date City/County

August 19, 2023
Advisory Close Date
BV-086-23-01
Control Number

<u>State Route 31 from State Route 7 to State Route 135</u> (GPS Coordinates: 30.97284, -83.10488; 30.90854, -83.18506)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch File Room, 2 MLK Jr. Drive, SW, West Tower, Balcony, Suite 418, Atlanta, GA 30334. Please contact GORArequest.Water@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Comments may be submitted via e-mail to: EPDcomments@dnr.ga.gov. Comments may also be provided in writing to: Program Manager, Nonpoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1452 East, Atlanta, GA 30334. The words "Buffer Variance Comment", including the Control Number shown above, should be placed in the e-mail subject line (if sent via e-mail) or on the top of the first page of written comments to ensure that your comments will be forwarded to the appropriate staff.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. § 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

The proposed project will impact the buffer of Open Water (OW) 4, OW 13, and OW 31. The project will add passing lanes at four sites in two interconnected corridors along State Route (SR) 31 in Lanier and Lowndes Counties. The project will impact the state mandated 25-ft buffer within the Suwannee Watershed (HUC 03110202). The disturbance will cover 5,903 square feet and include discharging of fill and clearing and grubbing to widen SR 31, culvert replacement, and the installation of Best Management Practices (BMPs).

Name and Address of Permit Applicant: Mr. Eric Duff

Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor

Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact: Jacob Kelley, Environmental Compliance Specialist

EPD, Watershed Protection Branch

Non-Point Source Program

2 MLK Jr. Dr. SW, Suite 1462 East

Atlanta, Georgia 30334 Telephone: (470) 531-2938