ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

December 31, 2021 Notice Issue Date

January 31, 2022 Notice Close Date Meriwether County City / County

BV-099-21-02 Control Number

<u>Meriwether County – Flint River Landing at State Route 18 – Boat Landing</u> <u>Woodbury Road (State Route 18) / Old State Route 74, Woodbury, GA 30293</u> (GPS Coordinates: 32.9891295, -84.5298064)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Arnettia Murphy at (470) 607-2940 or email arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered $\{391-3-7-.05(2)(a-k)\}$: (a)

Description and Location of Proposed Activity:

The proposed project will consist of removing an existing boat ramp and constructing a new concrete boat ramp with riprap adjacent to the proposed boat ramp and a pervious, gravel parking area at the Flint River Landing at State Route 18 in Meriwether County. Mitigation for the permanent buffer impacts will consist of joint plantings (black willow, *Salix nigra*) along the Flint River adjacent to the proposed boat ramp. The proposed project will result in approximately112 linear feet (2,795 square feet total) of buffer disturbances along the Flint River in the *Upper Flint Watershed*.

Name and Address of Permit Applicant:	Butch Oliver, Interim Manager
	Meriwether County
	Department of Planning, Zoning and Community Development
	124 N Court Square
	Greenville, GA 30222

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Frank M. Carubba, Environmental Engineer EPD Watershed Protection Branch NonPoint Source Program 2 Martin Luther King Jr. Drive SW, Suite 1462 East Atlanta, GA 30334 Telephone: (470) 524-2597