

ENVIRONMENTAL PROTECTION DIVISION  
PUBLIC NOTICE  
WATERSHED PROTECTION BRANCH

February 9, 2021  
Advisory Issue Date

Tift County  
City/County

March 10, 2021  
Advisory Close Date

BV-137-21-01  
Control Number

SR 35 Road Widening Tift County  
(GPS Coordinates: 31.508980, -83.421786 and 31.561718, -83.353816)

Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Arnettia Murphy at (404) 656-4157 or e-mail [arnettia.murphy@dnr.ga.gov](mailto:arnettia.murphy@dnr.ga.gov) to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: a & h

Description and Location of Proposed Activity: The proposed project will impact Intermittent Stream (IS) 3 (unnamed tributary to Thick Creek) and Buffered State Water (BSW) 1 (unnamed tributary to Thick Creek). The project will widen the road in order to construct passing lanes on a segment of SR 35 from Mount Olive Church Road to Bugle Lane Road at two separate locations. The project will impact the state mandated 25-ft buffer within the Alapaha Watershed (HUC 03110202). The disturbance will cover 1,910 square feet and include clearing, cut/fill associated with the grading of slopes, and placement of Best Management Practices (BMPs).

Name and Address of Permit Applicant:

Mr. Eric Duff  
Georgia Department of Transportation  
Office of Environmental Services  
600 W. Peachtree Street, NW, 16<sup>th</sup> Floor  
Atlanta, Georgia 30308

**Summary of Rules Requirements for Variance Application:**

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

**For Additional Information Contact:**

**Josh Hanselman, Environmental Compliance Specialist  
EPD, Watershed Protection Branch  
Non-Point Source Program  
2 MLK Jr. Dr. SW, Suite 1462 East  
Atlanta, Georgia 30334  
Telephone: (404) 651-9404**