

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

August 18, 2022
Advisory Issue Date

Worth County
City/County

September 16, 2022
Advisory Close Date

BV-159-22-02
Control Number

SR 133 from North of Colquitt County Line to North of SR 112
(GPS Coordinates: 31.387897, -83.940014)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Arnettia Murphy at (470) 607-2940 or e-mail arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. § 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: (a) & (h)

Description and Location of Proposed Activity:

The proposed project will impact the buffer of Intermittent Stream (IS) 111, Buffered State Water (BSW) Y, Open Water (OW) 115, OW 120, OW 121, OW 123, OW 124, OW 126, BSW Z1, IS 128, Perennial Stream (PS) 143, OW 145, OW 146, and OW 148. The project will widen and reconstruct SR 133 from North of the Colquitt County line to North of SR 112 in Worth County. The project will impact the state mandated 25-ft buffer within the Upper Ochlockonee Watershed (HUC 03120002). The disturbance will cover 56,202 square feet and include roadway grading, clearing for construction access, roadway cut/fill, pavement removal, driveway construction, and the installation of Best Management Practices (BMPs).

Name and Address of Permit Applicant: Mr. Eric Duff
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Josh Hanselman, Environmental Compliance Specialist
EPD, Watershed Protection Branch
Non-Point Source Program
2 MLK Jr. Dr. SW, Suite 1462 East
Atlanta, Georgia 30334
Telephone: (470) 524-0599