

**CATEGORICAL EXCLUSION DETERMINATION**

Existing Lead and Copper Service Line Inventory and Replacement Project  
City of Nashville  
Berrien County, Georgia  
DWLSL 2024016

The Georgia Environmental Protection Division (EPD) has conducted a review of the above subject project in accordance with the State’s Environmental Review Process (SERP) for Drinking Water State Revolving Fund (DWSRF) projects. The EPD has determined that this project is eligible for a categorical exclusion. Accordingly, the EPD is exempting the project from further substantive environmental review requirements under Georgia’s SERP.

The proposed project involves a Lead and Copper service Line Inventory and Replacement of the identified lead, and galvanized service lines for the City of Nashville. The proposed project indicates that there are no changes to environmental resources.

This project is eligible for a Categorical Exclusion because it meets the following specific criteria, outlined in the DWSRF SERP: Replacement of existing water lines, valves, hydrants and appurtenances in existing rights of-way for streets or utilities to serve existing customers, as well as modest growth (less than 10%) within the existing service area resulting in no change in existing land use. Furthermore:

- The project will not require issuance of a new or modification of an existing ground water or surface water withdrawal permit;
- The project is not known or expected to have a significant adverse effect on the quality of the human environment, either individually, cumulatively over time, or in conjunction with other Federal, State, local or private actions;
- The project is not known or expected to directly or indirectly have a significant adverse effect on: or threatened species; or environmentally important natural resource areas, such as floodplains, wetlands, important farmlands or aquifer recharge areas; and cultural resource areas, such as archaeological and historic sites; habitats of endangered species;
- The action is cost-effective and is not expected to cause significant public controversy.

This determination shall become effective after thirty (30) days following its distribution by EPD and can be revoked if significant adverse information is made available. The documentation to support this decision is on file with the Georgia Environmental Protection Division and is available for public scrutiny upon request. A copy of the proposed project documentation is also available for review at the Nashville City Hall in Nashville, Georgia.

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit written comments, within thirty (30) days of the publish date of this notice to:

Georgia Environmental Protection Division  
ATTN: Sergio Sanchez Villamarin, Environmental Engineer  
Drinking Water Program  
2 Martin Luther King, Jr. Drive, SE, Suite 1052, East Tower  
Atlanta, Georgia 30334

After evaluating the comments received, EPD will make a final decision regarding approval of the project planning documents.



Publish Date:   6/23/2025  

\_\_\_\_\_  
Manny Patel, Program Manager  
Drinking Water Program  
Georgia Environmental Protection Division