

CATEGORICAL EXCLUSION DETERMINATION

Existing Lead and Copper Service Line Inventory

Eatonton-Putnam

Putnam County, Georgia

DWLSL 2022134

The Georgia Environmental Protection Division (EPD) has conducted a review of the above subject project in accordance with the State's Environmental Review Process (SERP) for Drinking Water State Revolving Fund (DWSRF) projects. The EPD has determined that this project is eligible for a categorical exclusion. Accordingly, the EPD is exempting the project from further substantive environmental review requirements under Georgia's SERP.

The proposed project involves the developing of a lead & copper service line inventory program to determine the material type for the Eatonton-Putnam Sewer and Water Authority potable water service lines. Additionally, the program will include submitting the Lead Service Line Replacement (LSLR) Plan to EPA/EPD by the LCRR deadline, planning for public education and outreach, and developing an economical strategy for performing and optimizing sampling and LSLR procedures, including funding strategies for disadvantaged communities. The proposed project indicates that there are no changes to environment resources.

This project is eligible for a Categorical Exclusion because it meets the following specific criteria, outlined in the DWSRF SERP: Improvements to existing surface or ground water treatment plants, including improvements to enhance security, which do not add a significant change in treatment capacity. Furthermore:

- The project will not require issuance of a new or modification of an existing ground water or surface water withdrawal permit;
- The project is not known or expected to have a significant adverse effect on the quality of the human environment, either individually, cumulatively over time, or in conjunction with other Federal, State, local or private actions;
- The project is not known or expected to directly or indirectly have a significant adverse effect on: or threatened species; or environmentally important natural resource areas, such as floodplains, wetlands, important farmlands or aquifer recharge areas; and cultural resource areas, such as archaeological and historic sites; habitats of endangered species;
- The action is cost-effective and is not expected to cause significant public controversy.

The documentation to support this decision is on file with the Georgia Environmental Protection Division and is available for public scrutiny upon request. A copy of the proposed project documentation is also available for review at the City Hall in Eatonton, Georgia.

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit written comments, within thirty (30) days of the publish date of this notice to:

Georgia Environmental Protection Division
ATTN: Sergio Sanchez Villamarin, Environmental Engineer
Drinking Water Program
2 Martin Luther King, Jr. Drive, SE, Suite 1362 East
Atlanta, Georgia 30334-9000

After evaluating the comments received, EPD will make a final decision regarding approval of the project planning documents.

Publish Date: 09/21/2023



Manny Patel, Program Manager
Drinking Water Program
Georgia Environmental Protection Division