

## Richard E. Dunn, Director

## **EPD Director's Office**

2 Martin Luther King, Jr. Drive Suite 1456, East Tower Atlanta, Georgia 30334 404-656-4713

## CATEGORICAL EXCLUSION DETERMINATION

Wastewater Treatment Facilities Improvements City of Sylvester (Worth County) GEFA Loan No. CW-DRA-2020-016

The Georgia Environmental Protection Division (EPD) has conducted a review of the above project in accordance with the State's Environmental Review Process (SERP). EPD has determined that this project is eligible for a categorical exclusion. Accordingly, no further environmental review is planned. The proposed project consists of removing excess sludge from the treatment ponds at the North and South facilities. The proposed project will also replace the existing failing headworks screen and aerators in the treatment pond at the North facility. There will be no increase in the treatment capacity as a result of these improvements. Finally, the City also proposes to install a new septage receiving station and SCADA control equipment at the facility. Existing buildings will not be impacted as a result of this project. All construction will be located on City owned-property.

This project is eligible for a categorical exclusion because it meets the following specific criteria, outlined in the SERP: functional replacement of equipment, minor rehabilitation of existing facilities, and construction of new ancillary facilities adjacent to existing facilities that do not affect the degree of treatment or capacity of the existing facility. Furthermore: the project will not create a new or relocate an existing discharge to surface or ground waters; the project will not substantially increase the volume of discharge or loading of pollutants; the project will not provide capacity to serve a population 30% greater than the existing population; the project will not have a significant effect on the quality of the human environment; the action will not directly or indirectly affect cultural resources, habitats of endangered or threatened species, or environmentally important natural resource areas; and the action is cost-effective and should cause no significant public controversy.

This determination becomes effective after thirty (30) days following its distribution by EPD. This exclusion may be revoked at any time if: 1) the project is altered and no longer meets the requirements of a categorical exclusion, 2) new evidence shows that serious environmental issues exist, or 3) a local, State or Federal law is being or may be violated. The information which supports this decision is on file with the Georgia Environmental Protection Division and is available for public review upon request. A copy of the proposed project documentation is also available for review at Sylvester City Hall in Worth County, Georgia.

Categorical Exclusion GEFA Loan No. CW-DRA-2020-016 City of Sylvester Page 2 of 2

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit comments within thirty (30) days of the publish date of this notice via email to <u>kelli-ann.softile@dnr.ga.gov</u> or to the following address:


Georgia Environmental Protection Division Watershed Protection Branch Wastewater Regulatory Program ATTN: Kelli-Ann Sottile 2 Martin Luther King Jr. Drive, Suite 1152 East Atlanta, Georgia 30334

After evaluating the comments received, EPD will make a final decision regarding approval of the project. No administrative action will be taken on the project for thirty (30) calendar days after publication of this Notice.

SEP 2 2 2020

Publish Date:

Richard E. Dunn, Director Environmental Protection Division



CITY OF SYLVESTER
PO BOX 370
SYLVESTER, GEORGIA 31791

CITY OF SYLVESTER PROJECT AREA MAP

COPYRIGHT © 2019 CARTER & SLOOPE, INC. ALL RIGHTS RESERVED.