



GEORGIA
DEPARTMENT OF NATURAL RESOURCES

ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

EPD Director's Office
2 Martin Luther King, Jr. Drive
Suite 1456, East Tower
Atlanta, Georgia 30334
404-656-4713

October 29, 2019

MEMORANDUM

To: Karen Hays, Air Branch Chief *[Signature]*

Through: Dika Kuoh, Assistant Branch Chief

From: DeAnna Oser, Ambient Monitoring Program Manager

RE: Smyrna September 30 through October 6 Sampling Results for Ethylene Oxide

Samples of Ethylene Oxide (EtO) were collected in September by the Ambient Monitoring Program in the Smyrna area to characterize the EtO concentration. Each of the samples were sent to Eastern Research Group (ERG) for analysis. Samples listed in the table below as ND were reported below the method detection limit of 0.0452 ug/m³. The samples listed as CE (co-eluding) indicate that while the compound was detected, it was overlapping with another compound and the EtO concentration could not be quantified. Sampling was paused at S5 due to instability of the roof where the sample was placed.

Location	Date	EtO Concentration (ug/m3)
S1	10/03/19	0.16
S1	10/06/19	ND
S2	10/03/19	CE
S2	10/06/19	ND
S3	10/03/19	CE
S3	10/06/19	ND
S4	10/03/19	1.31
S4	10/06/19	ND
S5	9/30/19	0.35

If you have any questions, please let me know.

DGO/do



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

October 11, 2019

Ms. Jaime Gore
U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
Project Name: Smyrna

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 10/09/19 11:19.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.




CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
S5	9100921-01	Air	09/28/19 23:59 *	10/09/19 11:19
S1	9100921-02	Air	10/03/19 23:59	10/09/19 11:19
S3	9100921-03	Air	10/03/19 23:59	10/09/19 11:19
S2	9100921-04	Air	10/03/19 23:59	10/09/19 11:19
S3	9100921-05	Air	10/06/19 23:59	10/09/19 11:19
S1	9100921-06	Air	10/06/19 23:59	10/09/19 11:19
S4	9100921-08	Air	10/03/19 23:59	10/09/19 11:19
S2	9100921-09	Air	10/06/19 23:59	10/09/19 11:19
S4	9100921-10	Air	10/06/19 23:59	10/09/19 11:19

* Actual sample date 9/30/19  10/29/19



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
ATTN: Ms. Jaime Gore
PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
REPORTED: 10/11/19 15:16
SUBMITTED: 10/09/19
AQS SITE CODE:
SITE CODE: Smyrna

Description: S5 Lab ID: 9100921-01 Sampled: 09/28/19 23:59
Pressure @ Receipt: 3.00" Hg Canister #: A21101 Received: 10/09/19 11:19
Comments: Analyzed: 10/10/19 14:51

Air Toxics by EPA Compendium Method TO-15

Table with columns: Analyte, Results (ppbv, ug/m3), Flag, MDL (ppbv). Row: Ethylene oxide, 0.195, 0.35, 0.0250.

Handwritten notes: 0.0452 ug/m3, Per ERG 0.0250 ppbv = 0.0452 ug/m3, 10/29/19



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S1	Lab ID: 9100921-02	Sampled: 10/03/19 23:59
Pressure @ Receipt: 7.00" Hg	Canister #: 18833	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 15:39

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0871	0.16		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S3	Lab ID: 9100921-03	Sampled: 10/03/19 23:59
Pressure @ Receipt: 9.50" Hg	Canister #: 19289	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 16:27

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	CE, U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S2	Lab ID: 9100921-04	Sampled: 10/03/19 23:59
Pressure @ Receipt: 7.00" Hg	Canister #: SAT135	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 17:16

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	CE, U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S3	Lab ID: 9100921-05	Sampled: 10/06/19 23:59
Pressure @ Receipt: 8.50" Hg	Canister #: N4087	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 18:04

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S1	Lab ID: 9100921-06	Sampled: 10/06/19 23:59
Pressure @ Receipt: 5.50" Hg	Canister #: 19653	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 18:52

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
ATTN: Ms. Jaime Gore
PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
REPORTED: 10/11/19 15:16
SUBMITTED: 10/09/19
AQS SITE CODE:
SITE CODE: Smyrna

Description: S4	Lab ID: 9100921-08	Sampled: 10/03/19 23:59
Pressure @ Receipt: 5.50" Hg	Canister #: N4120	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 22:54

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.723	1.31		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S2	Lab ID: 9100921-09	Sampled: 10/06/19 23:59
Pressure @ Receipt: 6.50" Hg	Canister #: 5005	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 20:29

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Description: S4	Lab ID: 9100921-10	Sampled: 10/06/19 23:59
Pressure @ Receipt: 3.50" Hg	Canister #: A21078	Received: 10/09/19 11:19
Comments:		Analyzed: 10/10/19 21:17

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B9J1004 - Summa Canister Prep

Blank (B9J1004-BLK1)

Prepared: 09/18/19 Analyzed: 10/10/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
 REPORTED: 10/11/19 15:16
 SUBMITTED: 10/09/19
 AQS SITE CODE:
 SITE CODE: Smyrna

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1910027

Calibration Check (1910027-CCV1)

Prepared & Analyzed: 10/10/19

Ethylene oxide	1.79	ppbv	-27.1	30.00	
----------------	------	------	-------	-------	--



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
ATTN: Ms. Jaime Gore
PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00
REPORTED: 10/11/19 15:16
SUBMITTED: 10/09/19
AQS SITE CODE:
SITE CODE: Smyrna

Notes and Definitions

U Under Detection Limit
CE Not reportable due to a co-eluting compound.
ND Analyte NOT DETECTED
NR Not Reported
MDL Method Detection Limit
RPD Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.