

EPD Director's Office

2 Martin Luther King, Jr. Drive
Suite 1456, East Tower
Atlanta, Georgia 30334
404-656-4713

December 26, 2019

MEMORANDUM

To: Karen Hays, Air Branch Chief *KH*

Through: Dika Kuoh, Assistant Branch Chief

From: DeAnna Oser, Ambient Monitoring Program Manager

RE: Covington November 1 -23, 2019 Sampling Results for Ethylene Oxide

Samples of Ethylene Oxide (EtO) were collected during the period of November 1 – 23, 2019 by the Ambient Monitoring Program in the Covington area to characterize the EtO concentration. Each of the samples were sent to Eastern Research Group (ERG) for analysis. The samples listed as X indicate that the sample was not collected properly. The sample listed as QA is a sample taken side by side during the same time period to compare the precision of the measurement. The Qualifier code of “LK” was given by ERG to indicate that the sample may be biased high. The Qualifier code of “2” was given to indicate that the collection deviated from established procedures, but the integrity of the sample was not compromised.

Location	Date	Qualifier	EtO Concentration (ug/m3)
C1	11/1/2019		0.17
C1	11/3/2019		0.20
C1	11/5/2019		0.11
C1	11/8/2019		0.41
C1	11/15/2019		0.66
C2	11/1/2019	LK	0.22
C2	11/3/2019	LK	0.24
C2	11/5/2019	LK	0.17
C2	11/8/2019		0.05
C2	11/13/2019		0.17
C2	11/15/2019		0.25
C2	11/20/2019		1.01
C2	11/23/2019	2	0.42
C3	11/1/2019		0.13
C3	11/3/2019		0.22
C3	11/5/2019		X

C3		11/8/2019		0.37
C3		11/13/2019		0.50
C3		11/15/2019		0.23
C3		11/20/2019		0.58
C3		11/23/2019		0.29
C4		11/1/2019		0.06
C4		11/3/2019		0.18
C4		11/5/2019		0.18
C4		11/8/2019		0.17
C4		11/13/2019		X
C4		11/15/2019	2	0.15
C4		11/20/2019		1.00
C4		11/23/2019	2	0.48
C5		11/1/2019	LK, 2	0.09
C5		11/3/2019		0.22
C5		11/5/2019		0.09
C5		11/8/2019		0.22
C5		11/13/2019		0.18
C5		11/15/2019		X
C5		11/20/2019		0.81
C5 QA		11/20/2019		0.76
C5		11/23/2019		0.12
C7		11/1/2019		0.06
C7		11/3/2019		0.35
C7		11/5/2019		0.20
C7		11/8/2019		0.22
C7		11/15/2019		0.12
C8		11/1/2019		0.1
C8		11/3/2019	LK, 2	0.22
C8		11/5/2019	LK	0.22
C8		11/8/2019		0.08
C8		11/15/2019		0.08
C9		11/1/2019		X
C9		11/3/2019		0.26
C9		11/5/2019		0.18
C9		11/8/2019		0.06
C9		11/15/2019		0.44

If you have any questions, please let me know.

DGO/do



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 12, 2019

Ms. Jaime Gore
U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
Project Name: Covington

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 11/27/19 11:45.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
C2	9112711-01	Air	11/20/19 23:59	11/27/19 11:45
C2	9112711-02	Air	11/23/19 23:59	11/27/19 11:45
C3	9112711-03	Air	11/20/19 23:59	11/27/19 11:45
C3	9112711-04	Air	11/23/19 23:59	11/27/19 11:45
C4	9112711-05	Air	11/20/19 23:59	11/27/19 11:45
C4	9112711-06	Air	11/23/19 23:59	11/27/19 11:45
C5	9112711-07	Air	11/20/19 23:59	11/27/19 11:45
C5	9112711-08	Air	11/23/19 23:59	11/27/19 11:45
C5 - QA	9112711-09	Air	11/20/19 23:59	11/27/19 11:45



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2

Lab ID: 9112711-01

Sampled: 11/20/19 23:59

Pressure @ Receipt: 6.50" Hg

Canister #: SAT063

Received: 11/27/19 11:45

Comments:

Analyzed: 12/03/19 21:00

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.562	1.01		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2	Lab ID: 9112711-02	Sampled: 11/23/19 23:59
Pressure @ Receipt: 16.50" Hg	Canister #: SAT069	Received: 11/27/19 11:45
Comments:		Analyzed: 12/03/19 21:56

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.235	0.42		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3

Lab ID: 9112711-03

Sampled: 11/20/19 23:59

Pressure @ Receipt: 7.00" Hg

Canister #: 5007

Received: 11/27/19 11:45

Comments:

Analyzed: 12/03/19 22:45

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.319	0.58		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3

Lab ID: 9112711-04

Sampled: 11/23/19 23:59

Pressure @ Receipt: 6.50" Hg

Canister #: SAT054

Received: 11/27/19 11:45

Comments:

Analyzed: 12/03/19 23:33

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.158	0.29		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9112711-05

Sampled: 11/20/19 23:59

Pressure @ Receipt: 3.50" Hg

Canister #: SAT091

Received: 11/27/19 11:45

Comments:

Analyzed: 12/04/19 00:21

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.552	1.00		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9112711-06

Sampled: 11/23/19 23:59

Pressure @ Receipt: 13.00" Hg

Canister #: 19649

Received: 11/27/19 11:45

Comments:

Analyzed: 12/04/19 01:11

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.266	0.48		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9112711-07

Sampled: 11/20/19 23:59

Pressure @ Receipt: 2.00" Hg

Canister #: 19652

Received: 11/27/19 11:45

Comments:

Analyzed: 12/04/19 01:59

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.450	0.81		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9112711-08

Sampled: 11/23/19 23:59

Pressure @ Receipt: 7.50" Hg

Canister #: 19666

Received: 11/27/19 11:45

Comments:

Analyzed: 12/04/19 22:05

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0667	0.12		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5 - QA

Lab ID: 9112711-09

Sampled: 11/20/19 23:59

Pressure @ Receipt: 3.50" Hg

Canister #: 18875

Received: 11/27/19 11:45

Comments: Listed as QA

Analyzed: 12/04/19 22:53

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.419	0.76		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B9L0307 - Summa Canister Prep

Blank (B9L0307-BLK1)

Prepared: 11/25/19 Analyzed: 12/03/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Duplicate (B9L0307-DUP1)

Source: 9112711-07

Prepared: 11/20/19 Analyzed: 12/04/19

Ethylene oxide	0.452	ppbv	0.45	0.377	25	
----------------	-------	------	------	-------	----	--

Batch B9L0408 - Summa Canister Prep

Blank (B9L0408-BLK1)

Prepared: 11/25/19 Analyzed: 12/04/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1912011

Calibration Check (1912011-CCV1)

Prepared & Analyzed: 12/03/19

Ethylene oxide	2.66	ppbv	6.5	30.00
----------------	------	------	-----	-------

Sequence 1912012

Calibration Check (1912012-CCV1)

Prepared & Analyzed: 12/04/19

Ethylene oxide	2.85	ppbv	14.0	30.00
----------------	------	------	------	-------



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/12/19 15:06

SUBMITTED: 11/27/19

AQS SITE CODE:

SITE CODE: Covington

Notes and Definitions

U	Under Detection Limit
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 10, 2019

Ms. Jaime Gore
U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
Project Name: Covington

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 11/01/19 10:56 through 11/20/19 10:39.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
Field Blank	9110118-10	Air	10/30/19 23:59	11/01/19 10:56
C1	9110553-01	Air	11/01/19 23:59	11/05/19 10:58
C2	9110553-02	Air	11/01/19 23:59	11/05/19 10:58
C3	9110553-03	Air	11/01/19 23:59	11/05/19 10:58
C4	9110553-04	Air	11/01/19 23:59	11/05/19 10:58
C5	9110553-05	Air	11/01/19 23:59	11/05/19 10:58
C7	9110553-06	Air	11/01/19 23:59	11/05/19 10:58
C8	9110553-07	Air	11/01/19 23:59	11/05/19 10:58
C1	9110635-01	Air	11/03/19 23:59	11/06/19 10:33
C3	9110635-02	Air	11/03/19 23:59	11/06/19 10:33
C4	9110635-03	Air	11/03/19 23:59	11/06/19 10:33
C5	9110635-04	Air	11/03/19 23:59	11/06/19 10:33
C7	9110635-05	Air	11/03/19 23:59	11/06/19 10:33
C8	9110635-06	Air	11/03/19 23:59	11/06/19 10:33
C9	9110635-07	Air	11/03/19 23:59	11/06/19 10:33
C2	9110716-01	Air	11/03/19 23:59	11/07/19 10:44
C1	9110810-01	Air	11/05/19 23:59	11/08/19 10:34
C2	9110810-02	Air	11/05/19 23:59	11/08/19 10:34
C4	9110810-03	Air	11/05/19 23:59	11/08/19 10:34
C5	9110810-04	Air	11/05/19 23:59	11/08/19 10:34
C7	9110810-05	Air	11/05/19 23:59	11/08/19 10:34
C8	9110810-06	Air	11/05/19 23:59	11/08/19 10:34
C9	9110810-07	Air	11/05/19 23:59	11/08/19 10:34

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

C1	9111412-01	Air	11/08/19 23:59	11/14/19 11:14
C2	9111412-02	Air	11/08/19 23:59	11/14/19 11:14
C3	9111412-03	Air	11/08/19 23:59	11/14/19 11:14
C4	9111412-04	Air	11/08/19 23:59	11/14/19 11:14
C5	9111412-05	Air	11/08/19 23:59	11/14/19 11:14
C7	9111412-06	Air	11/08/19 23:59	11/14/19 11:14
C8	9111412-07	Air	11/08/19 23:59	11/14/19 11:14
C9	9111412-08	Air	11/08/19 23:59	11/14/19 11:14
C2	9111509-01	Air	11/13/19 23:59	11/15/19 10:49
C3	9111509-02	Air	11/13/19 23:59	11/15/19 10:49
C5	9111509-03	Air	11/13/19 23:59	11/15/19 10:49
C1	9112026-01	Air	11/15/19 23:59	11/20/19 10:39
C2	9112026-02	Air	11/15/19 23:59	11/20/19 10:39
C3	9112026-03	Air	11/15/19 23:59	11/20/19 10:39
C4	9112026-04	Air	11/15/19 23:59	11/20/19 10:39
C7	9112026-06	Air	11/15/19 23:59	11/20/19 10:39
C8	9112026-07	Air	11/15/19 23:59	11/20/19 10:39
C9	9112026-08	Air	11/15/19 23:59	11/20/19 10:39



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: Field Blank

Lab ID: 9110118-10

Sampled: 10/30/19 23:59

Pressure @ Receipt: 30" Hg

Canister #: A21032

Received: 11/01/19 10:56

Comments: Field Blank

Analyzed: 11/20/19 11:21

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	ND	ND	U	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C1

Lab ID: 9110553-01

Sampled: 11/01/19 23:59

Pressure @ Receipt: 6.50" Hg

Canister #: A21046

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 02:42

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0919	0.17		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2

Lab ID: 9110553-02

Sampled: 11/01/19 23:59

Pressure @ Receipt: 6.00" Hg

Canister #: SAT135

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 15:41

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.121	0.22	LK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Allanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3

Lab ID: 9110553-03

Sampled: 11/01/19 23:59

Pressure @ Receipt: 5.00" Hg

Canister #: SAT155

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 16:50

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0716	0.13		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9110553-04

Sampled: 11/01/19 23:59

Pressure @ Receipt: 3.00" Hg

Canister #: 19642

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 17:38

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0338	0.06		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9110553-05

Sampled: 11/01/19 23:59

Pressure @ Receipt: 0 psig

Canister #: 19650

Received: 11/05/19 10:58

Comments: Received at ambient

Analyzed: 11/13/19 18:27

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0514	0.09	LK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C7

Lab ID: 9110553-06

Sampled: 11/01/19 23:59

Pressure @ Receipt: 2.00" Hg

Canister #: 18879

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 19:15

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0331	0.06		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C8

Lab ID: 9110553-07

Sampled: 11/01/19 23:59

Pressure @ Receipt: 6.50" Hg

Canister #: SAT100

Received: 11/05/19 10:58

Comments:

Analyzed: 11/13/19 20:03

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0570	0.10		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C1

Lab ID: 9110635-01

Sampled: 11/03/19 23:59

Pressure @ Receipt: 7.50" Hg

Canister #: 5145

Received: 11/06/19 10:33

Comments:

Analyzed: 11/14/19 19:16

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.110	0.20		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3

Lab ID: 9110635-02

Sampled: 11/03/19 23:59

Pressure @ Receipt: 6.00" Hg

Canister #: 0044

Received: 11/06/19 10:33

Comments:

Analyzed: 11/14/19 20:05

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.120	0.22		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9110635-03

Sampled: 11/03/19 23:59

Pressure @ Receipt: 4.00" Hg

Canister #: A21101

Received: 11/06/19 10:33

Comments:

Analyzed: 11/14/19 20:53

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0974	0.18		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9110635-04

Sampled: 11/03/19 23:59

Pressure @ Receipt: 2.00" Hg

Canister #: A21045

Received: 11/06/19 10:33

Comments: Received without brass cap

Analyzed: 11/14/19 21:41

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.123	0.22		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C7

Lab ID: 9110635-05

Sampled: 11/03/19 23:59

Pressure @ Receipt: 4.00" Hg

Canister #: 5086

Received: 11/06/19 10:33

Comments:

Analyzed: 11/14/19 22:30

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.194	0.35		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C8

Lab ID: 9110635-06

Sampled: 11/03/19 23:59

Pressure @ Receipt: 4.50" Hg

Canister #: SAT059

Received: 11/06/19 10:33

Comments:

Analyzed: 11/14/19 23:18

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.123	0.22	LK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C9

Lab ID: 9110635-07

Sampled: 11/03/19 23:59

Pressure @ Receipt: 4.00" Hg

Canister #: 5034

Received: 11/06/19 10:33

Comments:

Analyzed: 11/15/19 00:06

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.146	0.26		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2

Lab ID: 9110716-01

Sampled: 11/03/19 23:59

Pressure @ Receipt: 6.50" Hg

Canister #: A21096

Received: 11/07/19 10:44

Comments:

Analyzed: 11/15/19 03:22

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.133	0.24	UK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C1

Lab ID: 9110810-01

Sampled: 11/05/19 23:59

Pressure @ Receipt: 8.50" Hg

Canister #: SAT072

Received: 11/08/19 10:34

Comments:

Analyzed: 11/15/19 04:11

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0623	0.11		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2

Lab ID: 9110810-02

Sampled: 11/05/19 23:59

Pressure @ Receipt: 7.50" Hg

Canister #: SAT176

Received: 11/08/19 10:34

Comments:

Analyzed: 11/15/19 16:25

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0953	0.17	LK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9110810-03

Sampled: 11/05/19 23:59

Pressure @ Receipt: 4.50" Hg

Canister #: SAT074

Received: 11/08/19 10:34

Comments:

Analyzed: 11/15/19 17:13

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.102	0.18		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9110810-04

Sampled: 11/05/19 23:59

Pressure @ Receipt: 3.50" Hg

Canister #: 18822

Received: 11/08/19 10:34

Comments:

Analyzed: 11/15/19 18:01

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0512	0.09		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C7

Lab ID: 9110810-05

Sampled: 11/05/19 23:59

Pressure @ Receipt: 4.50" Hg

Canister #: SAT071

Received: 11/08/19 10:34

Comments:

Analyzed: 11/15/19 18:49

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.111	0.20		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C8	Lab ID: 9110810-06	Sampled: 11/05/19 23:59
Pressure @ Receipt: 9.00" Hg	Canister #: 5089	Received: 11/08/19 10:34
Comments:		Analyzed: 11/15/19 19:38

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.124	0.22	LK	0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C9	Lab ID: 9110810-07	Sampled: 11/05/19 23:59
Pressure @ Receipt: 4.50" Hg	Canister #: SAT152	Received: 11/08/19 10:34
Comments:		Analyzed: 11/15/19 20:26

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0991	0.18		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C1

Lab ID: 9111412-01

Sampled: 11/08/19 23:59

Pressure @ Receipt: 7.50" Hg

Canister #: 19664

Received: 11/14/19 11:14

Comments:

Analyzed: 11/20/19 13:46

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.227	0.41		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2	Lab ID: 9111412-02	Sampled: 11/08/19 23:59
Pressure @ Receipt: 7.00" Hg	Canister #: 110335	Received: 11/14/19 11:14
Comments:		Analyzed: 11/20/19 14:34

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0254	0.05		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3	Lab ID: 9111412-03	Sampled: 11/08/19 23:59
Pressure @ Receipt: 6.00" Hg	Canister #: SAT161	Received: 11/14/19 11:14
Comments:		Analyzed: 11/20/19 15:23

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.206	0.37		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4	Lab ID: 9111412-04	Sampled: 11/08/19 23:59
Pressure @ Receipt: 4.50" Hg	Canister #: SAT138	Received: 11/14/19 11:14
Comments:		Analyzed: 11/20/19 16:11

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0912	0.17		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5	Lab ID: 9111412-05	Sampled: 11/08/19 23:59
Pressure @ Receipt: 2.50" Hg	Canister #: 19643	Received: 11/14/19 11:14
Comments:		Analyzed: 11/20/19 17:00

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.124	0.22		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C7

Lab ID: 9111412-06

Sampled: 11/08/19 23:59

Pressure @ Receipt: 3.50" Hg

Canister #: SAT106

Received: 11/14/19 11:14

Comments:

Analyzed: 11/20/19 17:48

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.120	0.22		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C8

Lab ID: 9111412-07

Sampled: 11/08/19 23:59

Pressure @ Receipt: 7.50" Hg

Canister #: 19284

Received: 11/14/19 11:14

Comments:

Analyzed: 11/20/19 18:36

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0442	0.08		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C9

Lab ID: 9111412-08

Sampled: 11/08/19 23:59

Pressure @ Receipt: 4.00" Hg

Canister #: 19641

Received: 11/14/19 11:14

Comments:

Analyzed: 11/20/19 19:24

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0336	0.06		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2	Lab ID: 9111509-01	Sampled: 11/13/19 23:59
Pressure @ Receipt: 6.50" Hg	Canister #: 5082	Received: 11/15/19 10:49
Comments:		Analyzed: 11/20/19 20:13

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0963	0.17		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3	Lab ID: 9111509-02	Sampled: 11/13/19 23:59
Pressure @ Receipt: 5.50" Hg	Canister #: 5132	Received: 11/15/19 10:49
Comments:		Analyzed: 11/20/19 21:01

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.278	0.50		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C5

Lab ID: 9111509-03

Sampled: 11/13/19 23:59

Pressure @ Receipt: 2.00" Hg

Canister #: 19276

Received: 11/15/19 10:49

Comments:

Analyzed: 11/20/19 21:49

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.101	0.18		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C1

Lab ID: 9112026-01

Sampled: 11/15/19 23:59

Pressure @ Receipt: 7.00" Hg

Canister #: AZ50

Received: 11/20/19 10:39

Comments:

Analyzed: 11/26/19 19:31

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.368	0.66		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C2

Lab ID: 9112026-02

Sampled: 11/15/19 23:59

Pressure @ Receipt: 7.00" Hg

Canister #: 5069

Received: 11/20/19 10:39

Comments:

Analyzed: 11/26/19 20:20

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.137	0.25		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C3

Lab ID: 9112026-03

Sampled: 11/15/19 23:59

Pressure @ Receipt: 5.50" Hg

Canister #: 19283

Received: 11/20/19 10:39

Comments:

Analyzed: 11/26/19 21:08

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.128	0.23		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C4

Lab ID: 9112026-04

Sampled: 11/15/19 23:59

Pressure @ Receipt: 0" Hg

Canister #: 18877

Received: 11/20/19 10:39

Comments: Received at ambient

Analyzed: 11/26/19 21:56

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0848	0.15		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C7

Lab ID: 9112026-06

Sampled: 11/15/19 23:59

Pressure @ Receipt: 2.50" Hg

Canister #: 18821

Received: 11/20/19 10:39

Comments:

Analyzed: 11/26/19 22:44

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0683	0.12		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C8	Lab ID: 9112026-07	Sampled: 11/15/19 23:59
Pressure @ Receipt: 6.50" Hg	Canister #: 19288	Received: 11/20/19 10:39
Comments:		Analyzed: 11/26/19 23:33

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Ethylene oxide	0.0462	0.08		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Description: C9

Lab ID: 9112026-08

Sampled: 11/15/19 23:59

Pressure @ Receipt: 2.50" Hg

Canister #: SAT159

Received: 11/20/19 10:39

Comments:

Analyzed: 11/27/19 00:21

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.242	0.44		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B9K0707 - Summa Canister Prep

Blank (B9K0707-BLK1)

Prepared: 10/21/19 Analyzed: 11/12/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Duplicate (B9K0707-DUP1)

Source: 9110553-01

Prepared: 11/01/19 Analyzed: 11/13/19

Ethylene oxide	0.0885	ppbv	0.09	3.77	25	
----------------	--------	------	------	------	----	--

Batch B9K1306 - Summa Canister Prep

Blank (B9K1306-BLK1)

Prepared: 10/21/19 Analyzed: 11/13/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Batch B9K1401 - Summa Canister Prep

Blank (B9K1401-BLK1)

Prepared: 11/12/19 Analyzed: 11/14/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Duplicate (B9K1401-DUP1)

Source: 9110810-01

Prepared: 11/05/19 Analyzed: 11/15/19

Ethylene oxide	0.0626	ppbv	0.06	0.480	25	
----------------	--------	------	------	-------	----	--

Batch B9K1504 - Summa Canister Prep

Blank (B9K1504-BLK1)

Prepared: 11/12/19 Analyzed: 11/15/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Batch B9K2005 - Summa Canister Prep

Blank (B9K2005-BLK1)

Prepared: 11/12/19 Analyzed: 11/20/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

Batch B9K2605 - Summa Canister Prep

Blank (B9K2605-BLK1)

Prepared: 11/18/19 Analyzed: 11/26/19

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1911008

Calibration Check (1911008-CCV1)

Prepared & Analyzed: 11/05/19

Ethylene oxide	2.26	ppbv	-9.4	30.00
----------------	------	------	------	-------

Sequence 1911015

Calibration Check (1911015-CCV1)

Prepared & Analyzed: 11/12/19

Ethylene oxide	1.89	ppbv	-24.5	30.00
----------------	------	------	-------	-------

Sequence 1911025

Calibration Check (1911025-CCV1)

Prepared & Analyzed: 11/13/19

Ethylene oxide	1.94	ppbv	-22.5	30.00
----------------	------	------	-------	-------

Sequence 1911027

Calibration Check (1911027-CCV1)

Prepared & Analyzed: 11/14/19

Ethylene oxide	1.87	ppbv	-25.3	30.00
----------------	------	------	-------	-------

Sequence 1911030

Calibration Check (1911030-CCV1)

Prepared & Analyzed: 11/15/19

Ethylene oxide	1.87	ppbv	-25.4	30.00
----------------	------	------	-------	-------

Sequence 1911047

Calibration Check (1911047-CCV1)

Prepared & Analyzed: 11/20/19

Ethylene oxide	2.00	ppbv	-19.8	30.00
----------------	------	------	-------	-------

Sequence 1911058

Calibration Check (1911058-CCV1)

Prepared & Analyzed: 11/26/19

Ethylene oxide	2.75	ppbv	9.9	30.00
----------------	------	------	-----	-------



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Allanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 12/10/19 11:16

SUBMITTED: 11/01/19 to 11/20/19

AQS SITE CODE:

SITE CODE: Covington

Notes and Definitions

U	Under Detection Limit
LK	Analyte identified; Reported value may be biased high.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.