PERMIT NO. HW-075(S&CA)
ISSUANCE DATE:

GEORGIA
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

HAZARDOUS WASTE FACILITY PERMIT

In accordance with the provisions of the Georgia Hazardous Waste Management Act and the Rules, Chapter 391-3-11, (**as effective on the date of issuance of this permit**) adopted pursuant to that Act,

Safety-Kleen Systems, Inc. (Garden City) and Ashley Rental Properties, LLC **EPA ID No. GAD000776781**

is issued a Permit for the following:

- **Storage of hazardous waste in one (1) 10,000-gallon aboveground tank;**
- **Storage of hazardous waste in three (3) hazardous waste container storage units with a total combined capacity of 5,534 gallons; and**
- **Investigation of Solid Waste Management Units (SWMUs) and Areas of Concern (AOCs) and corrective action to remediate releases of hazardous constituents at SWMUs**

at the following location:
5217 Augusta Road,
Garden City, Georgia 31408

This Permit is conditioned upon compliance with all provisions of the Georgia Hazardous Waste Management Act, the Rules, Chapter 391-3-11 (as effective on the date of issuance of this permit), adopted pursuant to that Act, and any other condition of this Permit.

This Permit is subject to revocation, suspension, modification or amendment by the Director for cause including evidence of noncompliance with any of the above; or for any misrepresentation made in the application(s) dated March 23, 2026, as revised through August 17, 2026, supporting data entered therein or attached thereto, or any subsequent submittals or supporting data; or for failure to disclose fully all relevant facts; or when the facility poses a threat to the environment or the health of humans.

This Permit is further subject to and conditioned upon the terms, conditions, limitations, standards, or schedules contained in or specified on the attached 24 pages, which pages are a part of this Permit. This Permit expires ten years from the Issuance Date above.

STATE OF GEORGIA
CONSTITUTION
WISDOM
JUSTICE
MODERATION
1776

_____

Jeffrey W. Cown, Director
Environmental Protection Division

DRAFT

SECTION I. GENERAL PERMIT CONDITIONS

I.A. Scope and Effect of Permit

1. The Permittees are allowed to store hazardous waste only in accordance with this Permit. The Permittees are also required to investigate releases of hazardous constituents from Solid Waste Management Units (SWMUs) and to perform corrective action to remediate releases in accordance with the conditions of this Permit. Any hazardous waste treatment, storage, or disposal not authorized in this Permit is prohibited, unless such treatment, storage, or disposal is specifically authorized by the Director. The Permittees must comply with the Georgia Hazardous Waste Management Act and the Georgia Rules for Hazardous Waste Management, Chapter 391-3-11, which Rules include certain portions of the Federal Hazardous Waste Regulations (found at 40 CFR 260-266, 268, 270, 273, 279, and 124). Where a citation to the Federal Regulations is made in this Permit, it refers to the specific regulations adopted by the Environmental Protection Division (EPD) of the Georgia Department of Natural Resources.

2. The issuance of this Permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property, or any invasion of personal rights, nor any infringement of Federal, State, or local laws or regulations.

3. Compliance with this Permit does not constitute a defense to any action brought by the Director under Section 12-8-75, "Powers of the Director in situations involving imminent and substantial endangerment to the environment or to public health," of the Georgia Hazardous Waste Management Act, as amended.

4. Nothing in this Permit shall be construed to preclude the institution of any legal action under Section 3008 of the Federal Resource Conservation and Recovery Act (RCRA) or under the Georgia Hazardous Waste Management Act, O.C.G.A. Sections 12-8-81 through 12-8-82, as amended.

5. This Permit may be modified, revoked and reissued, or terminated for cause as specified in Rule 391-3-11-.11(7) and 40 CFR 270.41, 270.42, 270.43, 270.50(d), and 270.51(a). The filing of a request for a permit modification, revocation and reissuance, or termination, or the notification of planned changes or anticipated noncompliance on the part of the Permittees, does not stay the applicability of any permit condition.

6. The provisions of this Permit are severable, and if any provision of this Permit or the application of any provision of this Permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this Permit, shall not be affected thereby.

I.B. Management Requirements

1. Unless otherwise specifically authorized by the Director, or as specified by this Permit, the Permittees may not treat, store, or dispose of hazardous waste on any portion of the facility, or perform corrective action not specifically authorized by this Permit, until the Permittees have submitted to the Director, by certified mail or hand delivery, an application for a permit

DRAFT

modification to do so, and the Director has modified the Permit for that activity. Any corrective action activity performed that is not specifically authorized by this Permit is done at risk, and may constitute violations of this Permit or other environmental laws or regulations, and/or may result in the need for additional actions through this Permit, including, but not limited to soil borings, well installation, sampling and analysis, and/or additional or different corrective actions. The Permittees shall give notice to the Director as soon as possible of any planned physical alterations or additions to the permitted facility or of any planned changes in the process generating the hazardous waste or any planned changes which might affect the performance of the permitted facility.

2. The Permittees shall maintain at the facility at a location available for inspection for the duration of the Permit, the following documents and amendments, revisions, and modifications to these documents:

   a. Complete copy of this Permit and Permit Application, including all Amendments, Revisions, and Modifications;
   b. Groundwater Sampling and Analysis Plan (as required and once approved);
   c. Corrective Action Plan(s) (as required and once approved);
   d. Inspection Schedule Log;
   e. Waste Analysis Plan;
   f. Operating Record as required by 40 CFR 264.73;
   g. Personnel training documents and records;
   h. Contingency Plan;
   i. Closure Plan;
   j. Cost estimate for facility closure;
   k. Proof of financial assurance for closure as required by the Georgia Hazardous Waste Management Act, O.C.G.A. Section 12-8-68, as amended; and
   l. Liability coverage instrument.

3. All amendments, revisions, and modifications to any plan required by this Permit shall be submitted to the Director for approval and permit modification, as necessary.

4. When the Permittees become aware that the Permittees failed to submit any relevant facts in the permit application or corrective action plan, or submitted incorrect information in a permit application or corrective action plan or in any report to the Director, the Permittees shall promptly submit such facts or information.

5. The Permittees shall at all times properly operate and maintain all facilities and related appurtenances which are installed or used by the Permittees to achieve compliance with the conditions of this Permit. Proper operation and maintenance include effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of a backup or auxiliary facility or similar systems only when necessary to achieve compliance with the conditions of this Permit.

6. The Permittees may not commence treatment, storage or disposal of any hazardous waste on any new or modified portion of the facility, except as provided in 40 CFR 270.42, until the Permittees have submitted to the Director by certified mail or hand delivery a letter signed by

DRAFT

the Permittees and a registered professional engineer stating that the facility has been constructed or modified in compliance with the Permit where appropriate: and

a. The Director has inspected the modified or newly constructed facility and finds it is in compliance with the conditions of the Permit; or

b. The Director either waived the inspection or has not within thirty (30) days notified the Permittees of his or her intent to inspect.

7. The Director may require the Permittees to establish and maintain an information repository at any time, based on the factors set forth in 40 CFR 124.33(b). The information repository will be governed by the provisions in 40 CFR 124.33(c) through (f).

I.C. Monitoring and Reporting

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. The method used to obtain a representative sample of the waste to be analyzed, and laboratory methods for the analysis of waste and environmental media must be the appropriate method from 40 CFR 261 Appendix I and the most recent edition of Test Methods for Evaluating Solid Waste: Physical/Chemical Methods Compendium (SW-846), respectively. Sampling and analysis of environmental media must be performed in accordance with the most recent edition of *US EPA Region 4 Field Branches Quality System and Technical Procedures,* or an equivalent procedure approved by the Director.

2. The Permittees shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation; copies of all reports, records, and certifications required by this Permit; and records of all data used to complete the application for this Permit, including the certification required by 40 CFR 264.73(b)(9), for a period of at least three (3) years from the date of the sample, measurement, report, or record or until corrective action is completed, whichever is later. These periods are automatically extended during the course of any unresolved enforcement action regarding this facility and also may be extended at any time at the Director's discretion.

3. Records of monitoring information shall include:

a. The date, exact place, and time of sampling or measurements;
b. The individual(s) who performed the sampling or measurements;
c. The date(s) the analyses were performed;
d. The individual(s) who performed the analyses;
e. The analytical techniques or methods used, the method of sample preservation, and quality assurance procedures, including method blanks;
f. Chain of custody records; and
g. The results of such analyses and measurements.

4. Twenty-Four Hour Reporting. The Permittees shall report to the Director or his representative, orally, within twenty-four (24) hours from the time the Permittees become aware of any circumstances resulting from conditions at the facility which may endanger human health or the environment, or any unauthorized releases from the operation of the facility (including periods

DRAFT

of non-compliance), including, but not limited to, any release of any hazardous waste, hazardous waste constituent, or hazardous constituent that may cause an endangerment to public or private drinking water supplies; and/or release or discharge of hazardous waste, hazardous waste constituent, or hazardous constituent; or a fire or explosion which could threaten human health or the environment outside the facility.

The description of the occurrence shall include:

a. Name, address, and telephone number of the owner or operator;
b. Name, address, and telephone number of the facility;
c. Date, time, and type of incident;
d. Name and quantity of materials involved;
e. The extent of injuries, if any;
f. An assessment of actual or potential hazards to the environment and human health inside and outside the facility, where this is applicable; and
g. Estimated quantity and disposition of recovered material that resulted from the incident.

5. Within fifteen (15) days of becoming aware of any reportable incident as described in Permit Condition I.C.4, above, the Permittees shall submit a written report of the incident covering the following:

a. Description of occurrence as described in Permit Condition I.C.4, above;
b. Cause of occurrence;
c. Period of occurrence, including exact dates and times;
d. Time occurrence is expected to continue (if not already corrected); and
e. Steps taken or planned to reduce, eliminate, and prevent recurrence.

6. Compliance Schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this Permit shall be submitted no later than fifteen (15) days following each schedule date.

7. Other Non-compliance. The Permittees shall report instances of non-compliance, other than those described in Permit Conditions I.C.4 - C.5, semi-annually on July 15 (covering January 1 - June 30) and January 15 (covering July 1 - December 31). The report shall include the information requested in Permit Condition I.C.4 for each incident.

8. Manifest Discrepancy Report. If a significant discrepancy in a manifest is discovered, the Permittees must attempt to reconcile the discrepancy. If not resolved within fifteen (15) days, the Permittees must submit a letter report, including a copy of the manifest, to the Director in accordance with 40 CFR 264.72.

9. Unmanifested Waste Report. This report must be submitted to the Director within fifteen (15) days of receipt of unmanifested waste in accordance with 40 CFR 264.76.

10. Biennial Report. A biennial report must be submitted covering the facility activities during odd- numbered calendar years in accordance with 40 CFR 264.75.

11. Monitoring Reports. Monitoring results shall be reported at intervals specified elsewhere in this Permit.

DRAFT

12. Signatory Requirements. All applications, plans, reports, notifications or other information submitted to the Director, shall be signed and certified in accordance with 40 CFR 270.11.

I.D. Responsibilities

1. Right of Entry. The Permittees shall allow the Director of EPD, the Regional Administrator of the United States Environmental Protection Agency (US EPA), and/or their authorized representatives, agents, or employees, upon the presentation of credentials and other documents as may be required by law, to:

   a. Enter, at reasonable times, upon the Permittees' premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this Permit;

   b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this Permit;

   c. Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Permit; and

   d. Sample or monitor, at reasonable times, for the purposes of assuring permit compliance, or as otherwise authorized by the Georgia Hazardous Waste Management Act, any substances or parameters at any location.

2. Transfer of Permits. This Permit may be transferred to a new owner or operator only after notice to the Director, and if it is modified or revoked and reissued pursuant to 40 CFR 270.40 or 40 CFR 270.41(b)(2) to identify the new Permittees and incorporate such other requirements as may be necessary by the Rules or this Permit. Before transferring ownership or operation of the facility, the Permittees shall notify the new owner or operator, in writing, of the applicable requirements of 40 CFR Parts 264, 268 and 270.

3. Duty to Comply. The Permittees shall comply with all conditions of this Permit, except to the extent and for the duration such non-compliance is authorized by an emergency permit. Any noncompliance with this Permit, other than any noncompliance authorized by an emergency permit, constitutes a violation of the Georgia Hazardous Waste Management Act and is grounds for enforcement action; permit termination; revocation and reissuance; modification, or for denial of a permit renewal application.

4. Duty to Reapply. If the Permittees wish to continue an activity regulated by this Permit after the expiration date of this Permit, the Permittees must submit a complete application for a new permit at least one hundred eighty (180) days before this Permit expires. If the Permittees have not met the requirements of Permit Sections II through IV, and has not met the environmental protection standards for three (3) consecutive years, within one hundred eighty (180) days before the expiration date of this Permit, the Permittees must submit a complete application for reissuance of the Permit. Pursuant to O.C.G.A. Section 50-13-18(b), this permit and all conditions herein will remain in effect beyond the permit expiration date if the Permittees have submitted a timely and complete application for a new Permit and, through no fault of the

DRAFT

Permittees, the Director has not issued a new permit on or before the expiration date of this permit.

5. Need to Halt or Reduce Activity Not a Defense. It shall not be a defense for the Permittees in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this Permit.

6. Duty to Mitigate. The Permittees shall take all reasonable steps to minimize or correct any adverse impact on human health or the environment resulting from non-compliance with this Permit.

7. Duty to Provide Information. The Permittees shall furnish to the Director, within a reasonable time, any relevant information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this Permit or to determine compliance with this Permit. The Permittees shall also furnish to the Director, upon request, copies of records required to be kept by this Permit.

8. Anticipated Non-Compliance. The Permittees shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in non-compliance with Permit requirements.

9. Reporting Planned Changes. The Permittees shall give notice to the Director at least thirty (30) days prior to any planned physical alterations or additions to the permitted facility, including any investigative or corrective action activities (including voluntary corrective measures) which may impact any SWMUs, AOCs, and/or regulated units.

10. Obligation for Corrective Action. The Permittees are required to continue this Permit for any period necessary to complete the corrective action requirements of this Permit.

11. Electronic Records. Where this permit requires Permittees to maintain records or documents at the facility, the Permittees may satisfy such a requirement through the use of electronic records that are readily accessible at the facility, provided that the Permittees notify EPD in writing of the type of records or documents that the Permittees intends to maintain electronically, the format of those files and the steps the Permittees will take to ensure that the electronic versions of the records or documents reflect the final version of such records or documents (as opposed to superseded drafts).

I.E. Definitions

For purposes of this Permit, terms used herein shall have the same meaning as those in 40 CFR Parts 124, 260 through 266, 268, 270, 273 and 279, unless this Permit specifically provides otherwise; where terms are not defined in the regulations or the Permit, the meaning associated with such terms shall be defined by a standard dictionary reference or the generally accepted scientific or industrial meaning of the term.

1. Area of Concern (AOC) for purposes of this Permit includes any area having a probable release of a hazardous waste, hazardous waste constituent, or hazardous constituent which is not from a Solid Waste Management Unit (as defined below) and is determined by the Director to pose a current or potential threat to human health or the environment. Such areas of concern may

DRAFT

require investigation and remedial action as required under the Georgia Hazardous Waste Management Act, Section 12-8-60, et. seq. and 40 CFR 270.32(b)(2) in order to ensure adequate protection of human health and the environment.

2. Contamination for the purposes of this Permit refers to the presence of any hazardous waste, hazardous waste constituent or hazardous constituent in a concentration which exceeds the naturally-occurring concentration of that waste or constituent in the immediate vicinity of the facility (in areas not affected by the facility).

3. Corrective Action for prior or continuing releases at the facility (regardless of the time at which the release occurred), for the purposes of this Permit, shall be any measure necessary to protect human health and the environment, as required under the Georgia Hazardous Waste Management Act, Section 12-8-60, et. seq. [40 CFR 264.100 and/or 40 CFR 264.101]. Corrective Action may address releases to air, soils, surface water, sediment, or groundwater, both on the facility and beyond the facility boundary.

4. Director shall mean the Director of the Georgia Environmental Protection Division of the Department of Natural Resources or his/her delegated representative.

5. EPA shall mean the United States Environmental Protection Agency and any successor departments or agencies of the United States.

6. EPD shall mean the Georgia Environmental Protection Division of the Department of Natural Resources and any successor departments or agencies of the State of Georgia.

7. Extent of contamination for the purposes of this Permit is defined as the horizontal and vertical area in which the concentrations of hazardous waste, hazardous waste constituents or hazardous constituents in the environmental media being investigated are above estimated quantitation limits, as defined in the most recent version of SW-846, or naturally-occurring concentrations representative of areas not affected by the facility, or other appropriate delineation approved by the Director.

8. Facility for purposes of this Permit includes all contiguous land and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of hazardous waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or a combination of them). For the purposes of implementing corrective action under 40 CFR 264.101, a facility includes all contiguous property under the control of the owner or operator seeking a permit under the Georgia Hazardous Waste Management Act.

9. Hazardous Constituents for the purposes of this Permit are those substances listed in 40 CFR 261 Appendix VIII and 40 CFR 264 Appendix IX, "Groundwater Monitoring List," as revised or superseded.

10. Interim Measures for purposes of this Permit are actions necessary to minimize or prevent the further migration of contamination or limit actual or potential human and environmental exposure to contamination while long-term Corrective Action remedies are evaluated and, if necessary, implemented.

DRAFT

11. Land Disposal Facility for the purposes of this Permit is a facility that uses a surface impoundment, landfill, land treatment, or waste pile unit to manage or dispose of hazardous waste pursuant to Section 12-8-66 of the Georgia Hazardous Waste Management Act, as amended, and Section 3004 of RCRA, as amended.

12. Landfill for the purposes of this Permit includes any disposal facility or part of a facility where hazardous waste is placed in or on the land and which is not a pile, land treatment facility, surface impoundment, underground injection well, salt dome formation, salt bed formation, underground mine, or cave.

13. Qualified Groundwater Scientist for the purposes of this Permit is a scientist who has received a baccalaureate or post-graduate degree in the natural sciences or engineering and has sufficient training and experience in groundwater hydrology and related fields, as demonstrated by a current State of Georgia registration and completion of accredited university courses, that enable that individual to make sound professional judgments regarding groundwater monitoring and contaminant fate and transport.

14. Release for the purposes of this Permit includes any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or disposing into the environment of any hazardous waste, hazardous waste constituents or hazardous constituents.

15. Remediation Waste for the purposes of this permit includes all solid and hazardous wastes, and all media (including groundwater, surface water, soils, and sediments) and debris, which contain listed hazardous wastes or which themselves exhibit a hazardous waste characteristic, that are managed for the purposes of implementing corrective action requirements under 40 CFR 264.101 and Section 12-8-71(b) of the Georgia Hazardous Waste Management Act. For a given facility, remediation wastes may originate only from within the facility boundary, but may include waste managed in implementing corrective action required under 40 CFR 264.101(c) for releases beyond the facility boundary.

16. Solid Waste Management Unit (SWMU) for the purposes of this Permit includes, but is not limited to, any landfill, surface impoundment, waste pile, land treatment unit; incinerator; injection well; tank (including storage, treatment, and accumulation tanks); container storage unit; wastewater treatment unit, including all conveyances and appurtenances used in waste management or storm water handling; elementary neutralization unit; transfer station; or recycling unit from which hazardous waste, hazardous waste constituents, or hazardous constituents might migrate, irrespective of whether the units were intended for the management of solid and/or hazardous waste. SWMUs include areas that have been contaminated by routine and systematic releases of hazardous wastes, hazardous constituents, or hazardous waste constituents.

17. Storage means the holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed, or stored elsewhere.

I.F. Conditions Related to Compliance with General Facility Standards
(40 CFR Part 264 Subparts B, C, D, E, G, H)

DRAFT

1. The Permittees must follow the procedures and plans described in detail in the Permit Renewal Application received March 23, 2026, as amended, which are hereby incorporated by reference and include at least the following:

   a. Waste Analysis Plan — Section C;
   b. Contingency Plan — Section G;
   c. Inspection Schedule — Section F;
   d. Closure Plan — Section I; and
   e. Training Program — Section H.

2. The following activities must be carried out as prescribed in 40 CFR Part 264 Subparts B, C, D, and E; and in accordance with the appropriate Sections of the Permit Renewal Application Parts A and B, received March 23, 2026, as amended:

   a. Required Notices – 40 CFR 264.12(a) and (b);
   b. Security – 40 CFR 264.14(b) and (c);
   c. Repairs and Inspection Log – 40 CFR 264.15(c) and (d);
   d. Annual Review of Training – 40 CFR 264.16(c);
   e. General Requirements for Ignitable, Reactive and Incompatible Wastes – 40 CFR 264.17;
   f. Design and Operation – 40 CFR 264.31;
   g. Testing and Maintenance of Equipment – 40 CFR 264.33;
   h. Access to Communications or Alarm Systems – 40 CFR 264.34;
   i. Maintain Aisle Space – 40 CFR 264.35;
   j. Arrangements with Local Authorities – 40 CFR 264.37;
   k. Amendment of Contingency Plan – 40 CFR 264.54;
   l. Operating Record and Disposition of Records – 40 CFR 264.73 and 40 CFR 264.74;
   m. Reports – 40 CFR 264.75 and 40 CFR 264.77; and
   n. Manifest System – 40 CFR 264.70 through 40 CFR 264.77.

3. The following activities must be carried out as prescribed in 40 CFR Part 264 Subparts G and H, and in accordance with Section I of the Permit Renewal Application received March 23, 2026, as amended, and O.C.G.A. Section 12-8-68, Rule 391-3-11-.05:

   a. Closure Performance Standard – 40 CFR 264.111 and 40 CFR 264.112;
   b. Closure in Accordance with Approved Plan, contingent upon submittal, at the time of notification of closure, of statistical analyses for the number of samples and their locations that will be taken to verify clean closure – 40 CFR 264.113;
   c. Amendment of Closure Plan and Notification of Closure – 40 CFR 264.112(b) and (c);
   d. Disposal or Decontamination of Equipment – 40 CFR 264.114;
   e. Certification of Closure – 40 CFR 264.115;
   f. Revision of Cost Estimate – 40 CFR 264.142;
   g. Financial Assurance for Closure – Continuous compliance with 40 CFR 264.143 must be maintained by the Permittees for the amount of the cost estimate for closure as revised by 40 CFR 264.142 until released by the Director as provided in 40 CFR 264.143(i); and
   h. Notice to Local Land Authority and in Deed to Property – 40 CFR 264.119.

DRAFT

4. The Permittees must maintain sudden liability coverage as specified in 40 CFR 264.147 for $1,000,000 for each occurrence and $2,000,000 annual aggregate until certifications of closure as specified in 40 CFR 264.115 are received by the Director. Liability coverage must be in effect before the Permittees are authorized to manage hazardous waste under this Permit and must remain in effect pursuant to 40 CFR 264.147(e), unless the Permittees are notified by the Director that liability coverage is no longer required.

5. The Permittees must comply with 40 CFR 264.148 whenever necessary.

I.G. Special Conditions Applicable to Entire Facility

1. Waste Minimization. The Permittees shall be required to certify no less often than annually that the Permittees have a program in place to reduce the volume and toxicity of hazardous waste that is generated on-site to the degree determined by the Permittees to be economically practicable, and the proposed method of treatment, storage, or disposal is that practicable method currently available to the Permittees which minimizes the present and future threat to human health and the environment in accordance with 40 CFR 264.73(b)(9).

2. Land Disposal Restrictions. 40 CFR Part 268 identifies hazardous waste(s) that are restricted from land disposal and defines those limited circumstances under which an otherwise prohibited waste may continue to be placed on or in a land treatment, storage or disposal unit. The Permittees shall maintain compliance with the requirements of 40 CFR Part 268. Where the Permittees have applied for an extension, waiver or variance under this Part, the Permittees shall comply with all restrictions on land disposal under this Part once the effective date for the waste has been reached pending final approval of such application.

3. Contingency Plan. The Permittees must submit any revisions of the contingency plan, pursuant to 40 CFR 270.42(a)(1), to those government agencies and local authorities listed in Section G of the Permit Renewal Application received March 23, 2026, as amended, within seven (7) days of those changes. For changes requiring Director's approval prior to implementation, pursuant to 40 CFR 270.42, the Permittees must submit any revisions of the contingency plan to the above entities within twenty (20) days of approval of the revision(s) by the Director.

4. The Permittees shall comply with all procedures described in Section B-3b, "Floodplain Standard", of the Permit Application received March 23, 2026, as amended.

5. The Permittees are prohibited from storing any waste, with the exception of dry-cleaning waste and spent gasoline filters, derived from a product which did not originate at a Safety-Kleen facility without first obtaining an analysis of each customer's waste prior to the first shipment of that waste to the Garden City, Georgia facility. [Note: This condition does not apply to wastes from conditionally exempt small quantity generators as defined in Section 261.5 of the Georgia Rules for Hazardous Waste Management or waste handled on a transfer basis.]

6. The Permittees are prohibited from receiving any unknown waste. Waste which is not consistent with generator profiles, fingerprint analyses, visual inspections and/or blanket pre-qualifications must be rejected and sent back to the generator or sent to an alternate assigned facility as specified on the manifest.

DRAFT

7. An assigned emergency coordinator or his alternate must be on call at all times to respond to any emergency that occurs at the facility or in the event that the procedures set forth in Section B-3b, "Floodplain Standard," of the Permit Application received March 23, 2026, as amended, must be carried out. The emergency coordinator or his alternate must be able to reach the facility within a short period of time.

8. Closure. Within sixty (60) days of completion of any partial closure of the permitted container storage and/or tank storage, or miscellaneous units, and within sixty (60) days of the completion of final closure, the owner or operator must submit to the Director, by registered mail, a certification that the hazardous waste management unit has been closed in accordance with the specifications in the approved closure plan. The certification must be signed by an independent, registered professional engineer. Documentation supporting the independent, registered professional engineer's certification must additionally be furnished to the Director at that time.

9. The Permittees must obtain a complete generator waste notification/certification, as set forth in Section C-3a of the permit application, with each shipment of hazardous waste to be stored.

10. All spills at the Return and Fill Station shall be remediated immediately.

11. The Permittees shall obtain a representative sample (per the most current edition of SW-846) of a waste to be analyzed pursuant to the Permit Application, whenever there is a change in the Safety-Kleen product or the process that generated a customer's waste.

12. The only hazardous wastes authorized for storage by the Permittees are listed in the Part A Permit Application received March 23, 2026, as amended. Before storing any hazardous waste other than those in Part A of the Permit Application, the Permittees must seek a permit modification in accordance with 40 CFR 270.42.

I.H. Compliance Schedule

Within thirty (30) days of the issuance date of this Permit, the Permittees shall notify generators who send hazardous wastes to the facility that the Permittees have the appropriate permit for the generator's waste as required by 40 CFR 264.12(b).

SECTION II. STORAGE IN CONTAINERS

II.A. General

1. The conditions in this section apply only to the Container Storage Areas #1, #2, and #3 depicted in Figure B-2a (labeled as Figure 3-2 on map) entitled "Site Plan Existing," and as described in Section D and its attachments of the Permit Application received March 23, 2026, as amended.

2. The Permittees are prohibited from storing hazardous waste at the Return and Fill Station.

II.B. Conditions Related Solely to Storage in Containers

1. Storage in containers is expressly limited to Container Storage Areas #1, #2, and #3 described in Section D of the Permit Renewal Application received March 23, 2026, as amended.

DRAFT

2. The Permittees are authorized to store only the following hazardous waste in containers in Container Storage Areas #1, #2, and #3 (not to exceed a maximum capacity 5,534 gallons) as identified in Part A of the Permit Application received May 23, 2026, as amended, and subject to the terms of this Permit and as follows:

Total Gallons in Container Storage = 5,534 gallons		
2,304 gallons in Container Storage Area #1: Warehouse Storage Area		
Description of Hazardous Waste	EPA Hazardous Waste Code	Container Sizes
Spent Immersion Cleaner	D004-D011, D018, D019, D021-D030, D032-D043	5 to 350-gallon
Paint Booth Filters	D007	
Dry Cleaning Waste	F002, D004-D011, D018, D019, D021-D030, D032-D043	
1,190 gallons in Container Storage Area #2: Outside Flammable Waste Shelter		
Description of Hazardous Waste	EPA Hazardous Waste Code	Container Sizes
Dumpster/Tank Bottom Sediment	D001, D004-D011, D018, D019, D021-D030, D032-D043	5 to 350-gallon
Dry Cleaning Waste	F002, D001, D004-D011, D018, D019, D021-D030, D032-D043	
Spent Immersion Cleaner	D004-D011, D018, D019, D021-D030, D032-D043	
Spent Gas Filters	D001, D018	
Paint Booth Filters	D007	
Paint Gun Cleaner Waste	F003, F005, D001, D004- D011, D018, D019, D021-D030, D032-D043	
2,040 gallons in Container Storage Area #3: Inside Flammable Waste Shelter		
Description of Hazardous Waste	EPA Hazardous Waste Code	Container Sizes
Dumpster/Tank Bottom Sediment	D001, D004-D011, D018, D019, D021-D030, D032-D043	5 to 350-gallon
Dry Cleaning Waste	F002, D001, D004-D011, D018, D019, D021-D030, D032-D043	
Spent Immersion Cleaner	D004-D011, D018, D019, D021-D030, D032-D043	
Spent Gas Filters	D001, D018	
Paint Booth Filters	D007	
Paint Gun Cleaner Waste	F003, F005, D001, D004- D011, D018, D019, D021-D030, D032-D043	

3. Ignitable wastes shall not be stored in any areas other than Container Storage Areas #2 and #3 as described in Section D and its attachments of the Permit Application received March 23, 2026, as amended.

4. If a container holding hazardous waste is not in good condition, or if it begins to leak, the Permittees shall transfer the hazardous waste from such container to a container that is in good condition.

5. Containers must be managed in accordance with 40 CFR 264.173.

6. Spilled or leaked wastes and accumulated precipitation must be managed in accordance with 40 CFR 264.175(b)(5).

7. Incompatible wastes and materials must be managed in accordance with 40 CFR 264.177.

8. All hazardous waste containers in storage must be clearly marked with the words "Hazardous Waste", the EPA Hazardous Waste Number(s) found in 40 CFR 261, indication of the hazards of the contents, and the date upon which the storage of the hazardous waste at the facility began, in accordance with 40 CFR 268.50(a)(2).

9. For Container Storage Area #1, containers may be stacked up to six and a half (6 ½) feet high, or the height of two stacked containers with pallets in between, while in storage. All containers must be placed in a stable manner on pallets that are in good condition.

10. The Permittee shall maintain sufficient aisle space in all container storage areas, in accordance with 40 CFR 264.35 and Section D of the Permit Application dated March 23, 2026, as amended.

11. The Permittees shall maintain the containment systems in accordance with 40 CFR 264.175.

12. The Permittees shall operate, and maintain the Hazardous Waste Storage Areas in accordance with the detailed design plans and specifications contained in Section D and attachments of the Permit Application received March 23, 2026, as amended, and references made herein.

13. Storage in areas not specifically identified in this Permit herein is strictly prohibited.

14. All hazardous waste must be sent off-site within one year of the accumulation start date.

II.C Closure

For closure of the tanks system, the Permittees shall follow the procedures in the Closure Plan provided in Section I of the Permit Application received March 23, 2026, as amended, and conduct the activities in accordance with 40 CFR 264.178.

SECTION III. STORAGE IN TANKS

The Permittees shall comply with the requirements of 40 CFR 264, Subpart J.

III.A. Permitted and Prohibited Waste Identification

1. The Permittees may store a total volume of 10,000 gallons of hazardous waste in the tank (Tank 1) identified in the drawing entitled Figure B-2a of the Permit Application received March 23, 2026, as amended, subject to the terms of this Permit and as follows:

DRAFT

Tank No.	Capacity (Gallons)	Dimensions of Tank	Secondary Containment Required	Description of Hazardous Waste	Hazardous Waste Code
1	10,000	10'-6" (diam) X 16'-1" (length)	Yes	Spent Parts Washer Solvent	D001, D004-D011, D018, D019, D021-D030, D032-D043

2. The Permittees are prohibited from storing hazardous waste that is not identified in Permit Condition III.A.1. in the hazardous waste storage tank.

III.B. Secondary Containment and Integrity Assessments

1. The Permittees shall operate and maintain the tank system, including the secondary containment system, in accordance with the detailed design plans and specifications contained in Section D of the Permit Application received March 23, 2026, as amended, and all references therein and in accordance with 40 CFR 264.191 and 40 CFR 264.193.

2. The Permittees shall obtain, and keep on file at the facility, the written statements by those persons required to certify the design and installation of the tank system.

3. The Permittees shall keep on file at the facility the written assessment of the tank system's integrity.

4. The Permittees shall maintain at the facility a record of the results of leak tests and integrity tests conducted, in accordance with Permit Conditions.

5. The Permittees shall conduct assessments of the tank pursuant to Section D-2 of the Permit Application, received March 23, 2026, as amended.

III.C. Operating Requirements

1. The Permittees shall not place hazardous waste or treatment reagents in the tank system if they could cause the unit, its ancillary equipment, or its containment system to rupture, leak, corrode or otherwise fail.

2. The Permittees shall operate the tank and containment system in a manner designed to prevent spills and overflow from the units or containment system.

3. The Permittees shall comply with all applicable requirements of 40 CFR 264 Subpart BB.

4. The Permittees shall comply with all applicable requirements of 40 CFR 264 Subpart CC for all wastes with an average volatile organic concentration of 500 ppm by weight.

IIID. Response to Leaks or Spills

In the event of a leak or a spill from the tank system or from a secondary containment system, or if a system becomes unfit for use, the Permittees shall remove the system from service immediately and complete the following actions:

DRAFT

1. Stop the flow of hazardous waste into the system and inspect the system to determine the cause of the leak or spill.

2. Contain releases to the environment. The Permittees shall immediately conduct an inspection of all releases to the environment and based upon that inspection: (1) prevent further migration of the leak or spill to soil or surface water; and (2) remove and properly dispose of any visible contamination of the soil and surface water. Samples must be taken to confirm the success of any remedial action.

3. Remove waste and accumulated precipitation from the system within twenty-four (24) hours of the detection of the leak to prevent further leaks or spills and to allow for inspection and repair of the system. If the Permittees find that it will be impossible to accomplish in this time period, the Permittees shall notify the Director and demonstrate that a longer time period is required. The collected material must be managed in accordance with all applicable requirements of 40 CFR 262 through 264.

4. Close the system in accordance with the Closure Plan, unless the following actions are taken:

   a. For a spill that has not damaged the integrity of the system, the Permittees shall remove the released waste and make any necessary repairs to fully restore the integrity of the system before returning the hazardous waste storage unit to service.

   b. For a leak from the primary hazardous waste storage unit to the secondary containment system, the Permittees shall repair the primary hazardous waste storage unit prior to returning it to service.

   c. If the Permittees replaces a component of the hazardous waste storage unit to eliminate the source of the leak, that component must satisfy the requirements for containers or components in 40 CFR 264.192 and 40 CFR 264.193.

5. For all major repairs to eliminate leaks or restore the integrity of the tank system, the Permittees must obtain a certification by an independent, qualified, registered professional engineer that the repaired unit is capable of handling hazardous waste without leaks or spills for the intended life of the unit before returning the unit to service. Examples of major repairs are: installation of an internal liner, repair of a ruptured tank, or repair or replacement of the secondary containment system.

III.E. Inspection Schedules and Procedures

1. The Permittees shall inspect the tank system, in accordance with 40 CFR 264.195 and the Inspection Schedule (Section F) in the Permit Application received March 23, 2026, as amended, and shall complete the items in Permit Condition III.E.2 as part of those inspections.

2. The Permittees shall inspect the following components of the tank system once each operating day:

   a. Above ground portions of the tank system to detect corrosion or leaks or spills of waste; and

DRAFT

b. Construction materials and the area immediately surrounding the externally accessible portion of the tank system, including associated piping and the secondary containment system, to detect erosion or signs of leaks or spills of hazardous waste.

3. The Permittees shall document compliance with Permit Conditions III.E.1 and III.E.2 and keep this documentation on file with the facility. Documentation should include any problems found and remedial actions taken to correct problems.

4. The Permittees shall conduct inspections of all applicable ancillary equipment of the tank system in accordance with Section N of the Permit Application dated March 23, 2026, as amended, and 40 CFR 264 Subpart BB.

III.F. Recordkeeping and Reporting

1. The Permittees shall submit to the Director all certifications of major repairs to correct leaks within seven (7) days from returning the tank system to use.

2. The Permittees shall maintain all records required by Permit Condition III.E.4 on file at the facility in accordance with Section N of the Permit Application dated March 23, 2026, as amended, and 40 CFR 264.1064.

3. The Permittees shall maintain at the facility a record of the results of leak tests and integrity tests conducted in accordance with the Permit conditions.

4. The Permittees shall keep on file at the facility the written assessment of the tank system's integrity.

III.G. Special Tank Provisions for Ignitable and Reactive Wastes

1. No reactive waste shall be placed in the tank system.

2. The Permittees shall not place ignitable waste in the tank system or in the secondary containment system unless the procedures specified in 40 CFR 264.198(a) are followed.

3. The Permittees shall comply with the requirements for the maintenance of protective distances between the waste management area and any public ways, streets, alleys, or adjoining property line that can be built upon, as required in Tables 22.4.1.1 – 22.4.1.6 the National Fire Protection Association's NFPA 30 "Flammable and Combustible Liquids Code" (2027).

III.H. Special Tank Provisions for Incompatible Wastes

1. Incompatible wastes, or incompatible waste and materials, must not be placed in the same tank, unless the requirements of 40 CFR 264.17(b) are met.

2. Hazardous waste must not be placed in a tank system that has not been decontaminated and that previously held incompatible waste or material, unless the requirements of 40 CFR 264.17(b) are met.

DRAFT

III.I. Closure and Post-Closure Care

At the closure of the tank system(s), the Permittees shall follow the procedures in the Closure Plan provided in Section I of the Permit Application dated March 23, 2026, as amended, and conduct the activities in accordance with 40 CFR 264.197.

SECTION IV. CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS (SWMUs) AND AREAS OF CONCERN (AOCs)

IV.A. Applicability

For the purposes of this permit, the need to conduct corrective action shall be determined for any releases into the environment of hazardous waste, hazardous waste constituents, or hazardous constituents, including releases beyond the Permittees' property boundary. The conditions of this section apply to the Solid Waste Management Units (SWMUs) and Area of Concern (AOC) listed in Table 1, and any additional SWMUs and/or AOCs discovered by any other means. Corrective action is required for any releases of hazardous waste, hazardous waste constituents, or hazardous constituents regardless of whether or not the releases were from a SWMU. The determination of the need for and subsequent implementation of corrective action is required by 40 CFR 264.101(a) and Section 12-8-66 of the Georgia Hazardous Waste Management Act for releases from all SWMUs and AOCs contained within the facility's property boundary and, as required by Section 12-8-66 of the Georgia Hazardous Waste Management Act and 40 CFR 264.101(c), for releases extending beyond the facility property boundaries.

IV.B. Notification and Assessment Requirements for Newly Identified SWMUs and AOCs

1. The Permittees shall notify the Director in writing, within fifteen (15) calendar days of discovery, of any additional SWMUs and/or AOCs discovered during the course of groundwater monitoring, on-going field investigations, environmental audits, or any other means. This shall include, but is not limited to, newly discovered releases at previously identified SWMUs or AOCs. Notification shall include, at a minimum, the location of the SWMU and/or AOC and all available information pertaining to the nature of the release (e.g., media affected, hazardous constituents released, magnitude of release, etc.). The Permit shall be modified in accordance with 40 CFR 270 to incorporate the newly discovered SWMUs or AOCs.

2. The Permittees shall prepare a SWMU Assessment Report (SAR) for each additional SWMU or AOC discovered subsequent to issuance of this Permit which is known or suspected to have releases to the environment. The SAR shall be submitted within sixty (60) days of discovery of a new SWMU and/or AOC. The report must also include, at a minimum, the following information for each SWMU and/or AOC:

   a. Location of each unit on a topographic map of appropriate scale, as required by 40 CFR 270.14 (b)(19);

   b. Designation of type and function SWMU/AOC;

DRAFT

c. General dimensions, capacities and structural description (supply any available plans and/or drawings);

d. Dates of SWMU/AOC operation;

e. Specification of all wastes that have been managed at/in the SWMU or AOC to the extent available;

f. All available information pertaining to any release of hazardous waste, hazardous waste constituent(s) or hazardous constituent(s) (to include soil analyses, sediment, air, groundwater, and/or surface water data); and

g. An application for a Permit Modification pursuant to 40 CFR 270.42 to incorporate any newly-identified SWMU or AOC into the Permit.

3. Based upon the results of the SAR, the Director shall determine the need for further investigations at the SWMUs and/or AOCs covered in the report. If the Director determines that such investigations are needed, the Permittees shall be notified to prepare a RCRA Facility Investigation (RFI) Workplan, as outlined in Permit Condition IV.D, for such investigations.

IV.C. Notification Requirements for Newly Discovered Releases at Previously Identified SWMUs or AOCs

1. The Permittees shall notify the Director in writing of any newly discovered Release(s) of hazardous waste, hazardous waste constituents, or hazardous constituents discovered during the course of ground water monitoring, field investigations, environmental audits, or other means, within fifteen (15) calendar days of discovery. Such newly discovered releases may be from SWMUs or AOCs identified in Condition IV.A, Table 1 or additional SWMUs or AOCs identified in Condition IV.B for which further investigation is not required.

2. If the Director determines that further investigation of the newly discovered releases at previously identified SWMUs or AOCs is needed, the Permittees shall prepare a plan for such investigations as outlined in Condition IV.D.

IV.D. RCRA Facility Investigation (RFI)

1. The Permittees shall complete and submit an RFI Workplan for:

a. SWMUs and AOCs identified in Table 1 as requiring further investigation - This workplan shall be submitted within sixty (60) days of the effective date of this Permit.

b. SWMUs or AOCs identified pursuant to Permit Condition IV.B as requiring further investigation - This workplan shall be submitted no later than ninety (90) days after notification by EPD pursuant to Permit Condition IV.B.3.

c. Newly discovered releases at Previously Identified SWMU's or AOC's identified pursuant to Permit Section IV.C as requiring further investigation – This workplan shall be submitted no later than ninety (90) days after notification by EPD pursuant to Permit Condition IV.C.2.

DRAFT

2. The RFI Workplan required by Permit Condition IV.D.1 shall include, but is not limited to: a schedule for implementation and report submittal; a description of the specific actions necessary to determine the nature and extent of contamination (including releases that extend beyond the facility's property boundary); potential migration pathways for releases (e.g., indoor air, land, surface water, and groundwater); actual or potential receptors; and applicable background concentrations. The Permittees must provide sufficient justification that migration through a potential pathway is not likely if it is not included in the workplan. Such deletions are subject to the approval of the Director.

3. Upon approval, by the Director, of the RFI Workplan(s) required by Permit Condition IV.D.1, the Permittees shall conduct the RFI(s) in accordance with the schedule contained therein.

4. <u>RFI Reports</u>

   a. The Permittees shall complete and submit the RFI Report(s) in accordance with the schedule contained in the RFI Workplan required by Permit Condition IV.D.1. The report(s) shall provide a summary of all activities undertaken during the RFI(s) to implement the approved workplan(s).

   b. The report(s) shall provide a complete description of the nature and extent of contamination identified during the RFI(s) including sources, migration pathways, actual or potential receptors, and applicable background concentrations.

   c. The report(s) shall address all releases which extend beyond the facility property boundary unless the Permittees demonstrates to the Director's satisfaction that, despite the Permittees' best efforts, the Permittees was unable to obtain permission to undertake action required by the plan(s). The owner/operator is not relieved of all responsibility to clean up a release that has migrated beyond the facility boundary where off-site access is denied.

   d. The report(s) shall include potentiometric maps, isopleth maps (using standard units of measure for the corresponding media), figures, diagrams, cross-sections, conceptual site model (CSM), etc., to illustrate the findings in a clear concise manner.

   e. If the time required to conduct the RFI(s) is greater than one hundred eighty (180) calendar days, the Permittees may be required to provide the Director with quarterly RFI Progress Reports (90 day intervals) beginning ninety (90) calendar days from the initiation of the RFI(s), as specified in the approved RFI Workplan(s). The progress report(s) shall, at a minimum, contain the following information:

      i. A description of the portion of the RFI completed;
      ii. Summaries of findings;
      iii. Summaries of any deviations from the approved RFI Workplan during the reporting period;
      iv. Summaries of all contacts with local community public interest groups or State government regarding RFI investigations;
      v. Summaries of any problems or potential problems encountered during the reporting period;
      vi. Actions taken to rectify problems;

DRAFT

vii. Changes in relevant personnel; and
viii. Projected work for the next reporting period.

5. The Director shall review the RFI report(s) required by Permit Condition IV.D.4, and if further investigation is required, the Permittees shall submit subsequent RFI workplans, in compliance with the requirements set forth in Section IV.D.2 above, on the schedule specified by the Director [and as required under 40 CFR 264.101(a), 40 CFR 264.101(c), and Section 12-8-71(b) of the Georgia Hazardous Waste Management Act.] The Permittees shall also comply with Condition IV.D.3 and 4 above, with respect to the subsequent investigations.

IV.E. Corrective Action Plan (CAP)

1. The Director shall review the RFI report(s) required by Condition IV.D.4. Upon the Directors approval of the RFI report(s), the Permittees shall submit, within sixty (60) days, a CAP as required under 40 CFR 264.101(a) and 264.101(c).

2. Upon determination by the Director that corrective action is needed, the CAP must include a description of the corrective measures to be taken with regard to those releases identified by the RFI Report required by Condition III.D.4 and shall include a schedule of implementation and completion, a cost estimate for completion of corrective action, remedial goals, proof of financial assurance, and a contingency plan in the event the approved remedial method is not effective.

3. Upon approval of the CAP required by Condition IV.E.1 by the Director, the Permittees shall apply for a permit modification pursuant to 40 CFR 270.42(c) to incorporate the plan into the Permit and subsequently implement the corrective action in accordance with the schedule in the approved CAP.

4. If the Director or the Permittees at any time determines that any SWMU and/or AOC investigation, Corrective Action Plan or Interim Measure required under Sections IV.D., IV.E., or IV.F. no longer satisfy the requirements of 40 CFR 264.101 or this Permit for prior or continuing Releases from SWMUs or AOCs, the Permittees must submit an amended plan or report to the Director within sixty (60) days of such determination.

IV.F. Interim Measures (IM)

1. Requirement for Interim Measures

The Permittees shall conduct IM for SWMUs and/or AOCs either upon notification by the Director that IMs are necessary or if the Permittees wish to implement IM at a SWMU and/or AOC in order to stabilize a Release.

2. IM Workplan

a. If the Permittees are notified by the Director that IM are necessary, an IM Workplan shall be submitted within forty-five (45) days of such notification. However, if additional time is required, the Permittees may petition the Director for up to an additional forty-five (45) days to submit the IM Workplan. If the Permittees choose to conduct IM prior to notification by the Director, the Permittees shall submit a workplan

DRAFT

for that activity. IM may be conducted concurrently with investigations required under the terms of this Permit.

b. An IM Workplan submitted pursuant to Permit Condition IV.F.1 above shall be consistent with and, if required by the Director, integrated into any long-term corrective action at the facility. The IM Workplan shall include: the IM objectives, procedures for implementation (including any designs, plans, or specifications), schedules for implementation and completion, and schedules for submittal of progress reports.

c. The IM Workplan must be approved by the Director, in writing, prior to implementation.

3. IM Implementation

a. The Permittees shall implement the IM in accordance with the schedule contained in the approved IM Workplan.

b. The Permittees shall give notice to the Director, for approval, at least fifteen (15) days prior to any planned changes, reductions or additions to the IM Workplan.

c. If corrective action required by 40 CFR 264.101 and/or Permit Section III.E is achieved through IM, the Permittees shall apply for a permit modification pursuant to 40 CFR 270.42(c) to incorporate the IM into the Permit as the final corrective action.

4. IM Reports

a. Within forty-five (45) days of completion of IM, the Permittees shall complete and submit to the Director an IM Report. However, if additional time is required, the Permittees may petition the Director for up to an additional forty-five (45) days to submit the IM Report. The report shall provide, but is not limited to, the following information:

i. A description of IM implemented;
ii. A summary of all data or other information obtained during implementation of IM;
iii. A summary of the effectiveness of the IM in achieving the objective of containing, removing, and/or treating contamination resulting from a release from a SWMU and/or AOC in order to protect human health and the environment;
iv. A summary of all problems encountered during the IM implementation and the solutions to those problems; and
v. Copies of all relevant laboratory/monitoring data.

b. If the time required for completion of IM is greater than one year, the Permittees shall provide the Director with progress reports at intervals specified in the approved IM Workplan. The progress reports shall contain the following information at a minimum:

i. A description of the portion of IM completed;

DRAFT

ii. Summaries of any deviations from the IM Workplan during the reporting period;
iii. Summaries of any problems or potential problems encountered during the reporting period and the solutions to those problems;
iv. Projected work for the next reporting period; and
v. Copies of laboratory/monitoring data.

IV.G. Reporting, Recordkeeping, and Response

1. All workplans and schedules required to be submitted pursuant to this Permit shall be subject to approval by the Director prior to implementation. Upon approval, the Permittees shall implement all workplans and schedules as written, or as specified by the Director.

2. All workplans and reports shall be submitted in accordance with the approved schedule. An extension of the due date for submittals may be granted by the Director based on the Permittees' demonstration that sufficient justification for the extension exists. The extension request (1) must be submitted to the Director in writing, (2) must be made in a timely manner, and (3) must specify an alternate submittal due date.

3. The Permittees shall enter all monitoring, testing and analytical data obtained pursuant to the conditions of this Permit into the operating record, as required by 40 CFR 264.73(b)(6).

4. The Permittees shall have all workplans and reports, which involve installation of groundwater monitoring wells or systems and/or interpretation of data gathered from those wells or systems, prepared and certified by a Qualified Groundwater Scientist.

5. In the event of the Director's disapproval (in whole or in part) of any document required by this Permit Section, the Director shall specify any deficiencies in writing. In the event of disagreement, the Permittees shall revise all submittals as specified by the Director.

6. All raw data, such as laboratory reports, drilling logs, bench-scale or pilot-scale data, and any other supporting information gathered and generated during activities undertaken pursuant to this section shall be maintained at the facility during the term of this Permit, including any reissued permits.

7. All plans and schedules required by the conditions of Permit Section IV are, upon approval by the Director, incorporated into this section by reference and become an enforceable part of this permit. Any non-compliance with such approved plans and schedules shall be termed non-compliance with this Permit.

8. If the Director or the Permittees at any time determines that any reports or activities conducted pursuant to any plan required by Section IV of this Permit no longer satisfies the requirements of 40 CFR 264.101, this Permit, or the intent of that plan or report for prior or continuing releases, the Permittees must submit an amended plan to the Director within sixty (60) days of such determination.

9. Failure to submit the information required in this Section, or falsification of any submitted information, is grounds for termination of this Permit.

DRAFT

IV.H. Permit Modification

1. If the Director or the Permittees at any time determine that the corrective action program no longer satisfies the requirements of 40 CFR 264.101 or this Section for releases of hazardous waste, hazardous waste constituents, or hazardous constituents, the Permittees must submit an application requesting a permit modification, within ninety (90) days of such determination to make any appropriate changes in the program.

2. If the Director determines that further actions beyond those provided in this Section or changes to that which is stated herein are warranted, the Permittees shall submit a modification to the Permit according to the modification procedures under Section 391-3-11-.11 of the Georgia Rules for Hazardous Waste Management, which incorporates 40 CFR 270.42.

IV.I. Financial Assurance for Corrective Action

The Permittees shall provide cost estimates and assurance of financial responsibility for corrective action which addresses both on-site and off-site contamination at such time the corrective action is approved pursuant to 40 CFR 264.101. Such financial assurance must conform to 40 CFR Subpart H.

DRAFT

TABLE 1

Safety-Kleen, Inc. - Garden City
SOLID WASTE MANAGEMENT UNITS (SWMUs) and AREAS OF CONCERN (AOCs)

SWMU/AOC NUMBER	SWMU/AOC NAME	Status of SWMU/AOC
SWMU #1	Spent Solvent Tank Farm (HWMU) including Tanker Loading and Unloading Area	No Further Action Required at this time
SWMU #2	Parking Lot Area East of SWMU #1	No Further Action Required at this time
SWMU #3	Return and Fill Station Area including Container Unloading Area	No Further Action Required at this time
SWMU #4	Loading and Unloading Area near Drum Storage	No Further Action Required at this time
SWMU #5	Container Storage Area 1 (HWMU) – Warehouse (Drum Storage Area)	No Further Action Required at this time
SWMU #6	Container Storage Area 2 (HWMU) – Outside Flammable Waste	No Further Action Required at this time
SWMU #7	Container Storage Area 3 (HWMU) – Inside Flammable Waste	No Further Action Required at this time
AOC #1	Storm Water Discharge Area Behind Warehouse	No Further Action Required at this time
AOC #2	Parking Area North of Building	No Further Action Required at this time

DRAFT