

# Drought Indicators Report

Georgia Environmental Protection Division

February 2026

# Background

Pursuant to the Rules for Drought Management, Section 391-3-3-.04 Drought Indicators and Triggers, the Director of EPD monitors climatic indicators and water supply conditions to assess drought occurrence and severity, and its impact upon the ability of public water systems to provide adequate supplies of water. These indicators and conditions generally include, but not be limited, to the following:

- U.S. Drought Monitor;
- Precipitation;
- Streamflow;
- Groundwater;
- Reservoir levels;
- Short term climate predictions;
- Soil moisture; and
- Water supply conditions.

# Background

- The Rules require EPD to report on current climatic indicators at least semi-annually or monthly when any part of the state has experienced at least two consecutive months of severe drought.
- This reports compare current conditions to historical levels (and/or reservoir rule curves) for each of the following indicators:
  - Precipitation during the prior 3, 6, and 12 months;
  - Streamflow at the select United States Geological Survey gages;
  - Groundwater levels at select United States Geological Survey monitoring wells; and
  - Reservoir levels at Allatoona Lake, Lake Hartwell, Clarks Hill Lake, and Lake Lanier.
- The following sections of this presentation provide the data and information sources analyzed by EPD in developing this drought indicators report for conditions as of February 9, 2026.

# Drought Indicator Analysis Summary (slide 1 of 2)

- U.S. Drought Monitor – Abnormally Dry (D0, the least intense level) exists in all Counties. Moderate drought (D1) exists in most areas except Tallapoosa Basin and part of Coosa Basin. Severe drought (D2) exists in all areas below the Fall Line, Upper Savannah Basin and Tennessee Basin. Extreme Drought (D3) exists in part of Lower Flint, Ochlockonee, Suwannee, Satilla, Altamaha, Ogeechee, Upper Savannah and Middle Chattahoochee Basins.
- Precipitation – Three-month precipitation is below normal in all Counties. Six-month precipitation is below normal in most areas except Upper Savannah and Upper Oconee Basins. Twelve-month precipitation is below normal in most areas below the Fall Line, part of Tallapoosa, Coosa, Upper Chattahoochee and Upper Savannah Basins.
- Soil Moisture – Soil moisture conditions are below normal in most areas of Southeast GA and some areas of North GA.

# Drought Indicator Analysis Summary (slide 2 of 2)

- **Streamflow** – Stream flows at one selected USGS gages (1 out of 34) is near or above normal. Seven gages are between the lowest 20<sup>th</sup> percentile and median. Three gages are between the lowest 20<sup>th</sup> and 10<sup>th</sup> percentiles. 12 gages are between the lowest 5<sup>th</sup> and 10<sup>th</sup> percentiles. 11 gages are below the lowest 5<sup>th</sup> percentile.
- **Groundwater Level** – Groundwater levels in two selected wells are between the lowest 20<sup>th</sup> percentile and median. Three selected wells are between the lowest 20<sup>th</sup> and 10<sup>th</sup> percentiles. Eight selected wells are between the lowest 5<sup>th</sup> and 10<sup>th</sup> percentiles. Three wells are are below the lowest 5<sup>th</sup> percentile. One well data is missing.
- **Reservoir Levels** – At the end of January, West Point and W.F.George are at levels above their respective top of conservation (normal) pools. Carters is in zone 1. Lanier and Allatoona are in zone 3. ACF composite storage is in zone 1. Hartwell is in zone 2 and Thurmond is in zone 3. The three reservoirs on the upper Savannah River Basin operated by the U.S. Army Corps of Engineers, Savannah District, declared the second flow reduction in less than two months in response to the pool elevation at Lake Thurmond dipping below Drought Trigger Level 2, Sunday, Jan. 24, 2026.
- **Short-term Climate Prediction** – National Climatic Prediction Center projects above normal temperature statewide and below normal precipitation in most areas of GA in February to April 2026. U.S. Drought Outlook predicts drought persists in most areas of GA in February to April 2026.
- **Water Supplies** – No issues with water availability to water supply providers were reported.

# US Drought Monitor


Data Source:  
<http://droughtmonitor.unl.edu/>

# U.S. Drought Monitor

February 3, 2026

(Released Thursday, Feb. 5, 2026)

Valid 7 a.m. EST




### Drought Impact Types:


- ~ Delineates dominant impacts
- S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)

### Intensity:

- None
- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought



Author:  
Lindsay Johnson  
National Drought Mitigation Center




The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to <https://droughtmonitor.unl.edu/About.aspx>



[droughtmonitor.unl.edu](https://droughtmonitor.unl.edu)

# U.S. Drought Monitor Georgia

**February 3, 2026**  
(Released Thursday, Feb. 5, 2026)  
Valid 7 a.m. EST



*Drought Conditions (Percent Area)*

	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
<b>Current</b>	0.00	100.00	92.99	68.85	12.71	0.00
<b>Last Week</b> <i>01-27-2026</i>	0.00	100.00	92.72	68.85	9.67	0.00
<b>3 Months Ago</b> <i>11-04-2025</i>	11.63	88.37	79.10	34.13	16.64	0.00
<b>Start of Calendar Year</b> <i>01-06-2026</i>	0.00	100.00	100.00	37.96	1.21	0.00
<b>Start of Water Year</b> <i>09-30-2025</i>	1.82	98.18	52.78	11.27	0.00	0.00
<b>One Year Ago</b> <i>02-04-2025</i>	48.28	51.72	14.93	0.11	0.00	0.00

*Intensity:*

- None
- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought

*The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to <https://droughtmonitor.unl.edu/About.aspx>*

*Author:*

Lindsay Johnson  
National Drought Mitigation Center




# 3, 6, and 12 Month Precipitation Anomaly


Data Source:

<https://www.ncdc.noaa.gov/cag/county/mapping/>


# 3 Month Precipitation Anomaly



# 6 Month Precipitation Anomaly



# 12 Month Precipitation Anomaly




# Soil Moisture Conditions

Data Source:

[http://www.hydro.ucla.edu/SurfaceWaterGroup/forecast/monitor/curr/conus.mexico/east.vic.sm\\_qnt.gif](http://www.hydro.ucla.edu/SurfaceWaterGroup/forecast/monitor/curr/conus.mexico/east.vic.sm_qnt.gif)

# Lawn-and-Garden Moisture Index for February 08, 2026



# Streamflow Conditions


Data Source: USGS

# Streamflow Monitoring

- As shown on the following slide, EPD Monitors 34 USGS stream gages in 13 of the State's major river basins to assess drought conditions.
- These gages were selected because each has:
  - Long-term and relatively complete records for recent decades; and
  - Relatively low consumptive water use implications and streamflows are not heavily influenced by dams.
- Note: Hydrologic conditions of major rivers with streamflows that are heavily influenced by dams can be assessed by reviewing status of major storage reservoirs

# Georgia's 14 River Basins

## USGS Stream Gages Monitored by EPD to Assess Drought Conditions



<u>GAGE#</u>	<u>Basin</u>	<u>GAGE NAME</u>
1	TENNESSEE	LOOKOUT CREEK NEAR NEW ENGLAND
2	TENNESSEE	NOTTELY RIVER NEAR BLAIRSVILLE
3	COOSA	CHATTOOGA RIVER AT SUMMERVILLE
4	COOSA	TALKING ROCK CREEK NEAR HINTON
5	COOSA	ETOWAH RIVER AT CANTON
6	CHATTAHOOCHEE	CHATTAHOOCHEE RIVER AT CORNELIA
7	CHATTAHOOCHEE	CHESTATEE RIVER NEAR DAHLONEGA
8	CHATTAHOOCHEE	NEW RIVER AT GA 100 NEAR CORINTH
9	CHATTAHOOCHEE	UPATOI CREEK AT COLUMBUS
10	FLINT	FLINT RIVER AT GA26 NEAR MONTEZUMA
11	FLINT	FLINT RIVER AT ALBANY
12	FLINT	ICHAWAYNOCHAWAY CREEK AT MILFORD
13	FLINT	SPRING CREEK NEAR IRON CITY
14	OCMULGEE	ALCOVY RIVER ABOVE COVINGTON
15	OCMULGEE	OCMULGEE RIVER AT MACON
16	OCMULGEE	TOBESOFKEE CREEK NEAR MACON
17	OCMULGEE	TUCSAWHATCHEE CREEK NEAR HAWKINSVILLE
18	OCONEE	MIDDLE OCONEE RIVER NEAR ATHENS
19	OCONEE	LITTLE RIVER NEAR EATONTON
20	OCONEE	OCONEE RIVER AT DUBLIN
21	ALTAMAHA	OHOOPEE RIVER NEAR REIDSVILLE
22	SAVANNAH	CHATTOOGA RIVER NEAR CLAYTON
23	SAVANNAH	BROAD RIVER NEAR BELL
24	SAVANNAH	BEAVERDAM CREEK NEAR SARDIS
25	SAVANNAH	BRIER CREEK AT MILLHAVEN
26	OGEECHEE	CANOOCHEE RIVER NEAR CLAXTON
27	OGEECHEE	OGEECHEE RIVER NEAR EDEN
28	OCHLOCKONEE	OCHLOCKONEE RIVER NEAR THOMASVILLE
29	SUWANEЕ	WITHLACOOCHEE RIVER NEAR PINETTA FL
30	SUWANEЕ	ALAPAHA RIVER AT STATENVILLE
31	SUWANEЕ	SUWANNEE RIVER AT US 441, AT FARGO
32	SATILLA	SATILLA RIVER NEAR WAYCROSS
33	SATILLA	LITTLE SATILLA RIVER NEAR OFFERMAN
34	ST MARY'S	ST MARYS RIVER NEAR MACCLENNY FL

# Streamflow Graphs

- For each of the 34 gages, EPD has prepared a graph that shows monthly average streamflow from January 2007 through January 2012;
- To help put these streamflow conditions into perspective, for comparison purposes, each graph also shows:
  - Monthly average streamflows for the years 2007 and 2011 when streamflows were at or near recorded low levels across much of the state; and
  - A statistical composite of historical conditions showing the “driest” 50, 20, 10, and 5 percent of all recorded monthly average stream flows at the same gage.

# How to Read the Streamflow Graphs

## Example #1: Etowah River at Canton

The streamflow graph for Gage #5, [USGS Etowah River gage at Canton](#) shows :

- Average stream flow in January 2026 was 1130 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2026 about 36% of the time; 64% of the time in January it has been higher.
- Average stream flow in January 2011 was 611 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2011 about 5-10% of the time; 90-95% of the time in January it has been higher.
- Average stream flow in January 2007 was 1600 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2007 about 60-70 % of the time; 30-40 % of the time in January it has been higher.


# How to Read the Streamflow Graphs

## Example #2: Flint River at Albany

The streamflow graph for Gage #11, [USGS Flint River gage at Albany](#) shows:


- Average stream flow in January 2026 was 3200 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2026 about 6% of the time; about 94% of the time in January it has been higher.
- Average stream flow in January 2011 was 3200 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2011 about 5-10 % of the time; about 90-95% of the time in January it has been higher.
- Average stream flow in January 2007 was 6210 cfs. The statistical composite of all historical data for this gage shows that average streamflow in January has historically been lower than January 2007 about 40-50% of the time; about 50-60% of the time in January it has been higher.

# Gage #1. USGS #03568933, Tennessee Basin, LOOKOUT CREEK NEAR NEW ENGLAND, GA



[Back to Map](#)

## Gage #2, USGS #03550500, Tennessee Basin, NOTTELY RIVER NEAR BLAIRSVILLE, GA




Yr 2007 not available

- Median~Driest 20%
- Driest 20%~10%
- Driest 10%~5%
- Driest 5% ~ Min
- Yr2007
- ▲ Yr2011
- Yr2026


[Back to Map](#)

### Gage #3. USGS #02398000, Coosa Basin, Chattooga River at Summerville, GA




[Back to Map](#)

# Gage #4, USGS #02382200, Coosa Basin, TALKING ROCK CREEK NEAR HINTON, GA



[Back to Map](#)


## Gage #5, USGS #02392000, Coosa Basin, Etowah River at Canton, GA



[Back to Interpretation](#)


[Back to Map](#)

## Gage #6, USGS #02331600, Chatahoochee Basin, CHATTAHOOCHEE RIVER AT CORNELIA, GA




[Back to Map](#)

# Gage #7, USGS #02333500, Chatahoochee Basin, CHESTATEE RIVER NEAR DAHLONEGA, GA




[Back to Map](#)

### Gage #8, USGS #02338660, Chattahoochee Basin, NEW RIVER AT GA 100, NEAR CORINTH




[Back to Map](#)

# Gage #9, USGS #02341800, Chattahoochee Basin, UPATOI CREEK NEAR COLUMBUS, GA




[Back to Map](#)

# Gage #10. USGS #02349605, Flint Basin, FLINT RIVER AT GA26 NEAR MONTEZUMA, GA



[Back to Map](#)


# Gage #11, USGS #02352500, Flint Basin, FLINT RIVER AT ALBANY, GA



[Back to Interpretation](#)


[Back to Map](#)

# Gage #12. USGS #02353500, Flint Basin, Ichawaynochaway Creek at Milford, GA




[Back to Map](#)

# Gage #13. USGS #02357000, Flint River, Spring Creek near Iron City, GA




[Back to Map](#)

## Gage #14. USGS #02208450, Ocumulgee Basin, ALCOVY RIVER above COVINGTON, GA




[Back to Map](#)

## Gage #15. USGS #02213000, Ocmulgee Basin, Ocmulgee River at Macon, GA




[Back to Map](#)

# Gage #16. USGS #02213500, Ocmulgee Basin, TOBESOFKEE CREEK near MACON, GA




[Back to Map](#)

# Gage #17. USGS #02215100, Ocmulgee Basin, TUCSAWHATCHEE CREEK near HAWKINSVILLE, GA




[Back to Map](#)

# Gage #18. USGS #02217500, Oconee Basin, MIDDLE OCONEE RIVER near ATHENS, GA




[Back to Map](#)

# Gage #19. USGS #02220900, Oconee Basin, LITTLE RIVER near EATONTON, GA




# Gage #20. USGS #02223500, Oconee Basin, Oconee River at Dublin, GA




[Back to Map](#)

# Gage #21. USGS #02225500, Altamaha Basin, OHOOPEE RIVER near REIDSVILLE, GA




[Back to Map](#)

## Gage #22. USGS #02177000, Savannah Basin, CHATTOOGA RIVER near CLAYTON, GA




# Gage #23. USGS #02192000, Savannah Basin Broad River near Bell, GA




[Back to Map](#)

# Gage #24. USGS #02198100, Savannah Basin, BEAVERDAM CREEK near SARDIS, GA




[Back to Map](#)

# Gage #25. USGS #02198000, Savannah Basin, BRIER CREEK at MILLHAVEN, GA




[Back to Map](#)

## Gage #26. USGS #02203000, Ogeechee Basin, CANOOCHEE RIVER near CLAXTON, GA




[Back to Map](#)

## Gage #27. USGS #02202500, Ogeechee Basin, Ogeechee River near Eden, GA




[Back to Map](#)

# Gage #28. USGS #02327500, Ochlockonee Basin, OCHLOCKONEE RIVER near THOMASVILLE, GA




**Gage #29. USGS #02319000, Suwannee Basin,  
WITHLACOOCHEE RIVER near PINETTA, FL**




[Back to Map](#)

# Gage #30. USGS #02317500, Suwanee Basin, Alapaha River at Statenville, GA




[Back to Map](#)

## Gage #31. USGS #02314500, Suwannee Basin, SUWANNEE RIVER AT US 441, AT FARGO, GA




[Back to Map](#)

## Gage #32. USGS #02226500, Satilla Basin, Satilla River near Waycross, GA




[Back to Map](#)

### Gage #33. USGS #02227500, Satilla Basin, LITTLE SATILLA RIVER near OFFERMAN, GA



## Gage #34. USGS #02231000, St Mary Basin, ST. MARYS RIVER near MACCLENNY, FL



[Back to Map](#)

# Groundwater Levels

Data Source: USGS

## Rationale for Choosing USGS Monitoring Wells

EPD monitors 17 groundwater USGS monitoring wells shown on the following slide to assess drought conditions. These wells were selected for monitoring because they have:

- Long-term monitoring records consisting of three decades or more of data; and
- Real-time monitoring that represents the most up-to-date conditions.

# USGS Wells Monitored

## Chattahoochee Basin

1. 16MM03

## Flint Basin

- 2. 11AA01
- 3. 13L180
- 4. 12M017
- 5. 08K001
- 6. 11K003
- 7. 12K014
- 8. 13J004
- 9. 08G001
- 10. 10G313
- 11. 09F520
- 16. 11J011

## Oconee Basin

12. 21T001

## Tennessee Basin


13. 03PP01

## Suwanee Basin

- 14. 19E009
- 17. 27E004

## Ogeechee Basin

15. 35P094



### EXPLANATION

<b>Coastal Plain aquifers</b>	<b>Piedmont and Blue Ridge aquifers</b>
Surficial aquifer system—Not a principal aquifer. Shown on block only	Crystalline-rock aquifers
Floridan aquifer system	<b>Valley and Ridge and Appalachian Plateau aquifers</b>
Claiborne and Clayton aquifers	Paleozoic-rock aquifers
Cretaceous aquifer system	

**Figure 2.** Area of use of principal aquifers and physiographic provinces in Georgia (modified from U.S. Geological Survey, 2006).

# Groundwater Level Graphs

- For each of the 17 groundwater wells, EPD has prepared a graph that shows monthly average groundwater levels for the month of January 2026;
- To help put these levels into perspective, for comparison purposes, each graph also shows:
  - Monthly average levels at that same well for the years 2007 and 2011 when groundwater levels were at or near recorded low levels across much of the state; and
  - And a statistical composite of historical conditions at that same gage showing the “lowest” 50, 20, 10, and 5 percent of all recorded monthly average levels at the same well.


# How to Read the Groundwater Level Graphs

## Example: [Well #11, 09F520, Flint River Basin](#)

The groundwater level graph for Well #11, USGS 09F520 shows:


- The average monthly groundwater level in January 2026 was 49.8 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in January have historically been lower than January 2026 about 11% of the time; about 89% of the time in January they have been higher.
- The average monthly groundwater level in January 2011 was 49.6 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in January have historically been lower than January 2011 about 10-20% of the time; about 80-90% of the time in January they have been higher.
- The average monthly groundwater level in January 2007 was 47.8 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in January have historically been lower than January 2007 about 40-50% of the time; about 50-60% of the time in January they have been higher.

# Well #1, 16MM03, Crystalline Rocks Aquifer in Chattahoochee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #2, 11AA01, Surficial Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




## Well #3, 13L180, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #4, 12M017, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #5, 08K001, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #6, 11K003, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #7, 12K014, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #8, 13J004, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




## Well #9, 08G001, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #10, 10G313, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)


## Well #11, 09F520, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface



# Well #12, 21T001, Floridan Aquifer in Oconee Basin, Monthly Average Depth Below Land Surface




# Well #13, 03PP01, Valley and Ridge Aquifer in Tennessee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #14, 19E009, Floridan Aquifer in Suwanee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #15, 35P094, Surficial Aquifer in Ogeechee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #16, 11J011, Floridan Aquifer in Suwannee Basin, Monthly Average Depth Below Land Surface



[Back to Map](#)

## Well #17, 27E004, Floridan Aquifer in Suwanee Basin, Monthly Average Depth Below Land Surface



[Back to Map](#)

# Reservoir Levels

Data Source:  
US Army Corps of Engineers

### Coosa Basin

1. Carters
2. Allatoona

### Chattahoochee Basin

3. Lanier
4. West Point
5. W.F. George

### Savannah Basin

6. Hartwell
7. Thurmond




EPD monitors the water levels of seven reservoirs to assess drought conditions.

# Reservoir Elevation Graphs


- The following graphs show the reservoir elevation curves for January to early February 2026.
- Each graph also shows the Action Zone Divides (or Levels) for each reservoir
  - Zone 1 is the top layer of the conservation pool
  - Zone 2 is the layer below Zone 1
  - Zone 4 is the lowest layer in the conservation pool
  - There is no conservation storage below the bottom of Zone 4
- To put 2026 reservoir elevations into perspective, elevations for 2007 and 2011 are also shown.

# CARTERS ELEVATION




[Back to Map](#)


# ALLATOONA ELEVATION



# LAKE LANIER ELEVATION



# WEST POINT ELEVATION




[Back to Map](#)

# W.F.GEORGE ELEVATION




## 2026 ACF Basin Composite Conservation and Flood Storage




Actual data thru 2/2/2026

Add value of 1,856,000 acre-ft to include inactive storage.

# LAKE HARTWELL ELEVATION



# LAKE CLARKS HILL (THURMOND) ELEVATION



[Back to Map](#)

# Climate Prediction Center 3-month Temperature and Precipitation Probability Outlook and Seasonal Drought Outlook

Data Source:

<http://www.cpc.ncep.noaa.gov/>




# Seasonal Temperature Outlook



**Valid:** Feb-Mar-Apr 2026

**Issued:** January 15, 2026






# Seasonal Precipitation Outlook



**Valid:** Feb-Mar-Apr 2026

**Issued:** January 15, 2026




# U.S. Seasonal Drought Outlook

## Drought Tendency During the Valid Period

Valid for February 1 - April 30, 2026  
Released January 31, 2026

Consistency adjustment  
based on Monthly  
Drought Outlook for  
February 2026





Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

-  **Drought persists**
-  **Drought remains, but improves**
-  **Drought removal likely**
-  **Drought development likely**
-  **No drought**

**Author:**  
Brad Pugh  
NOAA/NWS/NCEP Climate Prediction Center



<https://go.usa.gov/3eZ73>