

# Drought Indicators Report

Georgia Environmental Protection Division

May 2026

# Background

Pursuant to the Rules for Drought Management, Section 391-3-3-.04 Drought Indicators and Triggers, the Director of EPD monitors climatic indicators and water supply conditions to assess drought occurrence and severity, and its impact upon the ability of public water systems to provide adequate supplies of water. These indicators and conditions generally include, but are not limited, to the following:

- U.S. Drought Monitor;
- Precipitation;
- Streamflow;
- Groundwater;
- Reservoir levels;
- Short term climate predictions;
- Soil moisture; and
- Water supply conditions.

# Background

- The Rules require EPD to report on current climatic indicators at least semi-annually or monthly when any part of the state has experienced at least two consecutive months of severe drought.
- This reports compare current conditions to historical levels (and/or reservoir rule curves) for each of the following indicators:
  - Precipitation during the prior 3, 6, and 12 months;
  - Streamflow at selected United States Geological Survey gages;
  - Groundwater levels at selected United States Geological Survey monitoring wells; and
  - Reservoir levels at Allatoona Lake, Lake Hartwell, Clarks Hill Lake, and Lake Lanier.
- The following sections of this presentation provide the data and information sources analyzed by EPD in developing this drought indicators report for conditions as of May 10, 2026.

# Drought Indicator Analysis Summary (slide 1 of 2)

- U.S. Drought Monitor – Severe Drought (D2) exists in all Counties of GA. Extreme Drought (D3) exists in most areas except part of four Basins (Coosa, Chattahoochee, Lower Savannah, and Altamaha). Exceptional Drought (D4) exists in most areas below Fall Line and part of four Counties (Hart, Franklin, Madison and Elbert).
- Precipitation – Three-month and six-month precipitation is below normal in all Counties. Twelve-month precipitation is below normal in all Counties except Oconee County.
- Soil Moisture – Soil moisture conditions are below normal in some areas of Middle GA and Southeast GA.

# Drought Indicator Analysis Summary (slide 2 of 2)

- **Streamflow** – Stream flows at 33 selected USGS gages (33 out of 34) are below the lowest 5<sup>th</sup> percentile. One gage flow is between the lowest 10<sup>th</sup> and 5<sup>th</sup> percentile.
- **Groundwater Level** – Groundwater levels are below the lowest 5<sup>th</sup> percentile in 15 selected wells (15 out of 17). One levels is between the lowest 20<sup>th</sup> percentile and median. One well is missing data.
- **Reservoir Levels** – On May 10, 2026, Allatoona is in Zone 3; Carters is in Zone 1; Lanier is in Zone 3; West Point and Walter F. George are above rule curve; ACF Composite Storage is in Zone 2; Hartwell and Thurmond are at Drought Response Level 2.
- **Short-term Climate Prediction** – National Climatic Prediction Center projects above normal temperature statewide and above normal precipitation in areas below the Fall Line in May - July 2026. U.S. Drought Outlook predicts drought persists in most areas of GA and drought remains but improves in South GA and Coastal area in May-July 2026.
- **Water Supplies** – After the State's declaration of a Level 1 Response, the City of Luthersville requested and was granted a variance at Level 3 Response.

# US Drought Monitor

Data Source:


<http://droughtmonitor.unl.edu/>

# U.S. Drought Monitor

May 5, 2026

(Released Thursday, May. 7, 2026)

Valid 8 a.m. EDT




**Drought Impact Types:**


- ~ Delineates dominant impacts
- S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)

**Intensity:**

- None
- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought



**Author:**  
Adam Allgood  
NOAA/NWS/NCEP/CPC



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to <https://droughtmonitor.unl.edu/About.aspx>



# U.S. Drought Monitor Georgia


**May 5, 2026**

*(Released Thursday, May. 7, 2026)*

**Valid 8 a.m. EDT**

*Drought Conditions (Percent Area)*

	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
<b>Current</b>	0.00	100.00	100.00	100.00	80.72	33.30
<b>Last Week</b> <i>04-28-2026</i>	0.00	100.00	100.00	100.00	80.72	33.30
<b>3 Months Ago</b> <i>02-03-2026</i>	0.00	100.00	92.99	68.85	12.71	0.00
<b>Start of Calendar Year</b> <i>01-06-2026</i>	0.00	100.00	100.00	37.96	1.21	0.00
<b>Start of Water Year</b> <i>09-30-2025</i>	1.82	98.18	52.78	11.27	0.00	0.00
<b>One Year Ago</b> <i>05-06-2025</i>	53.70	46.30	13.09	0.00	0.00	0.00



Intensity:



*The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to <https://droughtmonitor.unl.edu/About.aspx>*

Author:

Adam Allgood  
NOAA/NWS/NCEP/CPC




[droughtmonitor.unl.edu](https://droughtmonitor.unl.edu)

# 3, 6, and 12 Month Precipitation Anomaly


Data Source:

<https://www.ncdc.noaa.gov/cag/county/mapping/>


# 3 Month Precipitation Anomaly



# 6 Month Precipitation Anomaly



# 12 Month Precipitation Anomaly



# Soil Moisture Conditions

Data Source:

[http://www.hydro.ucla.edu/SurfaceWaterGroup/forecast/monitor/curr/conus.mexico/east.vic.sm\\_qnt.gif](http://www.hydro.ucla.edu/SurfaceWaterGroup/forecast/monitor/curr/conus.mexico/east.vic.sm_qnt.gif)



# Streamflow Conditions


Data Source: USGS

# Streamflow Monitoring

- As shown on the following slide, EPD monitors 34 USGS stream gages in 13 of the State's major river basins to assess drought conditions.
- These gages were selected because each has:
  - Long-term and relatively complete records for recent decades; and
  - Relatively low consumptive water use implications and streamflows are not heavily influenced by dams.
- Note: Hydrologic conditions of major rivers with streamflows that are heavily influenced by dams can be assessed by reviewing status of major storage reservoirs

# Georgia's 14 River Basins

## USGS Stream Gages Monitored by EPD to Assess Drought Conditions



<u>GAGE#</u>	<u>Basin</u>	<u>GAGE NAME</u>
1	TENNESSEE	LOOKOUT CREEK NEAR NEW ENGLAND
2	TENNESSEE	NOTTELY RIVER NEAR BLAIRSVILLE
3	COOSA	CHATTOOGA RIVER AT SUMMERVILLE
4	COOSA	TALKING ROCK CREEK NEAR HINTON
5	COOSA	ETOWAH RIVER AT CANTON
6	CHATTAHOOCHEE	CHATTAHOOCHEE RIVER AT CORNELIA
7	CHATTAHOOCHEE	CHESTATEE RIVER NEAR DAHLONEGA
8	CHATTAHOOCHEE	NEW RIVER AT GA 100 NEAR CORINTH
9	CHATTAHOOCHEE	UPATOI CREEK AT COLUMBUS
10	FLINT	FLINT RIVER AT GA26 NEAR MONTEZUMA
11	FLINT	FLINT RIVER AT ALBANY
12	FLINT	ICHAWAYNOCHAWAY CREEK AT MILFORD
13	FLINT	SPRING CREEK NEAR IRON CITY
14	OCMULGEE	ALCOVY RIVER ABOVE COVINGTON
15	OCMULGEE	OCMULGEE RIVER AT MACON
16	OCMULGEE	TOBESOFKEE CREEK NEAR MACON
17	OCMULGEE	TUCSAWHATCHEE CREEK NEAR HAWKINSVILLE
18	OCONEE	MIDDLE OCONEE RIVER NEAR ATHENS
19	OCONEE	LITTLE RIVER NEAR EATONTON
20	OCONEE	OCONEE RIVER AT DUBLIN
21	ALTAMAHA	OHOOPEE RIVER NEAR REIDSVILLE
22	SAVANNAH	CHATTOOGA RIVER NEAR CLAYTON
23	SAVANNAH	BROAD RIVER NEAR BELL
24	SAVANNAH	BEAVERDAM CREEK NEAR SARDIS
25	SAVANNAH	BRIER CREEK AT MILLHAVEN
26	OGEECHEE	CANOOCHEE RIVER NEAR CLAXTON
27	OGEECHEE	OGEECHEE RIVER NEAR EDEN
28	OCHLOCKONEE	OCHLOCKONEE RIVER NEAR THOMASVILLE
29	SUWANEЕ	WITHLACOOCHEE RIVER NEAR PINETTA FL
30	SUWANEЕ	ALAPAHA RIVER AT STATENVILLE
31	SUWANEЕ	SUWANNEE RIVER AT US 441, AT FARGO
32	SATILLA	SATILLA RIVER NEAR WAYCROSS
33	SATILLA	LITTLE SATILLA RIVER NEAR OFFERMAN
34	ST MARY	ST MARYS RIVER NEAR MACCLENNY FL

# Streamflow Graphs

- For each of the 34 gages, EPD has prepared a graph that shows monthly average streamflow from January 2026 through April 2026;
- To help put these streamflow conditions into perspective, for comparison purposes, each graph also shows:
  - Monthly average streamflows for the years 2007 and 2011 when streamflows were at or near recorded low levels across much of the state; and
  - A statistical composite of historical conditions showing the “driest” 50, 20, 10, and 5 percent of all recorded monthly average stream flows at the same gage.

# How to Read the Streamflow Graphs

## Example #1: Etowah River at Canton

The streamflow graph for Gage #5, [USGS Etowah River gage at Canton](#) shows :

- Average stream flow in April 2026 was 540 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2026 about 0% of the time; 100% of the time in April it has been higher.
- Average stream flow in April 2011 was 1604 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2011 about 40-50% of the time; 50-60% of the time in April it has been higher.
- Average stream flow in April 2007 was 746 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2007 about 2-5 % of the time; 95-98 % of the time in April it has been higher.


# How to Read the Streamflow Graphs

## Example #2: Flint River at Albany

The streamflow graph for Gage #11, [USGS Flint River gage at Albany](#) shows:


- Average stream flow in April 2026 was 2501 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2026 about 1% of the time; about 99% of the time in April it has been higher.
- Average stream flow in April 2011 was 4789 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2011 about 20-30 % of the time; about 70-80% of the time in April it has been higher.
- Average stream flow in April 2007 was 3310 cfs. The statistical composite of all historical data for this gage shows that average streamflow in April has historically been lower than April 2007 about 2-5% of the time; about 95-98% of the time in April it has been higher.

# Gage #1. USGS #03568933, Tennessee Basin, LOOKOUT CREEK NEAR NEW ENGLAND, GA




[Back to Map](#)

# Gage #2, USGS #03550500, Tennessee Basin, NOTTELY RIVER NEAR BLAIRSVILLE, GA




[Back to Map](#)

### Gage #3. USGS #02398000, Coosa Basin, Chattooga River at Summerville, GA




[Back to Map](#)

# Gage #4, USGS #02382200, Coosa Basin, TALKING ROCK CREEK NEAR HINTON, GA



[Back to Map](#)


# Gage #5, USGS #02392000, Coosa Basin, Etowah River at Canton, GA



[Back to Interpretation](#)


[Back to Map](#)

# Gage #6, USGS #02331600, Chatthoochee Basin, CHATTAHOOCHEE RIVER AT CORNELIA, GA




[Back to Map](#)

# Gage #7, USGS #02333500, Chatahoochee Basin, CHESTATEE RIVER NEAR DAHLONEGA, GA




[Back to Map](#)

### Gage #8, USGS #02338660, Chattahoochee Basin, NEW RIVER AT GA 100, NEAR CORINTH




[Back to Map](#)

# Gage #9, USGS #02341800, Chattahoochee Basin, UPATOI CREEK NEAR COLUMBUS, GA




[Back to Map](#)

# Gage #10. USGS #02349605, Flint Basin, FLINT RIVER AT GA26 NEAR MONTEZUMA, GA



[Back to Map](#)


## Gage #11, USGS #02352500, Flint Basin, FLINT RIVER AT ALBANY, GA



[Back to Interpretation](#)


[Back to Map](#)

# Gage #12. USGS #02353500, Flint Basin, Ichawaynochaway Creek at Milford, GA




[Back to Map](#)

# Gage #13. USGS #02357000, Flint River, Spring Creek near Iron City, GA




[Back to Map](#)

# Gage #14. USGS #02208450, Ocumulgee Basin, ALCOVY RIVER above COVINGTON, GA




[Back to Map](#)

# Gage #15. USGS #02213000, Ocmulgee Basin, Ocmulgee River at Macon, GA




[Back to Map](#)

## Gage #16. USGS #02213500, Ocmulgee Basin, TOBESOFKEE CREEK near MACON, GA




[Back to Map](#)

# Gage #17. USGS #02215100, Ocmulgee Basin, TUCSAWHATCHEE CREEK near HAWKINSVILLE, GA




[Back to Map](#)

# Gage #18. USGS #02217500, Oconee Basin, MIDDLE OCONEE RIVER near ATHENS, GA




[Back to Map](#)

# Gage #19. USGS #02220900, Oconee Basin, LITTLE RIVER near EATONTON, GA




# Gage #20. USGS #02223500, Oconee Basin, Oconee River at Dublin, GA




[Back to Map](#)

## Gage #21. USGS #02225500, Altamaha Basin, OHOOPEE RIVER near REIDSVILLE, GA




[Back to Map](#)

## Gage #22. USGS #02177000, Savannah Basin, CHATTOOGA RIVER near CLAYTON, GA




# Gage #23. USGS #02192000, Savannah Basin Broad River near Bell, GA




[Back to Map](#)

### Gage #24. USGS #02198100, Savannah Basin, BEAVERDAM CREEK near SARDIS, GA




[Back to Map](#)

# Gage #25. USGS #02198000, Savannah Basin, BRIER CREEK at MILLHAVEN, GA




[Back to Map](#)

## Gage #26. USGS #02203000, Ogeechee Basin, CANOOCHEE RIVER near CLAXTON, GA




[Back to Map](#)

# Gage #27. USGS #02202500, Ogeechee Basin, Ogeechee River near Eden, GA




[Back to Map](#)

# Gage #28. USGS #02327500, Ochlockonee Basin, OCHLOCKONEE RIVER near THOMASVILLE, GA




# Gage #29. USGS #02319000, Suwannee Basin, WITHLACOOCHEE RIVER near PINETTA, FL




[Back to Map](#)

# Gage #30. USGS #02317500, Suwanee Basin, Alapaha River at Statenville, GA




[Back to Map](#)

## Gage #31. USGS #02314500, Suwannee Basin, SUWANNEE RIVER AT US 441, AT FARGO, GA




[Back to Map](#)

# Gage #32. USGS #02226500, Satilla Basin, Satilla River near Waycross, GA




[Back to Map](#)

# Gage #33. USGS #02227500, Satilla Basin, LITTLE SATILLA RIVER near OFFERMAN, GA



## Gage #34. USGS #02231000, St Mary Basin, ST. MARYS RIVER near MACCLENNY, FL



[Back to Map](#)

# Groundwater Levels

Data Source: USGS

# Rationale for Choosing USGS Monitoring Wells

EPD monitors 17 groundwater USGS monitoring wells shown on the following slide to assess drought conditions. These wells were selected for monitoring because they have:

- Long-term monitoring records consisting of three decades or more of data; and
- Real-time monitoring that represents the most up-to-date conditions.

# USGS Wells Monitored

## Chattahoochee Basin

1. 16MM03

## Flint Basin

- 2. 11AA01
- 3. 13L180
- 4. 12M017
- 5. 08K001
- 6. 11K003
- 7. 12K014
- 8. 13J004
- 9. 08G001
- 10. 10G313
- 11. 09F520
- 16. 11J011

## Oconee Basin

12. 21T001

## Tennessee Basin


13. 03PP01

## Suwanee Basin

- 14. 19E009
- 17. 27E004

## Ogeechee Basin

15. 35P094



### EXPLANATION

<b>Coastal Plain aquifers</b>	<b>Piedmont and Blue Ridge aquifers</b>
Surficial aquifer system—Not a principal aquifer. Shown on block only	Crystalline-rock aquifers
Floridan aquifer system	<b>Valley and Ridge and Appalachian Plateau aquifers</b>
Claiborne and Clayton aquifers	Paleozoic-rock aquifers
Cretaceous aquifer system	

Figure 2. Area of use of principal aquifers and physiographic provinces in Georgia (modified from U.S. Geological Survey, 2006).

# Groundwater Level Graphs

- For each of the 17 groundwater wells, EPD has prepared a graph that shows monthly average groundwater levels from January 2026 through April 2026;
- To help put these levels into perspective, for comparison purposes, each graph also shows:
  - Monthly average levels at that same well for the years 2007 and 2011 when groundwater levels were at or near recorded low levels across much of the state; and
  - And a statistical composite of historical conditions at that same gage showing the “lowest” 50, 20, 10, and 5 percent of all recorded monthly average levels at the same well.


# How to Read the Groundwater Level Graphs

## Example: [Well #11, 09F520, Flint River Basin](#)

The groundwater level graph for Well #11, USGS 09F520 shows:


- The average monthly groundwater level in April 2026 was 49.7 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in April have historically been lower than April 2026 about 0% of the time; about 100% of the time in April they have been higher.
- The average monthly groundwater level in April 2011 was 49.5 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in April have historically been lower than April 2011 about 2% of the time; about 98% of the time in April they have been higher.
- The average monthly groundwater level in April 2007 was 48.8 ft below land surface. The statistical composite of all historical data for this well shows that monthly average groundwater levels in April have historically been lower than April 2007 about 5~10% of the time; about 90~95% of the time in April they have been higher.

# Well #1, 16MM03, Crystalline Rocks Aquifer in Chattahoochee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #2, 11AA01, Surficial Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #3, 13L180, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #4, 12M017, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #5, 08K001, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #6, 11K003, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

# Well #7, 12K014, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #8, 13J004, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




# Well #9, 08G001, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #10, 10G313, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)


## Well #11, 09F520, Floridan Aquifer in Flint Basin, Monthly Average Depth Below Land Surface



## Well #12, 21T001, Floridan Aquifer in Oconee Basin, Monthly Average Depth Below Land Surface




# Well #13, 03PP01, Valley and Ridge Aquifer in Tennessee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #14, 19E009, Floridan Aquifer in Suwanee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #15, 35P094, Surficial Aquifer in Ogeechee Basin, Monthly Average Depth Below Land Surface




[Back to Map](#)

## Well #16, 11J011, Floridan Aquifer in Suwannee Basin, Monthly Average Depth Below Land Surface



[Back to Map](#)

## Well #17, 27E004, Floridan Aquifer in Suwanee Basin, Monthly Average Depth Below Land Surface



[Back to Map](#)

# Reservoir Levels

Data Source:  
US Army Corps of Engineers

### Coosa Basin

1. Carters
2. Allatoona

### Chattahoochee Basin

3. Lanier
4. West Point
5. W.F. George

### Savannah Basin

6. Hartwell
7. Thurmond




EPD monitors the water levels of seven reservoirs to assess drought conditions.

# Reservoir Elevation Graphs


- The following graphs show the reservoir elevation curves for January 2026 through April 2026.
- Each graph also shows the Action Zone Divides (or Levels) for each reservoir
  - Zone 1 is the top layer of the conservation pool
  - Zone 2 is the layer below Zone 1
  - Zone 4 is the lowest layer in the conservation pool
  - There is no conservation storage below the bottom of Zone 4
- To put 2026 reservoir elevations into perspective, elevations for 2007 and 2011 are also shown.

# CARTERS ELEVATION




[Back to Map](#)


# ALLATOONA ELEVATION



# LAKE LANIER ELEVATION




# WEST POINT ELEVATION




[Back to Map](#)

# W.F.GEORGE ELEVATION




## 2026 ACF Basin Composite Conservation and Flood Storage




Actual data thru 5/4/2026

Add value of 1,856,000 acre-ft to include inactive storage.

# LAKE HARTWELL ELEVATION



# LAKE CLARKS HILL (THURMOND) ELEVATION



[Back to Map](#)

# Climate Prediction Center 3-month Temperature and Precipitation Probability Outlook and Seasonal Drought Outlook

Data Source:

<http://www.cpc.ncep.noaa.gov/>




# Seasonal Temperature Outlook



**Valid:** May-Jun-Jul 2026

**Issued:** April 16, 2026






# Seasonal Precipitation Outlook



**Valid:** May-Jun-Jul 2026  
**Issued:** April 16, 2026




# U.S. Seasonal Drought Outlook

## Drought Tendency During the Valid Period

Valid for May 1 - July 31, 2026

Released April 30, 2026






Consistency adjustment  
based on Monthly  
Drought Outlook for  
May 2026






Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

**Author:**  
Adam Allgood  
NOAA/NWS/NCEP Climate Prediction Center

-  **Drought persists**
-  **Drought remains, but improves**
-  **Drought removal likely**
-  **Drought development likely**
-  **No drought**



<https://go.usa.gov/3eZ73>