



**ENVIRONMENTAL PROTECTION DIVISION**

**Richard E. Dunn, Director**

---

**EPD Director's Office**

2 Martin Luther King, Jr. Drive  
Suite 1456, East Tower  
Atlanta, Georgia 30334  
404-656-4713

November 30, 2021

**MEMORANDUM**

To: Karen Hays, Air Branch Chief *KH*

Through: James Boylan, Assistant Branch Chief

From: DeAnna Oser, Ambient Monitoring Program Manager

RE: General Coffee May 22- June 3, 2021, Sampling Results for Ethylene Oxide

Samples of Ethylene Oxide (EtO) were collected by the Ambient Monitoring Program at our General Coffee monitoring station May 22- June 3, 2021. The samples were sent to Eastern Research Group (ERG) for analysis. The Qualifier code of "LK" was given by ERG to indicate that the sample may be biased high. The Qualifier code of "2" was given to samples to indicate that the collection deviated from established procedures, but the integrity of the sample was not compromised. Please note that ERG is now providing values for levels below the detection limit.

Location	Date	Qualifier	EtO Concentration (ug/m <sup>3</sup> )
General Coffee	5/22/2021	2, LK	0.25
General Coffee	6/3/2021	2	0.18

If you have any questions, please let me know.

DGO/do



Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

August 03, 2021

Ms. Jaime Gore  
GA Ambient Monitoring Program  
4244 International Pkwy, Suite 120  
Atlanta, GA 30354  
Project Name: General Coffee

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 05/28/21 14:25 through 06/10/21 11:32.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 08/03/21 10:47

SUBMITTED: 05/28/21 to 06/10/21

AQS SITE CODE:

SITE CODE: General Coffee

## ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
General Coffee	1052813-01	Air	05/22/21 23:59	05/28/21 14:25
General Coffee	1061030-01	Air	06/03/21 23:59	06/10/21 11:32



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 08/03/21 10:47

SUBMITTED: 05/28/21 to 06/10/21

AQS SITE CODE:

SITE CODE: General Coffee

Description: General Coffee

Lab ID: 1052813-01

Sampled: 05/22/21 23:59

Pressure @ Receipt: 19.75 psig

Canister #: N4114

Received: 05/28/21 14:25

Comments:

Analyzed: 06/16/21 22:54

## Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Ethylene oxide	0.138	0.25	LK	0.0261



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 08/03/21 10:47

SUBMITTED: 05/28/21 to 06/10/21

AQS SITE CODE:

SITE CODE: General Coffee

Description: General Coffee

Lab ID: 1061030-01

Sampled: 06/03/21 23:59

Pressure @ Receipt: 20.0 psig

Canister #: SAT085

Received: 06/10/21 11:32

Comments:

Analyzed: 07/01/21 23:50

## Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Ethylene oxide	0.101	0.18		0.0261



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
 4244 International Pkwy, Suite 120  
 Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 08/03/21 10:47  
**SUBMITTED:** 05/28/21 to 06/10/21  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

### Air Toxics by EPA Compendium Method TO-15 - Quality Control

*Batch B1F1507 - Summa Canister Prep*

**Blank (B1F1507-BLK1)**

Prepared: 06/15/21 Analyzed: 06/16/21

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

*Batch B1G0110 - Summa Canister Prep*

**Blank (B1G0110-BLK1)**

Prepared & Analyzed: 07/01/21

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
 4244 International Pkwy, Suite 120  
 Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 08/03/21 10:47  
**SUBMITTED:** 05/28/21 to 06/10/21  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

## Air Toxics by EPA Compendium Method TO-15 - Quality Control

*Sequence 2106048*

**Calibration Check (2106048-CCV1)**

Prepared: 06/15/21 Analyzed: 06/16/21

Ethylene oxide	2.49	ppbv	-0.3	30.00	
----------------	------	------	------	-------	--

*Sequence 2107004*

**Calibration Check (2107004-CCV1)**

Prepared & Analyzed: 07/01/21

Ethylene oxide	2.27	ppbv	-9.3	30.00	
----------------	------	------	------	-------	--



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
4244 International Pkwy, Suite 120  
Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 08/03/21 10:47  
**SUBMITTED:** 05/28/21 to 06/10/21  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

## Notes and Definitions

U Under Detection Limit  
LK Analyte identified; Reported value may be biased high.  
ND Analyte NOT DETECTED  
NR Not Reported  
MDL Method Detection Limit  
RPD Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard; however the following analytes are not accredited: acetylene, bromodichloroethane, dichlorotetrafluoromethane, ethyl tert butyl ether, n-octane, tert amyl methyl ether, trichlorofluoroethane, and bromochloromethane.