



**ENVIRONMENTAL PROTECTION DIVISION**

**Richard E. Dunn, Director**

---

**EPD Director's Office**

2 Martin Luther King, Jr. Drive  
Suite 1456, East Tower  
Atlanta, Georgia 30334  
404-656-4713

August 13, 2020

**MEMORANDUM**

To: Karen Hays, Air Branch Chief *KH*

Through: Dika Kuoh, Assistant Branch Chief

From: DeAnna Oser, Ambient Monitoring Program Manager

RE: General Coffee June 8- June 20, 2020 Sampling Results for Ethylene Oxide

Samples of Ethylene Oxide (EtO) were collected by the Ambient Monitoring Program at our General Coffee monitoring station June 8- June 20, 2020. The sample was sent to Eastern Research Group (ERG) for analysis. The Qualifier code of "2" was given to samples to indicate that the collection deviated from established procedures, but the integrity of the sample was not compromised. Please note that ERG is now providing values for levels below the detection limit.

Location	Date	Qualifier	EtO Concentration (ug/m <sup>3</sup> )
General Coffee	06/08/2020	2	0.48
General Coffee	06/20/2020	2	0.52

If you have any questions, please let me know.

DGO/do



Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

July 16, 2020

Ms. Jaime Gore  
U.S. Environmental Protection Agency, Region 4  
4244 International Pkwy, Suite 120  
Atlanta, GA 30354  
Project Name: General Coffee

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 06/19/20 10:28 through 06/26/20 11:22.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 07/16/20 11:18

SUBMITTED: 06/19/20 to 06/26/20

AQS SITE CODE:

SITE CODE: General Coffee

## ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
General Coffee	0061907-01	Air	06/08/20 23:59	06/19/20 10:28
General Coffee	0062610-01	Air	06/20/20 23:59	06/26/20 11:22



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 07/16/20 11:18

SUBMITTED: 06/19/20 to 06/26/20

AQS SITE CODE:

SITE CODE: General Coffee

Description: General Coffee

Lab ID: 0061907-01

Sampled: 06/08/20 23:59

Pressure @ Receipt: 20.25 psig

Canister #: SAT053

Received: 06/19/20 10:28

Comments:

Analyzed: 06/26/20 16:39

## Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Ethylene oxide	0.266	0.48		0.0285



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4222.00

REPORTED: 07/16/20 11:18

SUBMITTED: 06/19/20 to 06/26/20

AQS SITE CODE:

SITE CODE: General Coffee

Description: General Coffee

Lab ID: 0062610-01

Sampled: 06/20/20 23:59

Pressure @ Receipt: 20.25 psig

Canister #: SAT074

Received: 06/26/20 11:22

Comments:

Analyzed: 06/29/20 20:30

## Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Ethylene oxide	0.290	0.52		0.0285



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
 4244 International Pkwy, Suite 120  
 Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 07/16/20 11:18  
**SUBMITTED:** 06/19/20 to 06/26/20  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

### Air Toxics by EPA Compendium Method TO-15 - Quality Control

*Batch B0F2607 - Summa Canister Prep*

**Blank (B0F2607-BLK1)**

Prepared & Analyzed: 06/26/20

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---

*Batch B0F2906 - Summa Canister Prep*

**Blank (B0F2906-BLK1)**

Prepared & Analyzed: 06/29/20

Ethylene oxide	ND	ppbv				U
----------------	----	------	--	--	--	---



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
 4244 International Pkwy, Suite 120  
 Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 07/16/20 11:18  
**SUBMITTED:** 06/19/20 to 06/26/20  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

## Air Toxics by EPA Compendium Method TO-15 - Quality Control

*Sequence 2006073*

**Calibration Check (2006073-CCV1)**

Prepared & Analyzed: 06/26/20

Ethylene oxide	2.47	ppbv	-1.3	30.00
----------------	------	------	------	-------

*Sequence 2006077*

**Calibration Check (2006077-CCV1)**

Prepared & Analyzed: 06/29/20

Ethylene oxide	2.56	ppbv	2.3	30.00
----------------	------	------	-----	-------



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4  
4244 International Pkwy, Suite 120  
Atlanta, GA 30354  
**ATTN:** Ms. Jaime Gore  
**PHONE:** (404) 362-4912 **FAX:** (919) 541-0516

**FILE #:** 4222.00  
**REPORTED:** 07/16/20 11:18  
**SUBMITTED:** 06/19/20 to 06/26/20  
**AQS SITE CODE:**  
**SITE CODE:** General Coffee

## Notes and Definitions

U Under Detection Limit  
ND Analyte NOT DETECTED  
NR Not Reported  
MDL Method Detection Limit  
RPD Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.