

DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

**NOTICE OF PUBLIC HEARING AND PROPOSED AMENDMENTS TO GEORGIA'S
RULES FOR WATER QUALITY CONTROL, CHAPTER 391-3-6**

TO ALL INTERESTED PERSONS AND PARTIES:

Notice is hereby given that, pursuant to the authority set forth below, the Environmental Protection Division (hereinafter, "EPD") of the Georgia Department of Natural Resources proposes amendments to the Rules for Water Quality Control, Chapter 391-3-6. EPD proposes to amend specific provisions of Rule 391-3-6-.17, "Sewage Sludge (Biosolids) Requirements", to remove references to the Georgia Department of Agriculture's rules, and to eliminate an obsolete paragraph regarding the effective date of the Rule.

This notice, together with an exact copy of the proposed rule amendments, a synopsis, and statement of rationale of the proposed rule amendments, is being provided to all persons who have requested in writing that they be placed on a notification list. These documents may be viewed online at <https://epd.georgia.gov/public-announcements-0/proposed-rules/chapter-391-3-6-rules-water-quality-control> or on Tuesdays between 8:00 a.m. to 4:30 p.m. at the Georgia Environmental Protection Division, Watershed Protection Branch file room, 2 MLK Jr. Drive, SW, West Tower, Balcony, Suite 418, Atlanta, Georgia, 30334. To set an appointment, email askepd@dnr.ga.gov with your name, email and phone number and an associate will reach out to you. Copies may also be requested by contacting the Watershed Protection Branch at (404) 463-1511 or the EPD Director's Office at 1-888-373-5947.

To provide the public an opportunity to comment upon and provide input into the proposed rule amendments, **a public hearing will be held on January 18, 2023, beginning at 1:00 p.m.** EPD will be hosting this public hearing via Zoom. Zoom is a free web conferencing platform that also allows participation by phone. To participate in the public hearing, please click the following link or copy and paste it into your browser:

<https://gaepd.zoom.us/j/98411743662?pwd=YzFaMWpQSTJncXViTkVCUm5yNm1PQT09>
Meeting ID: 984 1174 3662
Passcode: 799810

To dial in by phone, please call this number: 888-788-0099 (Toll-free). When prompted, enter the Meeting ID and/or Passcode shown above.

At the public hearing, anyone may present data, make a statement, comment or offer a viewpoint or argument either orally or in writing. Lengthy statements or statements of a considerable technical nature, as well as previously recorded messages, must be submitted in writing for the official record. Oral statements should be concise.

Written comments are welcomed. In order to be included in EPD's summary to the Board of Natural Resources, **written comments should be received on or before January 25, 2023**. Written comments may be emailed to EPDComments@dnr.ga.gov or sent via regular mail addressed to Branch Chief, Watershed Protection Branch; 2 MLK Jr. Drive, SW, Suite 1470 A, East Tower, Atlanta, Georgia, 30334. If you choose to e-mail your comments, please include the words "Rules for Water Quality Control" in the subject line to help ensure that your comments will be forwarded to the correct staff.

The proposed rule amendments will be considered for adoption by the Board of Natural Resources at its meeting at 9:00 a.m. on February 21, 2023 in the DNR Boardroom located at 2 Martin Luther King, Jr. Drive, SE, Suite 1252 East, Atlanta, GA 30334. The meeting will be open to the public.

The proposed rule amendments are proposed for adoption pursuant to authority contained in the Georgia Water Quality Control Act, O.C.G.A. § 12-5-20 et seq.

For more information, please contact Anna Truszczynski, Watershed Protection Branch Chief, at anna.truszczynski@dnr.ga.gov or (470) 524-0551.