

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

April 7, 2020
Advisory Issue Date

Jeff Davis & Montgomery Counties
City/County

May 6, 2020
Advisory Close Date

BV-080-20-01
Control Number

SR 135 over Altamaha River – Linear Transportation / Bridge Replacement
Jeff Davis & Montgomery Counties
(GPS Coordinates: 31.9568, -82.51743)

Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Arnettia Murphy at (404) 656-4157 or e-mail arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: (a), (h), (k)1

Description and Location of Proposed Activity: The proposed project would impact Perennial Stream (PS) 4 (Altamaha River); Buffered State Water-D (BSW-D) (drainage ditch to Altamaha River); and Open Water (OW) 11 to replace the existing SR 135 bridge over the Altamaha River . The proposed project would impact the 25-foot state mandated buffer under criteria 2(a, h & k1) within the Altamaha Watershed, HUC 03070106. Disturbance activities would include clearing and grubbing, the placement of fill, and the placement of erosion and sedimentation control best management practices (BMPs) such as OBF.

Name and Address of Permit Applicant:

Mr. Eric Duff
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Rá-Jendra C. Hunter, Environmental Specialist
EPD, Watershed Protection Branch
Non-Point Source Program
2 MLK, Jr. Dr. S.W., Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404.463.3142 FAX: 404.651.8556