

ENVIRONMENTAL PROTECTION DIVISION  
PUBLIC NOTICE  
WATERSHED PROTECTION BRANCH

January 19, 2022  
Notice Issue Date

Pine Lake/DeKalb  
City / County

February 18, 2022  
Notice Close Date

BV-044-21-12  
Control Number

Pine Lake Dam Rehabilitation  
(GPS Coordinates: 33.7927, -84.2063)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Arnettia Murphy at (404) 656-4147 or email [arnettia.murphy@dnr.ga.gov](mailto:arnettia.murphy@dnr.ga.gov) to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

This project will stabilize an earthen dam which has been sloughing material. Woody vegetation will be removed from the crest and replanted with grasses. The slope of the dam will be refaced and stabilized with brush mattresses and vegetation. Rip rap will be added at the foot of the slope to armor the bank. The proposed project will result in 1,400 total linear feet (27,794 total ft<sup>2</sup>) of buffer disturbance lasting between 5 and 6 months. The project is located at Pine Lake and Snapfinger Creek in the Upper Ocmulgee Watershed.

Name and Address of Permit Applicant: Honorable Melanie Hammet  
Mayor of Pine Lake  
P.O. Box 1323 Allgood Road  
Pine Lake, GA 30072

**Summary of Rules Requirements for Variance Application:**

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

**For Additional Information Contact:**

Victoria A. Adams, Environmental Specialist  
EPD Watershed Protection Branch  
NonPoint Source Program  
2 Martin Luther King Jr. Drive SW, Suite 1462 East  
Atlanta, GA 30334  
Telephone: (470) 524-4639