

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

October 18, 2021
Notice Issue Date

City of Roswell/Fulton County
City / County

November 18, 2021
Notice Close Date

BV-060-21-20
Control Number

Sanford Lake Sediment Removal
(GPS Coordinates: 34.081761, -84.394238)

Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Arnettia Murphy at (404) 656-4147 or email arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.05 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

This project will remove approximately 45,000 cubic yards of sediment deposits from a lake in order to restore long-term sediment storage capacity, as well as increase water storage for irrigation purposes. Buffer intrusions are necessary to place wooden matting in 9 separate areas for the required equipment. After the disturbance the areas will be revegetated with permanent grasses. The proposed project will result in 606 total linear feet (6,105.3 total ft²) of buffer disturbance lasting approximately 15 months located at Sanford Lake, flowing toward Rocky Creek and Little River in the Coosa Watershed.

Name and Address of Permit Applicant: Mr. Stephen Franke
Club Corp.
100 Willow Run Road
Roswell, GA 30075

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Victoria A. Adams, Environmental Specialist
EPD Watershed Protection Branch
NonPoint Source Program
2 Martin Luther King Jr. Drive SW, Suite 1462 East
Atlanta, GA 30334
Telephone: (470) 524-4639