

**Notice of Draft Surface Water Withdrawal Permit –
Carroll County Water Authority – May 22, 2018**

The Georgia Environmental Protection Division (EPD) announces its intent to issue a Modified Surface Water Withdrawal Permit No. 022-1217-01 for water withdrawal of 13.0 MGD / 11.0 MGD / 8.0 MGD (Max Day/Monthly Average/Annual Average in million gallons per day) from Snake Creek Reservoir for the purpose of municipal water supply.

MODIFIED SURFACE WATER WITHDRAWAL PERMIT

Permittee's Name: Carroll County Water Authority

Permittee's Address: P. O. Box 739, Carrollton, GA 30117

River Basin: Chattahoochee

Comment Period Expires: June 22, 2018

Additional Information: The draft permit and all information used to develop the draft permit are available for review. The information includes the application and all relevant supporting materials available to the permitting authority used in the permit review process. This information is available for review at the office of the Watershed Protection Branch, 2 Martin Luther King Jr. Dr., S.E., East Floyd Towers, Suite 1152, Atlanta, Georgia 30334. All comments received prior to or on the comment period expiration date above will be considered in the formulation of final determinations regarding the permit.

Persons wishing to comment on the draft Permit are required to submit their comments, in writing, to:

Johanna Smith, P.E., Unit Manager
Water Supply Program – **Surface Water Withdrawal Unit**
2 Martin Luther King Jr. Dr., S.E.
East Floyd Towers, Suite 1362
Atlanta, Georgia 30334

A public hearing may be held if the Director of the EPD finds a significant degree of public interest in the draft permit.

