



Georgia Department of Natural Resources
Environmental Protection Division
2 Martin Luther King Jr. Drive
Suite 1152, East Tower
Atlanta, Georgia 30334

Attention: Edward Rooks

Re: Georgia On My Mind Well #2
Quitman County, Georgia

Per the well permit requirements as described in Section 319-3-13-04 of the Rules of the Georgia Department of Natural Resources and Environmental Protection Division, Pilot Exploration, Inc. ("Pilot") encloses a Drilling Permit. This application includes supporting documents for the proposed drilling of the Georgia On My Mind Well #2 located in Quitman County. Please note that the letter of credit will be provided after the review of the package is complete. Pilot is currently planning a building a well location in May 2026 and then will proceed drilling the subject well. The generalized plan is to drill to a total depth of $\pm 8,000'$ MD.

The enclosed permit package includes the following:

1. Drilling Permit and certified location plat;
2. A check in the amount of \$500.00 for permit fee;
3. Drilling Narrative (Proposed Procedure) with bit sizes, mud weight, casing program, cement program and well control.
4. Proposed Wellbore Schematic with casing program, mud weight & bit size;
5. Well Control Plan and associated documents;
6. Drill site Security Plan;
7. Proposed Drilling cement program;
8. Proposed Directional Survey;
9. Proposed Drilling mud program; and
10. Proposed wellhead program

Please note that Pilot Exploration has not selected the final vendors for this well. The above programs (mud, cementing, wellhead, etc.) represent what will be we are planning on doing. Other vendors may be selected.

If you have any questions concerning this permit package or require additional information, please contact me at (254)633-3633 or info@pilotexploration.com.

Sincerely,

Michael H. Gustin
President and Chief Executive Officer

Permit to Drill Application

Georgia On My Mind Well #2 Quitman County



Table of Contents

PROPOSED GEORGIA ON MY MIND WELL #2

TABLE OF CONTENTS

<u>FORMS AND FEES</u>	<u>SECTION</u>
Application for Permit to Drill Form	I
Permit Fee in the amount of \$500.00	II
Organization Report	III
Affidavit of Ownership or Control	IV
Letter of Credit	V
 <u>PLANS AND DOCUMENTATION</u>	
Certified location Plat and Survey Map	V
Site Plan	VII
 <u>ILLUSTRATIONS AND NARRATIVES</u>	
Proposed Well Depth, Drilling Techniques and Casing Program	1
 <u>NARRATIVES</u>	
Cementing Program	2
Blow Out Prevention Procedures and BOP Testing Schedule	3
Caving Prevention Procedures	4
Drilling Program (Including Type of Equipment and Depth to be Drill Using Type Equipment)	5
Seepage and Water Flow Prevention Procedures	6
Fire Prevention Procedures	7
Handling Procedures for Solid Waste, Hazardous Waste and Drilling Waste	8
H2S Detection, Evacuation, Treatment and Containment Procedures	9
Sampling of Cuttings Plan	10
Geophysical Logging and Mudlogging Plans	11
Construction Plans for Mud Pits, Sumps, Reserve Pits and Dikes	12
Reclamation Plans	13
Disposal Plans for Drilling Fluids	14
Plugging Procedures, If Any	15

Acronym Definitions

Acronym	Expansion	Context
BOP	Blowout Preventer	Well control equipment
		Cementing program
ERP	Emergency Response Plan	Emergency procedures
H2S	Hydrogen Sulfide	Gas detection & safety
IADC	International Association of Drilling Contractors	Well-control training
LTC	Long Threaded and Coupled	A round-thread connection used in casing. Threads are longer giving a stronger connection. Uses a separate coupling to join two joints of casing.
psi	Pounds per Square Inch	Pressure ratings
PDC	Polycrystalline Diamond Compact	A fixed-cutter drill bit that uses synthetic diamond cutters fused onto a tungsten carbide substrate.
POOH	Pull out of hole	Drilling report abbreviation meaning to retrieve the drilling assembly.
P/U	Pick Up	Indicates lifting, retrieving, or preparing equipment such as drill bits. Drilling procedures
R/U	Rig Up	To assemble, install, and prepare equipment or tools at the wellsite for operations.
SP	Spontaneous Potential	Logging tools
TD	Total Depth	Well depth notation
TIH	Trip In Hole	Run in the hole
TVD	True Vertical Depth	Vertical distance from surface
		Contractor, rig description, safety program

I. Application for Permit to Drill

Application for Permit to Drill

Well permit requirements are described in Section 391-3-13-.04 of the Rules of the Georgia Department of Natural Resources, Environmental Protection Division. An understanding of these rules is necessary to properly complete this form.

I. APPLICANT INFORMATION

Application to Drill Re-enter Deepen Plug Back Other (please list):

Operator Name: Pilot Exploration, Inc.

Date: 3/16/2026

Address: 2005 East Main Street #113

Phone: [REDACTED]

City: Gatesville

State: Texas

ZIP Code: 76528

Owner Name (if different): N/A

Address: N/A

Phone: N/A

City: N/A

State: N/A

ZIP Code: N/A

II. WELL AND LEASE INFORMATION

Name on Lease: Georgia On My Mind Well #2

Well Latitude: [REDACTED]

Well Longitude: [REDACTED]

Well Depth 8,000 ft.

Elevation (ground): 327 ft.

Well Location (provide a descriptive location of well, similar to a township and range):

Northwest of Springvale, North of Pataula Creek

Field and Reservoir: Hoover 1

Wildcat? Yes No Appraisal Well County: Quitman

Distance and Direction from Nearest Town or Post Office:

Miles: [REDACTED] Direction: Southeast

Nearest Distance from Proposed Lease Boundary or Drilling Unit Boundaries:

Miles: 0.383 Lease Boundary Drilling Unit Boundaries

If Well Will Be Directionally Drilled, Provide the Following for the End Location of the Borehole: N/A

Latitude: _____ ° _____ ' _____ " Longitude: _____ ° _____ ' _____ " Depth _____ (ft.)

Drilling Method (rotary, cable tools, etc.):
Rotary

Approximate Date Work to Begin:
05/15/2026

Number of Acres in Drilling Unit: 640

Number of Wells on Drilling Unit (including this well completed in, or drilling to, this reservoir): 1

If Lease Purchased with One or More Wells Drilled, from Whom Purchased: N/A

Name: _____ Address: _____

City: _____ State: _____ ZIP Code: _____

III. FORFEITURE BOND OR LETTER OF CREDIT

Amount: \$
\$40,000.00

Expiration Date:
2 Years from LOC Date Issued

Blanket Bond: Yes No
Synovus Bank Letter of Credit

IV. REMARKS

	Yes	No	Comments
(1) Plat and index maps submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(2) Bonding form (GGG-2-2019) or letter of credit submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(3) Organization report (GGG-3-2019) submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(4) Affidavit of ownership or control (GGG-4-2019) submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(5) Illustrations and narrative of proposed operation submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(6) \$500 application fee submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
(7) Surface occupants and owner have been notified of anticipated date of drill rig arrival?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

V. SIGNATURES

Executed this 27th day of March, 2026

Signature of Affiant: [Handwritten Signature]

State of: Texas

County of: Coryell

Before me, the undersigned authority, on this day personally appeared Michael Gustaf
(Name of Applicant)

known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he or she is duly authorized to make the above report and that he or she has knowledge of the facts stated therein, and that said report is true and correct.


Subscribed and sworn to before me this 27 day of March, 2026.

Notary Signature:

Notary Public in and for:

[Handwritten Signature]
Seal:

Texas
County:



Coryell
My commission expires:

October 31 2028

Comments by State Geologist:

Permit Number:

Approval Date:

Approved by: _____
Director, Environmental Protection Division

II. Permit Fee



PILOT EXPLORATION, INC.
2005 E. Main St. #113
Gatesville, TX 76528
Ph: (254) 633-3633
info@pilotexploration.com

1013

88-1487/1119

DATE 3/24/2026

PAY TO THE ORDER OF Georgia Department of Resources \$ **500.00

Five hundred and 00/100***** DOLLARS

FIRST NATIONAL BANK
PO Box 659
Gatesville, TX 76528

VOID AFTER 90 DAYS

MEMO State Fee - Application for Well #2




AUTHORISED SIGNATURE



III. Organization Report

Organization Report

I. ORGANIZATION INFORMATION

Full Name of Company, Organization, or Individual: Pilot Exploration Inc.

Post Office Address (box or street address): 2005 East Main Street #113

City: Gatesville

County: Coryell

State: TX

ZIP Code: 76528

Organization Type Corporation Joint Stock Association General or Limited Partnership Sole Proprietorship Individual

Business in Which Organization Is Engaged: Oil & Gas Exploration

If a Reorganization, Previous Organization Name:

Address:

City:

County:

State:

ZIP Code:

If Not Incorporated in Georgia, the State or County of Corporation State Where Incorporated:

Name of State Agent: N/A

Post Office Address (box or street address):

City:

County:

State:

ZIP Code:

Date of Permit to do Business in State: 8/13/2024

II. PROPOSED OFFICERS OF CORPORATION OR ALL MEMBERS OF GENERAL OR LIMITED PARTNERSHIP

Name	Title	Post Office Address
Michael H. Gustin	President, CEO Sole Director & Officer	2005 East Main Street #113 Gatesville, TX 76528

III. DIRECTORS OF CORPORATION

Name	Title	Post Office Address
Michael H. Gustin	President, Chief Executive Officer	2005 East Main Street #113 Gatesville, TX 76528

IV. SIGNATURES

Executed this 24 day of March, 2026.

State of: Texas

Signature of Affiant: [Signature]

County of: Coryell

Before me, the undersigned authority, on this day personally appeared Michael Gustin
(Name of Applicant)

known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he or she is duly authorized to make the above report and that he or she has knowledge of the facts stated therein, and that said report is true and correct.

Subscribed and sworn to before me this 24 day of March, 2026.

Notary Signature:

Notary Public in and for:

County:


Seal:

Texas

Coryell

My commission expires:

October 31 2025



FORM GGS 3-2019

STATE OF GEORGIA

Secretary of State
Corporations Division
313 West Tower
2 Martin Luther King, Jr. Dr.
Atlanta, Georgia 30334-1530

CERTIFICATE OF AUTHORITY

I, **Brad Raffensperger**, the Secretary of State and the Corporation Commissioner of the State of Georgia, hereby certify under the seal of my office that

Pilot Exploration, Inc.
a Foreign Profit Corporation

has been duly formed under the laws of **Texas** and has filed an application meeting the requirements of Georgia law to transact business as a **Foreign Profit Corporation** in this state.

WHEREFORE, by the authority vested in me as Secretary of State, the above **Foreign Profit Corporation** is hereby granted, on **08/09/2024**, a certificate of authority to transact business in the State of Georgia as provided by Title 14 of the Official Code of Georgia Annotated. Attached hereto is a true and correct copy of said application.

WITNESS my hand and official seal in the City of Atlanta
and the State of Georgia on **08/13/2024**.



Brad Raffensperger

Brad Raffensperger
Secretary of State

APPLICATION FOR CERTIFICATE OF AUTHORITY

Electronically Filed
Secretary of State
Filing Date: 8/9/2024 6:34:36 PM

BUSINESS INFORMATION

CONTROL NUMBER 24152592
BUSINESS NAME Pilot Exploration, Inc.
BUSINESS TYPE Foreign Profit Corporation
EFFECTIVE DATE 08/09/2024
HOME JURISDICTION Texas
NAME IN HOME JURISDICTION Pilot Exploration, Inc.
DATE OF FORMATION IN HOME JURISDICTION 08/19/2016
COMMENCEMENT DATE IN GEORGIA 12/01/2024

PRINCIPAL OFFICE ADDRESS

ADDRESS 2005 E. Main Street, Suite 113, Gatesville, TX, 76528, USA

REGISTERED AGENT

NAME	ADDRESS	COUNTY
Registered Agent Solutions, Inc.	900 Old Roswell Lakes Pkwy, Suite 310, Roswell, GA, 30076, USA	Fulton

OFFICER(S)

NAME	TITLE	ADDRESS
Michael H. Gustin	CEO	2005 E. Main Street, Suite 113, Gatesville, TX, 76528, USA
Michael H. Gustin	CFO	2005 E. Main Street, Suite 113, Gatesville, TX, 76528, USA
Michael H. Gustin	SECRETARY	2005 E. Main Street, Suite 113, Gatesville, TX, 76528, USA

AUTHORIZER INFORMATION

AUTHORIZER SIGNATURE Michael H. Gustin
AUTHORIZER TITLE Officer



Office of the Secretary of State

Certificate of Fact

The undersigned, as Secretary of State of Texas, does hereby certify that the document, Certificate of Formation for Pilot Exploration, Inc. (file number 802524102), a Domestic For-Profit Corporation, was filed in this office on August 19, 2016.

It is further certified that the entity status in Texas is in existence.

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on August 09, 2024.



A handwritten signature in black ink that reads "Jane Nelson".

Jane Nelson
Secretary of State

IV. Affidavit of Ownership

Affidavit of Ownership or Control

State of: Georgia

County of: Quitman

Before me, the undersigned authority, personally appeared Michael H. Gustin who, having been by me duly sworn, did make the following statement, to wit: That he or she is the duly authorized agent of Pilot Exploration, Inc. and, as such, he or she has charge of the oil and gas drilling operation in Georgia. That he or she owns or has control of all of the drilling rights with respect to the oil and/or gas in and under the land comprising the drilling unit described as follows, to wit*:

Pilot Exploration is the operator and owner of said leases. Pilot is 100% in control of the project.

That this affidavit is attached to the appropriate form of the Georgia Environmental Protection Division in compliance with the rules and regulations of the Georgia Department of Natural Resources.

Executed this 24th day of March 2026.


Signature of Affiant: 

Subscribed and sworn to before me this 24 day of March 2026.

My commission expires: October 31 2028

Notary Public in and for: Texas County Conyell

Seal:



**Drilling unit description should not be confused with well location description.*

V. Letter of Credit

Pinnacle Bank, a Tennessee Bank, dba Synovus Bank
International Department
33 WEST 14TH STREET, 5TH FLOOR
COLUMBUS, GA 31901 USA
SWIFT: FICOUS44

IRREVOCABLE STANDBY LETTER OF CREDIT NO.STB354.0**APPLICANT:**

Pilot Exploration, Inc.
2005 E Main St.
Suite 113
Gatesville, TX 76528

BENEFICIARY:

Environmental Protection Division
2 Martin Luther King Jr. Drive SE
Suite 1456, East Tower
Atlanta, GA 30334

Issuance Date: **April 2, 2026**

Expiration Date: **April 2, 2028 (TWO YEARS FROM ISSUANCE)**

WE HEREBY establish this Irrevocable Letter of Credit (Letter of Credit) in the Beneficiary's favor pursuant to Georgia Code §§ 12-4-44(17) and 12-4-47 and Georgia Rule 391-3-13-.04(h), as an alternate to a bond. It is intended to protect the State and its citizens from any injury which may result from improper oil and gas and deep drilling. This Letter of Credit is issued specifically at the request of **Pilot Exploration, Inc. 2005 E Main St. Suite 113, Gatesville, TX 76528 in the amount of \$40,000.00**, available upon presentation of this original letter of credit by Beneficiary or any Georgia Environmental Protection Division (EPD) employee under Beneficiary's authority, with the following:

- 1) A sight draft of demand for payment bearing reference to this Letter of Credit Number **STB354.0**.
- 2) A signed statement by the EPD Director or any authorized representative reading as follows: "I certify that the amount of the draft is payable pursuant to the Oil and Gas and Deep Drilling Act of 1975, as amended, and the regulations issued pursuant thereto."

This Letter of Credit is effective **April 2, 2026** and shall expire two years from issuance **April 2, 2028** and the date of the last completed of the following actions:

- a. The well is plugged and properly abandoned;
- b. Receipt by the EPD Director of a properly marked "Well Completion Report," as described in Georgia Rule 391-3-13-.15; and
- c. Receipt by the EPD Director of all data and reports required by the Rules and Regulations of the State of Georgia.

The credit established by this letter and our obligation to pay same shall not be affected by the receivership, bankruptcy or insolvency of debtor or the attachment of his/her/its property. Nor shall this credit or our obligation to pay same be affected by any security agreement or other agreement between **Pilot Exploration, Inc.** and our bank. Whenever this Letter of Credit is drawn on under and in compliance with the terms of this credit, we shall duly honor such draft upon presentation to 33 West 14th Street 5th Floor, Columbus, GA 31901, and we shall pay the amount of the draft directly to the Environmental Protection Division in accordance with instructions.

ORIGINAL

All draft(s) drawn hereunder must bear the clause "Drawn Under Pinnacle Bank, A Tennessee Bank, DBA Synovus Bank Irrevocable Letter of Credit No. **STB354.0** dated **April 2, 2026.**"

PINNACLE BANK, A TENNESSEE BANK, DBA SYNOVUS BANK,



Leslie P. Gonzales, Vice President

ORIGIN:DCSSGA (770) 422-1613
PATRICIA TOWERLY
SYNOVUS
33 W 14TH ST
COLUMBUS, GA 31901

SHIP DATE: 02APR26
ACTWGT: 1.00 LB
CAD: 2670958251FAP12208

UNITED STATES US

BILL SENDER

TO **ATTN: STANDBY LETTERS OF CREDIT**
ENVIRONMENTAL PROTECTION DIVISION
2 MLK JR DR SE
EAST TOWER STE 1456
ATLANTA GA 30334

REF:

INV: (999) 999-9999

PO:

DEPT:



TRK# 8702 6248 8870
0201

FRI - 03 APR 10:30A
PRIORITY OVERNIGHT

37 QFEA



30334
GA-US ATL



VI. Plat and Survey Map

- LEGEND**
- IRS 5/8" IRON REBAR SET
 - IRE IRON REBAR FOUND
 - IPF IRON PIPE FOUND
 - CMF CONCRETE MONUMENT FOUND
 - AIF ANGLE IRON FOUND
 - X-X- WIRE FENCE
 - R/W RIGHT OF WAY

NOTE:
 THE MEASUREMENTS SHOWN FROM PROPOSED WELL LOCATION WERE FIELD VERIFIED.
 THE PROPOSED WELL LOCATION ELEVATION WAS TAKEN FROM USGS TOPOGRAPHIC MAPS.
 ALL MEASUREMENTS ARE ACCURATE AS SHOWN.



WELL LOCATION SURVEY FOR:
GEORGIA ON MY MIND WELL # 2

LAND LOTS 7 AND 8, 8TH LAND DISTRICT, QUITMAN COUNTY, GEORGIA
 LAND LOTS 9 AND 10, 9TH LAND DISTRICT, RANDOLPH COUNTY, GEORGIA

DRAWING NO C-6136 DRAWN BY D.S.L. FIELD WORK BY A.S.L. SCALE: 1" = 600' FIELD SURVEY DATE: 03-01-2012 PLAT DATE: 03-23-2026



LANGFORD ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS
 CONSULTING FORESTERS


P.O. BOX 240 - 3054 CATHOIN STREET
 SHELDON, GA, 39886
 TEL: 229-679-5072 FAX: 229-679-2160
 WEB: LANGFORDASSOCIATESINC.COM
 FIRM CERTIFICATE OF AUTHORIZATION NO. L87000332



GA RLS NO. 3172



- Layer List Legend
- Quick Links:
- Search Records
 - View Map
- Layers:
- Parcels
 - Parcel Numbers
 - Address Numbers
 - Land Lots
 - Yearly Sales
 - In GIS Not WinGAP
 - Roads
 - USA Major Highways
 - Railroads
 - City Labels
 - Streams and Rivers
 - Lakes
 - Flood Map
 - Soil Types
 - County Outlines
 - State Outlines
 - 2019 Aerial Photos
 - 2017 Aerial Photos
 - 2015 Aerial Photos
 - Google Imagery
- [Restore Layer Defaults](#)



Results:

Parcel ID - 420000600
 Alt Id - 1240
 Address - SPRINGVALE RD
 Owner - HOOVER MERVIN & MARIAN
 Acres - 221.52
[View Report](#) | [Field Definitions](#)

Parcel ID	420000600	Owner	HOOVER MERVIN & MARIAN	Last 2 Sales			
Class Code	n/a		619 HAND AVE	Date	Price	Reason	Qual
Taxing District	County		PELHAM, GA 31779	6/24/2021	\$643600	TM	U
Acres	221.52	Physical Address	SPRINGVALE RD	6/15/2016	0	KN	U
		Assessed Value	Value S259926				

Note: Not to be used on legal documents!

- Layer List Legend
- Quick Links:**
- Search Records
 - View Map
- Layers:**
- Parcels
 - Parcel Numbers
 - Address Numbers
 - Land Lots
 - Yearly Sales
 - In GIS Not WinGAP
 - Roads
 - USA Major Highways
 - Railroads
 - City Labels
 - Streams and Rivers
 - Lakes
 - Flood Map
 - Soil Types
 - County Outlines
 - State Outlines
 - 2019 Aerial Photos
 - 2017 Aerial Photos
 - 2015 Aerial Photos
 - Google Imagery
- [Restore Layer Defaults](#)



Results:

Parcel ID - 420001900
 Alt Id - 3800
 Address - SPRINGVALE RD
 Owner - HOOVER MERVIN MARIAN
 Acres - 355.7
[View Report](#) | [Field Definitions](#)

Parcel ID	420001900	Owner	HOOVER MERVIN & MARIAN	Last 2 Sales			
Class Code	n/a		619 HAND AVE	Date	Price	Reason	Qual
Taxing District	County		PELHAM, GA 31779	6/24/2021	\$741479	OP	U
Acres	355.7	Physical Address	SPRINGVALE RD	6/23/2021	0	CT	U
		Assessed Value	Value \$334928				

(Note: Not to be used on legal documents)

- Layer List Legend
- Quick Links:
- [Search Records](#)
 - [View Map](#)
- Layers:
- Parcels
 - Parcel Numbers
 - Address Numbers
 - Yearly Sales
 - Roads
 - USA Major Highways
 - Railroads
 - City Limits
 - City Labels
 - Streams and Rivers
 - Lakes
 - Flood Map
 - County Outlines
 - 2021 Aerial Photos
 - 2013 Aerial Photos
 - 2010 Aerial Photos
- [Restore Layer Defaults](#)



Results:

Parcel ID - 010 007
 Alt Id - 138
 Address - COUNTY RD. 31
 Owner - HOOVER MERVIN & MARIAN
 Acres - 147.0
[View Report](#) | [Field Information](#) | [Google Maps](#)

Parcel ID	010 007	Owner	HOOVER MERVIN & MARIAN	Last 2 Sales			
Class Code	Consrv Use		619 HAND AVE	Date	Price	Reason	Qual
Taxing District	COUNTY		PELHAM, GA 31779	6/24/2021	\$250635	LM	Q
Acres	147.0	Physical Address	COUNTY RD. 31	5/9/2016	0	10	U
		Assessed Value	Value \$215700				

(Note: Not to be used on legal documents)



LANGFORD & ASSOCIATES, INC.

3054 Calhoun Street • P.O. Box 240 • Shellman, Georgia 39886
(229) 679-5072 • Fax (229) 679-2160

ESTABLISHED
1978

August 26, 2025

Pilot Exploration
Mr. Michael H. Gustin
President & CEO
% Mr. Jesse Johnson, RF

SENT via email jesse.johnson@johnsonlandgroup.com

RE: Survey proposal of +/- 130 acres and access road in Randolph County, GA

Dear Jesse:

This letter is to confirm our understanding of the terms and objectives of our engagement and the nature and limitations of the services we will provide.

In accordance with your request, Langford & Associates, Inc. is pleased to submit this statement of interest and fee proposal to survey and plat the above captioned tract of land, known as Randolph County Tax Map 10, parcel 8, and being more particularly described in Deed Book NN-12, pages 572-576 in the Office of the Clerk of Superior Court of Randolph County. Said tract being currently know as the lands of AHSB Properties, L.L.P. We are familiar with this tract, having surveyed the adjoining Weyerhacuser land on the east side of the subject property on June 6, 1995.

Scope of Work: We will conduct an on site survey of the subject tract utilizing GPS equipment, as well as other electronic instruments to locate the boundaries as described in the deeds of record and other documents of record. We will recover or replace all corners, locate and delineate on our plat the physical evidence of the boundary lines, calculate the acreage and prepare a plat suitable for recording in the Office of the Clerk of Superior Court of Randolph County. We will also locate the Drill Site as shown on the attached topographic map, and survey and plat a square 2.5 acre parcel with said Drill Site being the center. We will also survey & plat the center line of a meandering woods road traversing easterly and northerly from the east line of the subject 130 acres to that certain county road known as Road number 31 and/or Springvale Road.

Fees: Our fees to complete the above fashioned work will be \$ [REDACTED]

We will begin the above fashioned work upon your authorization to proceed and strive to complete same within 30 days. We appreciate you allowing us to assist you in this matter and we look forward to completing this assignment.

With kindest regards,

D. Scott Langford
Georgia RLS # 3172

C:\Users\Bryson\Documents\Pilot Exploration Proposal.wpd



Pilot Exploration

RESERVE PIT PLAN

WELL NAME: Georgia On My Mind Well #2

COUNTY: Quitman
PROPOSED DEPTH: 8,000'

- A. Reserve Pit contents will be disposed of by : ANNULAR DISPOSAL
- B. Estimated volume of contents to be disposed: 21,600 BBLs
- C. Total capacity of reserve pit: 33,300 BBLs Volume= $[(L1+L2)/2*(W1+W2)/2*D]/5.615$
- D. In the event of inquiry, please contact: [REDACTED] e PHONE: [REDACTED]



Location drainage is to the West

SCALE: 1 INCH = 100 FEET

Outside perimeter of entire location is 350' by 350'.

VII. Site Plan

DRAWWORKS

RIG 18

SKYTOP BREWSTER N-46 SINGLE DRUM DRAWWORKS, S/N-460024, 800 HP, LEBUS GROOVED F/1-1/8" LINE, FOSTER MAKEUP & BREAKOUT CATHEADS, AIR DRILLER'S CONSOLE CONTROLS

COMPOUND

SKYTOP BREWSTER 2-ENGINE COMPOUND

BRAKE

PARMAC V-80 HYDROMATIC BRAKE

ALL ABOVE MOUNTED ON 14" H x 7'6"W x 28'5"L OILFIELD SKID, UNITIZED

ENGINE

(2) CAT D3408PCTA 475 HP DIESEL ENGINES, S/NS-67U6006 & 67001287, EACH W/AIR STARTER, RADIATOR, GAUGES, EACH W/ALLISON TC-945 TORQUE CONVERTER, (2) AIRFLEX CB500 AIR CLUTCHES

MAST

PYRAMID 136'H CANTILEVER MAST, S/N-DA636812, 571,000 LB. STATIC HOOK LOAD, CROWN BLOCK W/(5) SHEAVES, FASTLINE SHEAVE, 1-1/8" LINE, 4" STANDPIPE, CROWN SAFETY PLATFORM, RACKING BOARD, TONG COUNTERWEIGHTS, LADDER, DERRICK CLIMBER, BOOM, (2) 5000 LB. MAST STANDS, 5" STANDPIPE

SUBSTRUCTURE

PYRAMID 16'H x 24'L BOX-ON-BOX SUBSTRUCTURE, S/N-DAS594812, W/ROTARY BEAMS, V-DOOR RAMP, STAIRS, SAFETY RAILS NATIONAL TYPE D 6N#NST13666 DEADLINE ANCHOR W/MARTIN-DECKER SENSATOR. TOP DOGHOUSE EXTENSIONS, AIR RECEIVER TANK, STANDPIPE INTERNAL PIPING

PUMPS

2 National 10-P-130s powered by cat D399s

ROTATING EQUIPMENT

ROTARY TABLE ZP 205
GARDNER DENVER 400 TON SWIVEL
5-1/4" x 46'L HEX KELLY
VARCO HDS KELLYDRIVE BUSHING, SQUARE DRIVE
INTERNATIONAL 96C KELLY SPINNER
4-1/2" XH INSIDE BOP

TRAVELING EQUIPMENT

GARDNER-DENVER TWW-30 300-TON BLOCK W/(5) 42" SHEAVES, 1-1/8" LINE
WEB WILSON 250-TON HYDRA HOOK
3-1/2" x 108" ELEVATOR LINKS

WELL CONTROL EQUIPMENT

-HYDRIL GK 11" 5000 PSI ANNULAR BLOWOUT PREVENTER, S/N-64730,
W/STUDDERED TOP & FLANGED BOTTOM
-HYDRIL V11" 5000 PSI DOUBLE BLOWOUT PREVENTER, S/N-C2569, W/PIPE &
BLIND RAMS, FLANGED TOP & BOTTOM, (4) 4-1/16" 5000 PSI FLANGED OUTLETS,
11" 5000 PSI DRILLING SPOOL W/(2) 3-1/16" OUTLETS
-KOOMY TYPE 80 6-STATION CLOSING UNIT, BYPASS VALVE, TRIPLEX PUMP P/B 15
HP ELECTRIC MOTOR, (2) AIR PUMP, (20) 11-GALLON BOTTLES, HYDRAULIC
RESERVOIR, REMOTE CONTROL PANEL
-CHOKE MANIFOLD W/DEMCO 2-1/16" MANUAL GATE VALVE, OTECO 4" 5000 PSI
MANUAL GATE VALVE, DEMCO 4-1/16" 5000 PSI MANUAL GATE VALVE

RIG HOUSES

- 8'W x 40'L TOOLPUSHER'S HOUSE, FULLY FURNISHED W/(2) BEDROOMS, (1) BATHROOM, OFFICE/KITCHEN, APPLIANCES, AIR CONDITION, SKIDDED
- 8'W x 21'L TOP DOGHOUSE W/4'6"L PORCH EXTENSION, KNOWLEDGE BOX, (3) LOCKERS, (2) STORAGE BINS, SKIDDED
- 12'W x 51'L CREW QUARTERS W/(2) BEDROOMS, (2) BATHROOMS, KITCHEN, FURNISHED, APPLIANCES, CENTRAL AIR & HEAT, SKIDDED
- 7'10"W x 38'L LOWER DOGHOUSE/PARTS HOUSE W/STORAGE SHELVES, WORK TABLE, SKIDDED

GENERATORS/UTILITY HOUSE

- CAT SR-4 460 KW AC GENERATOR SET P/B CAT D3412PCTA 665 HP @ 1800 RPM TURBO-CHARGED DIESEL ENGINE, S/N-38S608407 ,W/AIR STARTER, RADIATOR, GAUGES, SKIDDED
- CAT SR-4 460 KW AC GENERATOR SET, S/N-5N45, P/B CAT D3412PCTA 665 HP @ 1800 RPM TURBO-CHARGED DIESEL ENGINE, S/N-38S5783, W/AIR STARTER, RADIATOR, GAUGES, SKIDDED
- 25 HP DIRECT DRIVE COMPRESSOR AIR COOLED QGD-25
- 25 HP DIRECT DRIVE COMPRESSOR AIR COOLED QGS-25

MUD SYSTEM

- 9'6"W x 6'H x 38'L CRIMPED-WALL 390-BARREL MUD SUCTION TANK W/11'2"L COVERED PORCH EXTENSION, (2) COMPARTMENTS, (2) MISSION MAGNUM 5" x 6" CENTRIFUGAL PUMPS, EACH P/B 60 HP ELECTRIC MOTOR W/FURNAS STARTER CONTROLS, FULL-LENGTH MUD TROUGH, INTERNAL PIPING, CABLE TRAY, APPLETON PLUG RECEPTACLES, CLEAN-OUT GATES, MUD HOPPER, WALKWAYS, STAIRS, SAFETY RAILS, UNITIZED & MOUNTED ON 10"H x 50'L OILFIELD SKID
- 9'6"W x 6'H x 30'L CRIMPED-WALL 308-BARREL MUD SHAKER TANK W/8'L COVERED PORCH, (3) COMPARTMENTS, (2) MISSION MAGNUM 5" x 6" CENTRIFUGAL PUMPS, EACH P/B 60 HP ELECTRIC MOTOR W/FURNAS STARTER CONTROLS, SHALE SHAKER SLIDE, INTERNAL PIPING, CABLE TRAY, APPLETON

PLUG RECEPTACLES, CLEAN-OUT GATES, MUD HOPPER, WALKWAYS, STAIRS, SAFETY RAILS, UNITIZED & MOUNTED ON 10"H x 39'L OILFIELD SKID

-(2) NOV SHAKERS MODEL DLMS-285P LINEAR MOTION SHAKERS

-O'DRILL DESANDER W(2) 12" CONES

-O'DRILL DESILTER W/(2) 12" CONES

WATER/FUEL TANKS

-8'W x 7'H x 32'L 320-BARREL CRIMPED-WALL OPEN-TOP WATER TANK, SKIDDED

-10'W x 7'H x 43'L WATER TANK W/(2) CENTRIFUGAL PUMPS, SKIDDED

-9000-GALLON FUEL TANK W/40'L SKID EXTENSION, TANK CRADLE, (2) TRANSFER PUMPS, EACH P/B 3 HP ELECTRIC MOTOR W/STARTER BOX, SKIDDED

-5-COMPARTMENT LUBESTER, SKIDDED

HANDLING TOOLS

-VARCO SSW 10 PIPE SPINNER

-TYPE AAX ROTARY TONGS

-WEB WILSON 225-TON CENTER DRILL PIPE ELEVATORS

-BAASH-ROSS 4-1/2" ROTARY SLIPS

(3) AIR HOIST

AUXILLARY EQUIPMENT

-MARTIN-DECKER TYPE D WEIGHT INDICATOR W/ROTARY TORQUE & SPM GAUGES

-3"ID x 55'L ROTARY HOSE

-42"H x 5'W x 50'L 2-SECTION CATWALK

-37"H x 7'1"W x 25'L JUNK BOX, SKIDDED

-FIVE-STAR WIRELINE MEASURING DEVICE

-RATHOLE & HOUSEHOLE

- APPROXIMATELY 7500' 1-1/8" DRILL LINE W/POWER SPOOLER, STAND

-MAST STAND

-(5) 4-1/2" XH SAVER SUBS

- TIW 4-1/2" XH VALVE
- (2) 6-5/8" REG X 6-5/8" REG BIT SUBS
- (2) 4-1/2" XH x 4-1/2" REG BIT SUBS
- (2) 4-1/2" x 4" X 6-5/8" REG CHANGEOVER SUBS
- (7) 4-1/2" XH LIFT SUBS
- (2) DRILL COLLAR CLAMP

DRILL PIPE

12,500' OF 4-1/2", GRADE G105, 16.60 LB. DRILL PIPE

DRILL COLLARS

(12) 6-1/2"OD x 2-1/4"ID DRILL COLLARS

PIPE RACKS

4 SETS (8) 37"H x 28'L TRIANGULAR PIPE RACKS

**Section 1:
Proposed Well Depth, Drilling Techniques and
Casing Program**

Narrative 1
Georgia On My Mind Well #2

**DESCRIBING PROPOSED WELL DEPTH,
DRILLING TECHNIQUES AND CASING PROGRAMS**

The Georgia On My Mind Well #2 is proposed as an 8,000' test well to be drilled in Quitman County, [REDACTED] of a mile Southeast of Boardbranch Road.

The purpose of this test well is to explore and thoroughly test for hydrocarbons (oil and, or natural gas) in the [REDACTED] formations if encountered prior to reaching 8,000 feet test depth.

The drilling techniques used will be performed by an experienced Petroleum Engineer and drilling consultants. The rig to be used is [REDACTED] #18. The d wworks rating is 800 horsepower and has a box-on-box substructure with a 136' cantilever (triple) mast. The rig has a depth rating of 14,000' and is currently working in Alabama. The rig is owned and operated by [REDACTED]
[REDACTED]
[REDACTED] has been in the drilling business for 40 years and has performed drilling operations in Georgia.

The mud system to be used will be a Low Solids Non-Dispersed to Slightly Dispersed Fresh Water Mud System. The properties of the mud will be checked daily and additions of gel and barite, along with other neutral/non-toxic additives, will be used to control the freshwater mud properties to ensure safe drilling practices, prevent any influx of formation fluids or gas into the mud system, and combat any drilling problems that are encountered. See attached exhibit letter from [REDACTED] with more information on the type of drilling fluid and the protection of freshwater intervals and reserve pit fluids.

Surface casing will be set at approximately 3,000' and cemented back to ground level. This will protect the freshwater zones that may be encountered including the Claiborne, Clayton, and Cretaceous aquifers at this location and comply with Rule 391-3-13-.10 (10) & (12).

Upon reaching total depth of the well and acquiring logging data, the well will be evaluated for any possible freshwater or oil and gas zones below 3,000 feet. If warranted, additional cement will be placed across any fresh water bearing zones. This will protect any fresh water producing strata found below the 9 5/8" surface casing.

The proposed casing program, along with the bit sizes, is described in detail within the following pages.

In addition, a more extensive and descriptive write-up of the drilling techniques and proposed casing program is provided herein under Narrative #5 – Drilling Program, including type of equipment, and the depth to which that equipment is to be utilized.

Narrative 1
Georgia On My Mind Well #2

The proposed estimated timeline for drilling operations after the permitting process is as follows:

Location construction and preparation.	4 weeks
Drill water well. Drill 80' of conductor hole and set conductor casing.	1 week
Move in and rig up drilling rig and support equipment.	7-10 days
Spud well and drill 3,000' of surface hole. Run and cement surface casing.	3-4 days
Nipple up and test BOPs, all well control equipment and surface casing.	2 days
Drill 8 3/4" production hole from 3,000' - 8,000'.	7-8 days
Run electric logs and evaluate well.	1-2 days
Set production casing or plug well.	2-3 days
Rig down and move out drilling rig.	1 week

Narrative 1
Georgia On My Mind Well #2

CASING PROGRAM

WELL: Georgia On My Mind Well #2
LOCATION: Northwest of Springvale, North of Pataula Creek
COUNTY: Quitman
STATE: Georgia
CONTRACTOR: [REDACTED]
ELEVATION: 327'
Contacts: Mike Gustin (254)633-3633 info@pilotexploration.com

CONDUCTOR PIPE: 20" casing set at 80' and cemented back to surface
30" hole size.

SURFACE CASING: 9 5/8" casing set at 3,000' and cemented back to surface in accordance with Rule 391-3-13-.10 (10) & (12). Casing will be tested to 1500 psi for 30 minutes prior to drilling new hole.

We are prepared to set, if necessary 13 3/8ths casing to 500' and cement same back to surface.

If this is the direction we go, we will drill out the cement shoe of the 13 3/8th casing and drill a 12 1/4" hole to 3,000' and cement same back to a depth that would cover any other freshwater zones. If necessary, we will cement back to the 13 3/8th's shoe at 500' but for your information, we will have 1,000' of 13 3/8th casing on location to cover any 12 1/4" hole problems down to 1,000'.

PRODUCTION CASING: If needed, 5 1/2" casing set at 8,000' (Total Depth) and cemented back to a depth sufficient to cover any producing oil or gas intervals. Casing will be tested to 1500 psi for 30 minutes. Any freshwater zones determined from our electric well logging program that are found below the base of surface casing at 3,000' will be isolated with cement.

See more detailed Wellbore Schematic included in **Narrative #5**.

[REDACTED]

November 25, 2025

[REDACTED]

Re: New drill for Pilot Exploration

Dear Mr. [REDACTED]

[REDACTED] would like to thank you for the opportunity we have had to work with you in the past. We appreciate your confidence during the drilling process and your willingness to continue to work with us on other projects. The initial mud system used to spud on the upcoming new drill for Pilot Exploration will be a Flocculated Thixotropic Gel based system. Other systems used during the drilling process include Low Solids Non-Dispersed to a Slightly Dispersed Fresh Water Mud Systems. The properties of the mud will be tested and recorded daily on our reporting document. Products used to maintain the drilling fluid systems are Gel (Bentonite clay), Barite (Natural occurring Barium Sulfate) along with other neutral / non-toxic additives. Copolymers such as ACCU-VIS and PHPA will also be used to control the properties of the freshwater mud systems to ensure safe drilling practices and prevent any influx of formation fluids and/or gas into the mud system that might be encountered while drilling.

ACCU-VIS and PHPA are 5-gallon pails mixed in a 25,200-gallon water system that will be diluted to a .000198 % concentration. These products will be extremely diluted and will cause no harm to people or have environmental impacts. They also carry the API and NSF stamp for this reason. The products will be used in small amounts throughout the system at various times depending on the drilling situation. The SDS sheets for the products will be delivered to the drilling location upon arrival. This mud system will build a strong, thin filter cake to protect any fresh water zones that are encountered while drilling.

Another concern with the drilling process may be the reserve pit. Because our products are environmentally safe, the excess mud and drilling cuttings is also environmentally friendly. As the Gel base system fills the reserve pit it will create a sealed barrier preventing seepage in the pit. We will also reuse the liquid phase in the reserve pit to lower volumes that would accumulate as total depth is reached. After the drilling process is finished, our environmentally safe products allow for reclamation of the reserve pit without detrimental effects to the surrounding area. After reclamation is over, much of the flora and fauna thrive due to the nutrients and minerals that are left in the soil from the drilling fluid. If you have any other questions or concerns, please let me know. I'll be happy to discuss them with you.

Sincerely,

[REDACTED]

Pilot Exploration, Inc.

Section 2: Cementing Program

CEMENTING PROGRAM

All cementing procedures will be done by [REDACTED] located in [REDACTED]

The initial cement job will be that of the 9 5/8" surface casing, set to a depth of approximately 3,000 feet below ground level, or at a depth that is sufficient to case-off approximately 100 feet below the base of the treatable freshwater zones. The program is calculated to pump 110% excess cement, which should be more than adequate to circulate cement to surface. An additional 100 sacks of cement will be used to top out the cement job after the primary job is finished to ensure quality cement is displaced around the top of the surface casing. A copy of the proposed surface casing cement job from DOC which includes the number of sacks of cement, weight of the slurry and yield of the slurry is herein provided for your review.

After open hole logging operations are performed and the borehole has been evaluated, 5 1/2" casing may be run to start completion operations. The proposed running of 5 1/2" production casing, or so called "long string", will involve the following proposed cement job.

The running and cementing of all casing strings will be compliant with the requirements specified in Rule 391-3-13-.10.

The production casing will be cemented in a manner necessary to cover, or isolate all zones that contain hydrocarbons or freshwater zones, but in any case, a calculated volume sufficient to fill the annular space to at least 750 feet above the uppermost producible zone will be used. A copy of the estimated production cement job from [REDACTED] is herein provided for your review. This plan will be adjusted after more data is collected from the open hole logging data.

All casing strings set below the conductor casing will be tested to 1500 psi for 30 minutes before continuing drilling operations.




Drilling Procedure

Location: Pilot Exploration, Inc.
Georgia On My Mind Well #2
Quitman Co., GA
Permit #

Watch for the following potential drilling problems:

- Gravel, gumbo, and/or lost circulation in surface hole.
- Deviation.
- Keyseating.

1. Move in and set 80' of 20" conductor casing and drill water well.
2. Contact the Georgia Dept. of Natural Resources prior to commencing drilling operations; running, cementing, and testing casing; logging, reaching total depth and prior to removing the drilling rig. E-mail daily drilling reports every morning to report list provided.
3. Move in and rig up  Rig #18. Check that rig is centered properly over conductor casing. Make sure rig is completely rigged up and ready to drill prior to daywork operations. Mix spud mud with 40 – 50 viscosity. Nipple up on 20" conductor casing.
4. PU stabilizers at 60' & 90'. Drill a 12 1/4" hole to approximately 3000'. Take surveys at a maximum of 300' intervals. Monitor hole conditions for deviation and lost circulation problems.
5. Make wiper trip and circulate and condition mud to run surface casing. POOH. R/U and run 9 5/8", 40 lb/ft, J-55, LTC, surface casing. Strap bottom 3 joints of casing. Cement per enclosed proposal. Should loss of circulation occur during cementing or cement does not circulate to surface, call office to discuss additional options.
6. Wait on cement 12 hours, cut casing off and weld on 9 5/8" by 11", 5000 p.s.i., wellhead. Nipple up and test BOPs, all well control equipment and choke manifold.
7. TIH slick with an 8 3/4" bit and drill wiper plug, float collar, and 30' of cement. Test casing to 1500 psi. Drill float shoe and 70 foot of additional hole. POOH & P/U PDC bit, packed hole assembly, & monel drill collar.

8. Drill ahead and run single shot directional surveys at a maximum of 500' intervals. Monitor hole deviation and bottom hole location to obtain displacement to targets and determine when/if directional tools will be needed.
9. Mud logging will begin logging at 2,500'.
10. Water Loss Requirements:

0' - 3,000'	Spud Mud
3,000' - 5,000'	24 - 12 cc
5,000' - 8,000'	12 - 8 cc
11. Drill ahead to TD. When TD (approximately 8,000' TVD) is reached, make wiper trip, circulate & condition hole to log.
12. Run open hole logging program as instructed. Contact Georgia Dept of Natural Resources prior to logging.
13. If productive, 5 ½", 17 lb/ft, L-80, LTC, casing will be run to attempt a completion.

Operator Contacts: Mr. Mike Gustin
 Cell: [REDACTED]

Please sign and make sure correct well name is included on all field tickets.
 Keep one copy of field tickets & IADC daily reports for [REDACTED]
 At the end of the job, mail one copy of field tickets & IADC daily reports to:

Operator Billing Address: Pilot Exploration, Inc.
 2005 E. Main Street #113
 Gatesville, TX 76528

Primary Cementing Proposal

Pilot Exploration

Springvale, GA Prospect

5 1/2" PRODUCTION CASING

Well Location

County :Quitman
State: Georgia

Rig Name: **TBD**

Well Information

Casing Size: 5 1/2 [in] 17 lb./ft.
Casing Depth: 8,000 [ft]
TVD: 8,000 [ft]
O.H. Size: 8 3/4 [in]
O.H. Depth: 8,000 [ft]

Water Estimates

Spacer: 24.0 [bbis]
Total Mix Water: 90.9 [bbis]
Displacement: 186.1 [bbis]
Wash up: 30.0 [bbis]
Total Water Estimate: 330.9 [bbis]

Pvs.Casing Size: 9 5/8 [in]
Pvs. Casing Depth: 700 [ft]
BHST: 184.0 [°F]
BHCT: 135 [°F]

Prepared For [REDACTED] e
[REDACTED] 1

Date Prepared: 8/11/25

Prepared By [REDACTED]
Phone: ([REDACTED])
[REDACTED]
[REDACTED]

DISCLAIMER OF LIABILITY: With respect to this report, neither [REDACTED] nor any of their employees, makes any warranty, express or implied, including the warranties of merchantability and fitness for a particular purpose, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

Well Bore Information

Drilling Fluid 9.0 ppg Water Based Drilling Fluid

Spacers

Previous Casing Depth:

700 [ft]

Casing in Casing Factor:

0.2609 [cuft/ft]

Differential Pressure

800 [psi]

[assumes vertical hole]

Total Annular Excess

35 %


Casing in OH1 Factor:

0.2526 [cuft/ft]

(Without Excess)

Casing Capacity Factor:

0.1313 [cuft/ft]



Lead Cement

Top: 5,470 [ft]

Fill: 530 [ft]

Excess: 35 %

Vol: 183 [cuft]

Tail Cement

Top: 6,000 [ft]

Fill: 2000 [ft]

Excess: 35 %

Vol: 693 [cuft]

Shoe Track Length

40 [ft]

Measured Depth

8,000 [ft]

Note: Drawing may not be 100% Accurate with different situations.

Displacement Volume: 186 [bbls]

Mud / Cement Spacer System:

24 bbls DOC FLUSH 101 @ 8.4 [lb/gal]

Lead Cement Slurry

DOC LITE II MS PREM (4% GEL) + 2% KCl (BWOW) + 0.3% DOC - 17C + 0.1% DOC - 20 + 0.2% DOC - 41P

100 sks	32.618 bbls
Mix Weight:	12.80 [lb/gal]
Yield:	1.83 [cuft/sk]
Mix Water:	9.94 [gal/sk]

Tail Cement Slurry

CLASS H CEMENT + 5% KCl (BWOW) + 0.7% DOC - 17C + 0.15% DOC - 20 + 0.1% DOC - 35 + 0.05% DOC - 34

630 sks	123.34 bbls
Mix Weight:	16.30 [lb/gal]
Yield:	1.10 [cuft/sk]
Mix Water:	4.48 [gal/sk]

Displacement Fluid

186 bbls of Fresh Water

Always refigure on location!!!!

Primary Cementing Proposal

Pilot Exploration

Springvale, GA Prospect

9 5/8" SURFACE CASING

Well Location

County: Quitman
State: Georgia

Rig Name: **TBD**

Well Information

Casing Size: 9 5/8 [in] 40 lb./ft.
Casing Depth: 3,000 [ft]
TVD: 3,000 [ft]
O.H. Size: 12 1/4 [in]
O.H. Depth: 3,000 [ft]

Water Estimates

Spacer: 30.0 [bbls]
Total Mix Water: 253.3 [bbls]
Displacement: 224.5 [bbls]
Wash up: 30.0 [bbls]

BHST: 119.0 [°F]
BHCT: 96 [°F]

Total Water Estimate: 537.8 [bbls]

Prepared For: [REDACTED]
[REDACTED]

Date Prepared: 12/3/25


Prepared By: [REDACTED]
[REDACTED]
[REDACTED]

DISCLAIMER OF LIABILITY: With respect to this report, neither [REDACTED] warrants of merchantability and fitness for a particular purpose, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

Well Bore Information

Drilling Fluid 9.0 ppg Water Based Drilling Fluid

Spacers



Differential Pressure
615 [psi]
[assumes vertical hole]

Total Annular Excess
100 %

Casing in OH1 Factor:
0.3132 [cuft/ft]
(Without Excess)

Casing Capacity Factor:
0.4259 [cuft/ft]

Lead Cement

Top: Cement to Surface
Fill: 2,700 [ft]
Excess: 110%
Vol: 1,695 [cuft]

Tail Cement

Top: 2,700 [ft]
Fill: 300 [ft]
Excess: 110%
Vol: 205 [cuft]

Shoe Track Length

40 [ft]

Measured Depth

3,000 [ft]

Note: Drawing may not be 100% Accurate with different situations.

Displacement Volume: 225 [bbbls]

Mud / Cement Spacer System:

30 bbls FRESH WATER @ 8.34 [lb/gal]

Lead Cement Slurry

DOC LITE II MS CLASS A (4% GEL) 1 LB/SK PHENO SEAL BLEND + 0.2% DOC - 41P

940 sks	301.93 bbls
Mix Weight:	12.80 [lb/gal]
Yield:	1.80 [cuft/sk]
Mix Water:	9.74 [gal/sk]

Tail Cement Slurry

TYPE I/II CEMENT

160 sks	36.543 bbls
Mix Weight:	15.00 [lb/gal]
Yield:	1.28 [cuft/sk]
Mix Water:	6.00 [gal/sk]

Top Out System

100 sks TYPE I/II CEMENT + 2% Calcium Chloride
Mixed @ 15 ppg

Displacement Fluid

225 bbls of Fresh Water

Always refigure on location!!!

**Section 3:
BOP Procedures & Testing Schedule**

**BLOW-OUT PREVENTION PROCEDURE
AND BOP TESTING SCHEDULE**

Three blow-out preventers (BOPs) of a design and construction to easily handle the pressures that can be present down to a depth of 8,000' will be placed on the well following the setting and cementing of the 9 5/8" surface casing. These BOPs will be in place until the completion of the drilling process, the running of the 5 1/2" production casing, and if necessary, its subsequent cementing process.

The following BOPs will be used during the drilling of this well:

One Hydril GK 11" Annular BOP with a manufacturer rating of 5,000 p.s.i.

One Hydril V11 Double 11" BOP containing one set of blind rams and one set of 4 1/2" pipe rams, both with a manufacturer rating of 5,000 p.s.i. The Company expects that all formations that are encountered during the drilling of this project will be normally pressured. The ratings of all well control equipment to be used will exceed normal industry standards and practices.

This equipment will be installed on an 11" wellhead with a manufacturer rating of 5,000 p.s.i. The wellhead will be installed on the 9 5/8" surface casing after the casing is run and cemented. All well control equipment and choke manifold will be tested and charted on a pressure chart by a third-party testing company prior to the continuing of drilling operations below the base of the surface casing. Retesting will occur every 21 days of drilling.

The Company intends to drill all formations with a mud weight overbalanced so that no influx of any type of gas or fluid will occur. Should this event occur, the drilling rig personnel are trained and certified by the IADC (International Association of Drilling Contractors) well control school on the operation of the above equipment and procedures for detecting and controlling the influx of formation fluids/gas into the mud system. In addition, [REDACTED] and their insurance provider have prepared an Emergency Response Plan (ERP) with [REDACTED]. The equipment and procedures specified in this ERP address various well control scenarios.

As stated in Rule 391-3-13-.10, the company will immediately notify the Director by phone and written report the details of any fires, leaks and blow-outs that occur at the drill site.

Section 4: Caving Prevention Procedures

CAVING PREVENTION PROCEDURES

Prior to moving in the drilling rig, an auger type conductor rig will move in and drill to a depth of 80' and run a string of 20" conductor pipe. This 20" casing will be cemented in place. The conductor pipe is used to prevent any caving of topsoil or dirt into the surface hole.

The ■ rig will start drilling a 12 1/4" hole inside the 20" conductor casing. Once the 12 1/4" hole is drilled to a minimum of 3,000', a string of 9 5/8" casing will be run and cemented back to surface to protect all freshwater zones and provide stability to the borehole.

Mud properties will be monitored to help control hole stability and thick gel sweeps will be pumped to clean the hole of larger cuttings as the 12 1/4" surface hole section of the well is drilled.

SURFACE CASING: 9 5/8" casing set at 3,000' and cemented back to surface in accordance with Rule 391-3-13-.10 (10) & (12). Casing will be tested to 1500 psi for 30 minutes prior to drilling new hole.

We are prepared to set, if necessary 13 3/8" casing to 500' and cement same back to surface.

If this is the direction we go, we will drill out the cement shoe of the 13 3/8th casing and drill a 12 1/4" hole to 3,000' and cement same back to a depth that would cover any other freshwater zones. If necessary, we will cement back to the 13 3/8th's shoe at 500' but for your information, we will have 1,000' of 13 3/8th casing on location to cover any 12 1/4" hole problems down to 1,000'.

PRODUCTION CASING: If needed, 5 1/2" casing set at 8,000' (Total Depth) and cemented back to a depth sufficient to cover any producing oil or gas intervals. Casing will be tested to 1500 psi for 30 minutes. Any freshwater zones determined from our electric well logging program that are found below the base of surface casing at 3,000' will be isolated with cement.

Section 5: Drilling Program

DRILLING PROGRAM

Drilling will commence with a Conductor rig using a 30" auger style bit to drill the conductor hole. 20" conductor pipe will be set to 80' below the surface of the ground and cemented in place to control any caving of the topsoil.

The large drilling rig will be moved in and constructed over the conductor casing. The drilling of the 12 ¼" surface hole section will begin inside the conductor pipe with a 12 ¼" bit to a minimum depth of 3,000'. This depth is expected to be below all freshwater zones. Fresh water well records for the immediate area indicate all adequate freshwater zones are above this depth. 9 5/8" casing will be run in the surface hole and cemented from TD back to ground level.

Following a minimum of 12 hours waiting period for the cement to set up, the casing will be cut off and a wellhead welded on and tested. The BOPs will be installed and tested. Drilling will resume inside the 9 5/8" surface casing with an 8 ¾" bit. Drilling will continue to an expected total depth of approximately 8,000'. After reaching total depth, a thorough evaluation of all potential hydrocarbon reservoirs will be done, using a full suite of open hole logging tools.

It is anticipated that after this evaluation, it may become necessary to run 5 1/2" production casing to sufficient depth below all hydrocarbon bearing formations. This long string of 5 1/2" production casing will be cemented to 750' above any possible production (shallowest) prospective oil and gas zones, as required by the state of Georgia.

The surface and production casing is pressure tested by the seller prior to acquisition by the buyer and is banded and pressure rated before it is delivered to the well location. The casing will be tested after installing in the well in accordance with Rule 391-3-13-.10.

If shows of hydrocarbons are not encountered at any point in the wellbore, the need to run the 5 ½" production casing will not be necessary. In such case, arrangements will be made to plug the well in accordance with the specifications stipulated by the State of Georgia.

A more detailed drilling procedure and casing program are provided along with a rig equipment inventory and rig layout.

Pilot Exploration
Georgia On My Mind Well #2
Quitman Co., GA

Proposed Wellbore Schematic - Drilling

Hole Size: 30"



Conductor Casing:
80' of 20" welded
Cemented with 7 yards of Redi-mix

Mud Wt: 8.6 lb/gal

Surface Casing:
3000' of 9 5/8", 40 lb/ft, J-55, LTC

Cemented to surface.
T.D.: 3000'

Mud Wt: 9.2 lb/gal

Hole Size: 12 1/4"



Hole Size: 8 3/4"

Production Casing:
8,000' of 5 1/2", 17 lb/ft, L-80, LTC

Top of Cement: 6,000'

Mud Wt: 9.5 lb/gal

T.D.: +/- 8,000'

DRAWWORKS

RIG 18

SKYTOP BREWSTER N-46 SINGLE DRUM DRAWWORKS, S/N-460024, 800 HP, LEBUS GROOVED F/1-1/8" LINE, FOSTER MAKEUP & BREAKOUT CATHEADS, AIR DRILLER'S CONSOLE CONTROLS

COMPOUND

SKYTOP BREWSTER 2-ENGINE COMPOUND

BRAKE

PARMAC V-80 HYDROMATIC BRAKE

ALL ABOVE MOUNTED ON 14" H x 7'6"W x 28'5"L OILFIELD SKID, UNITIZED

ENGINE

(2) CAT D3408PCTA 475 HP DIESEL ENGINES, S/NS-67U6006 & 67001287, EACH W/AIR STARTER, RADIATOR, GAUGES, EACH W/ALLISON TC-945 TORQUE CONVERTER, (2) AIRFLEX CB500 AIR CLUTCHES

MAST

PYRAMID 136'H CANTILEVER MAST, S/N-DA636812, 571,000 LB. STATIC HOOK LOAD, CROWN BLOCK W/(5) SHEAVES, FASTLINE SHEAVE, 1-1/8" LINE, 4" STANDPIPE, CROWN SAFETY PLATFORM, RACKING BOARD, TONG COUNTERWEIGHTS, LADDER, DERRICK CLIMBER, BOOM, (2) 5000 LB. MAST STANDS, 5" STANDPIPE

SUBSTRUCTURE

PYRAMID 16'H x 24'L BOX-ON-BOX SUBSTRUCTURE, S/N-DAS594812, W/ROTARY BEAMS, V-DOOR RAMP, STAIRS, SAFETY RAILS NATIONAL TYPE D 6N#NST13666 DEADLINE ANCHOR W/MARTIN-DECKER SENSATOR. TOP DOGHOUSE EXTENSIONS, AIR RECEIVER TANK, STANDPIPE INTERNAL PIPING

PUMPS

2 National 10-P-130s powered by cat D399s

ROTATING EQUIPMENT

ROTARY TABLE ZP 205

GARDNER DENVER 400 TON SWIVEL

5-1/4" x 46'L HEX KELLY

VARCO HDS KELLYDRIVE BUSHING, SQUARE DRIVE

INTERNATIONAL 96C KELLY SPINNER

4-1/2" XH INSIDE BOP

TRAVELING EQUIPMENT

GARDNER-DENVER TWW-30 300-TON BLOCK W/(5) 42" SHEAVES, 1-1/8" LINE

WEB WILSON 250-TON HYDRA HOOK

3-1/2" x 108" ELEVATOR LINKS

WELL CONTROL EQUIPMENT

-HYDRIL GK 11" 5000 PSI ANNULAR BLOWOUT PREVENTER, S/N-64730,
W/STUDDED TOP & FLANGED BOTTOM

-HYDRIL V11" 5000 PSI DOUBLE BLOWOUT PREVENTER, S/N-C2569, W/PIPE &
BLIND RAMS, FLANGED TOP & BOTTOM, (4) 4-1/16" 5000 PSI FLANGED OUTLETS,
11" 5000 PSI DRILLING SPOOL W/(2) 3-1/16" OUTLETS

-KOOMY TYPE 80 6-STATION CLOSING UNIT, BYPASS VALVE, TRIPLEX PUMP P/B 15
HP ELECTRIC MOTOR, (2) AIR PUMP, (20) 11-GALLON BOTTLES, HYDRAULIC
RESERVOIR, REMOTE CONTROL PANEL

-CHOKE MANIFOLD W/DEMCO 2-1/16" MANUAL GATE VALVE, OTECO 4" 5000 PSI
MANUAL GATE VALVE, DEMCO 4-1/16" 5000 PSI MANUAL GATE VALVE

RIG HOUSES

- 8'W x 40'L TOOLPUSHER'S HOUSE, FULLY FURNISHED W/(2) BEDROOMS, (1) BATHROOM, OFFICE/KITCHEN, APPLIANCES, AIR CONDITION, SKIDDED
- 8'W x 21'L TOP DOGHOUSE W/4'6"L PORCH EXTENSION, KNOWLEDGE BOX, (3) LOCKERS, (2) STORAGE BINS, SKIDDED
- 12'W x 51'L CREW QUARTERS W/(2) BEDROOMS, (2) BATHROOMS, KITCHEN, FURNISHED, APPLIANCES, CENTRAL AIR & HEAT, SKIDDED
- 7'10"W x 38'L LOWER DOGHOUSE/PARTS HOUSE W/STORAGE SHELVES, WORK TABLE, SKIDDED

GENERATORS/UTILITY HOUSE

- CAT SR-4 460 KW AC GENERATOR SET P/B CAT D3412PCTA 665 HP @ 1800 RPM TURBO-CHARGED DIESEL ENGINE, S/N-38S608407 ,W/AIR STARTER, RADIATOR, GAUGES, SKIDDED
- CAT SR-4 460 KW AC GENERATOR SET, S/N-5N45, P/B CAT D3412PCTA 665 HP @ 1800 RPM TURBO-CHARGED DIESEL ENGINE, S/N-38S5783, W/AIR STARTER, RADIATOR, GAUGES, SKIDDED
- 25 HP DIRECT DRIVE COMPRESSOR AIR COOLED QGD-25
- 25 HP DIRECT DRIVE COMPRESSOR AIR COOLED QGS-25

MUD SYSTEM

- 9'6"W x 6'H x 38'L CRIMPED-WALL 390-BARREL MUD SUCTION TANK W/11'2"L COVERED PORCH EXTENSION, (2) COMPARTMENTS, (2) MISSION MAGNUM 5" x 6" CENTRIFUGAL PUMPS, EACH P/B 60 HP ELECTRIC MOTOR W/FURNAS STARTER CONTROLS, FULL-LENGTH MUD TROUGH, INTERNAL PIPING, CABLE TRAY, APPLETON PLUG RECEPTACLES, CLEAN-OUT GATES, MUD HOPPER, WALKWAYS, STAIRS, SAFETY RAILS, UNITIZED & MOUNTED ON 10"H x 50'L OILFIELD SKID
- 9'6"W x 6'H x 30'L CRIMPED-WALL 308-BARREL MUD SHAKER TANK W/8'L COVERED PORCH, (3) COMPARTMENTS, (2) MISSION MAGNUM 5" x 6" CENTRIFUGAL PUMPS, EACH P/B 60 HP ELECTRIC MOTOR W/FURNAS STARTER CONTROLS, SHALE SHAKER SLIDE, INTERNAL PIPING, CABLE TRAY, APPLETON

PLUG RECEPTACLES, CLEAN-OUT GATES, MUD HOPPER, WALKWAYS, STAIRS,
SAFETY RAILS, UNITIZED & MOUNTED ON 10"H x 39'L OILFIELD SKID

-(2) NOV SHAKERS MODEL DLMS-285P LINEAR MOTION SHAKERS

-O'DRILL DESANDER W(2) 12" CONES

-O'DRILL DESILTER W/(2) 12" CONES

WATER/FUEL TANKS

-8'W x 7'H x 32'L 320-BARREL CRIMPED-WALL OPEN-TOP WATER TANK, SKIDDED

-10'W x 7'H x 43'L WATER TANK W/(2) CENTRIFUGAL PUMPS, SKIDDED

-9000-GALLON FUEL TANK W/40'L SKID EXTENSION, TANK CRADLE, (2) TRANSFER
PUMPS, EACH P/B 3 HP ELECTRIC MOTOR W/STARTER BOX, SKIDDED

-5-COMPARTMENT LUBESTER, SKIDDED

HANDLING TOOLS

-VARCO SSW 10 PIPE SPINNER

-TYPE AAX ROTARY TONGS

-WEB WILSON 225-TON CENTER DRILL PIPE ELEVATORS

-BAASH-ROSS 4-1/2" ROTARY SLIPS

(3) AIR HOIST

AUXILLARY EQUIPMENT

-MARTIN-DECKER TYPE D WEIGHT INDICATOR W/ROTARY TORQUE & SPM
GAUGES

-3"ID x 55'L ROTARY HOSE

-42"H x 5'W x 50'L 2-SECTION CATWALK

-37"H x 7'1"W x 25'L JUNK BOX, SKIDDED

-FIVE-STAR WIRELINE MEASURING DEVICE

-RATHOLE & HOUSEHOLE

- APPROXIMATELY 7500' 1-1/8" DRILL LINE W/POWER SPOOLER, STAND

-MAST STAND

-(5) 4-1/2" XH SAVER SUBS

- TIW 4-1/2" XH VALVE
- (2) 6-5/8" REG X 6-5/8" REG BIT SUBS
- (2) 4-1/2" XH x 4-1/2" REG BIT SUBS
- (2) 4-1/2" x 4" X 6-5/8" REG CHANGE OVER SUBS
- (7) 4-1/2" XH LIFT SUBS
- (2) DRILL COLLAR CLAMP

DRILL PIPE

12,500' OF 4-1/2", GRADE G105, 16.60 LB. DRILL PIPE

DRILL COLLARS

(12) 6-1/2"OD x 2-1/4"ID DRILL COLLARS

PIPE RACKS

4 SETS (8) 37"H x 28'L TRIANGULAR PIPE RACKS


Pilot Exploration

RESERVE PIT PLAN

WELL NAME: Georgia On My Mind Well #2

COUNTY: Quitman
PROPOSED DEPTH: 8,000'

- | | | |
|--|------------------|---|
| A. Reserve Pit contents will be disposed of by : | ANNULAR DISPOSAL | |
| B. Estimated volume of contents to be disposed: | 21,600 BBLS | |
| C. Total capacity of reserve pit: | 33,300 BBLS | Volume= $[(L1+L2)/2*(W1+W2)/2*D]/5.615$ |
| D. In the event of inquiry, please contact: | ██████████e | PHONE: ██████████ |



Outside perimeter of entire location is 350' by 350'.



**Section 6:
Seepage and Water Flow Prevention
Procedures**

SEEPAGE AND WATER FLOW PREVENTION PROCEDURES

Mud properties will be monitored, and additives will be used to control seepage. Gel is used to increase the viscosity of the drilling fluid to provide hole cleaning and control seepage to the formation. The volume of the fluid in the rig mud tanks is continually monitored to provide data on seepage rates and to make sure no influx from the formation is entering the mud system. Mud weights will also be adjusted to stay slightly above (overbalanced) formation pressures.

A daily report of the mud properties, additives used, and cost data will be prepared each day. Recommendations are prepared by the mud engineer and the drilling engineer daily.

**Pilot Exploration
Georgia On My Mind Well #2
Quitman Co., GA**

Proposed Wellbore Schematic - Drilling

Hole Size: 30"



Conductor Casing:
80' of 20" welded
Cemented with 7 yards of Redi-mix

Mud Wt: 8.6 lb/gal

Surface Casing:
3000' of 9 5/8", 40 lb/ft, J-55, LTC

Cemented to surface.
T.D.: 3000'

Mud Wt: 9.2 lb/gal

Hole Size: 12 1/4"



Hole Size: 8 3/4"

Production Casing:
8,000' of 5 1/2", 17 lb/ft, L-80, LTC

Top of Cement: 6,000'

Mud Wt: 9.5 lb/gal

T.D.: +/- 8,000'

**Section 7:
Fire Prevention Procedures**

FIRE PREVENTION PROCEDURES

██████████ employs ██████████ serves as an outside consultant that provides safety training, safety manual review, and onsite visits insuring that ██████████ is up to date and in compliance with OSHA regulations. ██████████'s safety handbook serves as topics for daily tour safety meetings. Included in this training is fire prevention procedures, use of fire extinguishers, placement of fire extinguishers, along with many other safety procedures.

**Section 8:
Handling Procedures for Solid Waste,
Hazardous Waste and Drilling Waste**

**SOLID WASTE, HAZARDOUS WASTE AND DRILLING WASTE
HANDLING PROCEDURES**

Spills at or near the drill rig are addressed in the SPCC Plan.

The SPCC plan provided has been certified by a professional engineer that is licensed and registered in the State of Mississippi. Pilot will have the plan certified by a professional engineer in the state of Georgia should this requirement be deemed necessary.

While drilling the Georgia On My Mind Well #2, we have designed the location so that all the drill cuttings will be collected from the rig in the reserve pit. The edge of the reserve pit is located 45' feet from the actual wellbore.

All freshwater drilling waste and rainwater runoff from the rig area will also be collected in the reserve pit. A reserve pit pump will be utilized to pump the liquid phase in reserve pit back into the drilling fluid mud system while drilling.

We do not expect to generate any hazardous waste associated with the drilling of this well.

SPILL PREVENTION , CONTROL AND COUNTERMEASURE PLAN

[REDACTED]

(FACILITY NAME)

VARIOUS LOCATION IN SOUTHERN UNITED STATES

(FACILITY LOCATION)

[REDACTED]

(OPERATOR NAME)

[REDACTED]

(ADDRESS)

[REDACTED]

89

(TELEPHONE) (WEBSITE)

[REDACTED]
Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]
RIG # 18

ANNUAL REVIEW

I, [REDACTED]-year member of the Society of Petroleum Engineers, have on this date, reviewed the attached SPCC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supersedes all prior reviews.

[REDACTED]

[REDACTED]

Operations Manager

DATE: 1-7-25

[REDACTED]

Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]

RIG # 18

ANNUAL REVIEW

I, [REDACTED] year member of the Society of Petroleum Engineers, have on this date, reviewed the attached SPCC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supersedes all prior reviews.

[REDACTED]

[REDACTED]

Operations Manager

DATE: 1-6-24

[REDACTED]
Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]
RIG # 18

ANNUAL REVIEW

I, [REDACTED] year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.

[REDACTED]
Operations Manager

DATE January 4, 2023

[REDACTED]
Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]
RIG # 18

ANNUAL REVIEW

I, [REDACTED] year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.

[REDACTED]

Operations Manager

DATE : January 4 , 2022

[REDACTED]

Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]

RIG # 18

ANNUAL REVIEW

I, [REDACTED] year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.

[REDACTED]

Operations Manager


DATE : January 4 , 2021


Spill Prevention Control And Countermeasure Plan

(SPCC)


RIG # 18

ANNUAL REVIEW

I,  year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.



Operations Manager


DATE : January 2 , 2019


Spill Prevention Control And Countermeasure Plan

(SPCC)


RIG # 18

ANNUAL REVIEW

I,  year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.



Operations Manager

DATE : January 22nd , 2018

[REDACTED]
Spill Prevention Control And Countermeasure Plan

(SPCC)

[REDACTED]
RIG # 18

ANNUAL REVIEW

I, [REDACTED] year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.

[REDACTED]

Operations Manager


DATE : July 26th , 2017


Spill Prevention Control And Countermeasure Plan

(SPCC)


RIG # 18

ANNUAL REVIEW

I,  year member of the Society of Petroleum Engineers , have on this date , reviewed the attached SPPC plans for any changes in the facility plans or layout. I have found no changes in the physical plant. The attached SPCC plan is still valid with no further changes. This review supercedes all prior reviews.

January 4th , 2016

DATE :


Operations Manager

SPILL PREVENTION, CONTROL, AND COUNTERMEASURE PLAN

[REDACTED]

(Facility Name)

Various Location in Southern United States

(Facility Location)

[REDACTED]

(Operator Name)

[REDACTED]

(Address)

[REDACTED]

(Address)

TABLE OF CONTENTS

Page

Table of Contents	ii
Log of Plan Review and Amendments	v
Regulatory Cross-Reference	vi

Section 1 – General Information

1.0	General Information	1-1
1.1	Management Approval and Review	1-1
1.2	Professional Engineer Certification	1-2
1.3	Substantial Harm Certification	1-3
1.4	Contact List and Phone Numbers	1-4
1.5	Notification Data Sheet	1-4
1.6	Personnel, Training, and Discharge Prevention Procedures	1-4
1.7	Facility Layout and Diagram	1-6
	1.7.1 Facility Layout	1-6
	1.7.2 Facility Diagram	1-6
1.8	Prevention, Response and Cleanup	1-7
1.9	Impracticability	1-9
1.10	Deviations to Rule	1-10
1.11	Conformance with other Requirements	1-11

Section 2A – Onshore Facility **N/A**

2A.1	Container and Potential Spills Table	2A-1
2A.2	Bulk Storage Containers	2A-2
	2A.2.1 Completely and Partially Buried Tanks	2A-2
	2A.2.2 Mobile or Portable Oil Storage Containers	2A-2
	2A.2.3 Internal Heating Coils	2A-2
	2A.2.4 Fail Safe Precautions	2A-3
2A.3	Facility Containment, Drainage and Water Treatment	2A-4
	2A.3.1 Secondary Containment Systems	2A-4
	2A.3.2 Facility Drainage to Surface Waters without Facility Treatment System	2A-5
	2A.3.3 Water Treatment System	2A-5
	2A.3.4 Effluent Treatment Facilities	2A-5
	2A.3.5 Facility Undiked Drainage to Surface Waters	2A-5
2A.4	Facility Transfer Operations, Pumping and Facility Process	2A-6
	2A.4.1 Facility Piping	2A-6
	2A.4.2 Out of Service Piping	2A-6
	2A.4.3 Pipe Supports	2A-6
	2A.4.4 Vehicle Warnings	2A-7
2A.5	Facility Tank Car & Tank Truck Loading/Unloading Rack	2A-7
	2A.5.1 Tank Car & Tank Truck Containment Systems for Loading/Unloading Rack	2A-7
	2A.5.2 Prevention of Premature Vehicular Departure	2A-7
	2A.5.3 Drain and Outlet Inspection	2A-8

TABLE OF CONTENTS (Cont'd)

		<u>Page</u>
2A.6	Security	2A-8
2A.7	Inspections, Tests and Records	2A-9
Section 2B – Onshore Oil Production Facility <input type="checkbox"/> N/A <input checked="" type="checkbox"/>		
2B.1	Container and Potential Spills Table	2B-1
2B.2	Bulk Storage Containers	2B-2
2B.3	Facility Drainage	2B-2
2B.4	Facility Transfer Operations	2B-3
	2B.4.1 Saltwater Disposal Facilities	2B-3
	2B.4.2 Flowline Maintenance Program	2B-3
2B.5	Facility Tank Car & Tank Truck Loading/Unloading Rack	2B-3
	2B.5.1 Tank Car & Tank Truck Containment Systems	2B-3
	2B.5.2 Prevention of Premature Vehicular Departure	2B-4
	2B.5.3 Drain and Outlet Inspection	2B-4
2B.6	Inspections, Tests and Records	2B-5
Section 2C – Onshore Oil Drilling And Workover Facility <input checked="" type="checkbox"/> N/A <input type="checkbox"/>		
2C.1	Facility Containers	2C-1
2C.2	Positioning of Equipment	2C-2
2C.3	Containment	2C-2
2C.4	Blowout Prevention (BOP) Assembly	2C-2
2C.5	Facility Tank Truck Loading/Unloading Rack	2C-2
	2C.5.1 Tank Truck Containment Systems	2C-3
	2C.5.2 Prevention of Premature Vehicular Departure	2C-3
	2C.5.3 Drain and Outlet Inspection	2C-4
2C.6	Inspections, Tests and Records	2C-4
Section 2D – Offshore Oil Drilling, Production, Or Workover Facility <input type="checkbox"/> N/A <input checked="" type="checkbox"/>		
2D.1	Facility Containers	2D-1
2D.2	Facility Operations	2D-2
	2D.2.1 Separator and Treater Dump Valves	2D-2
	2D.2.2 Atmospheric or Pressurized Storage	2D-2
	2D.2.3 Manifolds	2D-3
	2D.2.4 Flowlines	2D-3
	2D.2.5 Piping Corrosion Protection	2D-3
	2D.2.6 Sub-marine Piping Appurtenant to the Facility	2D-3
	2D.2.7 Surface and Subsurface Well Shut-In Valves and Devices	2D-4
	2D.2.8 Blowout Prevention (BOP) Assembly	2D-4
2D.3	Drainage Collection	2D-5
	2D.3.1 Stormwater Handling Systems	2D-5
	2D.3.2 Sump System	2D-5
2D.4	Inspection, Tests and Records	2D-6

APPENDICES

Notification.....	A-1
Contingency Plan	A-5
Logs	B-1
Facility Diagram.....	C-1
Site Location Map.....	D-1
Site Topographic Map	D-2
Directions to Facility	E-1



ONSHORE FACILITY - REGULATORY CROSS-REFERENCE

Citation	Description	Section
§112.3(d)(1)	Professional Engineer Certification	1.2
§112.5(b)	Management of Five Year Review	Foreword
§112.7	General requirements for SPCC Plans for all facilities and all oil types	-----
§112.7(a)	General requirements: discussion of facility's conformance with rule requirements; deviations from Plan requirements; facility characteristics that must be described in the Plan; spill reporting information in the Plan; emergency procedures	1, 2, App. A-D
§112.7(b)	Fault analysis	2A.1
§112.7(c)	Secondary containment	2A.1, 2A.3.1
§112.7(d)	Contingency planning	App. D
§112.7(e)	Inspections, tests, and records	2A.5.3, 2A.7, App. B
§112.7(f)	Employee training and discharge prevention procedures	1.6, App. A, App. B
§112.7(g)	Security (excluding oil production facilities)	2A.4.2, 2A.6
§112.7(h)	Loading/unloading (excluding offshore facilities)	2A.5
§112.7(i)	Brittle fracture evaluation requirements	2A.7
§112.7(j)	Conformance with State requirements	1.11
§112.8	Requirements for onshore facilities (excluding production facilities)	-----
§112.8(a)	General and specific requirements	2A.1 - 2A.4, 2A.7
§112.8(b)	Facility drainage	2A.3
§112.8(c)	Bulk storage containers	2A.1, 2A.2, 2A.7
§112.8(d)	Facility transfer operations, pumping, and facility process	2A.4, 2A.7
§112.9	Requirements for onshore production facilities	N/A
§112.9(a)	General and specific requirements	N/A
§112.9(b)	Oil production facility drainage	N/A
§112.9(c)	Oil production facility bulk storage containers	N/A
§112.9(d)	Facility transfer operations, oil production facility	N/A
§112.10	Requirements for onshore oil drilling and workover facilities	N/A
§112.10(a)	General and specific requirements	N/A
§112.10(b)	Mobile facilities	N/A
§112.10(c)	Secondary containment - catchment basins or diversion structures	N/A
§112.10(d)	Blowout prevention (BOP)	N/A
§112.11	Requirements for offshore oil drilling, production, or workover facilities	N/A
§112.11(a)	General and specific procedures	N/A
§112.11(b)	Facility drainage	N/A
§112.11(c)	Sump systems	N/A
§112.11(d)	Discharge prevention systems for separators and treaters	N/A
§112.11(e)	Atmospheric storage or surge containers; alarms	N/A
§112.11(f)	Pressure containers; alarm systems	N/A
§112.11(g)	Corrosion protection	N/A
§112.11(h)	Pollution prevention system procedures	N/A
§112.11(i)	Pollution prevention systems; testing and inspection	N/A
§112.11(j)	Surface and subsurface well shut-in valves and devices	N/A
§112.11(k)	Blowout prevention	N/A
§112.11(l)	Manifolds	N/A
§112.11(m)	Flowlines, pressure sensing devices	N/A
§112.11(n)	Piping; corrosion protection	N/A
§112.11(o)	Sub-marine piping; environmental stresses	N/A
§112.11(p)	Inspections of sub-marine piping	N/A

Facility: XXXXXXXXXX

SPCC-v

Date: January 2, 2014

ONSHORE OIL PRODUCTION FACILITY - REGULATORY CROSS-REFERENCE

Citation	Description	Section
§112.3(d)(1)	Professional Engineer Certification	1.2
§112.5(b)	Management of Five Year Review	Foreword
§112.7	General requirements for SPCC Plans for all facilities and all oil types	-----
§112.7(a)	General requirements: discussion of facility's conformance with rule requirements; deviations from Plan requirements; facility characteristics that must be described in the Plan; spill reporting information in the Plan; emergency procedures	1, 2, App. A-D
§112.7(b)	Fault analysis	2B.1
§112.7(c)	Secondary containment	2B.1, 2B.3
§112.7(d)	Contingency planning	App. D
§112.7(e)	Inspections, tests, and records	2B.6
§112.7(f)	Employee training and discharge prevention procedures	1.6, App. A, App. B
§112.7(g)	Security (excluding oil production facilities)	N/A
§112.7(h)	Loading/unloading (excluding offshore facilities)	2B.5
§112.7(i)	Brittle fracture evaluation requirements	2B.6
§112.7(j)	Conformance with State requirements	1.11
§112.8	Requirements for onshore facilities (excluding production facilities)	N/A
§112.8(a)	General and specific requirements	N/A
§112.8(b)	Facility drainage	N/A
§112.8(c)	Bulk storage containers	N/A
§112.8(d)	Facility transfer operations, pumping, and facility process	N/A
§112.9	Requirements for onshore production facilities	-----
§112.9(a)	General and specific requirements	2B.1 - 2B.4, 2B.3
§112.9(b)	Oil production facility drainage	2B.3
§112.9(c)	Oil production facility bulk storage containers	2B.1, 2B.2
§112.9(d)	Facility transfer operations, oil production facility	2B.4
§112.10	Requirements for onshore oil drilling and workover facilities	N/A
§112.10(a)	General and specific requirements	N/A
§112.10(b)	Mobile facilities	N/A
§112.10(c)	Secondary containment - catchment basins or diversion structures	N/A
§112.10(d)	Blowout prevention (BOP)	N/A
§112.11	Requirements for offshore oil drilling, production, or workover facilities	N/A
§112.11(a)	General and specific procedures	N/A
§112.11(b)	Facility drainage	N/A
§112.11(c)	Sump systems	N/A
§112.11(d)	Discharge prevention systems for separators and treaters	N/A
§112.11(e)	Atmospheric storage or surge containers; alarms	N/A
§112.11(f)	Pressure containers; alarm systems	N/A
§112.11(g)	Corrosion protection	N/A
§112.11(h)	Pollution prevention system procedures	N/A
§112.11(i)	Pollution prevention systems; testing and inspection	N/A
§112.11(j)	Surface and subsurface well shut-in valves and devices	N/A
§112.11(k)	Blowout prevention	N/A
§112.11(l)	Manifolds	N/A
§112.11(m)	Flowlines, pressure sensing devices	N/A
§112.11(n)	Piping; corrosion protection	N/A
§112.11(o)	Sub-marine piping; environmental stresses	N/A
§112.11(p)	Inspections of sub-marine piping	N/A

ONSHORE OIL DRILLING AND WORKOVER FACILITY - REGULATORY CROSS-REFERENCE

Citation	Description	Section
§112.3(d)(1)	Professional Engineer Certification	1.2
§112.5(b)	Management of Five Year Review	Foreword
§112.7	General requirements for SPCC Plans for all facilities and all oil types	-----
§112.7(a)	General requirements: discussion of facility's conformance with rule requirements; deviations from Plan requirements; facility characteristics that must be described in the Plan; spill reporting information in the Plan; emergency procedures	1, 2, App. A-D
§112.7(b)	Fault analysis	2C.1
§112.7(c)	Secondary containment	2C.1, 2C.3
§112.7(d)	Contingency planning	App. D
§112.7(e)	Inspections, tests, and records	2C.5
§112.7(f)	Employee training and discharge prevention procedures	1.6, App. A, App. B
§112.7(g)	Security (excluding oil production facilities)	N/A
§112.7(h)	Loading/unloading (excluding offshore facilities)	2C.5
§112.7(i)	Brittle fracture evaluation requirements	2C.6
§112.7(j)	Conformance with State requirements	1.11
§112.8	Requirements for onshore facilities (excluding production facilities)	N/A
§112.8(a)	General and specific requirements	N/A
§112.8(b)	Facility drainage	N/A
§112.8(c)	Bulk storage containers	N/A
§112.8(d)	Facility transfer operations, pumping, and facility process	N/A
§112.9	Requirements for onshore production facilities	N/A
§112.9(a)	General and specific requirements	N/A
§112.9(b)	Oil production facility drainage	N/A
§112.9(c)	Oil production facility bulk storage containers	N/A
§112.9(d)	Facility transfer operations, oil production facility	N/A
§112.10	Requirements for onshore oil drilling and workover facilities	-----
§112.10(a)	General and specific requirements	2C.1 - 2C.4, 2C.6
§112.10(b)	Mobile facilities	2C.2
§112.10(c)	Secondary containment - catchment basins or diversion structures	2C.3
§112.10(d)	Blowout prevention (BOP)	2C.4
§112.11	Requirements for offshore oil drilling, production, or workover facilities	N/A
§112.11(a)	General and specific procedures	N/A
§112.11(b)	Facility drainage	N/A
§112.11(c)	Sump systems	N/A
§112.11(d)	Discharge prevention systems for separators and treaters	N/A
§112.11(e)	Atmospheric storage or surge containers; alarms	N/A
§112.11(f)	Pressure containers; alarm systems	N/A
§112.11(g)	Corrosion protection	N/A
§112.11(h)	Pollution prevention system procedures	N/A
§112.11(i)	Pollution prevention systems; testing and inspection	N/A
§112.11(j)	Surface and subsurface well shut-in valves and devices	N/A
§112.11(k)	Blowout prevention	N/A
§112.11(l)	Manifolds	N/A
§112.11(m)	Flowlines, pressure sensing devices	N/A
§112.11(n)	Piping; corrosion protection	N/A
§112.11(o)	Sub-marine piping; environmental stresses	N/A
§112.11(p)	Inspections of sub-marine piping	N/A

OFFSHORE OIL DRILLING, PRODUCTION, OR WORKOVER FACILITY – REGULATORY CROSS-REFERENCE

Citation	Description	Section
§112.3(d)(1)	Professional Engineer Certification	1.2
§112.5(b)	Management of Five Year Review	Foreword
§112.7	General requirements for SPCC Plans for all facilities and all oil types	-----
§112.7(a)	General requirements: discussion of facility's conformance with rule requirements; deviations from Plan requirements; facility characteristics that must be described in the Plan; spill reporting information in the Plan; emergency procedures	1, 2, App. A-D
§112.7(b)	Fault analysis	2D.1
§112.7(c)	Secondary containment	2D.1
§112.7(d)	Contingency planning	App. D
§112.7(e)	Inspections, tests, and records	2D.4
§112.7(f)	Employee training and discharge prevention procedures	1.6 App. A, App. B
§112.7(g)	Security (excluding oil production facilities)	N/A
§112.7(h)	Loading/unloading (excluding offshore facilities)	N/A
§112.7(i)	Brittle fracture evaluation requirements	2D.4
§112.7(j)	Conformance with State requirements	1.11
§112.8	Requirements for onshore facilities (excluding production facilities)	N/A
§112.8(a)	General and specific requirements	N/A
§112.8(b)	Facility drainage	N/A
§112.8(c)	Bulk storage containers	N/A
§112.8(d)	Facility transfer operations, pumping, and facility process	N/A
§112.9	Requirements for onshore production facilities	N/A
§112.9(a)	General and specific requirements	N/A
§112.9(b)	Oil production facility drainage	N/A
§112.9(c)	Oil production facility bulk storage containers	N/A
§112.9(d)	Facility transfer operations, oil production facility	N/A
§112.10	Requirements for onshore oil drilling and workover facilities	N/A
§112.10(a)	General and specific requirements	N/A
§112.10(b)	Mobile facilities	N/A
§112.10(c)	Secondary containment - catchment basins or diversion structures	N/A
§112.10(d)	Blowout prevention (BOP)	N/A
§112.11	Requirements for offshore oil drilling, production, or workover facilities	-----
§112.11(a)	General and specific procedures	2D.1 - 2D.4
§112.11(b)	Facility drainage	2D.3.1
§112.11(c)	Sump systems	2D.3.2
§112.11(d)	Discharge prevention systems for separators and treaters	2D.2.1
§112.11(e)	Atmospheric storage or surge containers; alarms	2D.2.2
§112.11(f)	Pressure containers; alarm systems	2D.2.2
§112.11(g)	Corrosion protection	2D.2.2
§112.11(h)	Pollution prevention system procedures	2D.3.2
§112.11(i)	Pollution prevention systems; testing and inspection	2D.4
§112.11(j)	Surface and subsurface well shut-in valves and devices	2D.2.7
§112.11(k)	Blowout prevention	2D.2.8
§112.11(l)	Manifolds	2D.2.3
§112.11(m)	Flowlines, pressure sensing devices	2D.2.4
§112.11(n)	Piping; corrosion protection	2D.2.5
§112.11(o)	Sub-marine piping; environmental stresses	2D.2.6
§112.11(p)	Inspections of sub-marine piping	2D.4

Facility: XXXXXXXXXX

SECTION ONE

General Information

1.0 General Information

1.1 Management Approval and Review

Management Approval

Owner/Operator responsible for Facility



Facility Name and Location

Various Location in Southern United States

* This SPCC Plan will be implemented as herein described.

Signature: [Handwritten Signature]

Designated person accountable for oil spill prevention at the facility

Name: [Redacted]

Name: [Redacted]

Date: 1-4-2023

Name: [Redacted]

Title: Operations Manager

Title: Rig Manager

* This SPCC Plan will be implemented as herein described.

Signature: _____

Designated person accountable for oil spill prevention at the facility:

Name: _____

Name: _____

Date: _____

Title: _____

Title: _____

* This SPCC Plan will be implemented as herein described.

Signature: _____

Designated person accountable for oil spill prevention at the facility:

Name: _____

Name: _____

Date: _____

Title: _____

Title: _____

1.0 General Information

1.1 Management Approval and Review

Management Approval	
Owner/Operator responsible for Facility: [Redacted]	
● Facility Name and Location: [Redacted] <u>Various Location in Southern United States</u>	
● This SPCC Plan will be implemented as herein described.	
Signature: <u>[Handwritten Signature]</u>	Designated person accountable for oil spill prevention at the facility:
Name: <u>[Redacted]</u>	Name: <u>[Redacted]</u>
Date: <u>1-2-15</u>	Name: <u>[Redacted]</u>
Title: <u>Operations Manager</u>	Title: <u>Rig Manager</u>
● This SPCC Plan will be implemented as herein described.	
Signature: _____	Designated person accountable for oil spill prevention at the facility:
Name: _____	Name: _____
Date: _____	Title: _____
Title: _____	
● This SPCC Plan will be implemented as herein described.	
Signature: _____	Designated person accountable for oil spill prevention at the facility:
Name: _____	Name: _____
Date: _____	Title: _____
Title: _____	

1.2 Professional Engineer Certification

Professional Engineer Certification

By means of this Professional Engineer Certification, I hereby attest to the following:

- I am familiar with the requirements of 40 CFR Part 112 and have verified that this Plan has been prepared in accordance with the requirements of this Part.
- I or my agent have visited and examined the facility(s).
- I have verified that this Plan has been prepared in accordance with good engineering practice, including consideration of applicable industry standards.
- I have verified that the required inspection and testing procedures have been established as described in Section 2.
- I have verified that the Plan is adequate for the facility.



(Seal)

Printed Name of Registered Professional Engineer

Signature of Registered Professional Engineer

Date:

12/24/13

Registration No.: 10140

State: MS

1.3 Substantial Harm Certification (excerpt from 40 CFR Part 112 - Attachment CII)

CERTIFICATION OF THE APPLICABILITY OF THE SUBSTANTIAL HARM CRITERIA

FACILITY NAME:
FACILITY ADDRESS:

Various Location in Southern United States

1. Does the facility transfer oil over water to or from vessels *and* does the facility have a total oil storage capacity greater than or equal to 42,000 gallons?
 YES NO
2. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons *and* does the facility lack secondary containment that is sufficiently large to contain the capacity of the largest aboveground oil storage tank plus sufficient freeboard to allow for precipitation within any aboveground oil storage tank area?
 YES NO
3. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons *and* is the facility located at a distance (as calculated using the appropriate formula in Attachment C-III to this appendix or a comparable formula¹) such that a discharge from the facility could cause injury to fish and wildlife and sensitive environments? For further description of fish and wildlife and sensitive environments, see Appendices I, II, and III to DOC/NOAA's "Guidance for Facility and Vessel Response Plans: Fish and Wildlife and Sensitive Environments" (59 FR 14713, March 29, 1994) and the applicable Area Contingency Plan.
 YES NO
4. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons *and* is the facility located at a distance (as calculated using the appropriate formula in Attachment C-III to this appendix or a comparable formula¹) such that a discharge from the facility would shut down a public drinking water intake²?
 YES NO
5. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons *and* has the facility experienced a reportable oil spill in an amount greater than or equal to 10,000 gallons within the last 5 years?
 YES NO

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

[Redacted Signature]

Operations Manager

Title

Name (please type or print)

Date

1-2-15

¹ If a comparable formula is used, documentation of the reliability and analytical soundness of the comparable formula must be attached to this form.

For the purposes of 40 CFR part 112, public drinking water intakes are analogous to public water systems as described at 40 CFR 143.2(c)

1.4 Contact List and Phone Numbers

The contact list and phone number reference for the facility is provided as follows (check as appropriate):

- Contact List and Phone Number reference is provided in Appendix A.
 - Emergency Notification Phone List is provided in the Facility Response Plan (FRP): _____
-

1.5 Notification Data Sheet

A Notification Data Sheet is provided as follows (check as appropriate):

- Notification Data Sheet and Sample Qualified Event Sheet are provided in Appendix A.
- Notification Data Sheet Form provided in the Facility Response Plan (as described in Section 1.4).

1.6 Personnel, Training, and Discharge Prevention Procedures

Training

- The Facility provides the following minimum training to oil-handling personnel prior to assignment of job responsibilities:
 - Operation and maintenance of equipment to prevent oil discharges;
 - Oil discharge procedure protocols;
 - Applicable oil spill prevention (State & Federal) laws, rules, and regulations;
 - General facility operations; and,
 - The contents of the facility SPCC Plan and applicable pollution control laws, rules, and regulations.

The training program is further described as follows: _____



1.6 Personnel, Training, and Discharge Prevention Procedures (Cont'd)

Briefings

- The facility conducts prevention briefings for oil-handling personnel at least once a year to assure adequate understanding of the SPCC Plan for the facility. These briefings include discussion of potential discharges or component failures and precautionary measures. The briefing program is further described as follows: _____

Documentation

- Documentation of these Personnel, Training, and Discharge Prevention Briefing programs is maintained for a minimum period of three (3) years. Log forms are provided as follows:
- Training Logs are provided in Appendix B or Other (describe): _____

- Discharge Prevention Briefing Logs are provided in Appendix B or Other (describe): _____

- Reference supporting documentation maintained separately, as appropriate: _____

[Additional pages may be attached as necessary.]

1.7 Facility Layout and Diagram

1.7.1 Facility Layout

- The physical layout of the facility is described as follows: The facility consists of a drilling rig powered by diesel motors. There are two diesel electric generators. The generators power all electric motors on the drilling rig and provide lighting. The mud pumps are powered by diesel motors as well. The fuel lines run from the 9000 gallon diesel fuel tank to the motors and have return lines from each motor. There is also a partitioned oil storage tank that holds approximately 825 gallons of various grades of lubrication and motor oils. There is a day tank on the rig floor that holds approximately 200 gallons. The rig and it's related equipment are enclosed by a dike or drainage ditch system that causes all fuel or lube oil releases as well as storm water to flow to the Reserve Pit or Catchment Basin.

- Further details are provided in Section 2 - Container and Potential Spills Table.

1.7.2 A Facility diagram is attached (Appendix C) with the following detail and location information (as applicable):

- Process equipment, operating equipment, electrical equipment.
- Loading/Unloading racks.
- Fixed aboveground storage tanks.
- Transfer Stations and connecting lines.
- Completely buried and bunkered tanks (including USTs covered under 40 CFR Part 280 or 281).
- Drum and portable container storage areas.
- The contents of all containers.

1.8 Prevention, Response and Cleanup

Prevention

- The facility discharge prevention measures, including procedures for routine handling of products (loading, unloading, facility transfers, etc.), are described as follows:
 Facility Response Plan Other Document (Describe) or Details below: _____
Diesel and bulk motor or lube oil are brought to the rig by transport truck. The product is transferred to the appropriate tank by means of a "cam-lock" hose. The rig tankage is of sufficient volume to hold the entire contents of the transport.

- Reference other supporting procedures maintained separately, as appropriate: _____

Countermeasures

- The facility discharge discovery, response and cleanup capabilities are described as follows:
 Facility Response Plan Other Document (Describe) or Details below: _____
The Rig Crew man the rig on a 24 hour basis. The crew and rig manager inspect all aboveground valves and piping associated with transfer operations on a daily basis. They check the general condition and look for leaks on joints, valve glands and bodies, drip pans, supports, bleeder and gauge valves, and other items. If indications of a release are found, the rig manager will deploy contractors, commensurate with the degree of release. The rig manager will contact the operations manager and advise him of the extent of the release. A manager will contact the appropriate agencies based on the severity of the release.

- Reference other supporting documentation maintained separately, as appropriate: _____

- The resources available to the facility for discharge cleanup are provided in the
 Contact List (provided in Appendix A) or the Facility Response Plan
- Reference supporting documentation maintained separately, as appropriate: _____

SECTION 2C

Onshore Oil Drilling and Workover Facilities

Spill Prevention, Control, and Countermeasure Plan

- A new plan is not required each time the facility is moved to a new site.
- The Plan may be generic.

2C.1 Facility Containers

Container and Potential Spills Table

- The potential spills sources at the Facility relative to a workover rig are specific to the particular rig subcontracted to the well. If the workover rig has a volume more than 1320 gallons of combined fuel and oil storage capacity, a separate SPCC Plan will be provided by the workover contractor.

2C.2 Positioning of Equipment

- Mobile drilling and workover equipment **is** **is not** positioned to prevent a discharge. **If not**, describe equivalent environmental protection: _____

2C.3 Containment

Describe the containment systems or other diversion structures utilized to intercept and contain discharges of oil (including fuel, crude oil, oil-based drilling fluids, etc.): Dykes, booms, and other retaining structures are installed prior to drilling operations. Standby recovery systems in the form of a vacuum truck are also available when required.

- Refer to Sec. 2C.1 for additional details.

2C.4 Blowout Prevention (BOP) Assembly

- A blowout preventer (BOP) assembly and well control system **is** **is not** installed before drilling below any casing string or during workover operations. **If not**, describe equivalent environmental protection: _____

2C.5 Facility Tank Truck Loading/Unloading Rack

- Tank truck loading/unloading **does** **does not** occur at the facility.

If yes to either, proceed with the following subsections:

2C.5.1 Tank Truck Containment Systems

- Loading/unloading area drainage **does** **does not** flow into a catchment basin, treatment facility, or a quick drainage system designed to handle discharges.
- The containment system **does** **does not** hold the maximum capacity of any single compartment of a tank truck loaded or unloaded at the facility. Describe containment system design, construction materials, and volume (if the containment system does not hold the maximum capacity, then document the impracticability in Section 1.9):

- Refer to the Container and Potential Spills Table in Section 2C.1 for additional details.

2C.5.2 Prevention of Premature Vehicular Departure

- The methods, procedures, and/or equipment used to prevent premature vehicular departure include (Check all that apply):
 - Interlocked warning lights,**
 - Warning signs,**
 - Vehicle brake interlock systems,**
 - Physical barrier systems,**
 - Wheel chocks,**
 - Company personnel supervising loading/unloading operation.**
 - Other:** _____

- Describe these and other premature vehicular departure prevention measures (for each area):

2C.5.3 Drain And Outlet Inspection

- Drains and outlets on tank trucks **are** **are not** checked for leakage before loading/unloading or departure and, if necessary, are tightened, adjusted or replaced. **If not**, describe equivalent environmental protection: _____

[Additional pages may be attached as necessary for multiple truck loading/unloading rack operations.]

2C.6 Inspections, Tests and Records

- The facility has the following inspection and test procedures in-place (describe the procedure, forms, location of records, etc.): _____

- In the event that a field-constructed aboveground container undergoes a repair, alteration, reconstruction, or a change in service, the container **will** be evaluated for the risk of discharge or failure due to brittle fracture or other catastrophe.

2C.6 Inspections, Tests and Records (Cont'd)

- Records of the inspections and tests (including those maintained under usual and customary business practices), signed by the appropriate supervisor or inspector are retained on file for a minimum period of three (3) years. (Note: Existing inspections and tests kept under usual and customary business practices will suffice if approved by the certifying engineer).

- *Reference supporting documentation maintained separately, as appropriate:* _____

- Inspection and test records are provided in Appendix B.

APPENDIX A

NOTIFICATION

- Contact List and Phone Numbers
- Notification Data Sheet
- Submittal of Information to Regional Administrator for Qualified Discharge(s)
- Contingency Plan

Spill Prevention, Control, and Countermeasure Plan

Contact List and Phone Numbers

The following is a contact list and phone number reference for the Facility:

Contact	Primary	Alternate
Designated Person Accountable For Oil Spill Prevention and/or Facility Response Coordinator		
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
<u>National Response Center</u>	(800) 424-8802	(202) 267-2675
Cleanup Contractors (as necessary):		
US Environmental Services	888.279.9930	24 HOURS
Other Federal, State and local agencies (as necessary):		
LA Conservation List	See Attached	See Attached
MS Contact List	See Attached	See Attached
TX Contact List	See Attached	See Attached
AL Contact List	See Attached	See Attached
Other contact references:		

- Just a reminder, for any Louisiana spill/discharge at an oil or gas producing facility, call the local CES or
- the District Office, immediately, then the National Response Center at 1-800-424-8802 and within one
- hour call the State Police at 1-877-925-6595 (both are toll-free).



Contact List and Phone Numbers

The following is a contact list and phone number reference for the Facility:

Contact	Primary	Alternate
Designated Person Accountable For Oil Spill Prevention and/or Facility Response Coordinator		
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
Name/Title: [REDACTED]	[REDACTED]	[REDACTED]
National Response Center	(800) 424-8802	(202) 267-2675
Cleanup Contractors (as necessary):		
[REDACTED]		24 HOURS
[REDACTED]		24 HOURS
[REDACTED]		24 HOURS
Other Federal, State and local agencies (as necessary):		
LA Conservation List	See Attached	See Attached
MS Contact List	See Attached	See Attached
TX Contact List	See Attached	See Attached
AL Contact List	See Attached	See Attached
Other contact references:		

- Just a reminder, for any Louisiana spill/discharge at an oil or gas producing facility, call the local CES or the District Office, immediately, then the National Response Center at 1-800-424-8802 and within one hour call the State Police at 1-877-925-6595 (both are toll-free).

Notification Data Sheet

The Facility will utilize the following form to relate information in the event of a discharge:

Date: _____ Time: _____

INCIDENT DESCRIPTION

Reporter's Full Name: _____ Position: _____
 Day Phone Number: _____ Evening Phone Number: _____
 Company: _____ Organization Type: Oil & Gas Drilling Contractor
 Facility Address: _____ Owner's Address: _____

Facility Latitude: _____ Facility Longitude: _____

Spill Location: _____
 (if not at Facility)

Responsible Party's Name: _____ Phone Number: _____

Responsible Party's Address: _____

Source and/or cause of discharge: _____

Nearest City: _____

County/Parish: _____ State: _____ Zip code: _____

Section: _____ Township: _____ Range: _____ County/Parish: _____

Distance from City: _____ Direction from City: _____

Container Type: _____ Container Storage Capacity: _____

Facility Oil Storage Capacity: _____

Material:

Total Quantity Released	Water Impact (YES or NO)	Quantity into Water

RESPONSE ACTION(S)

Action(s) taken to Correct, Control, or Mitigate Incident: _____

Number of Injuries: _____ Number of Deaths: _____

Evacuation(s): _____ Number Evacuated: _____

Damage Estimate: _____

More information about impacted medium: _____

CALLER NOTIFICATIONS

National Response Center (NRC): 1-800-424-8802

Additional Notifications (Circle all applicable): State Other

ADDITIONAL INFORMATION

Any information about the incident not recorded elsewhere in this report: _____

NOTE: DO NOT DELAY NOTIFICATION PENDING COLLECTION OF ALL INFORMATION.

Submittal of Information to Regional Administrator for Qualified Discharge(s)

In the event of a qualified discharge or discharges, this page can be utilized to provide official notification to the Regional Administrator. If the Facility has had a discharge or discharges which meet one of the following two criteria, then this report must be submitted to the Regional Administrator within 60 days. (Check as appropriate)

- This Facility has experienced a reportable spill as referenced in 40 CFR Part 112.1(b) of 1,000 gallons or more.
- This Facility has experienced two (2) reportable spills (as referenced in 40 CFR Part 112.1(b) of greater than 42 gallons each within a 12-month period.

Facility Name and Location: _____

Facility Contact Person (Name, address/phone number): _____

Facility maximum storage or handling capacity: _____

Facility normal daily throughput: _____

Describe the corrective action and countermeasures taken (include description of equipment repairs and replacements): _____

Describe the Facility (maps, flow diagrams and topographical maps attached as necessary): _____


Describe the cause of discharge (as referenced in 40 CFR Part 112.1(b)) including failure analysis of the system is: _____

Describe the preventative measures taken or contemplated to be taken to minimize the possibility of recurrence: _____

Other pertinent information: _____

- A copy of this report is also to be sent to the appropriate state agency in charge of oil pollution control activities.

SPCC PLAN, APPENDIX A-5



APPENDIX B

LOGS

Facility: 

B-1

Date: January 2, 2014

I have been trained in the operating and maintenance of the [redacted]
As the Rig Manager, I am familiar with general facility operations as well as specific
operations of this facility. I have been trained in methods to prevent discharges, and
discharge procedure protocols. The SPCO Plan for this facility has been made available
to me and I understand the purpose and intent of the plan.

[redacted]

1-4-23

I have been trained in the operating and maintenance of the [redacted]
As the Rig Manager, I am familiar with general facility operations as well as specific
operations of this facility. I have been trained in methods to prevent discharges, and
discharge procedure protocols. The SPCO Plan for this facility has been made available
to me and I understand the purpose and intent of the plan.

[redacted]

1-4-23

Rig Manager

Date

A discharge prevention briefing was held on this day for the [redacted]
Briefings shall be held at least once a year to assure adequate understanding of the SPCO
Plan for this facility. The briefings shall highlight and describe known discharges as
described in 412.1(b) or failures, malfunctioning components, and any recently
developed precautionary measures.

[redacted]

1-4-23

Operations Manager

Date

A discharge prevention briefing was held on this day for the [redacted]
Briefings shall be held at least once a year to assure adequate understanding of the SPCO
Plan for this facility. The briefings shall highlight and describe known discharges as
described in 412.1(b) or failures, malfunctioning components, and any recently
developed precautionary measures.

[redacted]

1-4-23

Operations Manager

Date

Appendix B

Acknowledgement of Training

I have been trained in the operation and maintenance of the [REDACTED]. As the Rig Manager, I am familiar with general facility operations as well as specific operations of this facility. I have been trained in methods to prevent discharges, and discharge procedure protocols. The SPCC Plan for this facility has been made available to me and I understand the purpose and intent of the plan.

[REDACTED]
Rig Manager

1-6-14
Date

I have been trained in the operation and maintenance of the [REDACTED]. As the Rig Manager, I am familiar with general facility operations as well as specific operations of this facility. I have been trained in methods to prevent discharges, and discharge procedure protocols. The SPCC Plan for this facility has been made available to me and I understand the purpose and intent of the plan.

[REDACTED]
Rig Manager

1-2-14
Date

A discharge prevention briefing was held on this day for the [REDACTED]. Briefings shall be held at least once a year to assure adequate understanding of the SPCC Plan for this facility. The briefings shall highlight and describe known discharges as described in §112.1(b) or failures, malfunctioning components, and any recently developed precautionary measures.

[REDACTED]
Operations Manager

1-6-14
Date

A discharge prevention briefing was held on this day for the [REDACTED]. Briefings shall be held at least once a year to assure adequate understanding of the SPCC Plan for this facility. The briefings shall highlight and describe known discharges as described in §112.1(b) or failures, malfunctioning components, and any recently developed precautionary measures.

[REDACTED]
Operations Manager

1-2-14
Date

Appendix B

Acknowledgement of Training

I have been trained in the operation and maintenance of the [REDACTED]
As the Rig Manager, I am familiar with general facility operations as well as specific operations of this facility. I have been trained in methods to prevent discharges, and discharge procedure protocols. The SPCC Plan for this facility has been made available to me and I understand the purpose and intent of the plan.

[REDACTED]

Rig Manager

1-6-14
Date

I have been trained in the operation and maintenance of the [REDACTED]
As the Rig Manager, I am familiar with general facility operations as well as specific operations of this facility. I have been trained in methods to prevent discharges, and discharge procedure protocols. The SPCC Plan for this facility has been made available to me and I understand the purpose and intent of the plan.

[REDACTED]

Rig Manager

1-6-14
Date

A discharge prevention briefing was held on this day for the [REDACTED]
Briefings shall be held at least once a year to assure adequate understanding of the SPCC Plan for this facility. The briefings shall highlight and describe known discharges as described in §112.1(b) or failures, malfunctioning components, and any recently developed precautionary measures.

Operations Manager

Date

A discharge prevention briefing was held on this day for the [REDACTED]
Briefings shall be held at least once a year to assure adequate understanding of the SPCC Plan for this facility. The briefings shall highlight and describe known discharges as described in §112.1(b) or failures, malfunctioning components, and any recently developed precautionary measures.

Operations Manager

Date

APPENDIX C

Facility Diagrams

Reserve Pit or Catch Basin

RIG #18 LAYOUT

KELLY SHUCK 7' to CATWALK,
9' cen hole to RIG HOUSES
Top of Mat to Bottom of
Rotary Beam 10'11"
Top of Mat to Top of Rotary
Table 152"

CEN. LN.


DERRICK
STAND

290'-0"

Not to Scale

Fuel lines run from the fuel tank to each generator motor, a day tank on the rig floor, then to each floor motor as well as to each mud pump. All motors have a return line.

CLIENT:	WT Drilling Company, Inc.
PROJECT LOCATION:	Rig No. 18 Various Locations
JOB NAME:	2014 SPCC Plans
DESCRIPTION:	APPENDIX C-1 FACILITY DIAGRAM
DATE DRAWN:	December 28, 2013
DATE REVISED:	



40'-0"

120' mts

113

116

135'-0"

150'-0"

CEN. LN.

140'-0"

CREW HOUSE

TOOL PUSHER HOUSE

COM. HOUSE

MUD PUMP 11'x31' #1

MUD PUMP 11'x31' #2

WATER TANK 320 BBLs. 10'x40'

FUEL TANK 8'x40' 9000 GAL
PARTS HOUSE 8'x40' CHG HOUSE

TRIP TANK 5'x5'

CHOKE 5'x5'

28'-0"

SUB 7'6" x 46'

C.O.H.

6'-0"

RAT HOLE

28'-0"

CATWALK 6'x60'

MUD TANK #1 10'x42'

MUD TANK #2 10'x50'

SLUG 56 BBLs

MUD HOUSE 6'x22'

SAND TRAP 91 BBLs

DESILTER 172 BBLs

112

APPENDIX D

Site Maps

Location Map and area topographic maps of the facility should be available with the permit location plat.

APPENDIX E

Directions to Facility

Directions to the facility should be available with the permit location plat.


1.0 General Information

1.1 Management Approval and Review

Management Approval	
Owner/Operator responsible for Facility: [REDACTED]	
● Facility Name and Location: [REDACTED] <u>Various Location in Southern United States</u>	
● This SPCC Plan will be implemented as herein described.	
Signature: <u>[Handwritten Signature]</u>	Designated person accountable for oil spill prevention at the facility:
Name: <u>[REDACTED]</u>	Name: <u>[REDACTED]</u>
Date: <u>1-5-15</u>	Name: <u>[REDACTED]</u>
Title: <u>Operations Manager</u>	Title: <u>Rig Manager</u>
● This SPCC Plan will be implemented as herein described.	
Signature: _____	Designated person accountable for oil spill prevention at the facility:
Name: _____	Name: _____
Date: _____	Title: _____
Title: _____	
● This SPCC Plan will be implemented as herein described.	
Signature: _____	Designated person accountable for oil spill prevention at the facility:
Name: _____	Name: _____
Date: _____	Title: _____
Title: _____	

Facility: [REDACTED]

GEORGIA COUNTIES



Prepared by the Georgia Department of Transportation, Office of Transportation Data, December 2012.
The Georgia Department of Transportation makes no representation or warranties, implied or expressed, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of this information and data contained in this map.






Search

Geology.com News Rocks Minerals Gemstones Volcanoes More Topics US Maps World Map Geology Store

Home » US Maps » Georgia » County Map

Georgia County Map with County Seat Cities



- Georgia Maps
- Georgia City Map
- Georgia County Map
- Georgia Rivers Map
- Georgia Physical Map
- Georgia Satellite Map
- Georgia Road Map

- Alabama Map
- Alaska Map
- Arizona Map
- Arkansas Map
- California Map
- Colorado Map
- Connecticut Map
- Delaware Map
- Florida Map
- Georgia Map
- Hawaii Map
- Idaho Map
- Illinois Map
- Indiana Map
- Iowa Map
- Kansas Map
- Kentucky Map
- Louisiana Map

County Maps for Neighboring States:
Alabama Florida North Carolina South Carolina Tennessee



Emergency Response

CONTACT

24-Hour Emergency Response

The statewide emergency response phone number is available 24 hours a day.

Toll Free: **(800) 241-4113 (tel:+1-800-241-4113)**

EPD's Emergency Response Program, which operates from the District Offices, performs these duties:

- Responds to spills and releases of oil or hazardous materials on a 24-hour basis
- Investigates high priority complaints
- Maintains Right-to-Know (SARA/Title III) information
- Serves as staff to the State Emergency Response Commission
- Implements provisions of the Emergency Planning and Community Right to Know Act

All incoming calls to the State Warning Point are both digitally and voice recorded and subject to release under the Georgia Open Records Act. Therefore, anonymous calls cannot be accepted. This number is to be used to report

emergencies. All non-emergency calls should be directed to the appropriate Branch or District Office.

CONTACT

Emergency Response Manager: Robert Mangum

Primary: **(470) 587-6872 (tel:+1-470-587-6872)**

Emergency Response Release and Remediation Reporting

 **Emergency Response Spill and Release Reporting Flowchart [Revised Feb 2010]**

(<https://epd.georgia.gov/document/publication/georgiaspillreleasereportingflowchartpdf/download>)

SARA Title III / EPCRA Tier II Reporting



 **Filing Information**

(<https://epd.georgia.gov/document/document/filing-information/download>)

For information related to Emergency Planning and Community Right to Know (EPCRA), please contact the Emergency Response Manager.



Related Files

-  [Emergency Response 24-hour Contractor List](https://epd.georgia.gov/document/publication/emergency-response-24-hour-contractor-list-revised-november-2018/download)
(<https://epd.georgia.gov/document/publication/emergency-response-24-hour-contractor-list-revised-november-2018/download>) (XLS, 540.42 KB)
Emergency response 24-hour contractor list. Revised November 2018.
-  [ERT Release and Remediation Report](https://epd.georgia.gov/document/publication/ert-release-and-remediation-report-revised-august-2019/download)
(<https://epd.georgia.gov/document/publication/ert-release-and-remediation-report-revised-august-2019/download>) (DOC, 63.87 KB)
Emergency Response Team release and remediation report. Revised August 2019.

WATERSHED PROTECTION BRANCH

State Geologist

Edward Rooks

Primary: (229) 472-6210 (tel:+1-229-472-6210)

edward.rooks@dnr.ga.gov

(mailto:edward.rooks@dnr.ga.gov)

Protecting and Restoring Georgia's Environment



**Air
Protection**

→ **(/air-protection-branch)**



**Land
Protection**

→ **(/about-us/land-protection-branch)**



**Watershed
Protection**

→ **(/about-us/watershed-protection-branch)**

Regulated Community

The Georgia Environmental Protection Division has many forms online, including permit applications, release notifications, and various reporting forms. If you know which documents you need, or if you need help determining which forms you may need, start by visiting the Forms and Permits page.

FORMS AND PERMITS → **(/NODE/18991)**

eServices

GEOS

<https://geos.epd.georgia.gov/GA/GEOS/Public/GovEnt/Shared/Pages/Main/Login.aspx>

Georgia EPD Online System

[GEOS Training \(/forms-permits/eservices/georgia-epd-online-system-geos-training-and-technical-assistance\)](#)

Training resources for the Georgia EPD Online System (GEOS)

[GEOS Support Articles \(https://gaepd.zendesk.com/hc/en-us/sections/360010760734-GEOS-Support\)](https://gaepd.zendesk.com/hc/en-us/sections/360010760734-GEOS-Support)

This section provides users of GEOS with information needed to effectively use the website to complete and submit permit applications and reports and to make financial payments to EPD.

[GECO \(https://geco.gaepd.org/\)](https://geco.gaepd.org/)

Georgia Environmental Connection Online

[Search Issued Air Permits \(http://permitsearch.gaepd.org/\)](http://permitsearch.gaepd.org/)

Search for issued air permits

[GOMAS \(https://gomaspublish.gaepd.org/\)](https://gomaspublish.gaepd.org/)

Georgia Environmental Monitoring and Assessment System

[DWWATCH \(http://gadinkingwater.net/DWWPUB/\)](http://gadinkingwater.net/DWWPUB/)

Drinking Water Watch

[ECHO \(https://echo.epa.gov/\)](https://echo.epa.gov/)

Enforcement and Compliance History Online

[Search for a Complaint \(https://cts.gaepd.org/\)](https://cts.gaepd.org/)

Search EPD's Complaint Tracking System (CTS)

[NetDMR \(https://cdxnodengn.epa.gov/oeca-netdmr-web/action/login\)](https://cdxnodengn.epa.gov/oeca-netdmr-web/action/login)

[Online Discharge Monitoring Reports](#)

[ePlan Review \(/e-plan-review\)](#)

Electronic Plans and Specifications for Review

Popular Topics

[Coal Ash \(/public-announcements-0/coal-ash-information\)](#)

[Underground Storage Tanks \(/about-us/land-protection-branch/underground-storage-tanks\)](#)

[Open Burning Rules for Georgia \(/air-protection-branch/open-burning-rules-georgia\)](#)

[Sewage Spills Report \(/watershed-protection-branch/wastewater/sewage-spills-report\)](#)

[Regional Water Planning \(https://waterplanning.georgia.gov/\)](#)

[Air Quality Forecast \(https://airgeorgia.org/\)](#)

[PFAS Information \(/pfas-information\)](#)

[Twin Pines Minerals, LLC \(/twin-pine\)](#)

[Harmful Algal Blooms \(/harmful-algal-blooms\)](#)

Contact Us

[Contact EPD \(/about-us/contact-us\)](#)

Main office and branch contact and location information.

[District Offices \(/about-us/epd-district-offices\)](#)

Contact your local office for district assistance.

[Emergency Response \(/emergency-response\)](#)

Call (800) 241-4113 to report an environmental emergency any time of day.

Career Opportunities

[Current Openings](#)


<https://careers.georgia.gov/page/environmental-protection-division-149>

Help us solve environmental problems. See job postings with the Georgia Department of Natural Resources (DNR).

[Sign Up for Job Alerts](#)

<https://public.govdelivery.com/accounts/GADNR/subscriber/new>

Alabama Counties and County Seats



Emergency Response

Response to Spills of Oil and Hazardous Material and Fish Kills

Spills and fish kills should be reported during normal office hours to the nearest ADEM Field Office or **24 hours per day by calling the Alabama Emergency Management Agency State Warning Point at 1-800-843-0699**. The ADEM response staff can be reached after hours in emergency situations through the Alabama Emergency Management Agency.

Each of the ADEM Field Offices has staff assigned on a rotating basis to response duties 24-hours per day and 7 days per week. Response activities include incidents involving spills of oil and hazardous materials and fish kills. In addition, ADEM supports local governments in response to actual or potential releases of oil and hazardous material resulting from natural, manmade or technological disasters. The ADEM response staff serve as State On Scene Coordinator for facility related releases of hazardous materials, including releases to State waters and oil releases to the State waters. ADEM also acts as the technical advisory agency in identifying and directing the containment, treatment, and removal of hazardous materials impacting or threatening the citizens and/or the environment of the State of Alabama. ADEM serves as the point of coordination between the state and federal response resources of the U.S. Environmental Protection Agency and the U.S. Coast Guard.

Useful Numbers and Links for Reporting Oil Spills and Hazardous Substance Releases

Alabama State Warning Point - 1-800-843-0699

National Response Center (NRC) - 1-800-424-8802

ADEM Montgomery Branch Field Office

(334) 260-2700

Fax (334)272-8131

ADEM Birmingham Branch Field Office

(205) 942-6168

Fax (205) 941-1603

ADEM Decatur Branch Field Office

(256) 353-1713

Fax (256) 340-9359

ADEM Mobile Field Office

(251) 450-3400

Fax (251) 479-2593

Coastal Section Office

(251) 304-1176

Fax (251) 304-1189


ADEM - Central Office

(334) 271-7700

Fax (334) 271-7950

STATE OF LOUISIANA

DNR Office of Conservation Districts



NOTE: For a more detailed view of the Conservation Districts, please visit DNR's Interactive Maps link on www.sonris.com.



Shreveport District Office

Main Phone	(318)676-7585	Mailing Address	1525 Fairfield Ave, Suite 668
Office Fax	(318)676-7486		Shreveport, LA 71101

Jackie DeVall District Office Manager - Engineer

Bob Gray Petroleum Analyst – Supervisor

Marie Maranto Petroleum Analyst – Supervisor

Patrick Raley Engineer Intern

Janet Carter Mineral Production Supervisor

Donna Schillinger Mineral Production analyst

Candice Frazier Mineral Production Analyst

CONSERVATION ENFORCEMENT SPECIALISTS

David Adams Conservation Enforcement Specialist
PHONE (318) 868-7628
CELL (318) 990-921

Twyman Appleby Conservation Enforcement Specialist
PHONE (318) 992-1849
CELL (318) 758-1849

David Barnhill Conservation Enforcement Specialist
PHONE (318) 256-5334
CELL (318) 332-9045

Steve Fomby Conservation Enforcement Specialist
PHONE (318) 949-8492
CELL (318) 453-8493

Richard Guice Conservation Enforcement Specialist
PHONE (318) 965-2869
CELL (318) 655-2885

Wilton Guice Conservation Enforcement Specialist
PHONE (318) 746-4322
CELL (318) 655-8505

Gerald Humphrey Conservation Enforcement Specialist
PHONE (318) 223-4621
CELL (318) 465-1396

Jerry Mathewes Conservation Enforcement Specialist
PHONE (318) 927-1706
CELL (318) 245-5898

Frank Moore Conservation Enforcement Specialist
PHONE (318) 256-5228
CELL (318) 452-4335

Dick Robertson Conservation Enforcement Specialist
PHONE (318) 868-4881
CELL (318) 422-3550

Bill Sniffen Conservation Enforcement Specialist
PHONE (318) 949-0958
CELL (318) 564-7487

Georgiana Violet Conservation Enforcement Specialist
CELL (318) 218-7745

Monroe District Office

Main Phone	(318)362-3111	Mailing Address	122 St. John Street, Room 228
Office Fax	(318)362-5227		Monroe, LA 71201

Joseph F. DeVall	District Manager
Vacant	Mineral Production Supervisor
Christy Carr	Mineral Production Specialist
Valerie Merrells	Mineral Production Analyst

CONSERVATION ENFORCEMENT SPECIALISTS

Ronnie Atkins	Conservation Enforcement Specialist <i>Union</i>	PHONE (318) 982-5036 CELL (318) 372-1132
Robbie J. Edwards	Conservation Enforcement Specialist <i>Catahoula, Grant, Portions of Avoyelles, Evangeline, Rapides</i>	PHONE (318) 640-6799 CELL (318) 758-0095
James Heath Mott	Conservation Enforcement Specialist <i>Caldwell, LaSalle, Portion of Winn</i>	PHONE (318) 649-8665 CELL (318) 758-4796
Lee W. Wooldridge	Conservation Enforcement Specialist <i>Ouachita, Portions of Claiborne, Lincoln, Jackson</i>	CELL (318) 355-5488
Kenneth C. Ware	Conservation Enforcement Specialist <i>Concordia, Tensas</i>	PHONE (318) 336-9847 CELL (318) 481-2823
Donald G. Womack	Conservation Enforcement Specialist <i>East Carroll, West Carroll, Franklin, Madison, Richland</i>	PHONE (318) 248-2678 CELL (318) 366-7124
Lacey R. Smith	Conservation Enforcement Specialist <i>Morehouse</i>	CELL (318) 235-6134

Lafayette District Office

Main Phone	(337)262-5777	Mailing Address	825 KalisteSaloom Road
Office Fax	(337)262-5486		Brandywine III, Suite 220
Drilling Report Fax	(337)262-5486		Lafayette, LA 70508
Richard Hudson	District Office Manager		EXT 210
Christine Daunis	Mineral Production Analyst		EXT 206
Joseph Freeman	Mineral Production Analyst		EXT 204
Rodolph Hebert	Petroleum Analyst Supervisor		EXT 208
Janet Lemaire	Mineral Production Supervisor		EXT 201
Sheryl Myers	Administrative Coordinator		EXT 221
Jessica Sam	Mineral Production Analyst		EXT 202
Wayne Simar	Petroleum Analyst Supervisor		EXT 203
Savannah Thomas	Mineral Production Analyst		EXT 209

CONSERVATION ENFORCEMENT SPECIALISTS

Keith Adams	Conservation Enforcement Specialist	PHONE (985) 532-6765 CELL (985) 688-8321
Bret Barras	Conservation Enforcement Specialist	PHONE (337) 229-6105 CELL (337) 256-6825
Bryon Chamblee	Conservation Enforcement Specialist	PHONE (337) 583-7133 CELL (337) 884-1909 CELL (337) 578-2931
Charles Cloutier, Jr.	Conservation Enforcement Specialist	
Lyn Decuir	Conservation Enforcement Specialist	PHONE (337) 229-1918 CELL (337) 380-8527
Dan Devenport	Conservation Enforcement Specialist	PHONE (337) 706-7299 CELL (337) 6527297
Joe Durham	Conservation Enforcement Specialist	PHONE (337) 824-3837 CELL (337) 246-1512
Shawnrey T. Jones	Conservation Enforcement Specialist	CELL (504) 654-9008
Joe LaGarde IV	Conservation Enforcement Specialist	PHONE (985) 580-0656 CELL (985) 381-4302
Keith Marks	Conservation Enforcement Specialist	PHONE (337) 879-9968 CELL (337) 290-9988
Selma "Chee Wee" Oubre	Conservation Enforcement Specialist	PHONE (225) 265-8292 CELL (985) 688-1360
Ray Robichaux	Conservation Enforcement Specialist	PHONE (985) 594-2312 CELL (985) 665-2020
Burch Romero	Conservation Enforcement Specialist	PHONE (337) 235-5684 PAGER (887) 561-3682
John Schell	Conservation Enforcement Specialist	PHONE (985) 626-7839 CELL (985) 705-9356
Wayne Soileau	Conservation Enforcement Specialist	PHONE (337) 328-8030 CELL (337) 853-5505
Kenneth Sonnier	Conservation Enforcement Specialist	CELL (337) 246-0521
Mike Theriot	Conservation Enforcement Specialist	PHONE (337) 981-6378 CELL (337) 349-7530


Mississippi

Legend

Communities

CLASS

- Interstate
- U S Highway
- Major MS Highway
- Secondary MS Highway
- Natchez Trace
- Major River
- Water Body
- Incorporated Place
- County Boundary



Highways and highway shields were created using the latest MS Department of Transportation highway descriptions. Line work was adjusted to match the 2008 two foot MDEM imagery then updated using the 2009 1 m USDA NAIP imagery. New highway shields were created by MARIS. Communities were created from USGS GNIS file then updated by MARIS using MS DOT county highway maps.

This map and related data is available at www.maris.state.ms.us

Map prepared July 2011





Departments



Search:

Title	Name	Phone	Phone 2	Email
EXECUTIVE				
<i>Exec. Director</i>	Jess Now	(601) 576-4920	Fax: (601) 352-2201	jnew@ogb.state.ms.us
<i>Exec. Assistant</i>	Alice Hindman	(601) 576-4919		ahindman@ogb.state.ms.us
BOARD ATTORNEY				
	M. D. Forester, Jr.	(601) 359-1204		marcial.forester@ago.ms.gov
FINANCE AND PERSONNEL				
<i>Dept. Director</i>	Dianne Rayfield	(601) 576-4917		drayfield@ogb.state.ms.us
	Mark Heath	(601) 576-4918		mheath@ogb.state.ms.us
	Leah Puryear	(601) 576-4916		lpuryear@ogb.state.ms.us
HEARINGS ADMINISTRATION				
	Qiyoshi Trevillion	(601) 576-4915		qtrevillion@ogb.state.ms.us
	Brenda Bush	(601) 576-4914		bbush@ogb.state.ms.us
	Docket Fax	(601) 352-2201	Docket Orders	docketorders@ogb.state.ms.us
UIC				
<i>Dept. Director</i>	David Snodgrass	(601) 576-4930		dsnodgrass@ogb.state.ms.us
UIC SUPPORT				
	Angelia Hall	(601) 576-4932		ahall@ogb.state.ms.us
	Natalie Rose	(601) 576-4931		nrose@ogb.state.ms.us
FIELD INSPECTION				
<i>Dept. Director</i>	Morris Welch	(601) 576-4925	cell (601) 543-5176	mwelch@ogb.state.ms.us
FIELD INSPECTORS				
	Ellis (Cooper) Gunnell	(601) 543-5177		cgunnell@ogb.state.ms.us
	James Lowe	(601) 906-9896		jlowe@ogb.state.ms.us
	Michael (Jerome) Saucier	(601) 213-8767		msaucier@ogb.state.ms.us
	Robert Collier	(601) 443-1791		rcollier@ogb.state.ms.us
	Robert M. Laird	(601) 906-2599		rlaird@ogb.state.ms.us
	Rod Lowery	(601) 543-5175		rlowery@ogb.state.ms.us
	Ronald Wesson	(662) 871-4227		rwesson@ogb.state.ms.us
	William (Woody) Pettis	(601) 906-9895		wpettis@ogb.state.ms.us
FIELD INSPECTOR SUPPORT				
	Millie Long	(601) 576-4900		mlong@ogb.state.ms.us
INFORMATION TECHNOLOGY				
<i>Dept. Director</i>	Rick Sims	(601) 576-4929		rsims@ogb.state.ms.us
SA & WEB SUPPORT				
	Alex Jones	(601) 576-4913		ajones@ogb.state.ms.us
	Ford Crews	(601) 576-4912		fcrews@ogb.state.ms.us
PRODUCTION				
<i>Dept. Director</i>	Cynthia Bobbitt	(601) 576-4909		cbobbitt@ogb.state.ms.us
	Sharon Boone	(601) 576-4903		sboone@ogb.state.ms.us
	Amelia Hunter	(601) 576-4908		ahunter@ogb.state.ms.us
	Rebecca Stanford	(601) 576-4906		rsanford@ogb.state.ms.us
	Production Fax	(601) 352-2202	Production Info/Orders	prodorders@ogb.state.ms.us
WELL FILES				
<i>Dept. Director</i>	Sherri Jones	(601) 576-4904		sharmon@ogb.state.ms.us
	Tamkia Gates	(601) 576-4902	Wellfiles	tgates@ogb.state.ms.us
	Rosalyn Simmons	(601) 576-4903	Wellfiles	rsimmons@ogb.state.ms.us
	Well Files Fax	(601) 354-6873	Well File/Log Orders	wellorders@ogb.state.ms.us
	Customer Work Area	(601) 576-4927		
SCANNING				

Sherri Jones
Jonvita Donaldson

(601) 576-4904
(601) 576-4905

sharmon@ogb.state.ms.us
jdonaldson@ogb.state.ms.us

Showing 1 to 51 of 51 entries

Previous Next

[General Information - Hearings - Well Data - Publications](#)

MISSISSIPPI

Emergencies

Report spills to the 24-hour State Warning Point at the [Mississippi Emergency Management Agency](#)

Telephone: 601-933-6362 or 800-222-6362 Fax: 601-933-6800

Mississippi State Oil and Gas Board

Mississippi State Oil & Gas Board	
500 Greymont Ave., Suite E	Ph: (601) 576-4900
Jackson, MS 39202-3446	Fax: (601) 354-6873

Contact Information

For a list of MDEQ Emergency Services staff click [here](#).

Street Address:

515 E. Amite Street
Jackson, MS 39201


Telephone : 601-961-5171

Mailing Address:

Mississippi Department of Environmental
Quality
Office of Pollution Control
Emergency Services Division
P. O. Box 2261
Jackson, MS 39225

Fax Number: 601-354-6356

Oil and Gas Division District Boundaries



District Office	
1 & 2	San Antonio
3	Houston
4	Corpus Christi
5 & 6	Kilgore
7B	Abilene
7C	San Angelo
8 & 8A	Mckinney
9	Wichita Falls
10	Pampa



RAILROAD COMMISSION OF TEXAS
Oil and Gas Division

OIL AND GAS DIVISION DISTRICT OFFICES

DIST	DIRECTOR	PHONE#	FAX#	ADDRESS	CITY, ZIP
01 & 02	James Huie	210-227-1313	210-227-4822	115 E Travis St, Ste 1610	San Antonio 78205-1689
3	Charles Teague	713-869-5001	713-869-9621	1706 Seamist Dr Ste 501	Houston 77008-3135
4	Arnold Ott	361-242-3113	361-242-9613	10320 IH 37	Corpus Christi 78410
05 & 06	Mike Vanderworth	903-984-3026	903-983-3413	2005 N. State Highway 42	Kilgore 75662
7B	Joe Cress	325-677-3545	325-677-7122	3444 N. First St., Ste. 600	Abilene 79603
7C	Barry Wood	325-657-7450	325-657-7455	622 S. Oakes St., Ste. J	San Angelo 76903
08 & 8A	Santos Gonzales	432-684-5581	432-684-6005	Conoco Towers 10 Desta Dr. Suite 500E	Midland 79705
9	Walter Gwyn	940-723-2153	940-723-5088	5800 Kell Blvd	Wichita Falls 76310
10	Cole Fraley	806-665-1653	806-665-4217	200 W. Foster, Room 300	Pampa 79065

To report an environmental emergency, discharge, spill, or air release from oil and gas facilities, pipelines, or alternative fuels contact the following:

RRC 24 Hour Emergency reporting line 512-463-6788

Oil and Gas Activities:

Oil and Gas operators are required by §3.20, Chapter 3 (TAC) to give immediate notice of a fire, leak, spill, or break to the appropriate commission district office (see a map of the district boundaries here) by telephone. Such notice shall be followed by a letter submitted to the district office giving the full description of the event including, but not limited to, the volume of crude oil, gas, geothermal resources, other well liquids, or associated products that are lost.

1.0 General Information

1.1 Management Approval and Review

Management Approval

Owner/Operator responsible for Facility: [Redacted]

● Facility Name and Location:

Various Location in Southern United States

● This SPCC Plan will be implemented as herein described.

Signature: [Handwritten Signature]

Designated person accountable for oil spill prevention at the facility:

Name: [Redacted]

Name: [Redacted]

Date: 1-2-14

Name: [Redacted]

Title: Operations Manager

Title: Rig Manager

● This SPCC Plan will be implemented as herein described.

Signature: _____

Designated person accountable for oil spill prevention at the facility:

Name: _____

Name: _____

Date: _____

Title: _____

Title: _____

● This SPCC Plan will be implemented as herein described.

Signature: _____

Designated person accountable for oil spill prevention at the facility:

Name: _____

Name: _____

Date: _____

Title: _____

Title: _____

Facility: [Redacted]

1-1

Date: January 2, 2014

1.3 Substantial Harm Certification (excerpt from 40 CFR Part 112 - Attachment CII)

CERTIFICATION OF THE APPLICABILITY OF THE SUBSTANTIAL HARM CRITERIA

FACILITY NAME:

FACILITY ADDRESS:

Various Location in Southern United States

1. Does the facility transfer oil over water to or from vessels **and** does the facility have a total oil storage capacity greater than or equal to 42,000 gallons?
 YES NO
2. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons **and** does the facility lack secondary containment that is sufficiently large to contain the capacity of the largest aboveground oil storage tank plus sufficient freeboard to allow for precipitation within any aboveground oil storage tank area?
 YES NO
3. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons **and** is the facility located at a distance (as calculated using the appropriate formula in Attachment C-III to this appendix or a comparable formula¹) such that a discharge from the facility could cause injury to fish and wildlife and sensitive environments? For further description of fish and wildlife and sensitive environments, see Appendices I, II, and III to DOC/NOAA's "Guidance for Facility and Vessel Response Plans: Fish and Wildlife and Sensitive Environments" (59 FR 14713, March 29, 1894) and the applicable Area Contingency Plan.
 YES NO
4. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons **and** is the facility located at a distance (as calculated using the appropriate formula in Attachment C-III to this appendix or a comparable formula ¹) such that a discharge from the facility would shut down a public drinking water intake²?
 YES NO
5. Does the facility have a total oil storage capacity greater than or equal to 1 million gallons **and** has the facility experienced a reportable oil spill in an amount greater than or equal to 10,000 gallons within the last 5 years?
 YES NO

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

[Redacted Signature]

Operations Manager

Title

Name (please type or print)

Date

1-2-14

¹ If a comparable formula is used, documentation of the reliability and analytical soundness of the comparable formula must be attached to this form.

² For the purposes of 40 CFR part 112, public drinking water intakes are analogous to public water systems as described at 40 CFR 143.2(c).

1.9 Impracticability (as applicable)

The containment and/or diversionary structures or equipment to prevent a discharge **are** **are not** practicable.

If not, the following provides a description of the impracticability. _____

Refer to the Container and Potential Spills Table in Section 2 for additional details.

- **If not** practicable, an oil spill contingency plan is attached (provided in Appendix D) or is addressed by the Facility Response Plan.
- A written commitment of manpower, equipment and materials required to expeditiously control and remove any quantity of oil discharged is provided in Appendix D or in the Facility Response Plan.
- If containment and/or diversionary structures are impracticable for bulk storage containers, then periodic integrity testing of the container(s) and integrity and leak testing of the valves and piping is required.
- *Reference supporting documentation maintained separately, as appropriate:* _____

[Additional pages may be attached as necessary.]

Section 9:
H2S Detection, Evacuation, Treatment and
Containment Procedures

H₂S

DETECTION, EVACUATION, TREATMENT AND CONTAINMENT PROCEDURES

We do not expect to encounter any H₂S gas in the drilling of the Georgia On My Mind Well #2. The formations that will be encountered in this project have not been found to contain any H₂S in the Southeast.

The Company intends to drill all formations mud weight overbalanced so that no influx of any type of gas or water will occur. Should the mudlogger record any indication of H₂S gas, the rig will stop drilling until the seriousness of the problem can be properly and comprehensively evaluated.

Should H₂S be encountered, the following equipment and procedures will be in place to safely continue drilling operations until total depth of the well is reached.

H₂S Safety Equipment

- 1 Hydrogen Sulfide Safety Trailer Complete with the following contents:
- 8 300 cu. ft. Breathing Air Cylinders, manifold, breathing hose lines with quick connect fittings
- 1 Sensidyne gas detector with H₂S, SO₂ and CO₂ tubes
- 1 Portable four-gas detector for H₂S, LEL and Oxygen Readings
- 1 Flag pole and assembly with three (3) warning flags
- 2 Wind sock holders with two (2) windsocks
- 1 Safety harness with safety line
- 1 Flare pistol and shells
- 2 Dry chemical fire extinguishers
- 15 Sets of earplugs
- 1 Packet "NO SMOKING" signs
- 1 Fire Blankets
- 1 Wire stretcher
- 2 Cleaning sanitizers
- 1 Well condition entrance sign with instructions
- 2 Marker Boards for Communication
- 12 30-Minute air masks with case, lightweight cylinder and stainless steel quick-connect for cascade/houseline use. All units are pressure-demand and hold NIOSH approval.
- 8 5-Minute airline masks with emergency escape cylinders & storage boxes.
- 4 Manifolds for Rig
- 12 Assorted Breathing Air hose lines with quick connect
- 1 4-Channel Hydrogen Sulfide Detection System with (4) sensors
- 2 Explosion Proof Alarms complete with (2) lights and (1) siren

TRAINING

All personnel will be informed of the hazards of hydrogen sulfide and sulfur dioxide and instructed in the provisions for personnel safety contained in the H₂S Contingency Plan. All personnel will be instructed in the use of any safety equipment, which they may be required to use. They will also be informed of the location of protective breathing apparatus, H₂S detectors and alarms, ventilation equipment, briefing areas, warning systems, evacuation procedures and the prevailing winds. In addition, personnel will be informed of the restrictions and corrective measures concerning beards, spectacles and contact lenses in accordance with OSHA Standard 29CFR 1910.134 and ANSI Z88.2. First aid procedures applicable to victims of H₂S exposure will be included in the training program.

Instruction of personnel shall be initiated as soon as possible following their arrival on the location.

An H₂S drill and training session will be held for all personnel on location. FULL PARTICIPATION is mandatory. All H₂S drills shall be entered into the IADC Drilling Log.

*Records of all drills and/or training sessions shall be maintained at the facility.

A copy of the training handout, which will be given to each individual trained on site, is included in this Appendix; also included is the guideline for the H₂S drills.

This training will be conducted to instruct personnel in the operation and use of self-contained breathing apparatus and H₂S related emergency equipment and to review various operating procedures in the "H₂S CONTINGENCY PLAN".

Initial drills should include:

1. General information about the self-contained breathing apparatus supply time limit, and proper packing and storage.
2. How to put the mask on and test for leaks around the face and hose connections.

These drills will be conducted as often as necessary to acquaint the crews with the equipment. After the Operator's Representative and the Contractor's Representative are convinced that all personnel are trained, a drill should be conducted. This drill may be initiated any time. The drill will be initiated by the H₂S audible alarm signal given by the Contractor's Representative or the Operator's Representative. At this time, all off-duty personnel will immediately get their assigned self-contained breathing apparatus and report to the designated SAFE BRIEFING AREA with their emergency equipment within three minutes after the alarm is sounded.

A training and information session will be conducted after each drill to answer any H₂S related questions and to cover one or more of the following:

1. Condition II and III alerts and steps to be taken by all personnel.
2. The importance of wind direction when dealing with H₂S.
3. Proper use and storage of all types of breathing equipment.
4. Proper use and storage of oxygen resuscitation.
5. Proper use and storage of H₂S detectors and colormetric tube-type detectors.
6. The "Buddy System" and the rescue procedure for a person overcome by H₂S.
7. Responsibilities and duties.
8. Location of H₂S safety equipment.
9. Other parts of the "H₂S CONTINGENCY PLAN" that should be reviewed.

NOTE: A record of attendance must be kept for drills and training sessions. These drills and training sessions must also be documented on the IADC Report.

**Section 10:
Sampling of Cuttings Plan**

PLAN FOR SAMPLING OF CUTTINGS

Samples will typically be caught every 30 feet and placed into sample bags labeled with the calculated depth drilled. It is important for the geologist to know the drilling bottoms up time for the cuttings to accurately determine a rock stratigraphic column that can be precisely correlated with the well logs that will be run at the conclusion of the drilling phase of the well.

Drilling times per stand will be recorded and samples will be taken to a viewing/observation station, usually a mudlogging trailer. The samples will be viewed under a microscope where a Stratigraphic Lithology Record can be completed. Also, the samples will be viewed under a black light (ultraviolet) at such time for the possible presence of hydrocarbons. Additional tests can be performed on the cuttings at that time, if hydrocarbons are suspected of being present.

A complete set of cuttings correctly labeled and identified as to depth will be filed with the Director not later than thirty (30) days after completion of the well. Cuttings will be collected at 30-foot intervals from a depth of 500 feet down to the total depth drilled.

As stated above we will comply with the state of Georgia Regulations, however due to our inhouse geological studies that are ongoing, we will be taking samples from surface every half connection to 3,000'. As we have done worldwide, we are looking for a specific authigenic mineral and keeping records of where this mineral lense is located i.e. the specific depth and the thickness of this mineral lense. From 3,000' to TD we will take samples every 30'.

Section 11:
Geophysical Logging and Mudlogging Plans

GEOPHYSICAL LOGGING AND MUDLOGGING PLANS

(Including types of logs run and schedule for running logs, i.e. before running surface casing, before running intermediate casing, etc.)

As mentioned in Narrative 10, the mudlogging plans will lead to a finished lithologic log at the completion of the well that can be correlated with the geophysical logs planned to be performed on this particular well.

At this time there are no plans to run any logs prior to drilling surface and the subsequent running and cementing of surface casing.

At the completion of the drilling phase, a full suite of open hole tools will be run from the total depth to the base of surface casing.

The open hole portion of the logs being run is anticipated to be from approximately 700' feet to an expected total depth of 8,000 feet. If 5 ½" production casing is set, a cement bond log will be run at the very start of the completion phase for this well to determine if cement job is in compliance with the rules and regulations of the Georgia Oil and Gas Deep Drilling Act of 1975.

Logging Tools for the Georgia On My Mind Well #2 - Georgia

Pilot Exploration will use a Quad Combo from the well logging company to be selected, presumably Schlumberger but could include others. The Quad Combo will be used at every logging opportunity below surface casing and will include SP-Gamma Ray, Sonic Porosity, Resistivity, and Density-Neutron Porosity, all for comprehensive formation analysis from the base of surface casing to total depth of the initial test well. In addition, we shall also have available wireline tools for Sidewall Coring, possible Repeat Formation Testing and a Dipmeter. Even though we will have a full sonic porosity log to create a synthetic seismogram for seismic correlation purposes, we will have on standby the ability to do a seismic check shot for sonic velocity purposes from surface to total depth should Pilot conclude there is sufficient net pay in the well to set 5 ½ inch production casing.

Pilot Exploration, Inc. will ensure the Geophysical Logging and Mudlogging Plans meet the requirements of Rule 391-3-13-.10(7). [REDACTED]

There is only one geophysical logging event planned this will be the suite of logs described herein from 3,000' to TD or approximately 8,000'. i.e., approximately 5,000' of open hole being logged.

**Section 12:
Construction Plans for Mud Pits, Sumps,
Reserve Pits and Dikes**

CONSTRUCTION PLANS

During the location construction phase, a certain amount of dozing and earth relocation will take place. Earth dozed down for leveling will be used in the pad construction. The topsoil will be scraped off into a pile at the well site and saved for resurfacing the location when the drilling phase is completed and cleanup occurs.

A rig mat consisting of 3 layers of board lumber mats will be laid under the rig components. This will provide additional stability of the location for the drilling rig and steel tank mud system.

The reserve pit will be dug with a higher wall for dirt in the back, sloped sides. Erosion preventable netting will be used along the outsides of the pit walls to control surface erosion. Depending on the soil conditions in the reserve pit, gel may be spread on the bottom and sides of the pit wall to control any seepage of pit fluids.

Ditches will be constructed around the rig area with sumps at the edge of the reserve pit. Any rainwater that falls with this area will be collected in the reserve pit and recycled into the mud system while drilling.

A reserve pit plan is included with the approximate size of the location and reserve pit to be constructed. The reserve pit will always have a minimum of 2-3 feet of freeboard as required in the permitting checklist. The freeboard volume above the reserve pit will be maintained at the required 2 feet minimum or higher. If necessary and warranted by incimate weather in the area that might minimize the freeboard below the minimum, offsite 500 barrel portable, closed storage tanks will be mobilized on short notice to location to maintain the required minimums.

A diagram of the reserve pit will be included in the construction permit. This pit will always have a minimum of 2 – 3 feet of freeboard as required in the permitting checklist. The pit is a hole in the ground with the side toward the rig at ground level. We will not let the level of the pit get higher than 2' below ground level.

Due to the fact that the drilling site is located in a groundwater recharge area identified in Hydrologic Atlas No. 18 “Most Significant Ground-water Recharge Areas of Georgia”, the reserve pit will need to be lined with a synthetic or clay liner that meets the permeability criteria (i.e., hydraulic conductivity and thickness) specified in the Permitting Checklist referenced in Rule 391-3-13-.04(1)(f) in order to protect the deep aquifers from seepage of the drilling fluids. We will follow this rule:

“To achieve an adequate seal in pond systems using bentonite, or other seal materials, the hydraulic conductivity (k) in centimeters per second specified for the seal shall not exceed the value derived from the following expression, where L equals the thickness of the seal in centimeters.” $k = 2.6 \times 10^{-9}L$

The construction and erosional permit will be done by:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Section 13: Reclamation Plans

RECLAMATION PLANS

Upon the completion of the drilling of the Georgia On My Mind Well #2 as a dry hole, Pilot Exploration, Inc. has a reclamation plan that consists of land farming the reserve pit area. As soon as possible, when the pit is dry enough and weather permitting, the reserve pit will be filled in, and the topsoil spread back over the surface location. Other process will be performed such as the reseeding of grasses to control surface erosion and restoring the contour of the site to the same condition (as nearly as practical) that it was at the commencement of such drilling operations.

Section 14:
Disposal Plans for Drilling Fluids

DISPOSAL PLANS

After a well is completed or abandoned, all fluids, and recoverable slurry that remain in all pits, sumps, and tanks shall be safely returned to the well on location, or removed and disposed of, as approved by the Director. All mud pits, sumps, reserve pits and dikes shall be backfilled with earth or graded and compacted in such a manner as to be returned to a nearly natural state.

Section 15: Plugging Procedures

PLUGGING PROCEDURES
(If Dry)

The plugging procedure of the Georgia On My Mind#1 well, if dry shall be as follows, upon approval of the Director and in accordance with Rule 391-3-13-.12.

The minimum cement plugs set shall be as follows:

- In the open hole section of the borehole, a minimum of a 250 foot cement plug shall be placed across all productive internals.
- A 200 foot cement plug shall be set across the base of surface casing (100 foot below the shoe of the base of surface casing and 100 foot cement inside the 9 5/8" casing).
- A 50 foot cement plug at the surface of the ground.
- Additional cement plugs specified by the Director.
- The internal between each plug will contain fluid weighing not less than 9.5 lbs/gal.