

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

July 17, 2017
Notice Issue Date

Cherokee County
City/County

August 16, 2017
Notice Close Date

BV-028-16-04
Control Number

Spriggs Property-American Towers LLC/Scott Mill Creek Streambank Stabilization
Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are immediately available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Jarell Singleton at (404) 463-2382 or e-mail jarell.singleton@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact a total of 164 linear feet (6,447 ft²) of stream buffer along Scott Mill Creek in three separate areas to stabilize the eroding streambank to prevent ongoing erosion. The applicant has granted American Towers LLC an access/utility easement to the existing telecommunications facility, and American Towers has agreed to stabilize the property with riprap and replace the existing culverts. Upon completion of stabilization activity, the stream buffer will be re-planted with multi-trophic native riparian vegetation. The project is located at 469 Lower Scott Mill Rd. within the Scott Mill Creek Watershed.

Name and Address of Permit Applicant: Mr. Raymond Spriggs
531 Lower Scott Mill Road
Canton, Georgia 30115

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
2 MLK Jr., Dr., SW
Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404/651-8549 FAX: 404/651-8455