

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

May 21, 2018
Notice Issue Date

City of College Park
City/County

June 20, 2018
Notice Close Date

BV-060-17-22
Control Number

Culvert Extension along Fur Creek
Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Thais Edwards at (404) 463-2382 or e-mail Thais.edwards@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: K1

Description and Location of Proposed Activity:

The applicant proposes to permanently impact 60 linear feet (8,000 ft²) of stream and buffer with pipe and fill along Fur Creek to extend a culvert in order to control stormwater flow and velocity behind existing residential subdivision properties. The project is located on Greensprings Rd. off Roosevelt Hwy. (Hwy. 29).

Name and Address of Permit Applicant: Mr. William Moore
City of College Park
3667 Main St.
College Park, Georgia 30337

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
2 MLK Jr., Dr., SW
Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404/651-8549 FAX: 404/651-8455