

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH

August 23, 2016
Notice Issue Date

Winder / Barrow County
City / County

September 22, 2016
Notice Close Date

BV-007-16-02
Control Number

Fort Yargo Lake – Raw Water Intake Line and Pump Station
Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are immediately available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Thais Edwards at (404) 463-2387 or email thais.edwards@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit/Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.11 (2)(a-k)}: (a)

Description and Location of Proposed Activity:

The proposed project will consist of constructing a new raw water intake and pump station replacing the existing facilities on Fort Yargo Lake. Mitigation for the permanent buffer impacts will consist of planting native riparian vegetation (including Black Willow trees and Buttonbush, Red Sprite Winterberry, Virginia Willow and Witch Alder) adjacent to the new public water supply intake facilities. The proposed project will result in 73 linear feet total (1,420 square feet total) of buffer disturbances along Fort Yargo Lake, a tributary to Marburg Creek in the Upper Oconee Watershed.

Name and Address of Permit Applicant:

Brent Vendola
Georgia Department of Natural Resources
Office of Engineering and Construction Services
2 Martin Luther King Jr. Drive, Suite 1352 East
Atlanta, GA 30334

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Frank M. Carubba, Environmental Engineer
EPD Watershed Protection Branch
NonPoint Source Program
2 Martin Luther King Jr. Drive, Suite 1462 East
Atlanta, GA 30334
Telephone: (404) 651-8550