ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

January 30, 2018 Notice Issue Date White County City / County

March 1, 2018 Notice Close Date TSV-154-18-01 Control Number

<u>Georgia Department of Natural Resources</u> <u>Helen to Hardman Farm State Historical Site – Heritage Trail – Streambank Restoration</u> <u>(Wingo Drive / Unicoi Turnpike, Sautee Nacoochee, GA 30571)</u> Activity

This notice is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site plans are available for review and are located in the following EPD office: Watershed Protection Branch, 200 Piedmont Avenue SW, Suite 418 West, Atlanta, GA 30334. Please contact Ms. Thais Edwards at (404) 463-2382 or email thais.edwards@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 Martin Luther King Jr. Drive SW, Suite 1462 East, Atlanta, GA 30334.

Type of Permit Application: Variance to encroach within the 50-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7-.11 (2)(a-k)}: (b)

Description and Location of Proposed Activity:

The proposed mitigation for the *Helen to Hardman Farm State Historical Site – Heritage Trail* will consist of removing invasive vegetation (e.g., privet) and planting multi-trophic native riparian vegetation along an unnamed perennial stream located along the Unicoi Turnpike in Sautee Nacoochee. The proposed streambank restoration will result in 1,000 linear feet (50,000 square feet) of buffer impacts along an unnamed perennial stream, a tributary to the Chattahoochee River in the *Upper Chattahoochee Watershed* in White County.

| Name and Address of Permit Applicant: | James T. Evans Georgia Department of Natural Resources |
|---------------------------------------|---|
| | Office of Engineering and Construction Services |
| | 2 Martin Luther King Jr. Drive, Suite 1352 East |
| | Atlanta, GA 30334 |

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Frank M. Carubba, Environmental Engineer EPD Watershed Protection Branch NonPoint Source Program 2 Martin Luther King Jr. Drive SW, Suite 1462 East Atlanta, GA 30334 Telephone: (404) 651-8550