

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC NOTICE
WATERSHED PROTECTION BRANCH
REVISED NOTICE: CORRECTED APPLICANT NAME

January 6, 2021
Notice Issue Date

Gwinnett County
City/County

February 5, 2021
Notice Close Date

BV-067-20-11
Control Number

Submerged Gravel Wetland Construction Best-Management Practice

Shannon Way at Edwards Court
GPS Coordinates: 33.935, -84.063

Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Arnettia Murphy at (404) 656-4157 or e-mail arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact 159 linear feet (4,765 ft²) of stream buffer along two unnamed tributaries to the Yellow River to construct a submerged gravel wetland construction best-management practice (BMP). This BMP is designed to treat the upstream 15-acre drainage area and improve on the previous stormwater facility constructed in 2008 located within the same footprint. Upon completion of land-disturbance, the remainder of the stream buffer will be planted with a native riparian grass mix. The project will disturb a total of 0.59-acres and is located at the intersection of Shannon Way and Edwards Court. This public notice has been revised to correctly reflect the correct name of the applicant.

Name and Address of Permit Applicant: Ms. Rachel Jones
Watershed Improvement Program Director
684 Winder Highway
Gwinnett County
Lawrenceville, GA 30045

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
2 MLK Jr., Dr., SW
Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404/651-8549 FAX: 404/651-8455