

Georgia Department of Natural Resources
Environmental Protection Division-Land Protection Branch
2 Martin Luther King Jr., Dr., Suite 1054 East, Atlanta, Georgia 30334
(404) 657-8600; Fax (404) 657-0807
Judson H. Turner, Director

The following is an example of a completed Release Notification Form.

This example should not be returned with your completed Release Notification Form.

SAMPLE

INTRODUCTION TO THE RELEASE NOTIFICATION/REPORTING FORM RESPONSE & REMEDIATION PROGRAM GEORGIA ENVIRONMENTAL PROTECTION DIVISION

Every July 1, since 1994, the Georgia Environmental Protection Division (EPD) publishes the Hazardous Site Inventory (HSI). The HSI is a list of sites where releases of regulated substances have occurred that are deemed to be reportable by the Rules for Hazardous Site Response, Chapter 391-3-19 (Rules). The Rules require persons who have had a release exceeding specified thresholds to complete the attached Release Notification/Reporting Form and send it to EPD. This information is then evaluated by EPD in terms of both the nature of the release and the proximity of human and environmental receptors. If this evaluation demonstrates that a potential threat to human health or the environment exists, the site is listed on the HSI.

NOTE: PRIOR TO COMPLETING THE FORM, YOU SHOULD READ THE ENCLOSED INSTRUCTIONS AND THE RULES VERY CAREFULLY.

PART I of the form, "Property Information", requests information about the property location, owner, operator, and contact person. PART II, "Release Information", requests specific information regarding the site and the surrounding area. PART III, "Soil Release Information", requests information regarding releases of regulated substances to soil. PART IV, "Groundwater Release Information", requests information regarding releases of regulated substances to groundwater.

Are there exclusions to the notification/reporting requirements?

YES. These exclusions are found in Section 391-3-19-.04(2) of the Rules.

Who should complete this form?

Property owners who discover any of the following releases of regulated substances not specifically excluded as described above are required to complete this form, regardless of whether or not they caused the release:

- groundwater contamination above naturally-occurring background concentrations;
- soil contamination above levels specified in Appendix I of the Rules; or
- discarded or abandoned regulated substances in barrels, drums, tanks or other containers.

What are "regulated substances"?

"Regulated substance" means any substance defined in the Hazardous Waste Management Act, O.C.G.A. §12-8-62, by the terms "hazardous waste" or "hazardous constituent", or any substance defined in the Hazardous Site Response Act O.C.G.A. §12-8-92, as "hazardous substance." (All such regulated substances are listed in Appendix I of the Rules).

Where can I get help?

If, after reviewing the enclosed instructions and Rules you still have questions, please contact EPD's Response & Remediation Program at (404) 657-8600.

Where do I mail these forms?

**Georgia Environmental Protection Division
Response & Remediation Program
Floyd Towers East, Suite #1054
2 Martin Luther King Jr. Drive, S.E.
Atlanta, Georgia 30334-9000**

INSTRUCTIONS FOR COMPLETING THE HAZARDOUS SITE RESPONSE RELEASE NOTIFICATION/REPORTING FORM

So that your release reporting form may be processed in a timely fashion, all of the information required by the form must be submitted. Failure to provide a completed form may result in significant delays in the processing of your notification.

PART I - PROPERTY INFORMATION

1. If this is the first notification submitted for the release, check "Initial Release Notification". If you are providing new or additional information for a release for which an initial notification has already been made, check "Supplemental Notification".
2. Enter the EPA Identification Number, if known. The EPA Identification Number is a twelve character number and is issued by GA EPD. For all sites in Georgia, this number will begin with the letters "GA", followed by either a third letter and nine numbers or ten numbers. Leave blank if an EPA Identification Number has not been assigned to this site or facility.
3. Provide the tax map and parcel identification number assigned to the property on which the release has occurred and the acreage of that parcel. The tax map and parcel number can be obtained from the tax assessor's office in the county in which the property is located. If a copy of the county tax map is available, a copy should be provided with the notification so that GA EPD may discern the exact location of the property.
4. Provide the complete name of the site or facility. For a property with no facility name, enter "[Name of Property Owner], Property of". Include "Inc.", "Chemical Division", etc., as appropriate, including all foreign language punctuation.
5. - 6. Provide the street address, city, county and ZIP code for the property. If the property does not have a street address, then the location of the property should be indicated using adjacent roads and other descriptors (i.e. 0.2 miles east of the intersection of Elm and Maple Street).
7. -10. Provide the name, mailing address, and telephone number for the owner(s) of the property.
- 11 -15. Provide the name, title, mailing address, and telephone number for the site contact person.
16. -20. If there is an active facility at the site, provide the name of the facility operator, company name, address, and telephone number of the facility operator. This refers to commercial industrial sites where operation of some business has been or is taking place.
21. **Certification:** The release reporting form must be signed by the property owner or one of the following persons:
For a corporation: A responsible corporate officer. This means a president, vice-president, secretary, or treasurer of the corporation in charge of principal business functions, or any other person who performs similar policy-making decisions for the corporation, or the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons, or having gross annual sales or expenditures exceeding \$25 million dollars (in second quarter 1980 dollars) if authority to sign documents has been assigned to or delegated to the manager in accordance with corporate procedures.
For a partnership or sole proprietorship: A general partner or the proprietor, respectively.
For a municipality, State, Federal, or other public agency: Either a principal executive officer or a ranking elected official.
For a duly authorized representative of that person: A person is a duly authorized representative only if the authorization is made in writing by a person described above, and the authorization specifies either an individual or a position having responsibility for overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, or a position of equivalent responsibility. *For the purposes of this section, an attorney acting on behalf of the property owner, a corporation, a proprietorship or sole proprietorship, or a municipality, State, Federal, or other public agency is not a duly authorized representative unless authorization is made in writing by a person described above.*

PART II - RELEASE INFORMATION

1. If known, provide specific information regarding the known or suspected source of the release, such as a spill, drums, tanks, waste piles, etc. Describe the information used to conclude that the release is attributed to the known or suspected source.

2. Provide the date(s) of the release, including any known historical information available about the release, including the physical state of the material released and the quantity (if known) of each regulated substance released.
3. Describe any actions taken to investigate or remediate the release, such as the removal of the source of the contamination, soil and/or groundwater sampling, etc.
4. Indicate whether the area of the release is inaccessible, has limited access, or has unlimited access. Provide a description of any surveillance systems, fences, security personnel, or other barriers that restrict access to the site.
5. For releases of regulated substances to soil, indicate the type of material covering this release by checking the appropriate box. Provide a description of the type of material covering the release.
6. Indicate the distance from the edge of the area affected by the release to the nearest residence, playground, day care facility, school, or nursing home. Provide the name of the owner and the address of the nearest residences, playground, day care facility, school, or nursing home.
7. Indicate the distance between the area affected by the release and the nearest drinking water well in use, including wells on the site. Provide the name of the owner and address of the property where the nearest drinking water well is located.
8. Indicate whether or not there is any evidence to suspect that a person or a sensitive environment has been exposed to the release. If yes, provide details on the potentially affected person(s) or sensitive environment(s).
- 9a. Attach a site summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries. The summary shall include a DETAILED description of the property boundaries of the site and adjacent properties, as well as a DETAILED description of the nature and known or estimated extent of the area of contamination. Provide any additional information relevant to the nature of the release.
- 9b. Attach a site map that shows the known or suspected sources, the known or suspected extent of contamination, and the locations of all soil and groundwater samples that have been collected at the site.
10. You must submit an original of a U.S.G.S. topographic map (1:24000) with the geographic center of the site clearly marked. U.S.G.S. topographic maps are available for purchase on-line at <http://www.store.usgs.gov/>.

PART III - SOIL RELEASE INFORMATION

Complete the table by providing the name of the regulated substance and the Chemical Abstracts Service (CAS) Registry Number for **each regulated substance** released at the site. If soil samples have been collected from the site, indicate the highest concentration of each regulated substance detected at 0" to 6", 6" to 24", and at greater than 24" below ground surface.

PART IV - GROUNDWATER RELEASE INFORMATION

Complete the table by providing the name of the regulated substance and the CAS Registry Number for **each regulated substance** released at the site. If groundwater samples have been collected from the site, indicate the highest concentration of each regulated substance detected, and the depth below ground surface at which the sample was collected.

WHERE TO GET HELP:

General assistance related to the completion of the Release Notification/Reporting Form can be obtained by calling EPD's Response & Remediation Program at (404) 657-8600. Assistance is available Monday through Friday (excluding state holidays) from 8:00 a.m. to 4:30 p.m.

WHERE TO GET MAPS:

U.S.G.S topographic maps (1:24000) are available for purchase on-line at <http://www.store.usgs.gov/>

WHERE TO SEND COMPLETED FORMS:

Georgia Environmental Protection Division
Response & Remediation Program
Suite 1054, Floyd Tower East
2 Martin Luther King Jr. Drive, SE
Atlanta, Georgia 30334-9000

RELEASE NOTIFICATION/REPORTING FORM



Mail to: GEORGIA ENVIRONMENTAL PROTECTION DIVISION
Response & Remediation Program
Suite 1054, Floyd Tower East
2 Martin Luther King Jr. Drive, SE
Atlanta, Georgia 30334-9000

1. The information provided in this form is for:

- ☒ Initial Release Notification
☐ Supplemental Notification

PART I -- PROPERTY INFORMATION

(Please type or print legibly)

2	EPA ID NUMBER (if applicable)	GAD123456789			
3	Tax Map and Parcel ID Number:	MAP 72 PARCEL 6B	Acreage	1.5	
4	Site or Facility Name	XYZ INDUSTRIES, INC.			
5	Site Street Address	123 PINE STREET			
6	Site City	MYTOWN	County	MAIN	Zip 30000
7	Property Owner	XYZ INDUSTRIES, INC.			
8	Property Owner Mailing Address	P.O. BOX 567			
9	Property Owner City	MYTOWN	State	GA	Zip 30000
10	Property Owner Telephone No.	(404) 555-1234			
11	Site Contact Person	JOHN SMITH	Title	PRESIDENT	
12	Site Contact Company Name	XYZ INDUSTRIES, INC.			
13	Site Contact Mailing Address	P.O. BOX 567			
14	Site Contact City	MYTOWN	State	GA	Zip 30000
15	Site Contact Telephone No.	(404) 555-1234			
16	Facility Operator Contact Person	JOE SMITH	Title	PLANT MGR.	
17	Facility Operator Company Name	XYZ INDUSTRIES, INC.			
18	Facility Operator Mailing Address	P.O. BOX 567			
19	Facility Operator City	MYTOWN	State	GA	Zip 30000
20	Facility Operator Telephone No.	(404) 555-1234 EXT. 202			

21. CERTIFICATION --I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

JOHN SMITH

PRESIDENT

NAME (Please type or print)

TITLE
2/26/14

SIGNATURE

DATE

PART II -- RELEASE INFORMATION

Page 2 of 5

Please provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, waste piles etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

The suspected source of the release is spills occurring during transfer of chemicals from delivery trucks to tanks through hose connections.

2. Release date(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, liquid/gas, sludge) and the quantity of material released (lbs, cubic yards, etc.):

The release dates are unknown. The facility has been in operation since 1973. Improvements to the chemical transfer procedures were implemented in 1986.

3. Describe those actions that have been taken to investigate, cleanup or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

No clean-up has been initiated at the site. Soil and groundwater samples have been collected and analyzed. See summary.

4. Access to the area affected by the release. Check the appropriate box:

- ☐ Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
- ☒ Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
- ☐ Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

The facility is surrounded by a guard fence, which remains open during business hours.

5. For soil releases, indicate the type of material covering this release, by checking the appropriate box below.

- ☒ A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
- ☐ An engineered and maintained earthen material or compacted fill or a high density synthetic material
- ☐ Loose earthen fill or native soil
- ☐ No cover
- ☐ Other

Describe the type and thickness of the material covering the contaminated soil or wastes.

The area where the spills occurred is covered by a 6" concrete slab.

PART II -- RELEASE INFORMATION

(Continued)

Page 3 of 5

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

☐ Less than 300 feet
☒ 301 to 1000 feet

☐ 1001 to 3000 feet
☐ 3001 to 5280 feet

☐ Greater than 1 mile

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: Evans Residence

Address: 99 Pine Street, Mytown, Georgia

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

☒ Less than 0.5 miles
☐ 0.5 to 1 mile

☐ 1 to 2 miles
☐ 2 to 3 miles

☐ Greater than 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: Evans Residence

Address: 99 Pine Street, Mytown, Georgia

8. Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

☐ Yes

☒ No

If yes, provide details on the potentially affected humans or sensitive environments.

N/A

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the locations of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g., parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you **MUST** submit an original U.S.G.S. topographical map (1:24000) with the geographic center of the site clearly marked. U.S.G.S. topographic maps are available for purchase on-line at <http://www.store.usgs.gov/>.

Please provide the following information for EACH regulated substance released to the soil at the site and submit the laboratory analytical sheets for all samples analyzed from the site. Use additional sheets if necessary.

[illegible]

Page 5 of 5[illegible]

**XYZ Industries
123 Pine Street
Mytown, Main County, Georgia**

Site Summary


A Phase II Environmental Site Assessment was performed at XYZ Industries on March 1, 2000 for a property transaction. XYZ Industries began operations in November 1973 as an aerosol spray packaging facility. It covers approximately 13 acres. The facility consists of an office and an adjacent, paved employee parking area, a dry goods warehouse with a paved truck loading area, and a main production building with a paved truck loading area. One on-site production well of total depth (TD) 150' below ground surface (bgs) is located on the property. A fence with a locked gate surrounds the facility, but the gate remains open during business hours. The entrance is along the northern edge of the property off Pine Street. XYZ Industries is bordered by wooded areas on the west and south and by an abandoned building on the east. The Evans residence, located at 99 Pine Street, is 350 feet north of XYZ Industries. The Evans currently use a drilled 100 foot well to provide drinking water to the house. The drinking water in the well has not been tested.

Chemicals (tetrachloroethylene, 1,1,1-trichloroethane, and methylene chloride) used at the facility are stored in 10,000-gallon tanks in a tank farm adjacent to the main production building. The tank farm has secondary containment, but chemicals are transferred from the delivery trucks to the tanks via hose connections outside of secondary containment.

As part of the Phase II, permanent monitoring wells MW-1 (TD 24' bgs), MW-2 (TD 21' bgs), and MW-3 (TD 31' bgs) were installed on the property and groundwater flow direction was determined as north. Soil samples were taken as the monitoring wells were installed. Groundwater and soil samples were analyzed for volatile organic compounds using EPA method 8260. Tetrachloroethylene was detected in MW-1 at 8 mg/L, in MW-2 at 33 mg/L, and in MW-3 at 20 mg/L. Tetrachloroethylene was detected in SB-1 (0.5' bgs) at 100 mg/kg and in SB-2 (1.0' bgs) at 150 mg/kg. 1,1,1-trichloroethane was detected in SB-1 at 25 mg/kg and in SB-2 at 50 mg/kg. SB-3 (1.0' bgs) and SB-4 (0.5' bgs) were non-detect for all volatile organic compounds.

The Phase II did not define the extent of contamination. No actions have been taken to remediate the property.

FIGURE 1 - XYZ INDUSTRIES SITE LOCATION MAP



ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO: XYZ Industries
123 Pine Street
Mytown, Georgia

SAMPLE ID: W12340
FACILITY NAME: XYZ Industries
LOCATION ID: MW-1

DATE COLLECTED: 3/8/00
TIME COLLECTED: 9:30 a.m.
SAMPLE COLLECTOR: B. Jones
SAMPLE TYPE: Groundwater
RECEIVED BY: M. Smith
DATE RECEIVED: 3/8/00
TIME RECEIVED: 4:00 p.m.
REPORTING DATE: 3/16/00

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
EPA METHOD 8260 IN WATER					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	Not Detected	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ
4-Methyl-2-Pentanone	Not Detected	µg/L	50		SJ
2-Hexanone	Not Detected	µg/L	50		SJ

Sample ID: W12340

Tetrachloroethene	8,000	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES45 Microscope Drive
Mytown, Georgia**LABORATORY REPORT**TO: XYZ Industries
123 Pine Street
Mytown, GeorgiaSAMPLE ID: W12341
FACILITY NAME: XYZ Industries
LOCATION ID: MW-2DATE COLLECTED: 3/8/00
TIME COLLECTED: 10:00 a.m.
SAMPLE COLLECTOR: B. Jones
SAMPLE TYPE: Groundwater
RECEIVED BY: M. Smith
DATE RECEIVED: 3/8/00
TIME RECEIVED: 4:00 p.m.
REPORTING DATE: 3/16/00

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
EPA METHOD 8260 IN WATER					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	Not Detected	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ
4-Methyl-2-Pentanone	Not Detected	µg/L	50		SJ
2-Hexanone	Not Detected	µg/L	50		SJ

Sample ID: W12341

Tetrachloroethene	33,000	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO: XYZ Industries
123 Pine Street
Mytown, Georgia

SAMPLE ID: W12342
FACILITY NAME: XYZ Industries
LOCATION ID: MW-3

DATE COLLECTED: 3/8/00
TIME COLLECTED: 11:00 a.m.
SAMPLE COLLECTOR: B. Jones
SAMPLE TYPE: Groundwater
RECEIVED BY: M. Smith
DATE RECEIVED: 3/8/00
TIME RECEIVED: 4:00 p.m.
REPORTING DATE: 3/16/00

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
<i>EPA METHOD 8260 IN WATER</i>					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	Not Detected	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ
4-Methyl-2-Pentanone	Not Detected	µg/L	50		SJ
2-Hexanone	Not Detected	µg/L	50		SJ

Sample ID: W12342

Tetrachloroethene	20,000	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO:	XYZ Industries 123 Pine Street Mytown, Georgia	DATE COLLECTED:	3/8/00
		TIME COLLECTED:	9:00 a.m.
		SAMPLE COLLECTOR:	L. Davis
		SAMPLE TYPE:	Soil
SAMPLE ID:	S7890	RECEIVED BY:	M. Smith
FACILITY NAME:	XYZ Industries	DATE RECEIVED:	3/8/00
LOCATION ID:	SB-1	TIME RECEIVED:	4:00 p.m.
		REPORTING DATE:	3/16/00
		REPORTING TEMP:	4°C

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
<i>EPA METHOD 8260 IN SOIL/SEDIMENT</i>					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	25,000	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ

4-Methyl-2-Pentanone	Not Detected	µg/L	50	SJ
2-Hexanone	Not Detected	µg/L	50	SJ
Tetrachloroethene	100,000	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO:	XYZ Industries 123 Pine Street Mytown, Georgia	DATE COLLECTED:	3/8/00
		TIME COLLECTED:	9:45 a.m.
		SAMPLE COLLECTOR:	L. Davis
		SAMPLE TYPE:	Soil
SAMPLE ID:	S7891	RECEIVED BY:	M. Smith
FACILITY NAME:	XYZ Industries	DATE RECEIVED:	3/8/00
LOCATION ID:	SB-2	TIME RECEIVED:	4:00 p.m.
		REPORTING DATE:	3/16/00
		REPORTING TEMP:	4°C

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
<i>EPA METHOD 8260 IN SOIL/SEDIMENT</i>					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	50,000	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ

4-Methyl-2-Pentanone	Not Detected	µg/L	50	SJ
2-Hexanone	Not Detected	µg/L	50	SJ
Tetrachloroethene	150,000	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO:	XYZ Industries 123 Pine Street Mytown, Georgia	DATE COLLECTED:	3/8/00
		TIME COLLECTED:	10:30 a.m.
		SAMPLE COLLECTOR:	L. Davis
SAMPLE ID:	S7892	SAMPLE TYPE:	Soil
FACILITY NAME:	XYZ Industries	RECEIVED BY:	M. Smith
LOCATION ID:	SB-3	DATE RECEIVED:	3/8/00
		TIME RECEIVED:	4:00 p.m.
		REPORTING DATE:	3/16/00
		REPORTING TEMP:	4°C

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
<i>EPA METHOD 8260 IN SOIL/SEDIMENT</i>					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	Not Detected	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ

4-Methyl-2-Pentanone	Not Detected	µg/L	50	SJ
2-Hexanone	Not Detected	µg/L	50	SJ
Tetrachloroethene	Not Detected	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit

ABC LABORATORIES
45 Microscope Drive
Mytown, Georgia

LABORATORY REPORT

TO: XYZ Industries
123 Pine Street
Mytown, Georgia

SAMPLE ID: S7893
FACILITY NAME: XYZ Industries
LOCATION ID: SB-4

DATE COLLECTED: 3/8/00
TIME COLLECTED: 11:30 a.m.
SAMPLE COLLECTOR: L. Davis
SAMPLE TYPE: Soil
RECEIVED BY: M. Smith
DATE RECEIVED: 3/8/00
TIME RECEIVED: 4:00 p.m.
REPORTING DATE: 3/16/00
REPORTING TEMP: 4°C

ANALYTE	RESULT	UNITS	PQL	MCL OR QC RANGE	ANALYST
<i>EPA METHOD 8260 IN SOIL/SEDIMENT</i>					
Dibromofluoromethane (Surrogate QC Std.)	50	µg/L		42 to 55	SJ
Toluene-d8 (Surrogate QC Std.)	53	µg/L		46 to 55	SJ
Bromofluorobenzene (Surrogate QC Std.)	46	µg/L		45 to 53	SJ
Dichlorodifluoromethane	Not Detected	µg/L	5		SJ
Chloromethane	Not Detected	µg/L	10		SJ
Bromomethane	Not Detected	µg/L	10		SJ
Vinyl Chloride	Not Detected	µg/L	2		SJ
Chloroethane	Not Detected	µg/L	10		SJ
Methylene Chloride	Not Detected	µg/L	5		SJ
Trichlorofluoromethane	Not Detected	µg/L	5		SJ
Acetone	Not Detected	µg/L	100		SJ
Dibromomethane	Not Detected	µg/L	5		SJ
trans-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
Iodomethane	Not Detected	µg/L	5		SJ
Carbon Disulfide	Not Detected	µg/L	5		SJ
1,1-Dichloroethene	Not Detected	µg/L	5		SJ
1,1-Dichloroethane	Not Detected	µg/L	5		SJ
cis-1,2-Dichloroethene	Not Detected	µg/L	5		SJ
2,2-Dichloropropane	Not Detected	µg/L	5		SJ
Bromochloromethane	Not Detected	µg/L	5		SJ
Chloroform	Not Detected	µg/L	5		SJ
1,1-Dichloropropene	Not Detected	µg/L	5		SJ
1,2-Dichloroethane	Not Detected	µg/L	5		SJ
2-Butanone	Not Detected	µg/L	100		SJ
1,1,1-Trichloroethane	Not Detected	µg/L	5		SJ
Carbon Tetrachloride	Not Detected	µg/L	5		SJ
Vinyl Acetate	Not Detected	µg/L	50		SJ
Bromodichloromethane	Not Detected	µg/L	5		SJ
1,2-Dichloropropane	Not Detected	µg/L	5		SJ
Trichloroethene	Not Detected	µg/L	5		SJ
Benzene	Not Detected	µg/L	5		SJ
2-Chloroethyl vinyl ether	Not Detected	µg/L	5		SJ
cis-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
trans-1,3-Dichloropropene	Not Detected	µg/L	5		SJ
Dibromochloromethane	Not Detected	µg/L	5		SJ
1,1,2-Trichloroethane	Not Detected	µg/L	5		SJ
Bromoform	Not Detected	µg/L	5		SJ
1,2,3-Trichloropropane	Not Detected	µg/L	5		SJ

Sample ID: S7893

4-Methyl-2-Pentanone	Not Detected	µg/L	50	SJ
2-Hexanone	Not Detected	µg/L	50	SJ
Tetrachloroethene	Not Detected	µg/L	5	SJ
1,3-Dichloropropane	Not Detected	µg/L	5	SJ
1,1,2,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Toluene	Not Detected	µg/L	5	SJ
1,2-Dibromoethane	Not Detected	µg/L	5	SJ
Chlorobenzene	Not Detected	µg/L	5	SJ
Ethylbenzene	Not Detected	µg/L	5	SJ
1,1,1,2-Tetrachloroethane	Not Detected	µg/L	5	SJ
Styrene	Not Detected	µg/L	5	SJ
m,p-Xylene	Not Detected	µg/L	10	SJ
o-Xylene	Not Detected	µg/L	5	SJ
Isopropylbenzene	Not Detected	µg/L	5	SJ
Bromobenzene	Not Detected	µg/L	5	SJ
n-Propylbenzene	Not Detected	µg/L	5	SJ
2-Chlorotoluene	Not Detected	µg/L	5	SJ
1,3,5-Trimethylbenzene	Not Detected	µg/L	5	SJ
4-Chlorotoluene	Not Detected	µg/L	5	SJ
tert-Butylbenzene	Not Detected	µg/L	5	SJ
1,2,4-Trimethylbenzene	Not Detected	µg/L	5	SJ
sec-Butylbenzene	Not Detected	µg/L	5	SJ
1,3-Dichlorobenzene	Not Detected	µg/L	5	SJ
p-Isopropyltoluene	Not Detected	µg/L	5	SJ
1,4-Dichlorobenzene	Not Detected	µg/L	5	SJ
n-Butylbenzene	Not Detected	µg/L	5	SJ
1,2-Dichlorobenzene	Not Detected	µg/L	5	SJ
1,2-Dibromo-3-chloropropane	Not Detected	µg/L	5	SJ
1,2,4-Trichlorobenzene	Not Detected	µg/L	5	SJ
Hexachlorobutadiene	Not Detected	µg/L	5	SJ
Naphthalene	Not Detected	µg/L	5	SJ
1,2,3-Trichlorobenzene	Not Detected	µg/L	5	SJ

ug/L: micrograms/liter

MCL: Maximum Contaminant Level

PQL: Practical Quantitation Limit