



GEORGIA
DEPARTMENT OF NATURAL RESOURCES

ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

EPD Director's Office
2 Martin Luther King, Jr. Drive
Suite 1456, East Tower
Atlanta, Georgia 30334
404-656-4713

December 26, 2019

MEMORANDUM

To: Karen Hays, Air Branch Chief

Through: Dika Kuoh, Assistant Branch Chief *DK*

From: DeAnna Oser, Ambient Monitoring Program Manager

RE: South DeKalb November 1 – 23, 2019 Sampling Results for Ethylene Oxide

Samples of Ethylene Oxide (EtO) were taken at our South DeKalb monitoring station in November 2019. Each of the samples were sent to Eastern Research Group (ERG) for analysis. The samples listed as X indicate that the sample was not collected properly. The Qualifier code of "2" was given two samples to indicate that the collection deviated from established procedures, but the integrity of the sample was not compromised.

Date	Qualifier	EtO Concentration (ug/m3)
11/1/2019		X
11/5/2019		X
11/8/2019		0.14
11/13/2019		0.13
11/15/2019		0.26
11/20/2019		0.75
11/23/2019	2	0.08

If you have any questions, please let me know.

DGO/do



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 10, 2019

Ms. Jaime Gore
U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
Project Name: GA EtO

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 11/14/19 11:22 through 11/19/19 10:38.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/10/19 09:10

SUBMITTED: 11/14/19 to 11/19/19

AQS SITE CODE:

SITE CODE: GA EtO

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
South Dekalb	9111413-01	Air	11/08/19 23:59	11/14/19 11:22
South Dekalb	9111510-01	Air	11/13/19 23:59	11/15/19 10:52
South Dekalb	9111924-01	Air	11/15/19 23:59	11/19/19 10:38



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00
 REPORTED: 12/10/19 09:10
 SUBMITTED: 11/14/19 to 11/19/19
 AQS SITE CODE:
 SITE CODE: GA EtO

Description: South Dekalb	Lab ID: 9111413-01	Sampled: 11/08/19 23:59
Pressure @ Receipt: 4.50" Hg	Canister #: A21025	Received: 11/14/19 11:22
Comments:		Analyzed: 11/20/19 12:57

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0767	0.14		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/10/19 09:10

SUBMITTED: 11/14/19 to 11/19/19

AQS SITE CODE:

SITE CODE: GA EtO

Description: South Dekalb	Lab ID: 9111510-01	Sampled: 11/13/19 23:59
Pressure @ Receipt: 2.50" Hg	Canister #: SAT123	Received: 11/15/19 10:52
Comments:		Analyzed: 11/20/19 22:37

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0715	0.13		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/10/19 09:10

SUBMITTED: 11/14/19 to 11/19/19

AQS SITE CODE:

SITE CODE: GA EtO

Description: South Dekalb	Lab ID: 9111924-01	Sampled: 11/15/19 23:59
Pressure @ Receipt: 4.00" Hg	Canister #: 5133	Received: 11/19/19 10:38
Comments:		Analyzed: 11/26/19 18:43

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.144	0.26		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00
 REPORTED: 12/10/19 09:10
 SUBMITTED: 11/14/19 to 11/19/19
 AQS SITE CODE:
 SITE CODE: GA EtO

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Air Toxics by EPA Compendium Method TO-15 - Quality Control						
<i>Batch B9K2005 - Summa Canister Prep</i>						
Blank (B9K2005-BLK1)			Prepared: 11/12/19 Analyzed: 11/20/19			
Ethylene oxide	ND	ppbv				U
<i>Batch B9K2605 - Summa Canister Prep</i>						
Blank (B9K2605-BLK1)			Prepared: 11/18/19 Analyzed: 11/26/19			
Ethylene oxide	ND	ppbv				U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00
 REPORTED: 12/10/19 09:10
 SUBMITTED: 11/14/19 to 11/19/19
 AQS SITE CODE:
 SITE CODE: GA EtO

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1911047

Calibration Check (1911047-CCV1)

Prepared & Analyzed: 11/20/19

Ethylene oxide	2.00	ppbv	-19.8	30.00
----------------	------	------	-------	-------

Sequence 1911058

Calibration Check (1911058-CCV1)

Prepared & Analyzed: 11/26/19

Ethylene oxide	2.75	ppbv	9.9	30.00
----------------	------	------	-----	-------



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/10/19 09:10

SUBMITTED: 11/14/19 to 11/19/19

AQS SITE CODE:

SITE CODE: GA EtO

Notes and Definitions

U	Under Detection Limit
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 12, 2019

Ms. Jaime Gore
U.S. Environmental Protection Agency, Region 4
4244 International Pkwy, Suite 120
Atlanta, GA 30354
Project Name: GA EtO

Dear Ms. Jaime Gore,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 12/04/19 11:37.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/12/19 15:08

SUBMITTED: 12/04/19

AQS SITE CODE:

SITE CODE: GA EtO

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
South Dekalb	9120424-01	Air	11/20/19 23:59	12/04/19 11:37
South Dekalb	9120424-02	Air	11/23/19 23:59	12/04/19 11:37



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/12/19 15:08

SUBMITTED: 12/04/19

AQS SITE CODE:

SITE CODE: GA EtO

Description: South Dekalb

Lab ID: 9120424-01

Sampled: 11/20/19 23:59

Pressure @ Receipt: 4.50" Hg

Canister #: 5026

Received: 12/04/19 11:37

Comments:

Analyzed: 12/05/19 19:59

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.414	0.75		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/12/19 15:08

SUBMITTED: 12/04/19

AQS SITE CODE:

SITE CODE: GA EtO

Description: South Dekalb	Lab ID: 9120424-02	Sampled: 11/23/19 23:59
Pressure @ Receipt: 0.0" Hg	Canister #: 19277	Received: 12/04/19 11:37
Comments: ambient at field recovery		Analyzed: 12/05/19 20:47

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Ethylene oxide	0.0455	0.08		0.0250



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00
 REPORTED: 12/12/19 15:08
 SUBMITTED: 12/04/19
 AQS SITE CODE:
 SITE CODE: GA EtO

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Air Toxics by EPA Compendium Method TO-15 - Quality Control						
<i>Batch B9L0506 - Summa Canister Prep</i>						
Blank (B9L0506-BLK1)			Prepared: 11/25/19 Analyzed: 12/05/19			
Ethylene oxide	ND	ppbv				U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4
 4244 International Pkwy, Suite 120
 Atlanta, GA 30354
 ATTN: Ms. Jaime Gore
 PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00
 REPORTED: 12/12/19 15:08
 SUBMITTED: 12/04/19
 AQS SITE CODE:
 SITE CODE: GA EtO

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control
Sequence 1912015

Calibration Check (1912015-CCV1)

Prepared & Analyzed: 12/05/19

Ethylene oxide	2.84	ppbv	13.4	30.00	
----------------	------	------	------	-------	--



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 4

4244 International Pkwy, Suite 120

Atlanta, GA 30354

ATTN: Ms. Jaime Gore

PHONE: (404) 362-4912 FAX: (919) 541-0516

FILE #: 4022.00

REPORTED: 12/12/19 15:08

SUBMITTED: 12/04/19

AQS SITE CODE:

SITE CODE: GA EIO

Notes and Definitions

U	Under Detection Limit
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, ethylene oxide, hexachloro-1,3-butadiene, n-octane, propylene, tert amyl methyl ether, tetrachloroethylene, trans-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.