



April 9, 2020

Ms. Karen Hays  
Branch Chief  
Air Protection Branch  
4244 International Parkway  
Suite 120  
Atlanta, GA 30354

***Re: Response to Letter Dated December 9, 2019, Ethylene Oxide Air Permit Application  
Stepan Company (Winder, GA), Facility AIRS No. 04-13-013-00001***

Dear Ms. Hays:

At the request of the Environmental Protection Division (hereafter "Division"), Stepan Winder is submitting a revised permit application regarding ethylene oxide operations. Included in this letter is the application and associated documents. The site conducted the stack test on the scrubber on March 19, 2020. The official stack test report will follow soon.

If you have any questions, please feel free to contact me at (770) 867-2941 or via email at [lcoyle@stepan.com](mailto:lcoyle@stepan.com).

Sincerely,

Laurence Coyle  
Plant Manager  
Stepan Company

Attachment 1 – Stepan EO Air Application

*Prepared for:*

**STEPAN COMPANY**  
951 Bankhead Highway,  
Winder, GA

**SYNTHETIC MINOR AIR PERMIT  
APPLICATION  
STEPAN COMPANY  
Winder, Georgia**

*Prepared by:*



a Montrose Environmental Group company  
400 Northridge Road, Suite 400  
Sandy Springs, GA 30350  
Tel: 404-315-9113

April 2020

# SYNTHETIC MINOR AIR PERMIT APPLICATION

**STEPAN COMPANY**

Winder, GA 30680

*Prepared for:*

**STEPAN COMPANY**

951 Bankhead Hwy

Winder, GA 30680

(Barrow County)

*Prepared by:*



a Montrose Environmental Group company

400 Northridge Road, Suite 400

Sandy Springs, GA 30350

Tel: 404-315-9113

---

Pilar Johansson

Associate

---

Brian Goldman, P.E.

Project Engineer

April 2020

## TABLE OF CONTENTS

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>INTRODUCTION .....</b>   | <b>1</b> |
| <hr/>    |   |          |
| 1.1      | Application Contacts .....  | 1        |
| 1.2      | Submittal Organization.....   | 1        |
| <b>2</b> | <b>FACILITY DESCRIPTION.....</b>  | <b>3</b> |
| <hr/>    |   |          |
| 2.1      | Facility Operations .....   | 3        |
| 2.1.1    | Alkoxylation Reactor (R01) .....  | 3        |
| 2.1.2    | EO Storage (T-3400).....  | 3        |
| 2.1.3    | EO Fugitive Equipment Leaks.....  | 4        |
| <b>3</b> | <b>EMISSIONS ESTIMATES.....</b>   | <b>6</b> |
| <hr/>    |   |          |
| 3.1      | Emissions Calculations Methodology.....   | 6        |
| 3.1.1    | Alkoxylation Reactor (R01) Potential Emissions .....  | 6        |
| 3.1.2    | EO Tank (T-3400) Potential Emissions .....  | 7        |
| 3.1.3    | EO Fugitive Equipment Leak Potential Emissions .....  | 7        |
| <b>4</b> | <b>REGULATORY ANALYSIS .....</b>  | <b>9</b> |
| <hr/>    |   |          |
| 4.1      | Construction and Operating Permits [391-3-1-.03(1) and (2)].....  | 9        |
| 4.2      | Title V Operating Permits [391-3-1-.03(10) and 40 CFR Part 70] .....  | 9        |
| 4.3      | Prevention of Significant Deterioration (PSD) of Air Quality [391-3-1-.02(7)] .....                               | 9        |
| 4.4      | Nonattainment Area New Source Review [391-3-1-.03(8)].....  | 10       |
| 4.5      | New Source Performance Standards (NSPS) [40 CFR Part 60; 391-3-1-.02(8)] .....                                    | 10       |
| 4.5.1    | Applicable NSPS.....  | 10       |
| 4.5.2    | Non-Applicable NSPS.....  | 11       |
| 4.6      | National Emission Standards for Hazardous Air Pollutants (NESHAPs) [40 CFR Parts 61 and 63; 391-3-1-.02(9)] ..... | 13       |
| 4.6.1    | Non-Applicable NESHAPs .....  | 13       |
| 4.7      | Visible Emissions [391-3-1-.02(2)(b)].....  | 14       |
| 4.8      | Particulate Emissions from Manufacturing Processes [391-3-1-.02(2)(e)]14  |          |
| 4.9      | Fugitive Dust [391-3-1-.02(2)(n)].....  | 15       |
| 4.10     | Volatile Organic Liquid Handling and Storage [391-3-1-.02(2)(vv)].....  | 15       |
| 4.11     | VOC Emissions from Major Sources [391-3-1-.02(2)(tt)] .....   | 15       |



|          |  |           |
|----------|--|-----------|
| 4.12     | VOC Emissions from Bulk Mixing Tanks[391-3-1-.02(2)(ccc)]..... | 15        |
| 4.13     | Toxic Impact Assessment.....                                   | 15        |
| <b>5</b> | <b>TESTING AND MONITORING .....</b>                            | <b>17</b> |
| <hr/>    |  |           |
| 5.1      | Testing.....   | 17        |
| 5.2      | Monitoring.....  | 17        |

**APPENDICES**

- Appendix A SIP Application Forms
- Appendix B Figures
- Appendix C Emissions Calculations
- Appendix D Toxics Impact Assessment (TIA)

# 1 INTRODUCTION

---

Stepan Company (Stepan) owns and operates a specialty chemical manufacturing facility located at 951 Bankhead Hwy, Winder, GA 30680 (Barrow County). The facility operates under Synthetic Minor Permit Nos. 2843-013-0001-S-02-0 and S-02-1.

The Georgia Environmental Protection Division (EPD) issued a letter to Stepan dated December 9, 2019 requesting submittal of an air permit application, which should incorporate the changes to be implemented at the facility to reduce ethylene oxide (EO) emissions, by March 31, 2020. The letter also included a request for submission of a written Leak Detection and Repair (LDAR) Plan and detailed emissions calculations with a description of the methodology used, emission factors, any assumptions used, and operational parameters. An extension of the deadline was granted by the GA EPD. The new deadline was extended to April 10<sup>th</sup>, 2020. The application was submitted electronically, as approved by the GA EPD.

The air emissions calculations in this application show the benefit from the proposed additional control measures: LDAR implementation and the installation of rupture disks on all pressure relief valves. These details were previously provided to the EPD by January 31, 2020, and this amendment is seeking to make those changes enforceable. Finally, the letter also included a request for EO emissions testing to be performed. The air emissions calculations have been updated as part of this application to reflect the stack test results.

## 1.1 Application Contacts

The contact persons for additional information about this permit application submittal are Ms. Tracey Crawford of Stepan Company (770-867-8669, [tcrawford@stepan.com](mailto:tcrawford@stepan.com)), Mr. Marc Taylor of Stepan Company (224-330-4214, [mtaylor@stepan.com](mailto:mtaylor@stepan.com)), and Ms. Pilar Johansson of EPS (678-336-8562, [pjohansson@montrose-env.com](mailto:pjohansson@montrose-env.com)).

## 1.2 Submittal Organization

This submittal is organized into five (5) sections with additional appendices. The five main sections and appendices are as follows:

**Section 1.0 (Introduction)** provides background information on the facility, the permit application, and identifies the contact personnel. A summary of the permit application organization is provided.



**Section 2.0 (Facility Description)** provides detailed information on current facility operations related to EO.

**Section 3.0 (Emissions Estimates)** contains summary information on EO emissions from the facility.

**Section 4.0 (Regulatory Analysis)** presents the results and conclusions of a detailed regulatory review for the facility.

**Section 5.0 (Testing and Monitoring)** presents the proposed testing and monitoring for the facility.

**Appendix A (SIP Application Forms)** contains the required Georgia EPD SIP application forms.

**Appendix B (Figures)** contains the figures supporting the permit application.

**Appendix C (Emissions Calculations)** contains the emission calculations supporting the permit application.

**Appendix D (Toxics Impact Assessment)** contains the toxics impact assessment of relevant air toxics supporting the permit application.

## 2 FACILITY DESCRIPTION

---

### 2.1 Facility Operations

The Stepan Winder facility produces intermediates for laundry detergent manufacturing and other similar products. These intermediates are produced through batch and continuous reaction processes. The facility consists of four reactor vessels, three blenders, four batch neutralizers, two continuous sulfonation process lines, one re-blend tank, and numerous storage tanks.

EO emissions from the Stepan Winder facility result from the following processes:

- The depressurization of the alkoxylation process reactor (R01);
- The depressurization of the EO Storage Tank (T-3400); and
- Fugitive equipment leaks from EO unloading, EO storage, and the alkoxylation process reactor area.

#### 2.1.1 Alkoxylation Reactor (R01)

Reactor R01 operates as a batch reactor and produces certain products that use EO as a raw material. There are no emissions from the reactor during the reaction process, as R01 is a jet stream reactor that constantly pulls the headspace gas back into the reaction. However, when the reaction process ends the vessel is depressurized after the product has been pumped out of the reactor. The depressurized gas, which contains EO, is vented to the EO column scrubber (SCR-R01). Depressurization occurs for approximately 20 minutes per cycle.

Approximately once or twice a month, batches with an additional cook time are conducted in Reactor R01. For these batches, operation charges the reactor with EO, allows the reaction to take place, and then depressurizes the reactor. This process is repeated several times before the batch is completed. All venting is routed to the EO column scrubber (SCR-R01). In addition, maintenance activities performed on the reactor, such as a reactor cleanout, include emptying the reactor and purging with nitrogen to ensure safety. Purging activities are routed to the EO column scrubber (SCR-R01).

#### 2.1.2 EO Storage (T-3400)

EO is treated and stored under pressure at specific temperature as liquid or gas dependent on pressure and temperature of the system. During railcar unloading, liquid EO is transferred from



the railcar to the storage tank (T-3400). This transfer is performed under a closed system between the railcar and the storage tank which allows the balancing of vapors displaced during loading from the storage tank to the railcar (vapor balance system). EO emissions result from depressurization of the tank (approximately 10-15 psig) after the railcar unloading has been completed. Depressurization occurs for approximately 20 minutes per cycle.

Emissions from tank depressurization are routed to the EO scrubber (SCR-R01) as required by current Permit No. 2843-013-0001-S-02-1, Conditions No. 4.10 and 4.11. The EO tank (T-3400) is subject to 40 CFR Part 60, Subpart Kb, which requires a control efficiency of  $\geq 95\%$  by weight for Volatile Organic Compounds (VOCs) (as stated in Condition 2.11). The stack test conducted on March 19<sup>th</sup>, 2020 indicates that the scrubber has an average control efficiency for EO of 99.96%, which is greater than the above-referenced control requirements. This application is requesting a permit limit of 99.5% DRE for SCR-R01.

Maintenance activities performed on the tank, such as a tank cleanout, include emptying the tank and purging with nitrogen to ensure safety. Purging activities are routed to the EO column scrubber (SCR-R01).

### 2.1.3 EO Fugitive Equipment Leaks

Piping components, such as valves, connectors, and pump seals, have the potential for fugitive leaks of EO. Stepan has allocated resources and created an enhanced LDAR program, the details of which was submitted to the Division on January 31, 2020.

**Table 2-1. EO Emission Units**

| Vessel ID | Description   | Capacity (gal) | Associated Control Device |                 | Applicable Requirements/Standards  |
|-----------|---|----------------|---------------------------|-----------------|--|
| R01       | Alkoxylation process reactor including catch tanks and heat exchangers    | 8,000          | SCR-R01                   | Scrubber (1998) | 391-3-1-.02(2)(e)<br>391-3-1-.02(2)(b)<br>Avoidance of 40 CFR Part 70  |
| UNLOAD    | Railcar Unloading of EO/PO  | N/A            | SCR-R01                   | Scrubber (1998) | 391-3-1-.02(2)(e)<br>391-3-1-.02(2)(b)<br>Avoidance of 40 CFR Part 70  |
| T-3400    | Pressurized EO tank<br>Maximum true vapor pressure of contents: 20.2 psia | 31,780         | SCR-R01                   | Scrubber (1998) | 391-3-1-.02(2)(e)<br>391-3-1-.02(2)(b)<br>40 CFR 60 Subpart A<br>40 CFR 60 Subpart Kb<br>Avoidance of 40 CFR Part 70 |

**Table 2-1. EO Emission Units**

| <b>Vessel ID</b> | <b>Description</b>                              | <b>Capacity<br/>(gal)</b> | <b>Associated Control<br/>Device</b> |                 | <b>Applicable<br/>Requirements/Standards</b> |
|------------------|---|---------------------------|--------------------------------------|-----------------|--|
| FUGITIVE<br>EO   | EO fugitive emissions from<br>piping components | N/A                       | LDAR                                 | LDAR<br>program | 391-3-1-.02(2)(e)<br>391-3-1-.02(2)(b)       |

### 3 EMISSIONS ESTIMATES

---

For the purposes of this application the pollutant of concern was restricted to EO. Facility-wide potential emissions of EO are presented in Table 3-1 below.

**Table 3-1. Facility-Wide EO Emissions Summary**

| Emission Unit | Emission Unit Description    | Potential EO Emissions (lbs/yr) |
|---------------|------------------------------|---------------------------------|
| R01           | Alkoxylation Process Reactor | 2.56                            |
| T-3400        | EO Pressurized Storage Tank  | 5.82                            |
| UNLOAD        | Railcar Unloading of EO      |                                 |
| FUGITIVE EO   | Fugitive Equipment Leaks EO  | 73.15                           |
| <b>Total:</b> |                              | 81.53                           |

#### 3.1 Emissions Calculations Methodology

The facility manufactures many products; however only the emissions of EO are discussed in this permit application.

##### 3.1.1 Alkoxylation Reactor (R01) Potential Emissions

As described in Section 2.1.1, when the alkoxylation reaction process ends the vessel is depressurized after the product has been pumped out of the reactor. The transfer is performed under a closed system between the reactor and scrubber (SCR-R01). The depressurized gas, which contains EO, is vented to the EO column scrubber (SCR-R01). Depressurization occurs for approximately 20 minutes per cycle, but may vary based on the batch and specific product being produced.

Stack testing was performed at the facility on March 19<sup>th</sup>, 2020 on the EO scrubber for one depressurization event of the reactor. The average hourly emission rate from the stack test was adjusted to represent a 99.5 % DRE for the short-term emission rate (actual DRE stack test average was 99.98% for reactor degassing and 99.96% for tank degassing). The annual emission rate was calculated based on this hourly emission rate and a maximum of 1,003 batches per year.

### 3.1.2 EO Tank (T-3400) Potential Emissions

As described in Section 2.1.2, during railcar unloading liquid EO is transferred from the railcar to the storage tank. This transfer is performed under a closed system between the railcar and the storage tank which allows the balancing of vapors displaced during loading from the storage tank to the railcar. EO emissions result from depressurization of the tank (approximately 10-15 psig) after the railcar unloading has been completed.

Stack testing was performed at the facility on March 19th, 2020 on the EO scrubber for three depressurization events of the tank. As there are limited unloading events, the testing was conducted by depressurization of the storage tank alone (without the railcar) based on approximately 10-15 psi, which is operationally identical to a railcar offloading event. The average hourly emission rate from the stack test was adjusted to represent a 99.5 % DRE for the short-term emission rate (actual DRE stack test average was 99.96% for tank degassing). The annual emission rate was calculated based on this hourly emission rate and unloaded maximum of 100 railcars per year.

### 3.1.3 EO Fugitive Equipment Leak Potential Emissions

Piping components, such as valves, connectors, and pump seals, have the potential for fugitive leaks of EO. Fugitive emissions are calculated by counting the number of fugitive components, utilizing an emission factor based on component type and service, and applying a control efficiency where applicable. Rupture discs are being installed on all pressure relief valves in EO service as part of the emissions reduction plan. A control efficiency of 100% was applied for these components.

The total number of each component was determined for the development of the LDAR program and used for these calculations. The mass emission rate as a function of screening value for each type of equipment was determined in accordance with EPA guidance document EPA-453/R-95-017, November 1995, "Table 2-9. SOCOMI Leak Rate/Screening Value Correlations." Site-specific screening data was used.

Monitoring was performed in accordance with the sampling requirements of the TCEQ monitoring program 28VHP. However, given the data size available and recent implementation of the program, averaged emission factors for each type of component described above for each process and location were obtained. The average screening values plus the standard deviation of these values were used in the EPA correlation equations in order to represent possible future variation in the data. Monitoring data included readings for September 2019 through March 2020 for most components. Screening values for bolded items in Table C-3 were not obtained during



the above listed inspection. Once these screening values are obtained they are expected to be equivalent to other similar components.

Several of the valve, connectors, and equipment are used in both the EO and propylene oxide (PO) processes. It was assumed that the fraction of time that the equipment was on either EO or PO service was proportional to their ratio of annual throughputs; specifically, 79% of time in EO service (6,920 hours per year). Hours for the loading rack and railcar offloading area are based on an unloading rate of 5 hours per railcar and a maximum of 100 railcars per year. These lines are purged when not in use.

Product line components were identified in the process. The EO emission rate from the product line components was calculated by multiplying the calculated VOC emissions from each component by the maximum concentration of EO in the product lines (0.1% EO by weight).

## 4 REGULATORY ANALYSIS

---

Requirements for control of air pollution in Georgia are contained in Georgia’s Rules for Air Quality Control, Chapter 391-3-1. Subparts of the Code that are potentially applicable to the project are discussed below.

### 4.1 Construction and Operating Permits [391-3-1-.03(1) and (2)]

The facility operates as a synthetic minor source under operating permit number 2843-013-001-S-02-0 and amendment S-02-1. The Georgia EPD issued a letter to Stepan dated December 9, 2019 requesting submittal of an air permit application by March 31, 2020. The letter stated that the air permit application should incorporate the changes to be implemented at the facility to reduce EO emissions. This application is being submitted to satisfy this requirement. An extension of the deadline was granted by the GA EPD. The new deadline was extended to April 10<sup>th</sup>, 2020.

### 4.2 Title V Operating Permits [391-3-1-.03(10) and 40 CFR Part 70]

This rule is applicable to sources with potential emissions above the Title V operating permitting program thresholds: greater than 100 tpy for any criteria pollutant, 10 tpy for any single Hazardous Air Pollutant (HAP), or 25 tpy for combined HAPs. The facility operates as a synthetic minor source under operating permit number 2843-013-001-S-02-0 and amendment S-02-1. The facility’s current permit limits SO<sub>2</sub> and VOC emissions below 100 tpy and potential emissions of all other pollutants are below the Title V major source thresholds; thus, the facility is not subject to this rule.

### 4.3 Prevention of Significant Deterioration (PSD) of Air Quality [391-3-1-.02(7)]

The facility is located in Barrow County, which is classified “attainment” or “unclassifiable” for all criteria pollutants. Therefore, PSD permitting requirements apply in Barrow County for these pollutants. PSD requirements define a “major source” as any source that has the potential to emit criteria air pollutants at levels equal to or greater than 250 tons per year or 100 tons per year (if the source falls under one of 28 source categories). The facility is categorized as one of the 28 listed source categories: Chemical process plants (SIC Code 2841). Therefore, the 100 ton per year threshold applies.

The facility's current permit limits SO<sub>2</sub> and VOC emissions below 100 tpy and potential emissions of all other pollutants are below the PSD major source thresholds. Therefore, the facility is not subject to this rule.

#### **4.4 Nonattainment Area New Source Review [391-3-1-.03(8)]**

The facility is located in Barrow County, which is classified "attainment" or "unclassifiable" for all criteria pollutants. Therefore, Nonattainment New Source Review permitting requirements do not apply.

#### **4.5 New Source Performance Standards (NSPS) [40 CFR Part 60; 391-3-1-.02(8)]**

##### **4.5.1 Applicable NSPS**

The following NSPS regulations were assessed and deemed to be applicable to the project:

##### **4.5.1.1 40 CFR Part 60, Subpart Kb – Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984**

Subpart Kb regulates VOC emissions from storage vessels with a capacity greater than or equal to 75 m<sup>3</sup> (~19,813 gallons) that are used to store volatile organic liquids (VOLs) for which construction, reconstruction, or modification is commenced after July 23, 1984. The EO storage tank (T-3400) is subject to this regulation.

The EO storage tank complies with this regulation by operating a closed vent system and control device (SCR-R01) as required by §60.112b(a)(3) and Permit No. 2843-013-0001-S-02-1, Conditions No. 4.10 and 4.11. In addition, the facility operates and monitors the closed vent system and control device in accordance with the operating plan submitted to the Georgia EPD as required by §60.113b(c)(1).

§60.112b(a)(3) and Permit No. 2843-013-0001-S-02-1, Condition No. 2.11 require a control efficiency of ≥ 95% by weight for VOCs. The stack test conducted on March 19<sup>th</sup>, 2020 indicates that the scrubber has an average control efficiency for EO of 99.96%, which is greater than the above-referenced control requirements. This application is requesting a permit limit of 99.5% DRE for SCR-R01.

## 4.5.2 Non-Applicable NSPS

The following NSPS regulations were assessed and deemed not applicable to the project:

### 4.5.2.1 40 CFR Part 60, Subpart VV – Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After January 5, 1981, and on or Before November 7, 2006

The Alkoxylation process reactor (R01) was installed in 1990; however, this standard does not apply to the EO Alkoxylation process. EO is a listed chemical under §60.489, but EO is used as a raw material and is not produced as an intermediate or final product.

### 4.5.2.2 40 CFR Part 60, Subpart VVa – Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After November 7, 2006

The Alkoxylation process reactor (R01) was installed prior to November 7, 2006; therefore, this rule is not applicable to the EO Alkoxylation process unit. In addition, as stated for NSPS Subpart VV above, EO is a listed chemical under §60.489, but EO is used as a raw material and is not produced as an intermediate or final product.

### 4.5.2.3 40 CFR Part 60, Subpart III – Standards of Performance for VOC Emissions from the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes

This subpart applies to each air oxidation reactor that produces any of the chemicals listed in §60.489 as a product, co-product, by-product, or intermediate and which was constructed, modified, or reconstructed after October 21, 1983. An air oxidation reactor is defined in § 60.611 as follows:

**“Air Oxidation Reactor** means any device or process vessel in which one or more organic reactants are combined with air, or a combination of air and oxygen, to produce one or more organic compounds. Ammoxidation and oxychlorination reactions are included in this definition.”

The Alkoxylation process reactor (R01) is not an air oxidation reactor; therefore, this rule is not applicable.



#### 4.5.2.4 40 CFR Part 60, Subpart NNN – Standards of Performance for Volatile Organic Compound (VOC) Emissions from SOCM Distillation Operations

In accordance with §60.660(b), this standard applies to each distillation unit that is part of a process unit that produces any of the chemicals listed in § 60.667 as a product, co-product, by-product, or intermediate and which was constructed, modified, or reconstructed after December 30, 1983.

Distillation unit and distillation operation are defined in § 60.661 as follows:

“**Distillation unit** means a device or vessel in which distillation operations occur, including all associated internals (such as trays or packing) and accessories (such as reboiler, condenser, vacuum pump, steam jet, etc.), plus any associated recovery system.”

“**Distillation operation** means an operation separating one or more feed stream(s) into two or more exit stream(s), each exit stream having component concentrations different from those in the feed stream(s). The separation is achieved by the redistribution of the components between the liquid and vapor-phase as they approach equilibrium within the distillation unit.”

The EO Alkoxylation process does not have a distillation unit; thus, this rule is not applicable.

#### 4.5.2.5 40 CFR Part 60, Subpart RRR – Standards of Performance for Volatile Organic Compound (VOC) Emissions from SOCM Reactor Processes

In accordance with §60.700(b), this standard applies to reactor processes constructed, modified, or reconstructed after June 29, 1990. Pursuant to §60.700(c)(1) this standard does not apply to reactors that are designed and operated as batch reactors. A batch operation is defined in § 60.701 as follows:

“**Batch operation** means any noncontinuous reactor process that is not characterized by steady-state conditions and in which reactants are not added and products are not removed simultaneously.”

The Alkoxylation process reactor (R01) is operated as batch reactor; therefore, this rule is not applicable.

## **4.6 National Emission Standards for Hazardous Air Pollutants (NESHAPs) [40 CFR Parts 61 and 63; 391-3-1-.02(9)]**

The Stepan facility is a true minor source of HAP (area source) as facility-wide potential total HAP and largest individual HAP emissions are less than 25 tpy and 10 tpy, respectively. Therefore, major source NESHAPs and Clean Air Act Section 112(g) [“Case-by-Case MACT”] permitting do not apply. The NESHAPs reviewed for applicability to the project are described in the following sections.

### **4.6.1 Non-Applicable NESHAPs**

The following NESHAPs have been reviewed for applicability to the project:

#### **4.6.1.1 40 CFR Part 63, Subpart VVVVVV – NESHAP for Chemical Manufacturing Area Sources**

The EO Alkoxylation process does not utilize any Table 1 HAP as a feedstock, nor does it produce any Table 1 HAP as a by-product or product. Therefore, Subpart VVVVVV does not apply.

#### **4.6.1.2 40 CFR 63, Subpart H, TT, and UU – National Emissions Standards for Equipment Leaks**

These regulations apply only if another Subpart references the use of these rules as part of its requirements. However, none of the applicable Subparts refer to use these rules. Therefore, these rules are not applicable to the facility.

#### **4.6.1.3 40 CFR 63, Subpart EEEE – NESHAP: Organic Liquids Distribution (Non-Gasoline)**

In accordance with §63.2330, this regulation does not apply because the facility is not located at, or part of, a major source of HAP emissions as defined in Section 112(a) of the Clean Air Act.

#### **4.6.1.4 40 CFR 63, Subpart FFFF – NESHAP: Miscellaneous Organic Chemical Manufacturing**

In accordance with §63.2435, this regulation does not apply because the facility is not located at, or part of, a major source of HAP emissions as defined in Section 112(a) of the Clean Air Act.

#### **4.6.1.5 40 CFR 63, Subpart NNNNNN – NESHAP for Chemical Manufacturing Area Sources: Chromium Compounds**

In accordance with §63.11409, this regulation does not apply to the EO Alkoxylation process because the process is not a chromium compounds manufacturing facility.

#### 4.6.1.6 40 CFR Part 63, Subpart BBBBBBB - NESHAP for Area Sources: Chemical Preparations Industry

This regulation applies to owners or operators of chemical preparations facilities as defined in §63.11588 that are a stationary area source of HAPs and handle a target HAP (chromium, lead, or nickel). A chemical preparation operation is defined in § 63.11588 as follows:

“**Chemical preparation** means a target HAP-containing product, or intermediate used in the manufacture of other products, manufactured in a process operation described by the NAICS code 325998 if the operation manufactures target HAP-containing products or intermediates other than indelible ink, India ink, writing ink, and stamp pad ink. Indelible ink, India ink, writing ink, and stamp pad ink manufacturing operations are subject to regulation by the paints and allied products area source rule (40 CFR part 63, subpart CCCCCC).”

The EO Alkoxylation process operation is described by NAICS 325611 (Soap and Other Detergents Manufacturing) which is not included in the definition of “Chemical Preparation” under the rule. In addition, the EO Alkoxylation process does not handle a target HAP. Therefore, Subpart BBBBBBB does not apply.

### 4.7 Visible Emissions [391-3-1-.02(2)(b)]

The following limit applies to the equipment at the facility:

- Opacity may not be equal to or exceed 40 percent.

The facility complies by operating and maintaining the equipment appropriately.

### 4.8 Particulate Emissions from Manufacturing Processes [391-3-1-.02(2)(e)]

The following limit applies to equipment at the facility:

- Particulate emissions must not exceed  $4.1 \times P^{0.67}$  for process input weight rate up to and including 30 tons per hour;
- Particulate emissions must not exceed  $55 \times P^{0.11} - 40$  for process input weight above 30 tons per hour.

Where P = process input weight rate in tons per hour. The facility complies by operating and maintaining the equipment appropriately.

#### **4.9 Fugitive Dust [391-3-1-.02(2)(n)]**

Stepan takes all reasonable precautions to prevent fugitive dust from becoming airborne and to maintain visible emissions from fugitive dust below 20% opacity.

#### **4.10 Volatile Organic Liquid Handling and Storage [391-3-1-.02(2)(vv)]**

This rule is applicable to storage tanks located in Barrow County with capacities greater than 4,000 gallons and storing volatile organic liquids (other than gasoline). This rule requires that these tanks be equipped with submerged fill pipes. The EO Storage Tank (T-3400) is subject to and complies with this regulation.

#### **4.11 VOC Emissions from Major Sources [391-3-1-.02(2)(tt)]**

The requirements of this regulation apply to sources located in Barrow county which have potential VOC emissions exceeding 100 tons per year. This regulation requires the utilization of Reasonably Available Control Technology (RACT) in controlling those VOC emissions. The facility's current permit limits facility-wide VOC emissions below 100 tpy; thus, this regulation is not applicable.

#### **4.12 VOC Emissions from Bulk Mixing Tanks[391-3-1-.02(2)(ccc)]**

This regulation establishes VOC emissions control requirements for mixing tanks. The requirements of this regulation apply to sources located in Barrow county which have potential VOC emissions exceeding 100 tons per year. The facility's current permit limits facility-wide VOC emissions below 100 tpy; thus, this regulation is not applicable.

#### **4.13 Toxic Impact Assessment**

A Toxic Impact Assessment was conducted for the Stepan Facility based on calendar year 2019 actual operations and ensuing EO emissions. The TIA and a discussion of the results are included in Appendix D. The Table 4-1, below, summarizes the results from this air dispersion modeling evaluation.

**Table 4-1. Calendar Year 2019 Actual EO Emissions Air Dispersion Modeling Results**

| <b>Averaging Period</b> | <b>Acceptable Ambient Concentration (µg/m<sup>3</sup>)</b> | <b>Modeled Maximum Ground Level Concentration (µg/m<sup>3</sup>)</b> | <b>Modeled Maximum Ground Level Concentration on Nearby Residential Areas (µg/m<sup>3</sup>)</b> |
|-------------------------|--|--|--|
| 15-Minute               | 900  | 1.36   |  |
| 24-Hour                 | 1.43   | 0.12   |  |
| Annual                  | 3.30E-04   | 9.81E-03   | 3.28E-03   |

## 5 TESTING AND MONITORING

---

To demonstrate compliance with the applicable regulations, the following testing and monitoring are proposed.

### 5.1 Testing

The Georgia EPD issued a letter to Stepan dated December 9, 2019 for EO emissions testing to be completed no later than April 15, 2020. Testing was conducted on the EO scrubber stack (SCR-R01) using operations and emissions from the Alkoxylation Process Reactor (R01) and the EO Storage Tank (T-3400). The facility conducted this testing on March 19, 2020 and the final report will be submitted to Georgia EPD by April 15, 2020.

The stack test indicates that the scrubber has a control efficiency for EO of 99.96% when controlling emissions from the storage tank, which is greater than the current permit requirements for T-3400 (> 95%). This application is requesting a permit limit of 99.5% DRE for SCR-R01 while controlling emissions from T-3400 and R01.

### 5.2 Monitoring

Table 5-1 provides a summary of the proposed monitoring.

**Table 5-1. Proposed Monitoring**

| Source                  | Pollutant | Parameter        | Frequency                | Averaging Period |
|-------------------------|-----------|------------------|--------------------------|------------------|
| Equipment in EO Service | EO        | LDAR Inspections | As Detailed in LDAR Plan | N/A              |



# **APPENDIX A**

## **SIP Application Forms**



## SIP AIR PERMIT APPLICATION

### EPD Use Only

Date Received: \_\_\_\_\_

Application No. \_\_\_\_\_

### FORM 1.00: GENERAL INFORMATION

#### 1. Facility Information

Facility Name: Stepan Company

AIRS No. (if known): 04-13- 013 - 00001

Facility Location: Street: 951 Bankhead Hwy

City: Winder Georgia Zip: 30680 County: Barrow

Is this facility a "small business" as defined in the instructions? Yes:  No:

#### 2. Facility Coordinates

Latitude: 33° 59' 51" NORTH Longitude: 83° 47' 19" WEST

UTM Coordinates: 242,434 EAST 3,765,377m NORTH ZONE 17

#### 3. Facility Owner

Name of Owner: Stepan Company

Owner Address Street: 22 West Frontage Rd.

City: Northfield State: IL Zip: 60093

#### 4. Permitting Contact and Mailing Address

Contact Person: Tracey Crawford Title: EHS&S Manager

Telephone No.: 770-867-8669 Ext. \_\_\_\_\_ Fax No.: \_\_\_\_\_

Email Address: tcrawford@stepan.com

Mailing Address: Same as: Facility Location:  Owner Address:  Other:

If Other: Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

#### 5. Authorized Official

Name: Laurence Coyle Title: Plant Manager

Address of Official Street: 951 Bankhead Hwy

City: Winder State: Georgia Zip: 30680

This application is submitted in accordance with the provisions of the Georgia Rules for Air Quality Control and, to the best of my knowledge, is complete and correct.

Signature: \_\_\_\_\_

Date: 9 APR 2020



**6. Reason for Application: (Check all that apply)**

- New Facility (to be constructed)                       Revision of Data Submitted in an Earlier Application  
 Existing Facility (initial or modification application)      Application No.: \_\_\_\_\_  
 Permit to Construct    Date of Original Submittal: \_\_\_\_\_  
 Permit to Operate  
 Change of Location  
 Permit to Modify Existing Equipment:      Affected Permit No.: \_\_\_\_\_

**7. Permitting Exemption Activities (for permitted facilities only):**

Have any exempt modifications based on emission level per Georgia Rule 391-3-1-.03(6)(i)(3) been performed at the facility that have not been previously incorporated in a permit?

- No       Yes, please fill out the SIP Exemption Attachment (See Instructions for the attachment download)

**8. Has assistance been provided to you for any part of this application?**

- No                       Yes, SBAP                       Yes, a consultant has been employed or will be employed.

If yes, please provide the following information:

Name of Consulting Company: Environmental Planning Specialists

Name of Contact: Pilar Johansson

Telephone No.: 678-336-8562 Fax No.: \_\_\_\_\_

Email Address: pjohansson@montrose-env.com

Mailing Address: Street: 400 Northridge Rd, Suite 400

City: Sandy Springs State: GA Zip: 30350

Describe the Consultant's Involvement:

Preparation of application

**9. Submitted Application Forms:** Select only the necessary forms for the facility application that will be submitted.

| No. of Forms | Form   |
|--------------|--|
| 1            | 2.00 Emission Unit List                                  |
|              | 2.01 Boilers and Fuel Burning Equipment                  |
| 1            | 2.02 Storage Tank Physical Data                          |
|              | 2.03 Printing Operations                                 |
|              | 2.04 Surface Coating Operations                          |
|              | 2.05 Waste Incinerators (solid/liquid waste destruction) |
| 1            | 2.06 Manufacturing and Operational Data                  |
| 1            | 3.00 Air Pollution Control Devices (APCD)                |
| 1            | 3.01 Scrubbers   |
|              | 3.02 Baghouses & Other Filter Collectors                 |
|              | 3.03 Electrostatic Precipitators                         |
| 1            | 4.00 Emissions Data                                      |
| 1            | 5.00 Monitoring Information                              |
| 1            | 6.00 Fugitive Emission Sources                           |
| 1            | 7.00 Air Modeling Information                            |

**10. Construction or Modification Date**

Estimated Start Date: N/A

11. If confidential information is being submitted in this application, were the guidelines followed in the "Procedures for Requesting that Submitted Information be treated as Confidential"?

No       Yes

12. New Facility Emissions Summary

| Criteria Pollutant                             | New Facility    |              |
|--|-----------------|--------------|
|  | Potential (tpy) | Actual (tpy) |
| Carbon monoxide (CO)                           |                 |              |
| Nitrogen oxides (NOx)                          |                 |              |
| Particulate Matter (PM) (filterable only)      |                 |              |
| PM <10 microns (PM10)                          |                 |              |
| PM <2.5 microns (PM2.5)                        |                 |              |
| Sulfur dioxide (SO <sub>2</sub> )              |                 |              |
| Volatile Organic Compounds (VOC)               |                 |              |
| Greenhouse Gases (GHGs) (in CO <sub>2</sub> e) |                 |              |
| Total Hazardous Air Pollutants (HAPs)          |                 |              |
| Individual HAPs Listed Below:                  |                 |              |
|  |                 |              |
|  |                 |              |
|  |                 |              |
|  |                 |              |

13. Existing Facility Emissions Summary

| Criteria Pollutant                             | Current Facility                  |              | After Modification                |              |
|--|-----------------------------------|--------------|-----------------------------------|--------------|
|  | Potential (tpy)                   | Actual (tpy) | Potential (tpy)                   | Actual (tpy) |
| Carbon monoxide (CO)                           |                                   |              |                                   |              |
| Nitrogen oxides (NOx)                          |                                   |              |                                   |              |
| Particulate Matter (PM) (filterable only)      |                                   |              |                                   |              |
| PM <10 microns (PM10)                          |                                   |              |                                   |              |
| PM <2.5 microns (PM2.5)                        |                                   |              |                                   |              |
| Sulfur dioxide (SO <sub>2</sub> )              |                                   |              |                                   |              |
| Volatile Organic Compounds (VOC)               |                                   |              |                                   |              |
| Greenhouse Gases (GHGs) (in CO <sub>2</sub> e) |                                   |              |                                   |              |
| Total Hazardous Air Pollutants (HAPs)          |                                   |              |                                   |              |
| Individual HAPs Listed Below:                  |                                   |              |                                   |              |
| Ethylene Oxide                                 | Please see Appendix C for Details |              | Please see Appendix C for Details |              |
|  |                                   |              |                                   |              |
|  |                                   |              |                                   |              |
|  |                                   |              |                                   |              |
|  |                                   |              |                                   |              |

**14. 4-Digit Facility Identification Code:**

SIC Code: 2841 SIC Description: Soap and Other Detergents Manufacturing  
NAICS Code: 325611 NAICS Description: Soap and Other Detergents Manufacturing

**15. Description of general production process and operation for which a permit is being requested. If necessary, attach additional sheets to give an adequate description. Include layout drawings, as necessary, to describe each process. References should be made to source codes used in the application.**

See narrative for further details.

**16. Additional information provided in attachments as listed below:**

- Attachment A - SIP Application Forms
- Attachment B - Figures (Facility Location Map and Flow Diagram)
- Attachment C - Emissions Calculations
- Attachment D - Toxic Impact Assessment
- Attachment E - \_\_\_\_\_
- Attachment F - \_\_\_\_\_

**17. Additional Information: Unless previously submitted, include the following two items:**

- Plot plan/map of facility location or date of previous submittal: \_\_\_\_\_
- Flow Diagram or date of previous submittal: \_\_\_\_\_

**18. Other Environmental Permitting Needs:**

Will this facility/modification trigger the need for environmental permits/approvals (other than air) such as Hazardous Waste Generation, Solid Waste Handling, Water withdrawal, water discharge, SWPPP, mining, landfill, etc.?

- No     Yes, please list below:

\_\_\_\_\_

**19. List requested permit limits including synthetic minor (SM) limits.**

See narrative for further details.

**20. Effective March 1, 2019, permit application fees will be assessed. The fee amount varies based on type of permit application. Application acknowledgement emails will be sent to the current registered fee contact in the GECO system. If fee contacts have changed, please list that below:**

**Fee Contact name:**

**Fee Contact email address:**

**Fee Contact phone number:**

**Fee invoices will be created through the GECO system shortly after the application is received. It is the applicant's responsibility to access the facility GECO account, generate the fee invoice, and submit payment within 10 days after notification.**

Facility Name: Stepan Company

Date of Application: April 2020

**FORM 2.00 – EMISSION UNIT LIST**

| Emission Unit ID | Name                       | Manufacturer and Model Number               | Description                |
|------------------|----------------------------|---|----------------------------|
| R-01             | Reactor, R01               | Tate Metal Works, SN: 89022, Yr. 1990       | Reactor, SS, R01           |
| T-3400           | Tank, T3400                | Capital City Iron Works, SN 47979, Yr. 1998 | Tank, SS, T3400, EO        |
| UNLOAD           | Railcar Unloading of EO/PO | -   | Railcar Unloading of EO/PO |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |
|                  |                            |   |                            |

Facility Name: Stepan Company Date of Application: April 2020

**FORM 2.02 – ORGANIC COMPOUND STORAGE TANK**

| Emission Unit ID | Emission Unit Name | Capacity (gal) | Material Stored | Maximum True Vapor Pressure (psi @ °F) | Storage Temp. (°F) | Filling Method | Construction/Modification Date | Roof Type  | Seal Type |
|------------------|--------------------|----------------|-----------------|--|--------------------|----------------|--------------------------------|------------|-----------|
| Tank 3400        | Tank T-3400        | 31,780         | Ethylene Oxide  | 20.2                                   | 65                 | Submerged      | 1998                           | Fixed Roof | N/A       |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |
|                  |                    |                |                 |  |                    |                |                                |            |           |

Facility Name: Stepan Company Date of Application: April 2020

**FORM 2.06 – MANUFACTURING AND OPERATIONAL DATA**

Normal Operating Schedule: 24 hours/day 7 days/week 52 weeks/yr  
 Additional Data Attached?  - No  - Yes, please include the attachment in list on Form 1.00, Item 16.

Seasonal and/or Peak Operating Periods: N/A

Dates of Annually Occurring Shutdowns: N/A

**PRODUCTION INPUT FACTORS**

| Emission Unit ID | Emission Unit Name | Const. Date | Input Raw Material(s)  | Annual Input | Hourly Process Input Rate |        |         |
|------------------|--------------------|-------------|--|--------------|---------------------------|--------|---------|
|                  |                    |             |  |              | Design                    | Normal | Maximum |
| R01              | Reactor, R01       | 1990        | Please see narrative and calculations for production input factors |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |
|                  |                    |             |  |              |                           |        |         |

**PRODUCTS OF MANUFACTURING**

| Emission Unit ID | Description of Product | Production Schedule  |       | Hourly Production Rate<br>(Give units: e.g. lb/hr, ton/hr) |        |         |       |
|------------------|------------------------|--|-------|--|--------|---------|-------|
|                  |                        | Tons/yr  | Hr/yr | Design   | Normal | Maximum | Units |
| R01              | Reactor, R01           | Please see narrative and calculations for production input factors |       |  |        |         |       |
|                  |                        |  |       |  |        |         |       |
|                  |                        |  |       |  |        |         |       |
|                  |                        |  |       |  |        |         |       |
|                  |                        |  |       |  |        |         |       |
|                  |                        |  |       |  |        |         |       |

Facility Name: Stepan Company

Date of Application: April 2020

**Form 3.00 – AIR POLLUTION CONTROL DEVICES - PART A: GENERAL EQUIPMENT INFORMATION**

| APCD Unit ID | Emission Unit ID         | APCD Type<br>(Baghouse, ESP, Scrubber etc) | Date Installed | Make & Model Number<br>(Attach Mfg. Specifications & Literature) | Unit Modified from Mfg Specifications?  | Gas Temp. °F |         | Inlet Gas Flow Rate<br>(acfm)    |
|--------------|--------------------------|--|----------------|--|---|--------------|---------|----------------------------------|
|              |                          |  |                |  |   | Inlet        | Outlet  |                                  |
| SCR-R01      | R01,<br>T3400,<br>Unload | Scrubber                                   | 1998           | Croll-Reynolds, 20T-20H<br>(SN:100067)                           | No. Note, this unit also serves as the control device for the propylene oxide process | Ambient      | Ambient | 200 acfm<br>(for Ethylene Oxide) |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |
|              |                          |  |                |  |   |              |         |                                  |





Facility Name: Stepan Company Date of Application: April 2020

**FORM 3.01 – SCRUBBERS**

| APCD Unit ID | Scrubber Type | Materials of Construction<br>(Plastic, 1040 steel, etc.) | Scrubbant     | pH Range | Pressure Drop Range<br>(inches of H <sub>2</sub> O) | Minimum Scrubbant Flow Rate<br>(Gal/min) | Is Scrubbant Recirculated?          | Minimum Makeup Rate<br>(Gal/min) | Size of Pond or Holding Tank<br>(Acre-ft or gal) |
|--------------|---------------|--|---------------|----------|---|--|-------------------------------------|----------------------------------|--|
| SCR-R01      | Packed Column | Fiberglass, Reinforced Plastic                           | Sulfuric Acid | 4-7%     | 3-6 (EO)  | >35                                      | <input checked="" type="checkbox"/> |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |
|              |               |  |               |          |   |  | <input type="checkbox"/>            |                                  |  |

Facility Name: Stepan Company

Date of Application: \_\_\_\_\_

April 2020

**FORM 4.00 – EMISSION INFORMATION**

| Emission Unit ID | Air Pollution Control Device ID | Stack ID | Pollutant Emitted | Emission Rates                  |                                    |                              |                                 | Method of Determination |
|------------------|---------------------------------|----------|-------------------|---------------------------------|------------------------------------|------------------------------|---------------------------------|-------------------------|
|                  |                                 |          |                   | Hourly Actual Emissions (lb/hr) | Hourly Potential Emissions (lb/hr) | Actual Annual Emission (tpy) | Potential Annual Emission (tpy) |                         |
| R-01             | SCR-R01                         | SCR-R01  | EO                |                                 |                                    |                              |                                 |                         |
| T-3400           |                                 |          |                   |                                 |                                    |                              |                                 |                         |
| UNLOAD           |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |
|                  |                                 |          |                   |                                 |                                    |                              |                                 |                         |

Please See Appendix C for Details

Facility Name: Stepan Company

Date of Application: April 2020

**FORM 5.00 MONITORING INFORMATION**

| Emission Unit ID/<br>APCD ID | Emission Unit/APCD Name    | Monitored Parameter                 |          | Monitoring Frequency  |
|------------------------------|----------------------------|-------------------------------------|----------|---|
|                              |                            | Parameter                           | Units    |   |
| R01/SCR-R01                  | EO/PO Reactor and Scrubber | Liquid flow rate of the scrubbant   | >35 gpm  | One data point collected every 15 minutes, reduced to daily block average |
| R01/SCR-R01                  | EO/PO Reactor and Scrubber | Gas flow rate entering the scrubber | 250 scfm | One data point collected every 15 minutes, reduced to daily block average |
| R01/SCR-R01                  | EO/PO Reactor and Scrubber | Scrubbant % acid                    | 4-7%     | Once per week   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |
|                              |                            |                                     |          |   |

**Comments:**



Facility Name: Stepan Company

Date of Application: April 2020

**FORM 7.00 – AIR MODELING INFORMATION: Stack Data**

| Stack ID | Emission Unit ID(s) | Stack Information       |                      |                   | Dimensions of largest Structure Near Stack |                   | Exit Gas Conditions at Maximum Emission Rate |                  |         |         |  |
|----------|---------------------|-------------------------|----------------------|-------------------|--|-------------------|--|------------------|---------|---------|--|
|          |                     | Height Above Grade (ft) | Inside Diameter (ft) | Exhaust Direction | Height (ft)                                | Longest Side (ft) | Velocity (ft/sec)                            | Temperature (°F) | Average | Maximum |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |
|          |                     |                         |                      |                   |  |                   |  |                  |         |         |  |

Please see appendix D for details

**NOTE:** If emissions are not vented through a stack, describe point of discharge below and, if necessary, include an attachment. List the attachment in Form 1.00 *General Information*, Item 16.

Facility Name: Stepan

Date of Application: April 2020

**FORM 7.00 AIR MODELING INFORMATION: Chemicals Data**

| Chemical       | Potential Emission Rate (lb/hr)   | Toxicity | Reference | MSDS Attached            |
|----------------|-----------------------------------|----------|-----------|--------------------------|
| Ethylene Oxide | Please see appendix D for details |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |
|                |                                   |          |           | <input type="checkbox"/> |

# **APPENDIX B**

## **Figures**






Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA-USGS, AeroGRID, IGN, and the GIS User Community

0 1,000 2,000  
Feet

**Legend**  
Property Boundary

**General Location Map**  
Stepan Company  
951 Bankhead Hwy  
Winder, GA 30680

# Process Flow Diagram – Ethylene Oxide (EO) Process



400 Northridge Road  
 Suite 400  
 Sandy Springs, GA 30350  
 Phone (404) 315-9113  
 Fax (404) 315-8509

Stepan Company  
 951 Bankhead Highway  
 Winder, GA 30680  
 Stepan Company  
 Synthetic Minor Construction Permit Application

Figure  
 2



# **APPENDIX C**

## **Emissions Calculations**

**Table C-1: Facility-wide EO Emissions Estimations - Potential**

|                                     |                |   | Proposed DRE 99.5%                               |
|-------------------------------------|----------------|---|--|
| Source Name <sup>1</sup>            | Source Type    | May 2017<br>Potential Emissions -<br>Post-Control<br>(lb/yr) <sup>2</sup> | Potential Emissions -<br>Post-Control<br>(lb/yr) |
| EO/PO/DMS Unloading                 | Fugitive       | 920   | 2.41   |
| EO/PO/DMS Storage                   | Fugitive       |   | 36.80  |
| R-01 Alkoxylation                   | Fugitive       |   | 33.94  |
| Pressure Relief Valves <sup>3</sup> | Scrubber Stack |   | N/A  |
| Railcar Offloading                  |                | 80  | 5.82   |
| R-01 Process                        |                | 0.02  | 2.56   |
|                                     |                | 1,000   | 81.53  |

1. EO: Ethylene Oxide, PO: Propylene Oxide.

2. Stepan's comments on Draft Permit 2843-013-0001-S-01-1 letter "Stepan Winder Preliminary Draft Permit : AIRS number 04-13-013-00001" dated May 19, 2017.

3. As detailed in Table C-3, 100% credit reduction is applied to pressure

Table C-2: EO/PO Railcar and Reactor Depressurization Potential Emissions Estimations  
Based on Stack Test Conducted at the Facility on March 19<sup>th</sup>, 2020<sup>1</sup>

| Emission Unit ID  | Emission Unit                         | Run Date and Time                | Flow (acfm) | Stack Test Results         |                           |                |                                    |                              |              |   | Proposed DRE |  |
|-------------------|---------------------------------------|----------------------------------|-------------|----------------------------|---------------------------|----------------|------------------------------------|------------------------------|--------------|---|--------------|--|
|                   |                                       |                                  |             | Outlet Concentration (ppm) | Inlet Concentration (ppm) | Stack Test DRE | Stack Test Concentration (lb/dscf) | Stack Test Mass Flow (lb/hr) | Proposed DRE | Mass Flow at 99.5% DRE (lb/hr) <sup>2</sup> |              | Maximum No. Events per year <sup>3</sup> |
| T-3400/<br>UNLOAD | EO Storage Tank/<br>Railcar Unloading | Run 1: 03/19/2020<br>9:10-10:10  | 49.6        | 15.72                      | 32,121.30                 | 99.95%         | 1.80E-06                           | 0.005349                     | 99.50%       | 0.0546                                      |              |  |
|                   |                                       | Run 2: 03/19/2020<br>10:53-11:53 | 34.3        | 22.46                      | 54,613.00                 | 99.96%         | 2.57E-06                           | 0.0053                       | 99.50%       | 0.0643                                      |              |  |
|                   |                                       | Run 3: 03/19/2020<br>12:31-13:31 | 32.5        | 16.78                      | 50,081.70                 | 99.97%         | 1.92E-06                           | 0.0037                       | 99.50%       | 0.0558                                      |              |  |
|                   |                                       |                                  |             |                            | Average:                  |                |                                    |                              |              |   |              |  |
| R-01              | Reactor                               | Run 1: 03/19/2020<br>14:15-15:15 | 22.3        | 0.51                       | 3,331.30                  | 99.98%         | 5.83E-08                           | 0.0001                       | 99.50%       | 0.0025                                      | 100          | 5.82                                     |
|                   |                                       |                                  |             |                            |                           |                |                                    |                              |              |   | 1,003        | 2.56                                     |

1. Based on stack test Conducted at the Facility on March 19<sup>th</sup>, 2020. The stack test was conducted as specified in the "Ethylene Oxide Source Test Plan 2020 Destruction Removal Efficiency" Submitted to EPD February 18, 2020.

2. Mass flowrate from stack test prorated to 99.5% DRE, lb/hr = Stack Test Mass Flow Rate (lb/hr) \* (1-99.5%) / (1-Stack Test DRE %)

3. Based on maximum number of events per year. Each event last less than 1 hour.

4. Potential Emissions, lb/yr = Mass Flow at 99.5% DRE (lb/hr) \* Maximum No. of Events per year

Table C-3: Equipment Component Potential Fugitive EO Emissions Estimations with Proposed Reductions Based on EPA guidance document EPA-453/R-95-017

| Process / Area         | Use           | Contents               | Level | Product? | WP <sub>0.2</sub> | Service | Equip. Type            | Component Count | Screening Value (SV) <sup>1</sup> | Screening Value + 2SDV (SV) <sup>1</sup> | Emissions Reduction Credit <sup>3</sup> | Credit Description    | SV Correlation Emission Rate per Component <sup>4</sup> | Total Emissions (lb/hr) <sup>5</sup> | Annual Hours <sup>6</sup> | Total Emissions (tpy) <sup>7</sup> |          |
|------------------------|---------------|------------------------|-------|----------|-------------------|---------|------------------------|-----------------|-----------------------------------|--|---|-----------------------|---|--------------------------------------|---------------------------|------------------------------------|----------|
| EOP/DMS Unloading      | Loading Back  | Ethylene Oxide         | N/A   | N/A      | 100.0%            | EG      | Valves                 | 3               | 0.8                               | 6.9                                      | 100%                                    | Scrubber/Rupture Disc | 2.24E-05  | 6.71E-05                             | 500                       | 1.68E-05                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 3               | 0.8                               | 6.9                                      | 100%                                    | Scrubber/Rupture Disc | 3.74E-05  | 4.88E-04                             | 500                       | 1.21E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 1               | 41.7                              | 47.8                                     | 100%                                    | Scrubber/Rupture Disc | 6.54E-05  | 7.20E-04                             | 500                       | 1.80E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pump Seals             | 1               | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 3.68E-05  | 1.73E-03                             | 500                       | 4.33E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 11              | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 2.89E-05  | 2.75E-04                             | 500                       | 6.88E-05                           |          |
|                        | Railer        | Ethylene Oxide         | N/A   | N/A      | 100.0%            | EG      | Valves                 | 23              | 1                                 | 7.1                                      | 7.1                                     | 100%                  | Scrubber/Rupture Disc                                   | 3.88E-05                             | 6.81E-04                  | 500                                | 2.20E-04 |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 12              | 0.8                               | 6.9                                      | 100%                                    | Scrubber/Rupture Disc | 6.62E-05  | 1.99E-04                             | 500                       | 4.97E-05                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 9               | 3.8                               | 9.9                                      | 100%                                    | Scrubber/Rupture Disc | 5.13E-05  | 4.62E-04                             | 500                       | 1.46E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 8               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 1.89E-03                             | 8,760                     | 8.79E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 20              | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.69E-05  | 1.11E-04                             | 6,920                     | 3.83E-04                           |          |
| EOP/DMS Storage        | Storage       | Ethylene Oxide         | N/A   | N/A      | 100.0%            | EG      | Valves                 | 1               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 6.92E-05  | 7.61E-04                             | 8,760                     | 3.34E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 11              | 1.2                               | 7.3                                      | 100%                                    | Scrubber/Rupture Disc | 3.88E-05  | 1.05E-03                             | 8,760                     | 4.59E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 27              | 1.1                               | 7.2                                      | 100%                                    | Scrubber/Rupture Disc | 2.29E-05  | 2.29E-05                             | 8,760                     | 1.00E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 1               | 13.9                              | 20.0                                     | 100%                                    | Scrubber/Rupture Disc | 9.55E-05  | 9.55E-05                             | 8,760                     | 4.18E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 2               | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 2.09E-07  | 4.18E-07                             | 6,920                     | 1.45E-06                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pump Seals             | 2               | 0.9                               | 7.0                                      | 90%                                     | Scrubber/Rupture Disc | 6.85E-05  | 2.05E-04                             | 8,760                     | 9.00E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 1               | 1.1                               | 7.2                                      | 100%                                    | Scrubber/Rupture Disc | 6.85E-08  | 1.64E-06                             | 6,920                     | 5.69E-06                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 4               | 1.1                               | 7.2                                      | 100%                                    | Scrubber/Rupture Disc | 6.85E-08  | 1.64E-06                             | 6,920                     | 2.37E-07                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 26              | 1.5                               | 7.6                                      | 100%                                    | Scrubber/Rupture Disc | 3.69E-08  | 1.30E-06                             | 8,760                     | 4.83E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 25              | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 3.69E-08  | 9.22E-07                             | 6,920                     | 3.17E-06                           |          |
| R-01 Alkylolation      | Batch Loading | R-01 Feed and Products | N/A   | N/A      | 100.0%            | EG      | Valves                 | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 2.27E-05  | 4.53E-05                             | 6,920                     | 1.57E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 12              | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.69E-05  | 2.71E-07                             | 6,920                     | 9.41E-07                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 13              | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 3.69E-05  | 4.79E-04                             | 6,920                     | 1.66E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 49              | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-08  | 1.85E-06                             | 6,920                     | 6.41E-06                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 7               | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 7.22E-05  | 8.67E-04                             | 6,920                     | 3.00E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 12              | 1.6                               | 7.7                                      | 100%                                    | Scrubber/Rupture Disc | 7.15E-08  | 7.15E-08                             | 6,920                     | 2.47E-07                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 2               | 1.5                               | 7.6                                      | 100%                                    | Scrubber/Rupture Disc | 2.83E-05  | 3.88E-08                             | 6,920                     | 3.31E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 35              | 1.2                               | 7.3                                      | 100%                                    | Scrubber/Rupture Disc | 2.35E-08  | 4.46E-07                             | 6,920                     | 2.81E-07                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 19              | 1.5                               | 7.6                                      | 100%                                    | Scrubber/Rupture Disc | 3.83E-08  | 7.66E-05                             | 6,920                     | 2.65E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 2               | 1                                 | 7.1                                      | 100%                                    | Scrubber/Rupture Disc | 5.09E-08  | 3.41E-05                             | 6,920                     | 1.98E-05                           |          |
| R-01 Feed and Products | Batch Loading | R-01 Feed and Products | N/A   | N/A      | 100.0%            | EG      | Valves                 | 15              | 3.7                               | 9.8                                      | 100%                                    | Scrubber/Rupture Disc | 5.09E-08  | 7.63E-07                             | 6,920                     | 2.64E-06                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 1               | 1                                 | 7.1                                      | 100%                                    | Scrubber/Rupture Disc | 6.77E-05  | 2.71E-04                             | 6,920                     | 9.37E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 4               | 1                                 | 7.1                                      | 100%                                    | Scrubber/Rupture Disc | 6.92E-05  | 2.40E-04                             | 6,920                     | 2.40E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 1               | 1.2                               | 7.3                                      | 100%                                    | Scrubber/Rupture Disc | 6.92E-05  | 1.03E-08                             | 6,920                     | 1.03E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 8               | 0.7                               | 6.8                                      | 100%                                    | Scrubber/Rupture Disc | 3.48E-05  | 3.48E-05                             | 6,920                     | 1.03E-03                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 7.57E-05                             | 6,920                     | 2.62E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 7.57E-05                             | 6,920                     | 2.62E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Pressure Relief Valves | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 7.57E-05                             | 6,920                     | 2.62E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Valves                 | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 7.57E-05                             | 6,920                     | 2.62E-04                           |          |
|                        |               |                        | N/A   | N/A      | 100.0%            | EG      | Connectors             | 2               | 0.9                               | 7.0                                      | 100%                                    | Scrubber/Rupture Disc | 3.78E-05  | 7.57E-05                             | 6,920                     | 2.62E-04                           |          |
| <b>TOTAL</b>           |               |                        |       |          |                   |         |                        |                 |                                   |  |   |                       |   |                                      |                           |                                    |          |

Standard Deviation 6.14

1. EO: Ethylene Oxide, PO: Propylene Oxide  
 2. Maximum concentration of EO in the equipment in weight percent. Some product's Safety Data Sheets identify EO in the product but a specific concentration is not listed. Per 29 CFR 1910.1200, carcinogenic compounds must be listed in quantities greater than 0.1%. Thus, 0.1% conservatively assumed. Other product Safety Data Sheets identify EO concentrations lower than 0.1%.  
 3. Screening values are based on monitoring performed at the facility. Monitoring was performed in accordance with the sampling requirements of the TCEQ monitoring program 2809P. However, since the data is currently available, averaged emission factors for each type of component described above for each process/function were used. Monitoring was performed for September 2019 through March 2020 for most components. Screening values for bolded items were not obtained during the above listed inspection. Once these screening values are obtained they are expected to be equivalent to other similar components. Largest screening value for this component type for this process and content used for predicting expected emissions reductions with the Leak Detection and Repair (LDAR) Program.  
 4. Average screening values + Standard Deviation of the Average Screening Values. To be conservative, Stephan applied a safety factor of one standard deviation, conservatively determined over all monitored values for all components, to each component Screening Value (see footnote 3, above).  
 5. Factors used are from EPA guidance document EPA-453/R-95-017, Table 5-1. Summary of Equipment Modification\*, diaphragm pump not included in EPA-453/R-95-017 but specified in TCEQ's Fugitive Emission Document APDGS 6422x2. Revised 06/2018. Rupture discs will be installed on all pressure relief valves, as described in Letter Dated December 9, 2019, Regarding Ethylene Oxide Emissions, Leak Detection and Repair (LDAR) Program, and Rupture Disc Installation.  
 6. The screening value methodology from EPA guidance document EPA-453/R-95-017, Table 2-9. SOCM (Leak Rate/Screening Value Correlation)\* was used to determine an "as-monitored" emission factor for each component. The correlation for light liquid pumps can be applied to compressor seals, agitator seals, and heavy liquid pumps per this guidance document. As Table 2-9 Equations are in lb/hr/component, each equation was multiplied by 2,204.62 lb/kg.  

$$\text{Gas values Leak rate (lb/hr/component)} = 2.20462 \text{ lb/kg} \times 1.87E-06 \text{ (SV)}^{0.75} \times (\text{WP}_{0.2}/\text{WP}_{100})$$

$$\text{Light liquid pumps Leak rate (lb/hr/component)} = 2.20462 \text{ lb/kg} \times 6.41E-06 \times (\text{SV})^{0.75} \times (\text{WP}_{0.2}/\text{WP}_{100})$$

$$\text{Light liquid pumps Leak rate (lb/hr/component)} = 2.20462 \text{ lb/kg} \times 1.90E-05 \times (\text{SV})^{0.75} \times (\text{WP}_{0.2}/\text{WP}_{100})$$

$$\text{Connectors Leak rate (lb/hr/component)} = 2.20462 \text{ lb/kg} \times 3.05E-06 \times (\text{SV})^{0.75} \times (\text{WP}_{0.2}/\text{WP}_{100})$$
 Where WP<sub>0.2</sub> is assumed to be 100%.  
 7. Total Emissions (lb/hr) = SV Correlation Emission Rate per Component (lb/hr x Component count and a maximum of 100 railcars per year. These lines are purged when not in use.  
 8. In cases where the equipment contains either ethylene oxide or propylene oxide, it was assumed that the fraction of time that the equipment emitted either compound was proportional to their ratio of annual throughputs, specifically 75% of time emitting ethylene oxide and 21% of time emitting propylene oxide.  
 9. Total Emissions (tpy) = Total Emissions (lb/hr) x Annual Hours / 2,000 lb/ton



# **APPENDIX D**

## **Toxics Impact Assessment**

Appendix D - AIR TOXICS MODELING & IMPACT ASSESSMENT  
Attachment 1

Table 1: Facility-wide EO Emissions Estimations - Projected Actuals

| Source Name <sup>1</sup>            | Source Type    | Stack Test DRE                                  |                                    | Proposed DRE | Dec 2019 Projected Actual Emissions - Post-Control (lb/vr) <sup>4</sup> | Jan 2020 Projected Actual Emissions - Post-Control (lb/vr) <sup>5</sup> | Stack Test DRE   |  | Proposed DRE 99.5% |
|-------------------------------------|----------------|---|------------------------------------|--------------|---|---|--|--|--------------------|
|                                     |                | Scrubber Control Efficiency (DRE%) <sup>2</sup> | Scrubber Control Efficiency (DRE%) |              |   |   | Mar 2020 Projected Actual Emissions - Post-Control (lb/vr) | Mar 2020 Projected Actual Emissions - Post-Control (lb/vr) |                    |
| EO/PO/DMS Unloading                 | Fugitive       | n/a   | n/a                                | n/a          | 1.60  | 0.28  | 0.28   | 0.28   |                    |
| EO/PO/DMS Storage                   | Fugitive       | n/a   | n/a                                | n/a          | 37.34   | 9.85  | 9.75   | 9.75   |                    |
| R-01 Alkoxylation                   | Fugitive       | n/a   | n/a                                | n/a          | 74.76   | 20.52   | 6.96   | 6.96   |                    |
| Pressure Relief Valves <sup>3</sup> |                | 99.00%  | 99.50%                             | 99.50%       | 33.57   | N/A   | N/A  | N/A  |                    |
| Railcar Offloading                  | Scrubber Stack | 99.96%  | 99.50%                             | 99.50%       | 13.05   | 18.10   | 0.26   | 3.15   |                    |
| R-01 Process                        |                | 99.98%  | 99.50%                             | 99.50%       | 0.02  | 0.02  | 0.03   | 0.99   |                    |
|                                     |                |   |                                    |              | 160.34  | 48.78   | 17.28  | 21.13  |                    |

- EO: Ethylene Oxide, PO: Propylene Oxide.
- Stack Test DRE based on stack test conducted at the Facility on March 19th, 2020. The stack test was conducted as specified in the "Ethylene Oxide Source Test Plan 2020 Destruction Removal Efficiency" Submitted to EPD February 18, 2020.
- As detailed in Table 3, 100% credit reduction is applied to pressure relief valves with rupture discs.
- Emissions as included in Georgia EPD's memorandum: "Modeling Analysis for Ethylene Oxide, Stepan Company, Winder, Barrow County, GA" dated December 9, 2019.
- Emissions as included in letter from Stepan to GA EPD: "Response to Letter Dated December 9, 2019, Regarding Ethylene Oxide Emissions, Leak Detection and Repair (LDAR) Program, and Rupture Disk Installation" dated January 31, 2020.



Appendix D - AIR TOXICS MODELING & IMPACT ASSESSMENT  
Attachment 1

Table 2: EO/PO Railcar and Reactor Depressurization Actual Emissions Estimations  
Based on Stack Test Conducted at the Facility on March 19<sup>th</sup>, 2020<sup>1</sup>

| Emission Unit ID  | Emission Unit                         | Run Date and Time                | Flow (acfm) | Stack Test Results         |                           |                |                                    |                              | CY2019 Events per year <sup>2</sup> | Actual Emissions (lb/yr) |
|-------------------|---------------------------------------|----------------------------------|-------------|----------------------------|---------------------------|----------------|------------------------------------|------------------------------|-------------------------------------|--------------------------|
|                   |                                       |                                  |             | Outlet Concentration (ppm) | Inlet Concentration (ppm) | Stack Test DRE | Stack Test Concentration (lb/dscf) | Stack Test Mass Flow (lb/hr) |                                     |                          |
| T-3400/<br>UNLOAD | EO Storage Tank/<br>Railcar Unloading | Run 1: 03/19/2020<br>9:10-10:10  | 49.6        | 15.72                      | 32,121.30                 | 99.95%         | 1.80E-06                           | 0.005349                     |                                     |                          |
|                   |                                       | Run 2: 03/19/2020<br>10:53-11:53 | 34.3        | 22.46                      | 54,613.00                 | 99.96%         | 2.57E-06                           | 0.0053                       |                                     |                          |
|                   |                                       | Run 3: 03/19/2020<br>12:31-13:31 | 32.5        | 16.78                      | 50,081.70                 | 99.97%         | 1.92E-06                           | 0.0037                       |                                     |                          |
|                   |                                       |                                  |             |                            | Average:                  |                |                                    | 0.0048                       | 54                                  | 0.26                     |
| R-01              | Reactor                               | Run 1: 03/19/2020<br>14:15-15:15 | 22.3        | 0.51                       | 3,331.30                  | 99.98%         | 5.83E-08                           | 0.0001                       | 387                                 | 0.03                     |
| <b>Total</b>      |                                       |                                  |             |                            |                           |                |                                    | <b>0.0049</b>                |                                     | <b>0.29</b>              |

1. Based on stack test Conducted at the Facility on March 19<sup>th</sup>, 2020. The stack test was conducted as specified in the "Ethylene Oxide Source Test Plan 2020 Destruction Removal Efficiency" Submitted to EPD February 18, 2020.

2. Based on Calendar Year 2019. Each event last less than 1 hour.

Appendix D - AIR TOXICS MODELING & IMPACT ASSESSMENT  
Attachment 1

Table 3: Equipment Component Actual Emissions Estimations with Proposed Reductions  
Based on EPA guidance document EPA-453/R-95-017

| Process / Area      | Use           | Contents <sup>1</sup>  | Level       | Product? | WP <sub>0</sub> | Service | Equip. Type            | Component Count | Screening Value (SV) <sup>2</sup> | Emissions Reduction Credit <sup>4</sup> | Credit Description | SV Correlation Emission Rate per Component <sup>5</sup> | Total Emissions (lb/hr) <sup>6</sup> | Annual Hours <sup>7</sup> | Total Emissions (tpy) <sup>8</sup> |          |          |
|---------------------|---------------|------------------------|-------------|----------|-----------------|---------|------------------------|-----------------|-----------------------------------|---|--------------------|---|--------------------------------------|---------------------------|------------------------------------|----------|----------|
| EO/PO/DMS Unloading | Loading Rack  | Ethylene Oxide         | N/A         | N/A      | 100.0%          | EO      | Valves                 | 3               | 1.2                               | 100%                                    |                    | 4.81E-06  | 1.45E-05                             | 270                       | 1.96E-06                           |          |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Connectors             | 13              | 1.2                               | 100%                                    |                    |   | 7.90E-06                             | 1.03E-04                  | 270                                | 1.39E-05 |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Pressure Relief Valves | 4               | 1.1                               | 100%                                    |                    |   | Scrubber/Rupture Disc                |                           |                                    |          |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | 1               | 72.6                              | 100%                                    |                    |   | Scrubber/Rupture Disc                |                           |                                    |          |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Pump Seals             | 1               | 1.1                               | 100%                                    |                    |   | Seals                                |                           |                                    |          |          |
|                     | Railcar       | Ethylene Oxide         | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 11                                | 1.1                                     | 100%               |   | 1.52E-05                             | 1.68E-04                  | 270                                | 2.26E-05 |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Connectors      | 11                                | 1.1                                     | 100%               |   |                                      | 3.44E-04                  | 3.44E-04                           | 270      | 4.66E-05 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Gas                    | Valves          | 17                                | 1.1                                     | 100%               |   |                                      | 7.32E-06                  | 8.6E-05                            | 270      | 8.99E-06 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Gas                    | Connectors      | 23                                | 1.4                                     | 100%               |   |                                      | 1.95E-05                  | 5.54E-05                           | 270      | 2.81E-05 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 14                                | 1.4                                     | 100%               |   |                                      | 9.06E-06                  | 8.15E-05                           | 270      | 1.09E-05 |
| EO/PO/DMS Storage   | Storage       | Ethylene Oxide         | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Connectors      | 9                                 | 1.4                                     | 100%               |   | 5.77E-06                             | 1.06E-04                  | 8,760                              | 4.63E-04 |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Gas                    | Valves          | 18                                | 1.5                                     | 100%               |   |                                      | 9.06E-06                  | 4.53E-04                           | 8,760    | 1.91E-03 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 50                                | 1.4                                     | 100%               |   |                                      | 6.72E-06                  | 2.02E-05                           | 6,520    | 6.98E-05 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Pressure Relief Valves | 3               | 1.4                               | 100%                                    |                    |   | Scrubber/Rupture Disc                |                           |                                    |          |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Pressure Relief Valves | 3               | 1.4                               | 100%                                    |                    |   | Scrubber/Rupture Disc                |                           |                                    |          |          |
|                     | Batch Loading | R-01 Feed and Products | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 11                                | 1.8                                     | 100%               |   | 2.86E-05                             | 2.48E-04                  | 8,760                              | 1.09E-03 |          |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Light Liquid           | Connectors      | 27                                | 1.7                                     | 100%               |   |                                      | 1.98E-05                  | 2.90E-04                           | 8,760    | 1.27E-03 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Gas                    | Valves          | 1                                 | 1.4                                     | 100%               |   |                                      | 5.53E-06                  | 5.53E-06                           | 8,760    | 2.42E-05 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO      | Gas                    | Connectors      | 1                                 | 1.4                                     | 100%               |   |                                      | 1.69E-05                  | 1.69E-05                           | 8,760    | 6.39E-05 |
|                     |               |                        | N/A         | N/A      | 100.0%          | EO/PO   | Light Liquid           | Pump Seals      | 1                                 | 1                                       | 100%               |   |                                      | Diaphragm                 |                                    |          |          |
| R-01 Alkylation     | Batch Loading | R-01 Feed and Products | Lower Level | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 2                                 | 0.3                                     | 90%                | Closed vent to Scrubber                                 | 1.55E-08                             | 3.11E-08                  | 6,520                              | 1.07E-07 |          |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 3                                 | 1.4                                     | 100%               |   |                                      | 1.85E-05                  | 5.54E-05                           | 8,760    | 2.43E-04 |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 12                                | 0.3                                     | 90%                |   |                                      | 5.41E-09                  | 6.50E-08                           | 6,520    | 2.25E-07 |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 13                                | 0.3                                     | 90%                |   |                                      | 7.04E-08                  | 7.04E-08                           | 6,520    | 2.44E-07 |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO      | Light Liquid           | Valves          | 26                                | 1.2                                     | 100%               |   |                                      | 7.90E-06                  | 2.05E-04                           | 8,760    | 9.00E-04 |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 43                                | 0.3                                     | 90%                |   |                                      | 2.32E-09                  | 9.96E-08                           | 6,520    | 3.45E-07 |
|                     |               |                        | Lower Level | N/A      | 100.0%          | EO      | Light Liquid           | Connectors      | 28                                | 0.3                                     | 90%                |   |                                      | 4.25E-08                  | 4.25E-08                           | 6,520    | 2.42E-07 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 12                                | 0.6                                     | 100%               |   |                                      | 6.13E-06                  | 2.46E-05                           | 6,520    | 1.38E-07 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 13                                | 0.9                                     | 100%               |   |                                      | 6.13E-06                  | 2.46E-05                           | 6,520    | 1.38E-07 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 48                                | 0.6                                     | 100%               |   |                                      | 4.28E-09                  | 2.06E-07                           | 6,520    | 2.11E-07 |
| EO/PO/DMS Unloading | Batch Loading | R-01 Feed and Products | 1st Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 2                                 | 1                                       | 100%               | Scrubber/Rupture Disc                                   | 4.28E-09                             | 4.28E-09                  | 6,520                              | 1.48E-08 |          |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 2                                 | 1                                       | 100%               |   |                                      | 1.41E-05                  | 1.70E-04                           | 6,520    | 5.67E-04 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 12                                | 1                                       | 100%               |   |                                      | 1.90E-08                  | 1.30E-08                           | 6,520    | 4.50E-08 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 1                                 | 0.9                                     | 100%               |   |                                      | 9.06E-06                  | 2.86E-04                           | 6,520    | 7.83E-04 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 25                                | 1.4                                     | 100%               |   |                                      | 4.28E-09                  | 8.96E-09                           | 6,520    | 2.99E-08 |
|                     |               |                        | 1st Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 16                                | 1.8                                     | 100%               |   |                                      | 4.28E-09                  | 8.96E-09                           | 6,520    | 2.99E-08 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Valves          | 15                                | 1.1                                     | 100%               |   |                                      | 4.48E-09                  | 1.14E-08                           | 6,520    | 2.48E-07 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Valves          | 3                                 | 1.1                                     | 100%               |   |                                      | 7.90E-06                  | 1.58E-05                           | 6,520    | 5.47E-05 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 67                                | 1                                       | 100%               |   |                                      | 6.72E-09                  | 4.51E-07                           | 6,520    | 1.56E-06 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 15                                | 1.2                                     | 100%               |   |                                      | 6.72E-09                  | 1.01E-07                           | 6,520    | 3.49E-07 |
| EO/PO/DMS Storage   | Batch Loading | R-01 Feed and Products | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 1                                 | 1.2                                     | 100%               | Scrubber/Rupture Disc                                   |                                      |                           |                                    |          |          |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Gas                    | Connectors      | 1                                 | 1.2                                     | 100%               |   |                                      |                           |                                    |          |          |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 4                                 | 1.1                                     | 100%               |   |                                      | 1.52E-05                  | 6.10E-05                           | 6,520    | 2.11E-04 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Valves          | 4                                 | 1.1                                     | 100%               |   |                                      | 1.52E-05                  | 1.37E-05                           | 6,520    | 5.28E-05 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 4                                 | 1.1                                     | 100%               |   |                                      | 3.44E-04                  | 3.44E-04                           | 6,520    | 2.03E-04 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 4                                 | 1.1                                     | 100%               |   |                                      | 5.53E-06                  | 3.66E-06                           | 6,520    | 2.03E-04 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 3                                 | 0.8                                     | 100%               |   |                                      | 5.53E-06                  | 3.66E-06                           | 6,520    | 2.03E-04 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 2                                 | 1.1                                     | 100%               |   |                                      | 7.31E-06                  | 1.46E-05                           | 6,520    | 5.05E-05 |
|                     |               |                        | 2nd Level   | N/A      | 100.0%          | EO/PO   | Light Liquid           | Connectors      | 2                                 | 1.1                                     | 100%               |   |                                      | 7.31E-06                  | 1.46E-05                           | 6,520    | 5.05E-05 |
|                     |               |                        |             |          |                 |         |                        |                 |                                   |   |                    |   |                                      |                           |                                    |          |          |

1. EO: Ethylene Oxide, PO: Propylene Oxide  
2. Maximum concentration of EO in the equipment in weight percent. Some product's Safety Data Sheets identify EO in the product but a specific concentration is not listed. Per 29 CFR 1910.1000, carcinogenic compounds must be listed if found in quantities greater than 0.1%. Thus, 0.1% conservatively assumed. Other product Safety Data Sheets identify EO concentrations lower than 0.1%.  
3. Screening values are based on monitoring performed at the facility. Monitoring was performed in accordance with the sampling requirements of the TCEQ monitoring program 28VHP. However, given the data size currently available, averaged emission factors for each type of component described above for each process/section were used. Monitoring was performed for September 2019 through March 2020 for most components. Screening values for bolded items were not obtained during the above listed inspection. Once these screening values are obtained they are expected to be equivalent to other similar components. Largest screening value for that component type for that process and content used for predicting expected emissions reductions with the Leak Detection and Repair (LDAR) Program.  
4. Factors used are from EPA guidance document EPA-453/R-95-017, "Table 5-1. Summary of Equipment Modifications", diaphragm pump not included in EPA-453/R-95-017 but specified in TCEQ's Negative Guidance Document APDG 6422V2, Revised 06/2018. Bubble discs will be installed on all pressure relief valves, as described in the Response to Letter Dated December 9, 2019, Regarding Ethylene Oxide Emissions, Leak Detection and Repair (LDAR) Program, and Rupture Disc Installation.  
5. The screening value methodology from EPA guidance document EPA-453/R-95-017, "Table 2-9. SOCM Leak Rate/Screening Value Correlations", was used to determine an "as-monitored" emission factor for each component. The correlation for light liquid pumps can be applied to compressor seals, pressure relief valves, agitator seals, and heavy liquid pumps per this guidance document. As Gas valve Leak rate (lb/hr/component) = 2.20462 (lb/ft<sup>2</sup> × (SV)<sup>0.43</sup>) × (WP<sub>0</sub>/WP<sub>red</sub>)  
Light liquid pumps Leak rate (lb/hr/component) = 2.20462 (lb/ft<sup>2</sup> × (SV)<sup>0.43</sup>) × (WP<sub>0</sub>/WP<sub>red</sub>)  
Connectors Leak rate (lb/hr/component) = 2.20462 (lb/ft<sup>2</sup> × (SV)<sup>0.43</sup>) × (WP<sub>0</sub>/WP<sub>red</sub>)  
Where WP<sub>red</sub> is assumed to be 100%  
6. Total Emissions (lb/hr) = SV × Component Count × Emission Factor (lb/hr/component) × Component Count  
7. In cases where the equipment is available for less than 8,760 hours per year, the fraction of time that the equipment emitted either compound was proportional to their ratio of annual throughput, specifically 79% of time emitting ethylene oxide and 21% of time emitting propylene oxide. Hours for loading rack and railcar based on an unloading rate of 5 hours per railcar and 54 railcars for CY 2019. These lines are purged when not in use.  
8. Total Emissions (tpy) = Total Emissions (lb/hr) × Annual Hours / 2,000 lb/ton

Appendix D - AIR TOXICS MODELING & IMPACT ASSESSMENT  
Attachment 1

Table 4: Stack (Point Source) Parameters

| Model ID   | Exhaust Type <sup>a</sup> (V/H) | Description   | UTM Zone 17 NAD 83 |              | Base Elevation (m) | Stack Height (ft) | Stack Height (m) | Long Term Emissions <sup>3</sup> (lb/hr) | 24-hr Short Term Emission Rate <sup>4</sup> (lb/hr) | 1-hr Short Term Emission Rate <sup>5</sup> (lb/hr) | Stack Temperature <sup>6</sup> |         | Stack Velocity <sup>7</sup> (m/s) | Stack Diameter <sup>8</sup> (m) |         |       |       |
|------------|---------------------------------|---|--------------------|--------------|--------------------|-------------------|------------------|--|---|--|--------------------------------|---------|-----------------------------------|---------------------------------|---------|-------|-------|
|            |                                 |   | X (m)              | Y (m)        |                    |                   |                  |  |   |  | (F)                            | (K)     |                                   |                                 |         |       |       |
| 25CR_EO    | V                               | Scrubber for Reactor R-01 and EO Storage Tank T-3400  | 242,638.68         | 3,765,591.23 | 315.14             | 39.583            | 12.06            | 3.30E-05                                 | 4.16E-06  | 2.13E-04   | 6.14E-04                       | 74.93   | 297                               | 1.07                            | 0.32517 | 7.99  | 0.203 |
| ALKOXY_F51 | H                               | Alkoxylation Building Fan (Levels 1 & 2) <sup>1</sup> | 242,566.16         | 3,765,602.28 | 317.52             | 25                | 7.62             | 1.03E-04                                 | 1.29E-05  | 1.30E-04   | 1.64E-05                       | Ambient | 0                                 | 9.71                            | 0.32517 | 27.08 | 0.69  |
| ALKOXY_F50 | H                               | Alkoxylation Building Fan (Levels 1 & 2) <sup>1</sup> | 242,566.07         | 3,765,605.73 | 317.44             | 15.5              | 4.72             | 1.03E-04                                 | 1.29E-05  | 1.30E-04   | 1.64E-05                       | Ambient | 0                                 | 10.09                           | 0.32517 | 27.08 | 0.69  |
| ALKOXY_F49 | H                               | Alkoxylation Building Fan (Levels 1 & 2) <sup>1</sup> | 242,549.41         | 3,765,609.86 | 317.87             | 22                | 6.71             | 1.03E-04                                 | 1.29E-05  | 1.30E-04   | 1.64E-05                       | Ambient | 0                                 | 20.80                           | 0.32517 | 27.08 | 0.69  |
| ALKOXY_F48 | H                               | Alkoxylation Building Fan (Levels 1 & 2) <sup>1</sup> | 242,537.63         | 3,765,609.83 | 318.23             | 22                | 6.71             | 1.03E-04                                 | 1.29E-05  | 1.30E-04   | 1.64E-05                       | Ambient | 0                                 | 20.11                           | 0.32517 | 27.08 | 0.69  |
| ALKOXY_F4  | H                               | Alkoxylation Building Fan (Levels 1 & 2) <sup>1</sup> | 242,535.31         | 3,765,604.19 | 318.4              | 22                | 6.71             | 1.03E-04                                 | 1.29E-05  | 1.30E-04   | 1.64E-05                       | Ambient | 0                                 | 9.71                            | 0.32517 | 27.08 | 0.69  |

Table 5: Volume Source Parameters

| Model ID | Description  | UTM Zone 17 NAD 83 |              | Base Elevation (m) | Release Height <sup>10</sup> (ft) | Release Height <sup>10</sup> (m) | Long Term Emissions <sup>11</sup> (lb/hr) | Short Term Emission Rate <sup>12</sup> (lb/hr) | Initial Lateral Dimension Synt <sup>13</sup> (ft) | Initial Vertical Dimension Scaint <sup>14</sup> (ft) | Volume Height (ft) | Length of Side (ft) |       |      |
|----------|--|--------------------|--------------|--------------------|-----------------------------------|----------------------------------|---|--|---|--|--------------------|---------------------|-------|------|
|          |  | X (m)              | Y (m)        |                    |                                   |                                  |   |  |   |  |                    |                     |       |      |
| UNLOAD   | Fugitive emissions unloading area                        | 242,644.87         | 3,765,695.87 | 314.1              | 14.0                              | 4.27                             | 3.21E-05                                  | 4.04E-06                                       | 1.04E-03  | 1.31E-04   | 9.16               | 2.79                | 13.02 | 3.97 |
| STORAGE  | Fugitive emissions storage area                          | 242,646.80         | 3,765,603.92 | 314.66             | 12.5                              | 3.81                             | 1.11E-03                                  | 1.40E-04                                       | 1.12E-03  | 1.41E-04   | 12.97              | 3.95                | 11.63 | 3.54 |
| ALKOXY_1 | Fugitive emissions lower level reactor area <sup>9</sup> | 242,539.71         | 3,765,605.34 | 318.25             | 5.5                               | 1.68                             | 7.03E-05                                  | 8.86E-06                                       | 7.03E-05  | 8.86E-06   | 5.87               | 1.79                | 5.12  | 1.56 |
| ALKOXY_2 | Fugitive emissions lower level reactor area <sup>9</sup> | 242,547.50         | 3,765,605.39 | 318.01             | 5.5                               | 1.68                             | 7.03E-05                                  | 8.86E-06                                       | 7.03E-05  | 8.86E-06   | 5.87               | 1.79                | 5.12  | 1.56 |
| ALKOXY_3 | Fugitive emissions lower level reactor area <sup>9</sup> | 242,555.35         | 3,765,605.53 | 317.77             | 5.5                               | 1.68                             | 7.03E-05                                  | 8.86E-06                                       | 7.03E-05  | 8.86E-06   | 5.87               | 1.79                | 5.12  | 1.56 |
| ALKOXY_4 | Fugitive emissions lower level reactor area <sup>9</sup> | 242,563.16         | 3,765,605.59 | 317.53             | 5.5                               | 1.68                             | 7.03E-05                                  | 8.86E-06                                       | 7.03E-05  | 8.86E-06   | 5.87               | 1.79                | 5.12  | 1.56 |

1. Emissions from components located in Levels 1 and 2 are enclosed in the reactor building and exhaust through five (5) fans.

2. V: Vertical, H: Horizontal.

3. 25CR\_EO: From Table 2. Based on actual stack test DRE and No. of events for CY2019 for tank and reactor degassing: Total Annual Emissions (lb/yr) divided by 8,760 hours/yr.

4. 25CR\_ED: From Table 2. Based on actual stack test DRE, 4 reactor degassing events per day, and 1 tank degassing event per day. Tank Emissions (lb/event) \* (1 event/day) + Reactor Emissions (lb/event) \* (4 events/day) / 24 hours/day

5. 25CR\_EO: From Table 2. Based on actual stack test DRE. Both tank degassing and reactor degassing is not conducted co-currently, the modeling was conservatively conducted using the combined emission rate.

6. Ambient exhaust is set to 0 Kelvin which causes AERMOD to use the ambient temperature as the exit temperature.

7. 25CR\_EO: Based on flowrate obtained from stack testing (Table 2). Lowest flowrate (reactor) used for conservative estimates.

8. Fans have rectangular stacks. Equivalent diameter calculated. Equivalent Diameter:  $2 * \sqrt{QRT} / (LW) / \pi$ , where the L and W are 24 inches.

9. The lower level of the reactor building is open to atmosphere and was modeled as four (4) separate volume sources.

10. Release Height = Volume height / 2 [US EPA's User's Guide for the AMS/EPAs Regulatory Model (AERMOD), EPA-454/B-19-027, August, 2019].

11. From Table 3. Annual Emissions (tpy) \* 2,000 (lb/ton) / 8,760 (hr/yr). Reactor area lower level emissions divided by four (4) for the ALKOXY volume sources.

12. From Table 3. Hourly Emissions (lb/hr). Reactor area lower level emissions divided by four (4) for the ALKOXY volume sources.

13. Initial lateral dimension of the volume: length of side divided by 4.3 [US EPA's User's Guide for the AMS/EPAs Regulatory Model (AERMOD), EPA-454/B-19-027, August, 2019].

Appendix D - AIR TOXICS MODELING & IMPACT ASSESSMENT  
Attachment 1

Table 6: AERMOD Air Dispersion Modeling Results

| Pollutant                           | 5-year Maximum Ground Level Concentrations <sup>1</sup><br>( $\mu\text{g}/\text{m}^3$ ) |        |         | 5-year Maximum Ground Level Concentrations on Nearby Residential Areas <sup>1</sup><br>( $\mu\text{g}/\text{m}^3$ ) |        |         | AAC <sup>2</sup><br>( $\mu\text{g}/\text{m}^3$ ) |         |          |
|-------------------------------------|---|--------|---------|---|--------|---------|--|---------|----------|
|                                     | 1-hr  | 15-Min | 24-hour | 1-hr  | 15-Min | 24-hour | 15-Min   | 24-hour | Annual   |
| Ethylene Oxide<br>(CAS No. 75-21-8) | 1.03  | 1.36   | 0.12    | N/A   | N/A    | N/A     | 900  | 1.43    | 3.30E-04 |

Notes:

1. Maximum 1-hr, 24-hr, and annual concentrations are obtained from the AERMOD model results. 15-minute concentrations are calculated by multiplying the 1-hr concentration with 1.32. Highest residential receptor located on the SE fenceline.
2. AACs as specified in Georgia EPD's "Guideline for Ambient Impact Assessment of Toxic Air Pollutant Emissions" Updated May 2017.