



RECEIVED *pm 7.28.23*
 JUL 31 2023

July 27, 2023

AIR PROTECTION BRANCH

Sean Taylor, Program Manager
 Georgia EPD- Air Protection Branch
 Stationary Source Compliance Program
 4244 International Parkway, Suite 120
 Atlanta, Georgia 30354-3908

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating Permit No. 7389-067-0093-S-06-0 for the period of January 01, 2023 to June 30, 2023

Dear Mr. Taylor:

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, US LLC Atlanta, Georgia facility covering the period from January 01, 2023 through June 30, 2023. This report is intended to satisfy the reporting requirements of Condition 5.4, 5.5, 7.6 and 7.14 in operating permit number 7389-067-0093-S-06-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2) to ensure a maximum ethylene oxide emission level of 1 ppmv or an ethylene oxide emission reduction of 99% for the Aeration Room (Source Code AR-1) and the chamber backvents (Source Codes CEV-1 through CEV-8, CEV-10, and CEV-11):

<p>a. If complying with the 99% reduction efficiency standard, as specified in Condition No. 2.7 and 2.8, once per week the Permittee shall collect and record the concentrations of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the AAT Scrubber System with dry bed absorbers. If the reduction efficiency is 99.1% or less, the Permittee shall replace the dry bed material within 30 days. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.</p>	<p>N/A- AAT was not monitored for efficiency during this reporting period.</p>
<p>b. If complying with the 1ppmvd standard, as specified in condition No. 2.7 and 2.8, once per week the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the AAT Scrubber System with dry bed absorbers. If the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days.</p>	<p>No weekly monitoring resulted in outlet concentrations >0.9 ppm.</p>
<p>c. In addition to subparagraphs a. and b. of this Condition, once per week, the Permittee shall collect and record the concentrations of a</p>	<p>No outlet concentrations of</p>

067-00093

<p>15-minute ethylene oxide bag sample from the outlet of the AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2). If the concentration of ethylene oxide in the outlet sample of the dry bed adsorbers (Source Code EC2) is greater than 0.5 ppmv for 2 consecutive weekly readings, the Permittee shall not initiate any new sterilization cycle until the dry bed material has been replaced. Upon successful installation and initial operation of the ethylene oxide CEMS required by Condition 5.6, in lieu of the bag sample, the Permittee shall use the CEMS to determine outlet concentration on a ppm basis. If any 30-day rolling average ethylene oxide concentration equals or exceeds 0.2 ppmv, the Permittee shall replace the dry bed material within 30 days, unless an extension is granted in writing by the Division. The dates of dry bed material replacement shall be recorded and kept in a form suitable for inspection or submission to the Division.</p>	<p>>0.5 ppm for 2 consecutive weeks occurred.</p>
<p>d. When the Permittee is sampling in accordance with this Condition, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event and available within 3 hours of the sampling event.</p>	<p>Data was available within 3 hours.</p>
<p>e. In lieu of compliance with subparagraphs a. or b. of this Condition, the Permittee may use the ethylene oxide CEMS required by Condition 5.6, provided that US EPA approves in writing the CEMS- related conditions in this permit as acceptable monitoring for 40 CFR 63 Subpart O..</p>	<p>CEMS data used</p>

Condition 5.5 requires:

The Permittee shall maintain and operate the Indoor Air Dry Bed Adsorber System (Source Code EC4) as follows:

<p>a. Once per week the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the Dry Bed Adsorbers. If any 2 consecutive weekly ethylene oxide outlet concentration measurements equal or exceed 0.5 ppmv, the Permittee shall replace the dry bed material within 30 days. The dates of dry bed material replacement shall be recorded and kept in a form suitable for inspection or submission to the Division.</p>	<p>No outlet concentrations of >0.5 ppm for 2 consecutive weeks occurred.</p>
<p>b. When the Permittee is sampling in accordance with this Condition, the ethylene oxide concentration shall be recorded within 3 hours of the sampling event. These records shall be kept in a form suitable for inspection or submission to the Division.</p>	<p>Data was available within 3 hours.</p>
<p>c. Upon successful installation and initial operation of the ethylene oxide CEMS required by Condition 5.6, in lieu of compliance with paragraphs a and b above, the Permittee shall use the CEMS to determine outlet concentration on a ppm basis. If any 30-day rolling average ethylene oxide concentration equals or exceeds 0.2 ppmv, the Permittee shall replace the dry bed material within 30 days, unless an extension is granted in writing by the Division. The dates of dry bed material</p>	<p>No Exceedances</p>

replacement shall be recorded and kept in a form suitable for inspection or submission to the Division.	
---	--

Reporting Requirements

Condition 7.4 requires:

For each scrubber parameter measurement conducted in accordance with Condition 5.3.a and 5.3.b, dry bed sample in Conditions 5.4 and 5.5, and the continuous emission monitoring (CEMS) in Condition 5.6, the Permittee shall include the following information in the semiannual report required by Condition 7.6.

a. For the acid-water scrubbers [AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2) and the Ceilcote Scrubber (Source Code EC3)], any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during performance testing and approved by the Division when using the Condition 5.3.a monitoring option.	None
b. For the acid-water scrubbers [AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2) and the Ceilcote Scrubber (Source Code EC3)], any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during performance testing and approved by the Division, when using the Condition 5.3.b monitoring option	None
c. For the acid-water scrubbers [AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2) and the Ceilcote Scrubber (Source Code EC3)], any occurrence when the scrubbing liquor pH rises above the manufacturers' recommended level of 2 or the level determined in accordance with the performance testing required by Conditions 6.2 and 6.3, whichever is lower, when using the Condition 5.3.b monitoring option.	None
d. For the AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2), any 2 consecutive measurements per Condition 5.4.c showing an outlet concentration exceeding 0.5 ppm, any single measurement per Condition 5.4.a that shows control efficiency equal or less than 99.1% or any single measurement per Condition 5.4.b that shows outlet concentration equal to or greater than 0.9 ppmv.	None
e. For the Indoor Air Dry Bed Adsorbers (Source Code EC4), any 2 consecutive measurements per Condition 5.5 equal to or greater than 0.5 ppmv.	None
f. Any instance that negative pressure cannot be verified for the Indoor Air system	None
g. For AAT Scrubber System with Dry Bed Adsorbers (Source Code EC2) and the Indoor Air Dry Bed Adsorber System (Source Code EC4), any	None

instance when a bed system not replaced in accordance with Conditions 5.4 or 5.5.	
---	--

Condition 7.6 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending July 30 and December 31 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

- a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.6.

- b. Total process operating time during each reporting period. Total processing time was:

4,320 hours

- c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

There were no deviations during the period.

- d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no deviations during the period.

- e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

- f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Condition 7.14 requires:

The Permittee shall include the following information in the semiannual report required by Condition 7.6.

- a. Total pounds of ethylene oxide usage for each month in the reporting period and the 12-month rolling total of ethylene oxide usage for each month in the reporting period, as calculated in accordance with Conditions 7.8 and 7.9.

See table below

- b. Total pounds of ethylene oxide emitted from the facility for each month in the reporting period and the 12-month rolling total of ethylene oxide emissions for each month in the reporting period, as calculated in accordance with Condition 7.10 and 7.11.

c.

Month/Year	Monthly EO Usage (lb)	12 Month Rolling EO Usage (lb)	Releases of EO (lb)	Monthly EO Emissions (lb)	12 Month Rolling EO Emissions (lb)
Jan-23	21,469	251,349	0	3.9	46.5
Feb-23	17,079	249,059	0	3.5	46.3
Mar-23	22,073	242,549	0	7.5	49.3
Apr-23	14,707	234,822	0	7.5	52.7
May-23	18,245	230,109	0	7.0	55.6
Jun-23	21,010	229,871	0	7.4	59.2

- d. Total pounds of propylene oxide usage for each month in the reporting period and the 12-month rolling total of propylene oxide usage for each month in the reporting period, as calculated in accordance with Conditions 7.12 and 7.13.

Month/Year	Monthly PO Usage (lb)	12 Month Rolling PO Usage (lb)
Jan-23	0	0
Feb-23	0	0
Mar-23	0	0
Apr-23	0	0
May-23	0	0
Jun-23	0	0

Atlanta Semi-Annual Report
For the Period January 01, 2023 to June 30, 2023

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit. There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from January 01, 2023 to June 30, 2023.


Kevin Wagner
VP, Environmental Health & Safety

28-July-2023
Date

Please let me know if you have any questions.

Kind Regards,



Digitally signed by Gwendolyn Jordan-Howard
DN: cn=Gwendolyn Jordan-Howard, o=Sterigenics,
ou, email=GJordan@Sterigenics.com, c=US
Date: 2023.07.27 20:31:09 -0400

Gwendolyn Jordan-Howard
Manager, Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Atlanta General Manager