ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

October 8, 2021
Notice Issue Date

Murray County
City/County

Notice Close Date

TSV-105-21-01
Control Number

Streambank Stabilization/Holly Creek
GPS Coordinates: 34.80, -84.73
Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Arnettia Murphy at 470-607-2940 or e-mail arnettia.murphy@dnr.ga.gov to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 50-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact 320 linear feet (15,159 ft²) of stream buffer along Holly Creek to perform streambank stabilization measures. The left bank of the creek is actively eroding within a reach on EPD's Impaired Biota 303(d) list. The project will install bioengineered geolifts with live stakes and toe wood. The stream buffer will be replanted with a native riparian canopy of trees and plants. This project is funded by the U.S. Fish and Wildlife Service, the Coosa River Basin Initiative, and the Limestone Valley Resource Conservation and Development Council. The project is located 2 miles southeast of Eton east of Tom Terry Rd. and south of Old CCC Camp Road.

Name and Address of Permit Applicant: Mr. Joey Lentz

P.O. Box 321

Eton, Georgia 30724

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist EPD, Watershed Protection Branch NonPoint Source Program 2 MLK Jr., Dr., SW Suite 1462 East

Atlanta, Georgia 30334 Telephone: 440/938-3380 FAX: 404/651-8455