

**VOLUNTARY INVESTIGATION AND REMEDIATION PLAN (VIRP)
AND APPLICATION FOR THE
THOMASVILLE NATIONAL BANK (FORMER ROSE CITY CLEANERS) PROPERTY
THOMASVILLE, THOMAS COUNTY, GEORGIA
HSI# 10902
PROJECT NUMBER 3151**

DOCUMENT PREPARED FOR:

**THOMASVILLE NATIONAL BANK
301 NORTH BROAD STREET
THOMASVILLE, GEORGIA 31792**

DOCUMENT PRESENTED TO:

**GEORGIA ENVIRONMENTAL PROTECTION DIVISION
HAZARDOUS WASTE MANAGEMENT BRANCH
2 MARTIN LUTHER KING, JR. DRIVE, SE, SUITE 1154
ATLANTA, GEORGIA 30334-9000**

DOCUMENT PREPARED BY:




**PEACHTREE ENVIRONMENTAL
3040 BUSINESS PARK DRIVE, SUITE E
NORCROSS, GEORGIA 30071-1425
PHONE (770)449.6100 · FAX (770)449.6119
WWW.PEACHTREEENVIRONMENTAL.COM**

DECEMBER 2012

© 2012 PEACHTREE ENVIRONMENTAL

THE INFORMATION CONTAINED IN THIS REPORT TITLED
"VOLUNTARY INVESTIGATION AND REMEDIATION PLAN (VIRP)
AND APPLICATION FOR THE
THOMASVILLE NATIONAL BANK (FORMER ROSE CITY CLEANERS) PROPERTY
THOMASVILLE, THOMAS COUNTY, GEORGIA©"
HSI#10902

DOCUMENT PREPARED BY:



JASON P. CHAPPELL, *PROJECT MANAGER*

DOCUMENT REVIEWED BY:



JOHN P. MARTINIERE, JR., P.E., *PROJECT DIRECTOR*



CHARLES H. MACPHERSON, JR., *TECHNICAL DIRECTOR*

DECEMBER 2012

© 2012 Peachtree Environmental

**VOLUNTARY INVESTIGATION AND REMEDIATION PLAN (VIRP)
AND VRP APPLICATION FOR THE
THOMASVILLE NATIONAL BANK (FORMER ROSE CITY CLEANERS) PROPERTY
THOMASVILLE, THOMAS COUNTY, GEORGIA©"
HSI#10902
COPYRIGHT © 2012, PEACHTREE ENVIRONMENTAL**

TABLE OF CONTENTS

1.0	INTRODUCTION AND BACKGROUND	5
1.1	INTRODUCTION	5
1.2	VRP PROPERTY DESCRIPTION	5
1.3	QUALIFICATIONS OF THE VRP PROPERTY AND VRP APPLICANT	5
2.0	VRP PROPERTY INVESTIGATION AND CORRECTIVE ACTION HISTORY	8
2.1	HISTORIC PROPERTY OPERATIONS	8
2.2	INITIAL HSRA RELEASE NOTIFICATION	8
2.3	LISTING ON THE GEORGIA HAZARDOUS SITE INVENTORY	9
2.4	COMPLIANCE STATUS REPORT AND CORRECTIVE ACTION PLAN	9
2.5	HORIZONTAL DELINEATION ACTIVITIES – JUNE 2012	10
3.0	PRELIMINARY CONCEPTUAL SITE MODEL	11
3.1	SURFACE AND SUB-SURFACE SETTING	11
3.1.1	Surface Setting	11
3.1.2	Subsurface Setting	11
3.2	KNOWN OR SUSPECTED SOURCE AREAS	12
3.3	CONTAMINANT MIGRATION PATHWAYS	12
3.4	SOIL AND GROUNDWATER IMPACTS	13
3.4.1	Soil Impacts	13
3.4.2	Groundwater Impacts	13
3.5	REGULATED SUBSTANCES	13
3.5.1	Constituents of Concern (COCs) in Soil	14
3.5.2	Constituents of Concern (COCs) in Groundwater	15
3.6	PRELIMINARY REMEDIATION PLAN	15
4.0	VRP COMPLIANCE STATUS REPORT PREPARATION	16
4.1	CONTAMINANT MIGRATION PATHWAYS	16
4.2	EXPOSURE PATHWAY MODELING	16

4.3	RECALCULATION OF RISK BASED CLEANUP STANDARDS	16
4.4	CONFIRMATION SOIL ANALYSES	16
5.0	MILESTONE SCHEDULE	17

LIST OF FIGURES

Figure 1	Property Location / USGS Topographic Map
Figure 2	Property Layout Map
Figure 3	Potentiometric Surface Map – June 27, 2012
Figure 4	Suspected Source Area Location Map
Figure 5A	VOCs Impacts in Soil – August 2009
Figure 5B	VOCs Impacts in Soil – September 2011
Figure 6	VOCs Impacts in Groundwater – August 2009
Figure 7	VOCs Impacts in Groundwater – September 2011
Figure 8	VOCs Impacts in Groundwater – June 2012
Figure 9	Preliminary Conceptual Site Plan

LIST OF TABLES

Table 1	Summary of Groundwater Elevations
Table 2	Summary of Soil Analytical Results
Table 3	Summary of Groundwater Analytical Results
Table 4	Summary of Groundwater MNA Results

LIST OF APPENDICES

Appendix A	Property Warranty Deed and Tax Plat
Appendix B	Analytical Environmental Services, Inc., Accreditation and Laboratory Analytical Reports
Appendix C	Milestone Schedule

ACRONYMS

AES	Analytical Environmental Services, Inc.
AFCEE	Air Force Center for Environmental Excellence
APLS	Aqueous Phase Liquids
Applicant	Thomasville National Bank (TNB)
bgs	Below Ground Surface
bls	Below Land Surface
CAP	Corrective Action Plan
cis-1,2-DCE	cis-1,2-Dichloroethene
CSR	Compliance Status Report
COCs	Constituents of Concern
COPC	Constituent of Potential Concern
CSM	Conceptual Site Model
EMNA	Enhanced Monitored Natural Attenuation
Georgia EPD	Georgia Environmental Protection Division
GHWMA	Georgia Hazardous Waste Management Act
HRC	Hydrogen Releasing Compound
HSI	Hazardous Site Inventory
HSRA	Hazardous Site Response Act
HSRP	Hazardous Site Response Program
HWMA	Hazardous Waste Management Act
IRIS	Integrated Risk Information System
ISCO	In-situ Chemical Oxidation
MCL	Maximum Contaminant Levels
µg/L	Micrograms per Liter (same as ppb)
mg/Kg	Milligrams per Kilogram (same as ppm)
mg/L	Milligrams per Liter (same as ppm)
NAPLS	Non-Aqueous Phase Liquids
NC	Notification Concentration
Peachtree	Peachtree Environmental
PCE	Tetrachloroethene
POD	Point of Demonstration
ppb	Parts per Billion
ppm	Parts per Million
PRE	Preliminary Risk Evaluation
Property	Thomasville National Bank
RAGS	Risk Assessment Guidance for Superfund
RBCA	Risk Based Corrective Action
REC	Recognized Environmental Conditions
RN	Release Notification
RQSM	Reportable Quantities Screening Method
RRS	Risk Reduction Standard
SVE	Soil Vapor Extraction
SVOCs	Semi-Volatile Organic Compounds
TCLP	Toxicity Characteristic Leaching Procedure
TCE	Trichloroethene
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
VIRP	Voluntary Investigation and Remediation Plan
VRP	Voluntary Remediation Program
VOCs	Volatile Organic Compounds

1.0 INTRODUCTION AND BACKGROUND

1.1 INTRODUCTION

PEACHTREE ENVIRONMENTAL (Peachtree) is submitting this Voluntary Investigation and Remediation Plan (VIRP) and VRP Application on behalf of the applicant, **THOMASVILLE NATIONAL BANK** (TNB and/or “Applicant”), for the Thomasville National Bank (former Rose City Cleaners) property located at 301 North Broad Street, in Thomasville, Thomas County, Georgia (the “VRP Property”); #10902 (the “Site”). The purpose of this VIRP and VRP Application is to provide supporting documentation in completing the State of Georgia’s March 30, 2010 Voluntary Remediation Program (VRP) Application Form and Checklist. Part of the VRP Application Form and Checklist is to detail a Conceptual Site Model for the property including a preliminary VIRP, a table of delineation standards, supporting text, tables, charts and figures that illustrates the Site’s surface and subsurface setting, sources of contamination, contaminant migration pathways, and potential human and environmental receptors and complete exposure pathways.

1.2 VRP PROPERTY DESCRIPTION

The VRP Property consists of two (2) parcels of land totaling approximately 1.52 acres, which are more fully described as follows:

- 301 North Broad Street - Parcel ID: 005 006004 (1.0 Acres); and
- 325 North Broad Street - Parcel ID: 005 006003 (0.52 Acres).

The VRP Property has a latitude coordinate of 30°50'21.63" North and a longitude coordinate of 83°58'56.80" West. A VRP Property Location / USGS Topographic Map is included as **Figure 1**.

The VRP Property is currently developed and utilized as a bank (301 North Broad Street) consisting of walk-up and drive through teller service outlets and administrative offices for TNB and TNB Financial Services (325 North Broad Street). Previously, from the 1970s to 1990s, the Site was developed with an automotive service station and a pick-up/drop off dry cleaner named Rose City Cleaners. The Site is bordered by:

- North - Broad Street with commercial establishments beyond;
- East - Washington Street and a City of Thomasville government complex beyond;
- South - North Madison Street with commercial and governmental complexes; and
- West - Undeveloped and commercial properties to the West.

A VRP Property Layout Map is provided as **Figure 2**.

1.3 QUALIFICATIONS OF THE VRP PROPERTY AND VRP APPLICANT

The Participant is submitting this VIRP and VRP Application under the Georgia Voluntary Remediation Act (VRA and/or VRP), (O.C.G.A. § 12-8-100, et seq. (the “Act”) for the VRP

Property, Thomasville, Thomas County, Georgia. In order to be considered a “qualifying property”, the Property must be, according to O.C.G.A. § 12-8-105;

- 1) Listed on the Georgia Hazardous Site Inventory (HSI); or meet the criteria of the Georgia Hazardous Site Reuse and Redevelopment Act (“Brownfields Act”) O.C.G.A. § 12-8-205; or have a release of regulated substances to the environment.

Under O.C.G.A. § 12-8-105 the property shall also not:

- 2) Be listed on the federal National Priorities List;
- 3) Be currently undergoing response activities required by an Order of the Regional Administrator of the United States Environmental Protection Agency;
- 4) Be a facility required to have a permit under the Georgia Hazardous Waste Management Act (“HWMA”); O.C.G.A. § 12-8-66; and
- 5) Violate the terms and conditions under which the Environmental Protection Division operates and administers remedial programs by delegation or similar authorization from the United States Environmental Protection Agency.

Finally, under O.C.G.A. § 12-8-105 the property shall:

- 6) Have any lien filed under subsection (e) of the HWM Act O.C.G.A. § 12-8-66 or subsection (b) of the Georgia Underground Storage Tank Management Act O.C.G.A. § 12-13-12 be satisfied or settled and released by the Georgia EPD Director pursuant to the HWM Act O.C.G.A. § 12-8-66.

The VRP Property is included in HSI#10902 and none of the other criteria listed in items 2 - 6 apply. Therefore, the VRP Property qualifies under the Act.

In order for the Participant to meet the qualifications of the VRP according to O.C.G.A. § 12-8-106 the following criteria must be met:

- 1) The Applicant must be the property owner of the VRP Property or have express permission to enter another’s property to perform corrective action including, to the extent applicable, implementing controls for the VRP Property pursuant to written lease, license, order or indenture;
- 2) Not be in violation of any order, judgment, statute, rule or regulation subject to the enforcement authority of the Director; and
- 3) Meet other such criteria as may be established by the DNR Board pursuant to O.C.G.A. § 12-8-103.

As the Participant meets all the criteria stated above, the Participant is “qualified” under the Act.

The contact for the Applicant is as follows:

Ms. Hollie Lloyd
Thomasville National Bank
P.O. Box 1999
Thomasville, Georgia

Appendix A contains the Warranty Deed(s) and Tax Plat (s) for the Qualifying Property(s).

2.0 VRP PROPERTY INVESTIGATION AND CORRECTIVE ACTION HISTORY

Detailed below are annotated descriptions of the findings of past investigations and regulatory correspondence, which were developed as part of the previous assessments conducted for the VRP Property.

2.1 HISTORIC PROPERTY OPERATIONS

The VRP Property reportedly operated as a gasoline service station and dry cleaner from the 1970's to the 1990's. The former Underground Storage Tank (UST) system owner, Mr. Carlos Gay, had a reported a release of regulated fuel constituents on May 4, 1995. Corrective action measures were implemented by the former property owner, which included the removal of two (2) 6,000-gallon and one (1) 4,000-gallon capacity gasoline USTs from a single tank pit. Subsequently, approximately 370 cubic yards of impacted soils were removed from the UST pit and sent for off-site disposal. At a later date, two additional USTs were reportedly removed from a second UST pit on the Property. The size and contents of these latter USTs are unknown.

The UST release was addressed through the Georgia Underground Storage Tank Management Program (USTMP) branch of the Environmental Protection Division (EPD). The USTMP issued a regulatory status of "No Further Action" for the UST release on May 31, 2001.

2.2 INITIAL HSRA RELEASE NOTIFICATION

A Hazardous Site Reponse Act (HSRA) Release Notification (RN) was filed with the Georgia EPD by Huber Engineering Company, Inc. (Huber) on behalf of Thomas County for the then-proposed Thomas County Courthouse facility property located south of the TNB facility. The RN, dated April 8, 2008, was prepared based on the identification of various Volatile Organic Compounds (VOCs) and Lead detected in groundwater samples on the proposed courthouse property.

Based on its review of the initial RN for the proposed courthouse property and subsequent information provided by Huber on June 27, 2008, the Georgia EPD issued TNB a letter dated January 16, 2009 requesting that they file a separate RN. TNB provided a RN for the TNB property dated February 16, 2009. Based on its review of the RN provided by TNB, the Georgia EPD requested in a letter dated May 11, 2009 that TNB prepare and submit a revised RN to include soil and groundwater analytical testing data for volatile organic compounds.

In August 2009, Peachtree was retained by TNB to conduct a subsurface investigation at the VRP Property to assess the previous location of the service station and dry cleaner. Five (5) soil borings/Type 2 groundwater monitoring wells were installed at the four corners and center of the VRP Property. Soil samples were collected from each of the borings at depths ranging from ground surface to 20 feet below ground surface (ft-bgs) and field screened for volatile organic vapors utilizing a photoionization detector (PID). Soil sample intervals to be submitted for laboratory analysis were determined based on the PID readings. As such, a total of five (5) soil samples were submitted for laboratory analysis. Likewise, a groundwater sample was

collected from each of five (5) Type 2 wells. Each of the soil and groundwater samples was submitted for analysis of VOCs via EPA Method 8260B.

The VOCs detected in soil were compared to their respective HSRA NCs and none of the detected VOCs exceeded their respective NCs. The VOC detected in groundwater were compared to EPA Maximum Contaminant Levels (MCLs) for drinking water. Seven (7) of the twelve (12) compounds detected exceeded their respective MCLs. Results of the August 2009 investigation were utilized to prepare and submit a revised RN for the TNB property. The revised RN was submitted on October 2, 2009.

2.3 LISTING ON THE GEORGIA HAZARDOUS SITE INVENTORY

Based on its review of the TNB revised RN, the Georgia EPD issued a letter dated November 10, 2009 to TNB indicating that it was placing the TNB property on the State Hazardous Site Inventory (HSI) as HSI #10902 based on the identification of various volatile organic constituents in soil and groundwater. The Georgia EPD also issued a letter dated November 9, 2009 to the Thomas County Board of Commissioners indicating that the proposed Thomas County Courthouse property was being sub-listed on the HSI as part of the TNB property listing.

2.4 COMPLIANCE STATUS REPORT AND CORRECTIVE ACTION PLAN

On March 25, 2011, the Georgia EPD issued a letter requesting that a Compliance Status Report (CSR) and compliance certification statement be prepared and submitted for the Site by September 26, 2011 in accordance with Section 391-3-19-.06(3)(a) and 391-3-19-.07 of the Rules. The letter also stated that in lieu of the submittal of a CSR, that a Corrective Action Plan (CAP) could be submitted by the September 26, 2011 submittal deadline. Smith, Gambrell & Russell (SGR), on behalf of TNB, responded in a letter dated May 18, 2011 stating that TNB elected to submit a CAP by the September 26, 2011 deadline.

Peachtree implemented field activities associated with the CAP activities during the time period of August 31 to September 2, 2011. Field activities included: the installation and sampling of a total of six (6) soil borings (SB-6 to SB11) to augment soils data collected as part of the 2009 RN activities; sampling of monitoring wells MW-1 to MW-5 as indication of changes in groundwater conditions from the initial installation / sampling in 2009 to the CSR / CAP evaluation activities in 2011; aquifer slug testing; and collection of Monitored Natural Attenuation (MNA) parameter data.

The results of the 2011 field activities were utilized to prepare a CSR / CAP report, which was submitted to the Georgia EPD on September 26, 2011. The report provided a Compliance Certification that soils met the regulatory criteria for Type 1/3 Residential Risk Reduction Standards (RRS) for soils. In addition, the report provided a corrective action strategy of a 2-year MNA demonstration for addressing groundwater impacts. Georgia EPD approved the MNA approach in a comment letter dated November 1, 2012.

2.5 HORIZONTAL DELINEATION ACTIVITIES – JUNE 2012

Peachtree implemented groundwater horizontal delineation field activities on June 27, 2012. Field activities included: the installation and sampling of three (3) monitoring wells (MW-6, MW-7, and MW-8) in an attempt to horizontally delineate groundwater impacts at the VRP Property; sampling of monitoring wells MW-1 to MW-5; and collection of Monitored Natural Attenuation (MNA) parameter data. The results of the June 2012 field activities are discussed in Section 3.5.

3.0 PRELIMINARY CONCEPTUAL SITE MODEL

A Preliminary 3-D conceptual site model (CSM) has been developed for the VRP Property. The CSM will be utilized to:

- Integrate technical data from various sources;
- Support the selection of sample locations;
- Identify data gaps/needs; and
- Evaluate risks to human health and the environment.

The following provides a description of the various factors (surface / sub-surface setting, regulated substances, known or suspected source areas, contaminant migration pathways, and soil and groundwater impacts) considered during the development of the CSM.

3.1 SURFACE AND SUB-SURFACE SETTING

3.1.1 Surface Setting

The surface setting at the VRP Property consists of one single-story building and one two-story building, both constructed of wood and brick situated on a concrete slab. The parking lot and driveway associated with the VRP Property is constructed of asphalt. Grass/landscaped areas are present to the northeast of the bank building. The property is designated for commercial-retail use.

3.1.2 Subsurface Setting

Thomas County, Georgia is located in the Coastal Plain Physiographic Province of Georgia. The Coastal Plain extends south from the Fall Line, a line traversing across Georgia from Augusta to Macon and west to Columbus. This line is the intersection of the Piedmont province and historically was a Mesozoic shoreline still marked by a line of sand hills. Most of this area is characterized by broad, flat to level plains underlain by a variety of limestone, minor dolomite, phosphatic sand, marl, clay Fuller's earth, gravel, sand, clay, and sandy clay. The rocks exposed in the Coastal Plain range from Late Cretaceous to Recent age and consist of alternating layers of sand, clay, and limestone. These sedimentary rocks of the Coastal Plain crop out at progressively younger ages from the Fall Line seaward. The Coastal Plain sediments gently dip to the south and southeast, and thicken in the down dip direction forming wedge-shape strata. The elevations in the Coastal Plain range from approximately 750 feet above mean sea level to sea level on the Atlantic Coast.

According to the Geologic Map of Georgia, Thomas County and the City of Thomasville are located in a geologic formation called the Miccosukee Formation. This geologic unit is comprised of Neogene age Coastal Plain sedimentary rock. The primary rock type is clay or mud with sand and gravel secondary components.

Topographic and geologic information regarding the VRP Property has been obtained from past assessments. Topography of the surrounding area slopes slightly towards the southeast, while the nearest surface water body, an unnamed tributary to Oguina Creek, is located approximately 1,400 feet west-southwest of the VRP Property.

The VRP Property geology was evaluated during the installation of direct-push soil borings and groundwater monitoring wells as part of Peachtree's August 2009, September 2011, and June 2012 assessment activities. Soils beneath the VRP Property consist primarily of orange silty clays to clayey silts and white Kaolin-like clays and fine sands to depths of at least 20 feet. The principal water-bearing portion of the shallow aquifer is comprised of a fine to very fine, well sorted sand. Groundwater occurs under water table (unconfined) conditions within the shallow aquifer with depths to groundwater as measured from the surveyed top of well casings ranging between 12.80 to 28.28 feet BLS in June 2012. Groundwater elevations collected August 2009, September 2011, and June 2012 are summarized on **Table 1**. A Potentiometric Surface Map utilizing groundwater elevation data collected on June 27, 2012 is included as **Figure 3**.

3.2 KNOWN OR SUSPECTED SOURCE AREAS

The limited historic information available at the time of this report indicates that the Site was formerly utilized as a gasoline retail station and dry cleaner from the 1970's to 1990's. The former UST system Owner, Mr. Carlos Gay, had a reported a release of regulated fuel constituents on May 4, 1995. The UST release was addressed through the Georgia Underground Storage Tank Management Program (USTMP) branch of the Environmental Protection Division (EPD). The USTMP issued a regulatory status of "no further action" for the UST release on May 31, 2001. No information is available on the past dry cleaning operations.

VOCs were detected in soil and groundwater at the Site in several locations. To date, the source of dry cleaner constituent impact is undetermined. VOCs detected in soil appear to be the result of past gasoline service station and dry cleaning operations at the VRP Property. The suspected source areas are depicted on **Figure 4**.

3.3 CONTAMINANT MIGRATION PATHWAYS

A preliminary evaluation of the contaminant migration pathway has been completed and includes the following:

- Vertical migration of PCE from beneath the former dry cleaning equipment, through the concrete floor to the soils below;
- Horizontal and vertical migration through soils to the water table;
- Horizontal and vertical migration within the shallow water table, based on hydraulic properties and flow direction.

A final evaluation of the contaminant migration pathways will be performed during the implementation of the Preliminary Remediation Plan and included in the VRP CSR.

3.4 SOIL AND GROUNDWATER IMPACTS

3.4.1 Soil Impacts

Based on the analytical results of Peachtree's August 2009 and September 2011 soil investigation activities, eight (8) regulated substances were detected above laboratory reporting limits in soil. The August 2009 and September 2011 soil sampling analytical testing results and relevant soil RRS are summarized in **Table 2**. The soil sample locations and extent of PCE detected in soil during the August 2009 and September 2011 investigations are included as **Figure 5A** and **Figure 5B**, respectively. Other VOCs detected in soils are not graphically displayed on figures as PCE appears to be the driving COC at the Property based on analytical testing data. A complete copy of the soil analytical testing results was provided in the September 2011 CAP.

3.4.2 Groundwater Impacts

Based on the analytical results of Peachtree's August 2009, September 2011, and June 2012 groundwater investigation activities, twelve (12) regulated substances were detected above laboratory reporting limits in groundwater. The historic groundwater analytical results and groundwater RRS are summarized in **Table 3**. Monitored Natural Attenuation (MNA) field readings and analytical results are summarized in **Table 4**. The groundwater monitoring well locations and extent of PCE detected groundwater during the 2009, 2011 and 2012 investigations are depicted on **Figures 6 – 8**, respectively. Copies of the August 2009 and September 2011 groundwater analytical results were provided in the September 2011 CAP. A complete copy of the June 2012 groundwater analytical testing results is provided in **Appendix B**.

3.5 REGULATED SUBSTANCES

As previously discussed, Peachtree has conducted soil and groundwater investigations at the VRP Property in August 2009, September 2011, and June 2012. Based on the soil and groundwater data, the following regulated substances were detected above the laboratory MDL:

- ▶ Benzene (CAS No. 71432); - Groundwater;
- ▶ cis-1,2-Dichloroethene (cis-1,2-DCE - CAS No. 156592); - Groundwater;
- ▶ Cyclohexane (cis-1,2-DCE - CAS No. 110827); - Soil/Groundwater;
- ▶ Ethylbenzene (CAS No. 100414); - Soil/Groundwater;
- ▶ Isopropylbenzene (CAS No. 98828); - Soil/Groundwater;

- ▶ Methyl-tert-butyl-ether (CAS No. 1634044); - Groundwater;
- ▶ Tetrachloroethene (PCE - CAS No.127184); - Soil/Groundwater;
- ▶ Toluene (CAS No. 108883); - Soil/Groundwater;
- ▶ Trichloroethene (TCE - CAS No. 79016); - Groundwater; and
- ▶ Total Xylenes (CAS No. 1330207); - Soil/Groundwater.

3.5.1 Constituents of Concern (COCs) in Soil

Based on a preliminary review of regulated substances detected in soil at the VRP Property, none were detected above their respective Type 1/3 RRS. A table presenting the regulated substances detected in soil and their respective Type 1/3 Risk Reduction Standards is provided below:

TABLE 3.2.1 – TYPE 1/3 SOIL RRS

REGULATED CONSTITUENT	HIGHEST DETECTED CONCENTRATION (SOIL SAMPLE – (DEPTH))	TYPE 1/3 RRS (MG/KG)
Cyclohexane	0.15 mg/Kg (SB-2 (15-20'))	20
Ethylbenzene	1.4 mg/Kg (SB-2 (15-20'))	70
Isopropylbenzene	0.30 mg/Kg (SB-2 (15-20'))	21.88
PCE	0.20 mg/Kg (SB-10 (15-20'))	1.9 / 0.5
Toluene	0.12 mg/Kg (SB-2 (15-20'))	100
Total Xylenes	6.1 mg/Kg (SB-2 (15-20'))	1,000

NOTES: 1) No constituents were detected above Type 1/3 RRS

3.5.2 Constituents of Concern (COCs) in Groundwater

Based on a preliminary review of regulated substances detected in groundwater, Benzene, cis-1,2-DCE, Cyclohexane, Isopropylbenzene, PCE, Toluene, and TCE are considered COCs at the VRP Property as they were detected above their respective MCL or Type 1/3 RRS in groundwater. No other regulated substances were detected above their respective MCL or Type 1/3 RRS in groundwater. A table presenting the regulated substances detected in groundwater and their respective MCL / Type 1/3 RRS is provided below:

TABLE 3.2.2 –TYPE 1/3 GROUNDWATER RRS

REGULATED CONSTITUENT	HIGHEST DETECTED CONCENTRATION (MONITORING WELL - DATE)	MCL / TYPE 1/3 RRS (UG/L)
Benzene	33 ug/L (MW-6 – 6/27/12)	5.0
cis-1,2-Dichloroethene	140 ug/L (MW-3 – 9/1/11)	70
Cyclohexane	190 ug/L (MW-2 – 9/1/11)	5
Ethylbenzene	740 ug/L (MW-2 – 9/1/11)	1,000
Isopropylbenzene	77 ug/L (MW-2 – 9/1/11)	5.0
PCE	480 ug/L (MW-5 – 8/20/09)	5.0
Toluene	1,600 ug/L (MW-2 – 8/20/09)	1,000
TCE	67 ug/L (MW-6 – 6/27/12)	5.0
Total Xylenes	3,900 ug/L (MW-2 – 9/1/11)	10,000

NOTES: 1) **Bolded** constituents exceed MCL / Type 1/3 RRS

3.6 PRELIMINARY REMEDIATION PLAN

As previously stated, the approved September 2011 CAP identified MNA as an applicable corrective remedy for the VRP Property; however, Peachtree may propose some form of enhanced bioremediation, if future groundwater concentrations indicate MNA is not an effective remedy.

4.0 VRP COMPLIANCE STATUS REPORT PREPARATION

The following activities are planned to be completed at the VRP Property with the results to be provided in a final VRP CSR.

4.1 CONTAMINANT MIGRATION PATHWAYS

A review of potential human health and ecological receptors will be evaluated to determine if any potentially complete pathways are present at the VRP Property. A description of these pathways will be presented in the VRP CSR, if applicable.

4.2 EXPOSURE PATHWAY MODELING

Based on the results of the receptor survey, exposure pathway monitoring may be conducted to determine whether potentially completed pathways may cause exposure at a receptor. The results of any modeling, along with supporting backup, will be incorporated into the VRP, if applicable.

4.3 RECALCULATION OF RISK BASED CLEANUP STANDARDS

The development of revised Risk Reduction Standards (RRS) will be completed based on the results of the receptor survey and the exposure pathway modeling. These revised RRS will be presented in the VRP CSR, if applicable.

4.4 CONFIRMATION SOIL ANALYSES


Based on the results of the soil sampling completed in August 2009 and September 2011 at the VRP Property, on-site soils meet current RRS. This data along with revised RRS will be provided in the VRP CSR.

5.0 MILESTONE SCHEDULE

A milestone schedule is included in **Appendix C**.



FIGURES



Source: United States Geological Survey 7.5 Minute Topographic Map
 Thomasville Quadrangle

SCALE: 1" = 2000'

THOMASVILLE NATIONAL BANK
 THOMASVILLE, THOMAS COUNTY, GEORGIA

FIGURE 1
PROPERTY LOCATION / USGS TOPOGRAPHIC MAP


VOLUNTARY REMEDIATION PROGRAM



Peachtree
 Environmental



QUADRANGLE
 LOCATION



- LEGEND:**
-  - ORANGE, RED, AND TAN MOTTLED CLAY
 -  - ORANGE, TAN, WHITE, COARSE, MOTTLED CLAY AND KAOLIN
 -  - ORANGE, TAN, WHITE, FINE SAND

-  - GROUNDWATER TABLE AND ELEVATION
-  - EXTENT OF COCs DETECTED IN GROUNDWATER



THOMASVILLE NATIONAL BANK
 THOMASVILLE, THOMAS COUNTY, GEORGIA

**FIGURE 9
 PRELIMINARY CONCEPTUAL SITE MODEL**

VOLUNTARY REMEDIATION PROGRAM





TABLES

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 1

Summary of Depth to Water Measurements and Monitoring Well Top of Casing Elevations

Well I.D.	Date	Top of Casing Elevation (feet)	Depth to Groundwater (feet)	Water Level Elevation (feet)
MW-1	08/21/09	100.00	24.00	76.00
	09/01/11		27.25	72.75
	06/27/12		27.08	72.92
MW-2	08/21/09	100.00	24.75	75.25
	09/01/11		27.42	72.58
	06/27/12		27.34	72.66
MW-3	08/21/09	98.22	24.11	74.11
	09/01/11		26.61	71.61
	06/27/12		26.49	71.73
MW-4	08/21/09	97.36	23.21	74.15
	09/01/11		25.91	71.45
	06/27/12		25.72	71.64
MW-5	08/21/09	100.40	25.72	74.68
	09/01/11		28.40	72.00
	06/27/12		28.28	72.12
MW-6	06/27/12	97.92	26.20	71.72
MW-7	06/27/12	80.74	12.41	68.33
MW-8	06/27/12	99.90	27.53	72.37

NOTES:

1. Top of casing elevation for MW-1 assigned an elevation of 100.00 feet above mean sea level and remaining monitoring well top of casing elevations were surveyed relative to MW-1 top of casing elevation by Peachtree Environmental personnel.

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0809-SB1 (15 - 20')	TNB-0809-SB2 (15 - 20')	TNB-0809-SB3 (15 - 20')	TNB-0809-SB4 (10 - 15')	TNB-0809-SB5 (15 - 20')
SAMPLE DATE		8/20/2009	8/20/2009	8/20/2009	8/21/2009	8/20/2009
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)				
TCL Volatile Organics						
1,1,1-Trichloroethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,1,2,2-Tetrachloroethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,1,2-Trichloroethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,1-Dichloroethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,1-Dichloroethene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2,4-Trichlorobenzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2-Dibromo-3-chloropropane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2-Dibromoethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2-Dichlorobenzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2-Dichloroethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,2-Dichloropropane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,3-Dichlorobenzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
1,4-Dichlorobenzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
2-Butanone	NC	<0.069	<0.089	<0.15	<0.083	<0.063
2-Hexanone	NC	<0.014	<0.018	<0.031	<0.017	<0.013
4-Methyl-2-pentanone	NC	<0.014	<0.018	<0.031	<0.017	<0.013
Acetone	NC	<0.14	<0.18	<0.31	<0.17	<0.13
Benzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Bromodichloromethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Bromoform	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Bromomethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Carbon disulfide	NC	<0.014	<0.018	<0.031	<0.017	<0.013
Carbon tetrachloride	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Chlorobenzene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Chloroethane	NC	<0.014	<0.018	<0.031	<0.017	<0.013
Chloroform	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Chloromethane	NC	<0.014	<0.018	<0.031	<0.017	<0.013
cis-1,2-Dichloroethene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
cis-1,3-Dichloropropene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Cyclohexane	20 / 20	<0.0069	0.15	<0.015	<0.0083	<0.0063
Dibromochloromethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Dichlorodifluoromethane	NC	<0.014	<0.018	<0.031	<0.017	<0.013
Ethylbenzene	70 / 70	<0.0069	1.4	<0.015	<0.0083	<0.0063
Freon-113	NC	<0.014	<0.018	<0.031	<0.017	<0.013

Thomasville National Bank
 301 North Broad Street, Thomasville, Thomas County, Georgia
 HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0809-SB1 (15 - 20')	TNB-0809-SB2 (15 - 20')	TNB-0809-SB3 (15 - 20')	TNB-0809-SB4 (10 - 15')	TNB-0809-SB5 (15 - 20')
SAMPLE DATE		8/20/2009	8/20/2009	8/20/2009	8/21/2009	8/20/2009
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)				
TCL Volatile Organics						
Isopropylbenzene	21.88 / 21.88	<0.0069	0.30	<0.015	<0.0083	<0.0063
m,p-Xylene	1,000 / 1,000	<0.014	4.4	<0.031	<0.017	<0.013
Methyl acetate	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Methyl tert-butyl ether	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Methylcyclohexane	NR	<0.0069	0.51	<0.015	<0.0083	<0.0063
Methylene chloride	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
o-Xylene	1,000 / 1,000	<0.0069	1.7	<0.015	<0.0083	<0.0063
Styrene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Tetrachloroethene	0.5 / 0.5	<0.0069	0.018	<0.015	<0.0083	0.040
Toluene	100 / 100	<0.0069	0.12	<0.015	<0.0083	<0.0063
trans-1,2-Dichloroethene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
trans-1,3-Dichloropropene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Trichloroethene	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Trichlorofluoromethane	NC	<0.0069	<0.0089	<0.015	<0.0083	<0.0063
Vinyl chloride	NC	<0.014	<0.018	<0.031	<0.017	<0.013

NOTES:

Bolded numbers denote concentrations above laboratory detection limits

Bolded and bracketed numbers denote concentrations above Type 3 RRS

NC - Type 1/3 RRS were not calculated for analyte (Analyte was not detected above laboratory detection limits)

NR - Not Regulated, Compound not regulated by HSRA

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB6 (0 - 2')	TNB-0809-SB6 (15 - 20')	TNB-0911-SB7 (0 - 2')	TNB-0809-SB7 (15 - 20')	TNB-0911-SB8 (0 - 2')	TNB-0809-SB8 (15 - 20')
SAMPLE DATE		9/1/2011	9/1/2011	9/1/2011	8/20/2009	9/1/2011	8/20/2009
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)					
TCL Volatile Organics							
1,1,1-Trichloroethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,1,2,2-Tetrachloroethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,1,2-Trichloroethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,1-Dichloroethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,1-Dichloroethene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2,4-Trichlorobenzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2-Dibromo-3-chloropropane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2-Dibromoethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2-Dichlorobenzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2-Dichloroethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,2-Dichloropropane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,3-Dichlorobenzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
1,4-Dichlorobenzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
2-Butanone	NC	<0.061	<0.069	<0.074	<0.081	<0.070	<0.071
2-Hexanone	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
4-Methyl-2-pentanone	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
Acetone	NC	<0.12	<0.14	<0.15	<0.16	<0.14	<0.14
Benzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Bromodichloromethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Bromoform	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Bromomethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Carbon disulfide	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
Carbon tetrachloride	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Chlorobenzene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Chloroethane	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
Chloroform	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Chloromethane	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
cis-1,2-Dichloroethene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
cis-1,3-Dichloropropene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Cyclohexane	20 / 20	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Dibromochloromethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Dichlorodifluoromethane	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
Ethylbenzene	70 / 70	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Freon-113	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB6 (0 - 2')	TNB-0809-SB6 (15 - 20')	TNB-0911-SB7 (0 - 2')	TNB-0809-SB7 (15 - 20')	TNB-0911-SB8 (0 - 2')	TNB-0809-SB8 (15 - 20')
SAMPLE DATE		9/1/2011	9/1/2011	9/1/2011	8/20/2009	9/1/2011	8/20/2009
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)					
TCL Volatile Organics							
Isopropylbenzene	21.88 / 21.88	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
m,p-Xylene	1,000 / 1,000	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014
Methyl acetate	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Methyl tert-butyl ether	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Methylcyclohexane	NR	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Methylene chloride	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
o-Xylene	1,000 / 1,000	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Styrene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Tetrachloroethene	0.5 / 0.5	0.0084	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Toluene	100 / 100	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
trans-1,2-Dichloroethene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
trans-1,3-Dichloropropene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Trichloroethene	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Trichlorofluoromethane	NC	<0.0061	<0.0069	<0.0074	<0.0081	<0.0070	<0.0071
Vinyl chloride	NC	<0.012	<0.014	<0.015	<0.016	<0.014	<0.014

NOTES:

Bolded numbers denote concentrations above laboratory detection limits

Bolded and bracketed numbers denote concentrations above Type 3 RRS

NC - Type 1/3 RRS were not calculated for analyte (Analyte was not detected above laboratory detection limits)

NR - Not Regulated, Compound not regulated by HSRA

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB9 (0 - 2')	TNB-0809-SB9 (15 - 20')	TNB-0911-SB10 (0 - 2')	TNB-0809-SB10 (15 - 20')	TNB-0911-SB11 (0 - 2')	TNB-0809-SB11 (15 - 20')
		9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)					
TCL Volatile Organics							
1,1,1-Trichloroethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,1,2,2-Tetrachloroethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,1,2-Trichloroethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0074	<0.0089
1,1-Dichloroethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,1-Dichloroethene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2,4-Trichlorobenzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2-Dibromo-3-chloropropane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2-Dibromoethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2-Dichlorobenzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2-Dichloroethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,2-Dichloropropane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,3-Dichlorobenzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
1,4-Dichlorobenzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
2-Butanone	NC	<0.063	<0.084	<0.064	<0.080	<0.073	<0.089
2-Hexanone	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
4-Methyl-2-pentanone	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
Acetone	NC	<0.13	<0.17	<0.13	<0.16	<0.15	<0.18
Benzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Bromodichloromethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Bromoform	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Bromomethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Carbon disulfide	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
Carbon tetrachloride	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Chlorobenzene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Chloroethane	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
Chloroform	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Chloromethane	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
cis-1,2-Dichloroethene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
cis-1,3-Dichloropropene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Cyclohexane	20 / 20	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Dibromochloromethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Dichlorodifluoromethane	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
Ethylbenzene	70 / 70	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Freon-113	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB9 (0 - 2')	TNB-0809-SB9 (15 - 20')	TNB-0911-SB10 (0 - 2')	TNB-0809-SB10 (15 - 20')	TNB-0911-SB11 (0 - 2')	TNB-0809-SB11 (15 - 20')
SAMPLE DATE		9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)					
TCL Volatile Organics							
Isopropylbenzene	21.88 / 21.88	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
m,p-Xylene	1,000 / 1,000	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018
Methyl acetate	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Methyl tert-butyl ether	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Methylcyclohexane	NR	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Methylene chloride	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
o-Xylene	1,000 / 1,000	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Styrene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Tetrachloroethene	0.5 / 0.5	0.13	<0.0084	<0.0064	0.20	<0.0073	<0.0089
Toluene	100 / 100	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
trans-1,2-Dichloroethene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
trans-1,3-Dichloropropene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Trichloroethene	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Trichlorofluoromethane	NC	<0.0063	<0.0084	<0.0064	<0.0080	<0.0073	<0.0089
Vinyl chloride	NC	<0.013	<0.017	<0.013	<0.016	<0.015	<0.018

NOTES:

Bolded numbers denote concentrations above laboratory detection limits

Bolded and bracketed numbers denote concentrations above Type 3 RRS

NC - Type 1/3 RRS were not calculated for analyte (Analyte was not detected above laboratory detection limits)

NR - Not Regulated, Compound not regulated by HSRA

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB1A (0 - 2')	TNB-0911-SB2A (0 - 2')	TNB-0911-SB3A (0 - 2')	TNB-0911-SB4A (0 - 2')	TNB-0911-SB5A (0 - 2')
SAMPLE DATE		9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)				
TCL Volatile Organics						
1,1,1-Trichloroethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,1,2,2-Tetrachloroethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,1,2-Trichloroethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,1-Dichloroethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,1-Dichloroethene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2,4-Trichlorobenzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2-Dibromo-3-chloropropane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2-Dibromoethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2-Dichlorobenzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2-Dichloroethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,2-Dichloropropane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,3-Dichlorobenzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
1,4-Dichlorobenzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
2-Butanone	NC	<0.081	<0.077	<0.066	<0.074	<0.069
2-Hexanone	NC	<0.016	<0.015	<0.013	<0.015	<0.014
4-Methyl-2-pentanone	NC	<0.016	<0.015	<0.013	<0.015	<0.014
Acetone	NC	<0.16	<0.15	<0.13	<0.15	<0.14
Benzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Bromodichloromethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Bromoform	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Bromomethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Carbon disulfide	NC	<0.016	<0.015	<0.013	<0.015	<0.014
Carbon tetrachloride	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Chlorobenzene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Chloroethane	NC	<0.016	<0.015	<0.013	<0.015	<0.014
Chloroform	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Chloromethane	NC	<0.016	<0.015	<0.013	<0.015	<0.014
cis-1,2-Dichloroethene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
cis-1,3-Dichloropropene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Cyclohexane	20 / 20	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Dibromochloromethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Dichlorodifluoromethane	NC	<0.016	<0.015	<0.013	<0.015	<0.014
Ethylbenzene	70 / 70	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Freon-113	NC	<0.016	<0.015	<0.013	<0.015	<0.014

Thomasville National Bank
 301 North Broad Street, Thomasville, Thomas County, Georgia
 HSI# 10902

TABLE 2
August 2009 and September 2011 Soil Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS (<2 FT / >2 FT-BGS)	TNB-0911-SB1A (0 - 2')	TNB-0911-SB2A (0 - 2')	TNB-0911-SB3A (0 - 2')	TNB-0911-SB4A (0 - 2')	TNB-0911-SB5A (0 - 2')
SAMPLE DATE		9/1/2011	9/1/2011	9/1/2011	9/1/2011	9/1/2011
ANALYTES	MG/KG	LABORATORY RESULTS (MG/KG)				
TCL Volatile Organics						
Isopropylbenzene	21.88 / 21.88	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
m,p-Xylene	1,000 / 1,000	<0.016	<0.015	<0.013	<0.015	<0.014
Methyl acetate	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Methyl tert-butyl ether	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Methylcyclohexane	NR	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Methylene chloride	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
o-Xylene	1,000 / 1,000	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Styrene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Tetrachloroethene	0.5 / 0.5	<0.0081	0.0092	<0.0066	<0.0074	<0.0069
Toluene	100 / 100	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
trans-1,2-Dichloroethene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
trans-1,3-Dichloropropene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Trichloroethene	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Trichlorofluoromethane	NC	<0.0081	<0.0077	<0.0066	<0.0074	<0.0069
Vinyl chloride	NC	<0.016	<0.015	<0.013	<0.015	<0.014

NOTES:

Bolded numbers denote concentrations above laboratory detection limits

Bolded and bracketed numbers denote concentrations above Type 3 RRS

NC - Type 1/3 RRS were not calculated for analyte (Analyte was not detected above laboratory detection limits)

NR - Not Regulated, Compound not regulated by HSRA

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 3
Groundwater Analytical Testing Data Summary Table

SAMPLE DESIGNATION	TYPE 1/3 RRS	MW-1			MW-2			MW-3			MW-4			MW-5			MW-6	MW-7	MW-8	DUP
		8/20/2009	9/1/2011	6/28/2012	8/20/2009	9/1/2011	6/28/2012	8/20/2009	9/1/2011	6/27/2012	8/21/2009	9/1/2011	6/27/2012	8/20/2009	9/1/2011	6/28/2012	6/27/2012	6/29/2012	6/29/2012	9/1/2011
ANALYTES	ug/L	LABORATORY RESULTS (ug/L)																		
TCL Volatile Organics																				
1,1,1-Trichloroethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,1,2,2-Tetrachloroethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,1,2-Trichloroethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,1-Dichloroethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,1-Dichloroethene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2,4-Trichlorobenzene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dibromo-3-chloropropane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dibromoethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dichlorobenzene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dichloroethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dichloropropane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,3-Dichlorobenzene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,4-Dichlorobenzene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Butanone	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
2-Hexanone	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
4-Methyl-2-pentanone	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Acetone	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzene	5	<5.0	<5.0	<5.0	15	12	8.8	<5.0	13	<5.0	<5.0	<5.0	<5.0	22	14	20	33	<5.0	<5.0	14
Bromodichloromethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Bromoform	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Bromomethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Carbon disulfide	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Carbon tetrachloride	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Chlorobenzene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Chloroethane	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloroform	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Chloromethane	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
cis-1,2-Dichloroethene	5	<5.0	<5.0	<5.0	12	10	17	15	140	26	<5.0	<5.0	<5.0	23	9.5	30	44	<5.0	<5.0	9.5
cis-1,3-Dichloropropene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Cyclohexane	5	<5.0	<5.0	<5.0	130	190	47	<5.0	13	<5.0	<5.0	<5.0	<5.0	73	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Dibromochloromethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Dichlorodifluoromethane	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Ethylbenzene	1,000	<5.0	<5.0	<5.0	500	740	280	<5.0	62	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Freon-113	ND	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Isopropylbenzene	5	<5.0	<5.0	<5.0	41	77	36	<5.0	20	<5.0	<5.0	<5.0	<5.0	9.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
m,p-Xylene	10,000	<10.0	<10.0	<10.0	1,700	2,800	1,000	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Methyl acetate	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Methyl tert-butyl ether	NR	<5.0	<5.0	<5.0	90	23	12	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Methylcyclohexane	NR	<5.0	<5.0	<5.0	190	190	52	<5.0	16	7.2	<5.0	<5.0	<5.0	110	9.1	<5.0	6.3	<5.0	<5.0	9.1
Methylene chloride	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
o-Xylene	10,000	<5.0	<5.0	<5.0	730	1,100	440	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Styrene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Tetrachloroethene	5	<5.0	<5.0	<5.0	19	18	5.1	60	10	7.6	<5.0	<5.0	<5.0	480	170	34	340	150	<5.0	160
Toluene	1,000	<5.0	<5.0	<5.0	1,600	1,400	620	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
trans-1,2-Dichloroethene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
trans-1,3-Dichloropropene	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Trichloroethene	5	<5.0	<5.0	<5.0	12	10	<5.0	15	5	<5.0	<5.0	<5.0	<5.0	30	6.8	11	67	22	<5.0	7.4
Trichlorofluoromethane	ND	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Vinyl chloride	ND	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

NOTES:

Bolded numbers denote concentrations above laboratory detection limits.
Bolded and bracketed numbers denote concentrations above Type 3 RRS.
DUP Sample collected from MW-5.

Thomasville National Bank
301 North Broad Street, Thomasville, Thomas County, Georgia
HSI# 10902

TABLE 4
Summary of Field Readings and Monitored Natural Attenuation Parameter Analytical Testing Results

Well Number / Sample ID	Date	pH	Temperature (°C)	Dissolved Oxygen (g/L)	Oxidation-Reduction Potential (mV)	Conductivity (ms/cm)	Ethane	Ethene	Methane	Total Organic Carbon	Iron II	Chloride	Nitrate	Sulfate	Sulfide
		FIELD-MEASURED PARAMETERS					LABORATORY ANALYTICAL RESULTS (mg/L)								
Optimal MNA Range		5 to 9	>20	<0.5	<50	NA	>0.1	>0.1	>0.5	>20	>1	<1	<1	<20	>1
MW-2	9/1/2011	6.16	27.02	0.18	-65	0.275	<0.009	<0.007	1,800	10.7	24.4	NA	<0.25	<1.0	NA
	6/28/2012	5.85	27.19	1.32	-67	0.303	<0.009	<0.007	290	<1.00	<0.100	21	<0.25	<1.0	<2.00
MW-3	9/1/2011	5.95	28.49	2.49	35	0.250	<0.009	<0.007	130	<5.0	4.20	NA	<0.25	<1.0	NA
	6/27/2012	5.58	27.92	0.91	177	0.285	<0.009	<0.007	190	1.53	<0.100	17	<0.25	22	<2.00
MW-5	9/1/2011	5.00	26.40	0.00	182	0.105	<0.009	<0.007	130	1.64	4.11	NA	<0.25	18	NA
	6/28/2012	4.56	26.62	2.56	450	0.131	<0.009	<0.007	16	1.60	0.686	13	0.83	22	<2.00
MW-6	6/27/2012	5.73	30.53	5.03	135	0.260	<0.009	<0.007	<0.004	2.06	1.77	15	<0.25	55	<2.00
AVERAGES		5.55	27.74	1.78	121	0.230	<0.009	<0.007	426	3.506	7.03	16.5	0.83	29.25	<2.00

NOTES:
NA - Not Applicable and/or Not Analyzed.



APPENDIX A

PROPERTY WARRANTY DEED & TAX PLAT

THOMAS COUNTY
CLERK OF COURT
DAVID W. TROTTER, JR.

1995 DEC 21 11 43:07

RECORD AND RETURN TO:

WARRANTY DEED

THIS INDENTURE, made the 21st Day of December In the year of our Lord One Thousand Nine Hundred and Ninety-five (1995) between CARLOS G. GAY, of the County of Thomas and State of Georgia,

of the First Part, and

THOMASVILLE NATIONAL BANK, of the County of Thomas and State of Georgia, of the Second Part,

WITNESSETH: That the said party of the First Part, for and in consideration of the sum of TEN DOLLARS (\$10.00), in hand paid, at and before the sealing and delivery of these presents, the receipt whereof is hereby acknowledged, has granted, bargained, sold, aliened, conveyed and confirmed, and by these presents does grant, bargain, sell, alien, convey and confirm unto the party of the Second Part, its successors and assigns, all the following described property to-wit:

All that tract or parcel of land situate, lying and being in the City of Thomasville, Thomas County, Georgia, and being more fully described according to that plat of survey prepared for Thomasville National Bank by Frank E. Carlton, Georgia Registered Land Surveyor No. 1544, dated August 3, 1995, recorded in Plat Cabinet 2, Folio 172-4, of the Deed Records of Thomas County, Georgia, said plat of survey being incorporated herein by reference for a complete description of the property conveyed. Said lands are described according to the aforesaid plat of survey by metes and bounds as follows:

BEGIN at the intersection of the westerly right-of-way margin of North Broad Street and the northerly right-of-way margin of West Washington Street, said point being marked by a concrete marker, thence run north 14 degrees 00 minutes 00 seconds west along the westerly right-of-way margin of North Broad Street a distance of 199.84 feet to a point marked by an iron pin; thence run south 75 degrees 11 minutes 29 seconds west a distance of 218.32 feet to a point; thence run south 14 degrees 12 minutes 49 seconds east along the easterly right-of-way margin of North Madison Street a distance of 200 feet to a point at the intersection of the easterly right-of-way margin of North Madison Street and the northerly right-of-way margin of West Washington Street; thence run north 75 degrees 08 minutes 50 seconds east along the northerly right-of-way margin of West Washington Street a distance of 217.58 feet to the Point of Beginning.

TO HAVE AND HOLD the said above granted and described property, with all and singular, the rights, members and appurtenances thereunto appertaining to the only proper use, benefit and behoof of the said party of the Second Part, its successors and assigns, in Fee Simple; and the said party of the First Part, the said bargained property above described, unto the said party of the Second Part, its successors and assigns, against the said party of the First Part, his heirs, executors, administrators and assigns, and against all and every other person

THOMAS COUNTY, GEORGIA
FISCAL ESTIMATE TRANSFER TAX
PAID 425.00
DATE 12-21-95
CLERK OF SUPERIOR COURT

500 49

Filed & Recorded 12-21-95
David Trotter, Jr. CSC

or persons, shall and will and does hereby warrant and forever defend, by virtue of these presents.


IN WITNESS WHEREOF the said Party of the First Part has hereunto set his hand and affixed his seal and delivered these presents the day and year first above written.

Carlos G. Gay (SEAL)
CARLOS G. GAY


Signed, sealed and delivered
in the presence of us:

Yolanda M. Jones
Notary Public





Thomasville National Bank			
Parcel: 005 006004 Acres: 1			
Name:	Thomasville National Bank	Land Value	\$363,486.00
Site:	301 N BROAD ST	Building Value	\$1,441,769.00
Sale:	\$425,000 on 12-1995 Reason=NQ Qual=U	Misc Value	\$183,656.00
Mail:	P O Box 1999 Thomasville, GA 31799	Total Value:	\$1,988,911.00



The Thomas County Assessor's Office makes every effort to produce the most accurate information possible. No warranties, expressed or implied, are provided for the data herein, its use or interpretation. The assessment information is from the last certified taxroll. All data is subject to change before the next certified taxroll. PLEASE NOTE THAT THE PROPERTY APPRAISER MAPS ARE FOR ASSESSMENT PURPOSES ONLY NEITHER THOMAS COUNTY NOR ITS EMPLOYEES ASSUME RESPONSIBILITY FOR ERRORS OR OMISSIONS ---THIS IS NOT A SURVEY---

Date printed: 11/29/12 : 09:35:20



APPENDIX B

ANALYTICAL ENVIRONMENTAL SERVICES, INC.
ACCREDITATION AND LABORATORY REPORTS



July 20, 2012

John Martiniere
Peachtree Environmental
3040 Business Park Dr.
Norcross GA 30071

TEL: (770) 449-6100
FAX: (770) 449-6119

RE: Thomasville National Bank

Dear John Martiniere:

Order No: 1207059

Analytical Environmental Services, Inc. received 10 samples on 7/2/2012 12:45:00 PM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.

AES' certifications are as follows:

- NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/12-06/30/13.
- AIHA Certification ID #100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/13.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

James Forrest
Project Manager



ANALYTICAL ENVIRONMENTAL SERVICES, INC

3785 Presidential Parkway, Atlanta GA 30340-3704

TEL: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

CHAIN OF CUSTODY

Work Order: 1207059

Page 1 of 1

Date: 7/2/12

#	SAMPLE ID	DATE	TIME	Grab	Composite	Matrix (See codes)	ANALYSIS REQUESTED				REMARKS	No # of Containers
							IONSCAN	TOC	CEM	PRESERVATION (See codes)		
1	TNB-0612-MW1	6/28/12	12:45	✓	✓	GW	✓	✓	✓		2	
2	TNB-0612-MW2	6/28/12	10:45	✓	✓	GW	✓	✓	✓		7	
3	TNB-0612-MW3	6/27/12	14:00	✓	✓	GW	✓	✓	✓		7	
4	TNB-0612-MW4	6/27/12	12:30	✓	✓	GW	✓	✓	✓		2	
5	TNB-0612-MW5	6/28/12	8:30	✓	✓	GW	✓	✓	✓		7	
6	TNB-0612-MW6	6/27/12	15:30	✓	✓	GW	✓	✓	✓		7	
7	TNB-0612-MW7	6/29/12	9:00	✓	✓	GW	✓	✓	✓		2	
8	TNB-0612-MW8	6/29/12	11:00	✓	✓	GW	✓	✓	✓		2	
9	Equipment Blank	6/27/12	10:15	✓	✓	W	✓	✓	✓		2	
10	TRIP BLANK	6/27/12	-	✓	✓	W	✓	✓	✓		2	
11												
12												
13												
14												

COMPANY: PEACHTREE ENVIRONMENTAL	ADDRESS: 3040 BUSINESS PARK DR SUITE E ALBANY, GEORGIA
PHONE: 770-449-6100	FAX: 770-449-6119
SAMPLED BY: JASON P. CHAPPEL	SIGNATURE: <i>[Signature]</i>

RELINQUISHED BY: <i>[Signature]</i>	DATE/TIME: 7/2/12 12:45
RECEIVED BY: <i>[Signature]</i>	DATE/TIME: 7/2/12 12:45

PROJECT-NAME: THOMASVILLE NATIONAL BANK	PROJECT INFORMATION
PROJECT #: 3157	RECEIPT
SITE ADDRESS: THOMASVILLE, GEORGIA	Total # of Containers
SEND REPORT TO: JOHN MARTINIERE	Turnaround Time Request
INVOICE TO: (IF DIFFERENT FROM ABOVE)	Standard 5 Business Days
QUOTE #:	2 Business Day Rush
PO#:	Next Business Day Rush
	Same Day Rush (auth req)
	Other

SPECIAL INSTRUCTIONS/COMMENTS: Run Samples out of Hold for Ionscan.	STATE PROGRAM (if any):
	E-mail? Y/N; Fax? Y/N
	DATA PACKAGE: I II III IV

SAMPLES RECEIVED AFTER 3PM OR SATURDAY ARE CONSIDERED AS RECEIVED ON THE NEXT BUSINESS DAY; IF NO TAT IS MARKED ON COC AES WILL PROCEED AS STANDARD TAT.
 SAMPLES ARE DISPOSED OF 30 DAYS AFTER COMPLETION OF REPORT UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water
 PRESERVATIVE CODES: H+1 = Hydrochloric acid + ice I = Ice only N = Nitric acid S+1 = Sulfuric acid + ice S/M+1 = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

Client: Peachtree Environmental
Project: Thomasville National Bank
Lab ID: 1207059

Case Narrative

Samples were analyzed for Ferrous Iron, and Sulfide, in addition to analyses indicated on COC per Jason Chappell on 7/3/12.

Sample Receiving Nonconformance:

Samples were received outside of method designated holding times for Ferrous Iron, and Nitrate. Proceed with analysis per Jason Chappell on 7/3/12 via email.

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW1
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 12:45:00 PM
Lab ID: 1207059-001	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 00:37	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 00:37	NP
Benzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 00:37	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW1
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 12:45:00 PM
Lab ID: 1207059-001	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Tetrachloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 00:37	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 00:37	NP
Surr: 4-Bromofluorobenzene	82.9	67.4-123		%REC	163471	1	07/04/2012 00:37	NP
Surr: Dibromofluoromethane	107	75.5-128		%REC	163471	1	07/04/2012 00:37	NP
Surr: Toluene-d8	91.9	70-120		%REC	163471	1	07/04/2012 00:37	NP

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	NC Not confirmed
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW2
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 10:45:00 AM
Lab ID: 1207059-002	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
Total Organic Carbon (TOC) SW9060A								
Organic Carbon, Total	BRL	1.00		mg/L	R224427	1	07/03/2012 14:19	GR
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 03:58	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 03:58	NP
Benzene	8.8	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
cis-1,2-Dichloroethene	17	5.0		ug/L	163471	1	07/04/2012 03:58	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Cyclohexane	47	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
Ethylbenzene	280	50		ug/L	163471	10	07/03/2012 21:45	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 03:58	NP
Isopropylbenzene	36	5.0		ug/L	163471	1	07/04/2012 03:58	NP
m,p-Xylene	1000	50		ug/L	163471	10	07/03/2012 21:45	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Methyl tert-butyl ether	12	5.0		ug/L	163471	1	07/04/2012 03:58	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW2
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 10:45:00 AM
Lab ID: 1207059-002	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Methylcyclohexane	52	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
o-Xylene	440	50		ug/L	163471	10	07/03/2012 21:45	NP
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Tetrachloroethene	5.1	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Toluene	620	50		ug/L	163471	10	07/03/2012 21:45	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:58	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 03:58	NP
Surr: 4-Bromofluorobenzene	109	67.4-123		%REC	163471	1	07/04/2012 03:58	NP
Surr: 4-Bromofluorobenzene	99.9	67.4-123		%REC	163471	10	07/03/2012 21:45	NP
Surr: Dibromofluoromethane	100	75.5-128		%REC	163471	10	07/03/2012 21:45	NP
Surr: Dibromofluoromethane	101	75.5-128		%REC	163471	1	07/04/2012 03:58	NP
Surr: Toluene-d8	105	70-120		%REC	163471	1	07/04/2012 03:58	NP
Surr: Toluene-d8	93.8	70-120		%REC	163471	10	07/03/2012 21:45	NP
Sulfide by SW9030B/9034					(SW9030B)			
Sulfide	BRL	2.00		mg/L	163443	1	07/04/2012 11:30	AS
ION SCAN SW9056A								
Chloride	21	1.0	H	mg/L	R224395	1	07/03/2012 10:36	GR
Nitrate	BRL	0.25	H	mg/L	R224395	1	07/03/2012 10:36	GR
Sulfate	BRL	1.0	H	mg/L	R224395	1	07/03/2012 10:36	GR
GC Analysis of Gaseous Samples SOP-RSK 175					(RSK175)			
Ethane	BRL	9		ug/L	163422	1	07/03/2012 14:20	SN
Ethylene	BRL	7		ug/L	163422	1	07/03/2012 14:20	SN
Methane	290	8		ug/L	163422	2	07/03/2012 14:38	SN
Ferrous Iron SM3500-Fe-B								
Iron, as Ferrous (Fe+2)	BRL	0.100	H	mg/L	R224611	1	07/06/2012 17:10	CG

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW3
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 2:00:00 PM
Lab ID: 1207059-003	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
Total Organic Carbon (TOC) SW9060A								
Organic Carbon, Total	1.53	1.00		mg/L	R224427	1	07/03/2012 14:47	GR
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 01:06	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 01:06	NP
Benzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
cis-1,2-Dichloroethene	26	5.0		ug/L	163471	1	07/04/2012 01:06	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 01:06	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW3
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 2:00:00 PM
Lab ID: 1207059-003	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Methylcyclohexane	7.2	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Tetrachloroethene	7.6	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:06	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 01:06	NP
Surr: 4-Bromofluorobenzene	87.3	67.4-123		%REC	163471	1	07/04/2012 01:06	NP
Surr: Dibromofluoromethane	103	75.5-128		%REC	163471	1	07/04/2012 01:06	NP
Surr: Toluene-d8	97.9	70-120		%REC	163471	1	07/04/2012 01:06	NP
Sulfide by SW9030B/9034					(SW9030B)			
Sulfide	BRL	2.00		mg/L	163443	1	07/04/2012 11:30	AS
ION SCAN SW9056A								
Chloride	17	1.0	H	mg/L	R224395	1	07/03/2012 10:51	GR
Nitrate	BRL	0.25	H	mg/L	R224395	1	07/03/2012 10:51	GR
Sulfate	22	1.0	H	mg/L	R224395	1	07/03/2012 10:51	GR
GC Analysis of Gaseous Samples SOP-RSK 175					(RSK175)			
Ethane	BRL	9		ug/L	163422	1	07/03/2012 14:24	SN
Ethylene	BRL	7		ug/L	163422	1	07/03/2012 14:24	SN
Methane	190	4		ug/L	163422	1	07/03/2012 14:24	SN
Ferrous Iron SM3500-Fe-B								
Iron, as Ferrous (Fe+2)	BRL	0.100	H	mg/L	R224611	1	07/06/2012 17:10	CG

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW4
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 12:30:00 PM
Lab ID: 1207059-004	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 01:35	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 01:35	NP
Benzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 01:35	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW4
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 12:30:00 PM
Lab ID: 1207059-004	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Tetrachloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 01:35	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 01:35	NP
Surr: 4-Bromofluorobenzene	83.4	67.4-123		%REC	163471	1	07/04/2012 01:35	NP
Surr: Dibromofluoromethane	107	75.5-128		%REC	163471	1	07/04/2012 01:35	NP
Surr: Toluene-d8	92.6	70-120		%REC	163471	1	07/04/2012 01:35	NP

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	NC Not confirmed
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW5
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 8:30:00 AM
Lab ID: 1207059-005	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
Total Organic Carbon (TOC) SW9060A								
Organic Carbon, Total	1.60	1.00		mg/L	R224427	1	07/03/2012 15:11	GR
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 02:03	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 02:03	NP
Benzene	20	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
cis-1,2-Dichloroethene	30	5.0		ug/L	163471	1	07/04/2012 02:03	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 02:03	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW5
Project Name: Thomasville National Bank	Collection Date: 6/28/2012 8:30:00 AM
Lab ID: 1207059-005	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Tetrachloroethene	34	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Trichloroethene	11	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:03	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 02:03	NP
Surr: 4-Bromofluorobenzene	82.9	67.4-123		%REC	163471	1	07/04/2012 02:03	NP
Surr: Dibromofluoromethane	107	75.5-128		%REC	163471	1	07/04/2012 02:03	NP
Surr: Toluene-d8	95.9	70-120		%REC	163471	1	07/04/2012 02:03	NP
Sulfide by SW9030B/9034					(SW9030B)			
Sulfide	BRL	2.00		mg/L	163443	1	07/04/2012 11:30	AS
ION SCAN SW9056A								
Chloride	13	1.0	H	mg/L	R224395	1	07/03/2012 11:05	GR
Nitrate	0.83	0.25	H	mg/L	R224395	1	07/03/2012 11:05	GR
Sulfate	22	1.0	H	mg/L	R224395	1	07/03/2012 11:05	GR
GC Analysis of Gaseous Samples SOP-RSK 175					(RSK175)			
Ethane	BRL	9		ug/L	163422	1	07/03/2012 14:29	SN
Ethylene	BRL	7		ug/L	163422	1	07/03/2012 14:29	SN
Methane	16	4		ug/L	163422	1	07/03/2012 14:29	SN
Ferrous Iron SM3500-Fe-B								
Iron, as Ferrous (Fe+2)	0.686	0.100	H	mg/L	R224611	1	07/06/2012 17:10	CG

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW6
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 3:30:00 PM
Lab ID: 1207059-006	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
Total Organic Carbon (TOC) SW9060A								
Organic Carbon, Total	2.06	1.00		mg/L	R224427	1	07/03/2012 15:32	GR
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 02:32	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 02:32	NP
Benzene	33	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
cis-1,2-Dichloroethene	44	5.0		ug/L	163471	1	07/04/2012 02:32	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 02:32	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW6
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 3:30:00 PM
Lab ID: 1207059-006	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Methylcyclohexane	6.3	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Tetrachloroethene	340	50		ug/L	163471	10	07/05/2012 11:31	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Trichloroethene	67	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 02:32	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 02:32	NP
Surr: 4-Bromofluorobenzene	86.8	67.4-123		%REC	163471	10	07/05/2012 11:31	NP
Surr: 4-Bromofluorobenzene	90.6	67.4-123		%REC	163471	1	07/04/2012 02:32	NP
Surr: Dibromofluoromethane	86.3	75.5-128		%REC	163471	10	07/05/2012 11:31	NP
Surr: Dibromofluoromethane	104	75.5-128		%REC	163471	1	07/04/2012 02:32	NP
Surr: Toluene-d8	91.9	70-120		%REC	163471	10	07/05/2012 11:31	NP
Surr: Toluene-d8	103	70-120		%REC	163471	1	07/04/2012 02:32	NP
Sulfide by SW9030B/9034					(SW9030B)			
Sulfide	BRL	2.00		mg/L	163443	1	07/04/2012 11:30	AS
ION SCAN SW9056A								
Chloride	15	1.0	H	mg/L	R224395	1	07/03/2012 11:20	GR
Nitrate	BRL	0.25	H	mg/L	R224395	1	07/03/2012 11:20	GR
Sulfate	55	1.0	H	mg/L	R224395	1	07/03/2012 11:20	GR
GC Analysis of Gaseous Samples SOP-RSK 175					(RSK175)			
Ethane	BRL	9		ug/L	163422	1	07/03/2012 14:33	SN
Ethylene	BRL	7		ug/L	163422	1	07/03/2012 14:33	SN
Methane	BRL	4		ug/L	163422	1	07/03/2012 14:33	SN
Ferrous Iron SM3500-Fe-B								
Iron, as Ferrous (Fe+2)	1.77	0.100	H	mg/L	R224611	1	07/06/2012 17:10	CG

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW7
Project Name: Thomasville National Bank	Collection Date: 6/29/2012 9:00:00 AM
Lab ID: 1207059-007	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 03:01	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 03:01	NP
Benzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 03:01	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW7
Project Name: Thomasville National Bank	Collection Date: 6/29/2012 9:00:00 AM
Lab ID: 1207059-007	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Tetrachloroethene	150	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Trichloroethene	22	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:01	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 03:01	NP
Surr: 4-Bromofluorobenzene	82.7	67.4-123		%REC	163471	1	07/04/2012 03:01	NP
Surr: Dibromofluoromethane	103	75.5-128		%REC	163471	1	07/04/2012 03:01	NP
Surr: Toluene-d8	94.9	70-120		%REC	163471	1	07/04/2012 03:01	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW8
Project Name: Thomasville National Bank	Collection Date: 6/29/2012 11:00:00 AM
Lab ID: 1207059-008	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
2-Butanone	BRL	50		ug/L	163471	1	07/04/2012 03:30	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
Acetone	BRL	50		ug/L	163471	1	07/04/2012 03:30	NP
Benzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Chloroethane	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Chloromethane	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Freon-113	BRL	10		ug/L	163471	1	07/04/2012 03:30	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TNB-0612-MW8
Project Name: Thomasville National Bank	Collection Date: 6/29/2012 11:00:00 AM
Lab ID: 1207059-008	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Styrene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Tetrachloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Toluene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/04/2012 03:30	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/04/2012 03:30	NP
Surr: 4-Bromofluorobenzene	87.7	67.4-123		%REC	163471	1	07/04/2012 03:30	NP
Surr: Dibromofluoromethane	113	75.5-128		%REC	163471	1	07/04/2012 03:30	NP
Surr: Toluene-d8	94.1	70-120		%REC	163471	1	07/04/2012 03:30	NP

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	NC Not confirmed
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: EQUIPMENT BLANK
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 10:15:00 AM
Lab ID: 1207059-009	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
2-Butanone	BRL	50		ug/L	163471	1	07/03/2012 22:14	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
Acetone	BRL	50		ug/L	163471	1	07/03/2012 22:14	NP
Benzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Chloroethane	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Chloromethane	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Freon-113	BRL	10		ug/L	163471	1	07/03/2012 22:14	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: EQUIPMENT BLANK
Project Name: Thomasville National Bank	Collection Date: 6/27/2012 10:15:00 AM
Lab ID: 1207059-009	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				(SW5030B)				
Styrene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Tetrachloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Toluene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:14	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/03/2012 22:14	NP
Surr: 4-Bromofluorobenzene	81.3	67.4-123		%REC	163471	1	07/03/2012 22:14	NP
Surr: Dibromofluoromethane	103	75.5-128		%REC	163471	1	07/03/2012 22:14	NP
Surr: Toluene-d8	89	70-120		%REC	163471	1	07/03/2012 22:14	NP

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	NC Not confirmed
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TRIP BLANK
Project Name: Thomasville National Bank	Collection Date: 6/27/2012
Lab ID: 1207059-010	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B (SW5030B)								
1,1,1-Trichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,1-Dichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,1-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2-Dibromoethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2-Dichloroethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,2-Dichloropropane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
2-Butanone	BRL	50		ug/L	163471	1	07/03/2012 22:42	NP
2-Hexanone	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
4-Methyl-2-pentanone	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
Acetone	BRL	50		ug/L	163471	1	07/03/2012 22:42	NP
Benzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Bromodichloromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Bromoform	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Bromomethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Carbon disulfide	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Carbon tetrachloride	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Chlorobenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Chloroethane	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
Chloroform	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Chloromethane	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Cyclohexane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Dibromochloromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Dichlorodifluoromethane	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
Ethylbenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Freon-113	BRL	10		ug/L	163471	1	07/03/2012 22:42	NP
Isopropylbenzene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
m,p-Xylene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Methyl acetate	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Methylcyclohexane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Methylene chloride	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
o-Xylene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 20-Jul-12

Client: Peachtree Environmental	Client Sample ID: TRIP BLANK
Project Name: Thomasville National Bank	Collection Date: 6/27/2012
Lab ID: 1207059-010	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					(SW5030B)			
Styrene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Tetrachloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Toluene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Trichloroethene	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Trichlorofluoromethane	BRL	5.0		ug/L	163471	1	07/03/2012 22:42	NP
Vinyl chloride	BRL	2.0		ug/L	163471	1	07/03/2012 22:42	NP
Surr: 4-Bromofluorobenzene	80.7	67.4-123		%REC	163471	1	07/03/2012 22:42	NP
Surr: Dibromofluoromethane	100	75.5-128		%REC	163471	1	07/03/2012 22:42	NP
Surr: Toluene-d8	91.5	70-120		%REC	163471	1	07/03/2012 22:42	NP

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc.

Sample/Cooler Receipt Checklist

Client Peachtree Env

Work Order Number 1207059

Checklist completed by MJ
Signature

7/6/12
Date

Carrier name: FedEx UPS Courier Client US Mail Other

Shipping container/cooler in good condition? Yes No Not Present

Custody seals intact on shipping container/cooler? Yes No Not Present

Custody seals intact on sample bottles? Yes No Not Present

Container/Temp Blank temperature in compliance? (4°C±2)* Yes No

Cooler #1 3.1° Cooler #2 3.8° Cooler #3 _____ Cooler #4 _____ Cooler#5 _____ Cooler #6 _____

Chain of custody present? Yes No

Chain of custody signed when relinquished and received? Yes No

Chain of custody agrees with sample labels? Yes No

Samples in proper container/bottle? Yes No

Sample containers intact? Yes No

Sufficient sample volume for indicated test? Yes No

All samples received within holding time? Yes No

Was TAT marked on the COC? Yes No

Proceed with Standard TAT as per project history? Yes No Not Applicable

Water - VOA vials have zero headspace? No VOA vials submitted Yes No

Water - pH acceptable upon receipt? Yes No Not Applicable

Adjusted? _____ Checked by MJ

Sample Condition: Good Other(Explain) _____

(For diffusive samples or AIHA lead) Is a known blank included? Yes No

See Case Narrative for resolution of the Non-Conformance.

* Samples do not have to comply with the given range for certain parameters.

Client: Peachtree Environmental
 Project: Thomasville National Bank
 Lab Order: 1207059

Dates Report

Lab Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
1207059-001A	TNB-0612-MW1	6/28/2012 12:45:00PM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-002A	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/03/2012
1207059-002A	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-002B	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	GC Analysis of Gaseous Samples		07/03/2012	07/03/2012
1207059-002C	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	Total Organic Carbon (TOC)			07/03/2012
1207059-002D	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	Sulfide by SW9030/9034		07/03/2012	07/04/2012
1207059-002E	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	ION SCAN			07/03/2012
1207059-002E	TNB-0612-MW2	6/28/2012 10:45:00AM	Groundwater	Ferrous Iron			07/06/2012
1207059-003A	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-003B	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	GC Analysis of Gaseous Samples		07/03/2012	07/03/2012
1207059-003C	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	Total Organic Carbon (TOC)			07/03/2012
1207059-003D	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	Sulfide by SW9030/9034		07/03/2012	07/04/2012
1207059-003E	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	ION SCAN			07/03/2012
1207059-003E	TNB-0612-MW3	6/27/2012 2:00:00PM	Groundwater	Ferrous Iron			07/06/2012
1207059-004A	TNB-0612-MW4	6/27/2012 12:30:00PM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-005A	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-005B	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	GC Analysis of Gaseous Samples		07/03/2012	07/03/2012
1207059-005C	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	Total Organic Carbon (TOC)			07/03/2012
1207059-005D	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	Sulfide by SW9030/9034		07/03/2012	07/04/2012
1207059-005E	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	ION SCAN			07/03/2012
1207059-005E	TNB-0612-MW5	6/28/2012 8:30:00AM	Groundwater	Ferrous Iron			07/06/2012
1207059-006A	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-006A	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/05/2012
1207059-006B	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	GC Analysis of Gaseous Samples		07/03/2012	07/03/2012
1207059-006C	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	Total Organic Carbon (TOC)			07/03/2012
1207059-006D	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	Sulfide by SW9030/9034		07/03/2012	07/04/2012
1207059-006E	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	ION SCAN			07/03/2012
1207059-006E	TNB-0612-MW6	6/27/2012 3:30:00PM	Groundwater	Ferrous Iron			07/06/2012
1207059-007A	TNB-0612-MW7	6/29/2012 9:00:00AM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012

Client: Peachtree Environmental
Project: Thomasville National Bank
Lab Order: 1207059

Dates Report

Lab Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
1207059-008A	TNB-0612-MW8	6/29/2012 11:00:00AM	Groundwater	TCL VOLATILE ORGANICS		07/03/2012	07/04/2012
1207059-009A	EQUIPMENT BLANK	6/27/2012 10:15:00AM	Aqueous	TCL VOLATILE ORGANICS		07/03/2012	07/03/2012
1207059-010A	TRIP BLANK	6/27/2012 12:00:00AM	Aqueous	TCL VOLATILE ORGANICS		07/03/2012	07/03/2012

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163422

Sample ID: MB-163422	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224510							
SampleType: MBLK	TestCode: GC Analysis of Gaseous Samples SOP-RSK 175	BatchID: 163422	Analysis Date: 07/03/2012	Seq No: 4697281							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Ethane	BRL	9	0	0	0	0	0	0	0	0	
Ethylene	BRL	7	0	0	0	0	0	0	0	0	
Methane	BRL	4	0	0	0	0	0	0	0	0	

Sample ID: LCS-163422	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224510							
SampleType: LCS	TestCode: GC Analysis of Gaseous Samples SOP-RSK 175	BatchID: 163422	Analysis Date: 07/03/2012	Seq No: 4697282							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Ethane	114.5	9	200	0	57.2	37.9	115	0	0	0	
Ethylene	73.45	7	200	0	36.7	26.6	115	0	0	0	
Methane	123.8	4	200	0	61.9	38.4	115	0	0	0	

Sample ID: LCSD-163422	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224510							
SampleType: LCSD	TestCode: GC Analysis of Gaseous Samples SOP-RSK 175	BatchID: 163422	Analysis Date: 07/03/2012	Seq No: 4697284							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Ethane	114.5	9	200	0	57.2	37.9	115	114.5	0.026	20	
Ethylene	73.65	7	200	0	36.8	26.6	115	73.45	0.271	20	
Methane	122.6	4	200	0	61.3	38.4	115	123.8	0.984	20	

Sample ID: 1207059-006BMS	Client ID: TNB-0612-MW6	Units: ug/L	Prep Date: 07/03/2012	Run No: 224510							
SampleType: MS	TestCode: GC Analysis of Gaseous Samples SOP-RSK 175	BatchID: 163422	Analysis Date: 07/03/2012	Seq No: 4697293							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Ethane	127.0	9	200	0	63.5	38.9	115	0	0	0	
Ethylene	80.78	7	200	0	40.4	23.1	115	0	0	0	
Methane	133.8	4	200	0	66.9	38.4	115	0	0	0	

Qualifiers: > Greater than Result value < Less than Result value B Analyte detected in the associated method blank
 BRL Below reporting limit E Estimated (value above quantitation range) H Holding times for preparation or analysis exceeded
 J Estimated value detected below Reporting Limit N Analyte not NELAC certified R RPD outside limits due to matrix
 Rpt Lim Reporting Limit S Spike Recovery outside limits due to matrix

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163422

Sample ID: 1207059-006BMSD	Client ID: TNB-0612-MW6	Units: ug/L	Prep Date: 07/03/2012	Run No: 224510							
SampleType: MSD	TestCode: GC Analysis of Gaseous Samples SOP-RSK 175	BatchID: 163422	Analysis Date: 07/03/2012	Seq No: 4697295							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Ethane	130.6	9	200	0	65.3	38.9	115	127.0	2.75	20	
Ethylene	82.05	7	200	0	41	23.1	115	80.78	1.56	20	
Methane	137.0	4	200	0	68.5	38.4	115	133.8	2.38	20	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163443

Sample ID: MB-163443	Client ID:	Units: mg/L	Prep Date: 07/03/2012	Run No: 224422							
SampleType: MBLK	TestCode: Sulfide by SW9030B/9034	BatchID: 163443	Analysis Date: 07/03/2012	Seq No: 4695140							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Sulfide BRL 2.00 0 0 0 0 0 0 0 0 0

Sample ID: LCS-163443	Client ID:	Units: mg/L	Prep Date: 07/03/2012	Run No: 224422							
SampleType: LCS	TestCode: Sulfide by SW9030B/9034	BatchID: 163443	Analysis Date: 07/03/2012	Seq No: 4695141							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Sulfide 252.0 2.00 252 0 100 40 120 0 0 0

Sample ID: 1206O99-018EMS	Client ID:	Units: mg/L	Prep Date: 07/03/2012	Run No: 224422							
SampleType: MS	TestCode: Sulfide by SW9030B/9034	BatchID: 163443	Analysis Date: 07/03/2012	Seq No: 4695151							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Sulfide 12.80 2.00 12.6 0 102 66.8 121 0 0 0

Sample ID: 1206O99-018EMSD	Client ID:	Units: mg/L	Prep Date: 07/03/2012	Run No: 224422							
SampleType: MSD	TestCode: Sulfide by SW9030B/9034	BatchID: 163443	Analysis Date: 07/03/2012	Seq No: 4695152							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Sulfide 13.60 2.00 12.6 0 108 66.8 121 12.80 6.06 30

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Peachtree Environmental
 Project Name: Thomasville National Bank
 Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163471

Sample ID: MB-163471	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224439							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/03/2012	Seq No: 4696172							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,1,2,2-Tetrachloroethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,1,2-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,1-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,1-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2,4-Trichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2-Dibromo-3-chloropropane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2-Dibromoethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,2-Dichloropropane	BRL	5.0	0	0	0	0	0	0	0	0	0
1,3-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	0
2-Butanone	BRL	50	0	0	0	0	0	0	0	0	0
2-Hexanone	BRL	10	0	0	0	0	0	0	0	0	0
4-Methyl-2-pentanone	BRL	10	0	0	0	0	0	0	0	0	0
Acetone	BRL	50	0	0	0	0	0	0	0	0	0
Benzene	BRL	5.0	0	0	0	0	0	0	0	0	0
Bromodichloromethane	BRL	5.0	0	0	0	0	0	0	0	0	0
Bromoform	BRL	5.0	0	0	0	0	0	0	0	0	0
Bromomethane	BRL	5.0	0	0	0	0	0	0	0	0	0
Carbon disulfide	BRL	5.0	0	0	0	0	0	0	0	0	0
Carbon tetrachloride	BRL	5.0	0	0	0	0	0	0	0	0	0
Chlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	0
Chloroethane	BRL	10	0	0	0	0	0	0	0	0	0
Chloroform	BRL	5.0	0	0	0	0	0	0	0	0	0
Chloromethane	BRL	10	0	0	0	0	0	0	0	0	0

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163471

Sample ID: MB-163471	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224439
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/03/2012	Seq No: 4696172

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	10	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Freon-113	BRL	10	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	5.0	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	5.0	0	0	0	0	0	0	0	0	
o-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Styrene	BRL	5.0	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Toluene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	2.0	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	42.80	0	50	0	85.6	67.4	123	0	0	0	
Surr: Dibromofluoromethane	53.74	0	50	0	107	75.5	128	0	0	0	
Surr: Toluene-d8	44.14	0	50	0	88.3	70	120	0	0	0	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163471

Sample ID: LCS-163471	Client ID:	Units: ug/L	Prep Date: 07/03/2012	Run No: 224439							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/03/2012	Seq No: 4696169							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	58.55	5.0	50	0	117	60	140	0	0	0	
Benzene	55.38	5.0	50	0	111	70	130	0	0	0	
Chlorobenzene	46.18	5.0	50	0	92.4	70	130	0	0	0	
Toluene	53.08	5.0	50	0	106	70	130	0	0	0	
Trichloroethene	43.29	5.0	50	0	86.6	70	130	0	0	0	
Surr: 4-Bromofluorobenzene	53.97	0	50	0	108	67.4	123	0	0	0	
Surr: Dibromofluoromethane	49.96	0	50	0	99.9	75.5	128	0	0	0	
Surr: Toluene-d8	49.77	0	50	0	99.5	70	120	0	0	0	

Sample ID: 1207059-002AMS	Client ID: TNB-0612-MW2	Units: ug/L	Prep Date: 07/03/2012	Run No: 224446							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/05/2012	Seq No: 4696913							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	578.3	50	500	0	116	50.1	179	0	0	0	
Benzene	594.5	50	500	8.790	117	61.2	150	0	0	0	
Chlorobenzene	494.8	50	500	0	99	72.1	140	0	0	0	
Toluene	1271	50	500	645.8	125	58.7	154	0	0	0	
Trichloroethene	493.2	50	500	3.380	98	68.3	149	0	0	0	
Surr: 4-Bromofluorobenzene	489.9	0	500	0	98	67.4	123	0	0	0	
Surr: Dibromofluoromethane	425.6	0	500	0	85.1	75.5	128	0	0	0	
Surr: Toluene-d8	498.7	0	500	0	99.7	70	120	0	0	0	

Sample ID: 1207059-002AMSD	Client ID: TNB-0612-MW2	Units: ug/L	Prep Date: 07/03/2012	Run No: 224446							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/05/2012	Seq No: 4696916							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	553.4	50	500	0	111	50.1	179	578.3	4.4	23.3	
Benzene	579.4	50	500	8.790	114	61.2	150	594.5	2.57	19	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: 163471

Sample ID: 1207059-002AMSD	Client ID: TNB-0612-MW2	Units: ug/L	Prep Date: 07/03/2012	Run No: 224446
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260B	BatchID: 163471	Analysis Date: 07/05/2012	Seq No: 4696916

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	474.5	50	500	0	94.9	72.1	140	494.8	4.19	21.5	
Toluene	1189	50	500	645.8	109	58.7	154	1271	6.68	20	
Trichloroethene	448.4	50	500	3.380	89	68.3	149	493.2	9.52	17.7	
Surr: 4-Bromofluorobenzene	481.8	0	500	0	96.4	67.4	123	489.9	0	0	
Surr: Dibromofluoromethane	408.8	0	500	0	81.8	75.5	128	425.6	0	0	
Surr: Toluene-d8	487.4	0	500	0	97.5	70	120	498.7	0	0	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: R224395

Sample ID: MB-R224395	Client ID:	Units: mg/L	Prep Date:	Run No: 224395							
SampleType: MBLK	TestCode: ION SCAN SW9056A	BatchID: R224395	Analysis Date: 07/03/2012	Seq No: 4694489							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chloride	BRL	1.0	0	0	0	0	0	0	0	0	
Nitrate	BRL	0.25	0	0	0	0	0	0	0	0	
Sulfate	BRL	1.0	0	0	0	0	0	0	0	0	

Sample ID: LCS-R224395	Client ID:	Units: mg/L	Prep Date:	Run No: 224395							
SampleType: LCS	TestCode: ION SCAN SW9056A	BatchID: R224395	Analysis Date: 07/03/2012	Seq No: 4694491							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chloride	10.07	1.0	10	0	101	90	110	0	0	0	
Nitrate	5.199	0.25	5	0	104	90	110	0	0	0	
Sulfate	26.31	1.0	25	0	105	90	110	0	0	0	

Sample ID: 1207059-005EMS	Client ID: TNB-0612-MW5	Units: mg/L	Prep Date:	Run No: 224395							
SampleType: MS	TestCode: ION SCAN SW9056A	BatchID: R224395	Analysis Date: 07/03/2012	Seq No: 4694509							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chloride	22.96	1.0	10	13.39	95.7	90	110	0	0	0	H
Nitrate	6.137	0.25	5	0.8284	106	90	110	0	0	0	H
Sulfate	47.25	1.0	25	22.29	99.8	90	110	0	0	0	H

Sample ID: 1207059-005EMSD	Client ID: TNB-0612-MW5	Units: mg/L	Prep Date:	Run No: 224395							
SampleType: MSD	TestCode: ION SCAN SW9056A	BatchID: R224395	Analysis Date: 07/03/2012	Seq No: 4694510							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chloride	23.11	1.0	10	13.39	97.2	90	110	22.96	0.617	20	H
Nitrate	6.180	0.25	5	0.8284	107	90	110	6.137	0.701	20	H
Sulfate	47.43	1.0	25	22.29	101	90	110	47.25	0.379	20	H

Qualifiers: > Greater than Result value < Less than Result value B Analyte detected in the associated method blank
 BRL Below reporting limit E Estimated (value above quantitation range) H Holding times for preparation or analysis exceeded
 J Estimated value detected below Reporting Limit N Analyte not NELAC certified R RPD outside limits due to matrix
 Rpt Lim Reporting Limit S Spike Recovery outside limits due to matrix

Client: Peachtree Environmental
Project Name: Thomasville National Bank
Workorder: 1207059

ANALYTICAL QC SUMMARY REPORT

BatchID: R224427

Sample ID: MB-R224427	Client ID:	Units: mg/L	Prep Date:	Run No: 224427							
SampleType: MBLK	TestCode: Total Organic Carbon (TOC) SW9060A	BatchID: R224427	Analysis Date: 07/03/2012	Seq No: 4695297							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Organic Carbon, Total BRL 1.00 0 0 0 0 0 0 0 0 0

Sample ID: LCS-R224427	Client ID:	Units: mg/L	Prep Date:	Run No: 224427							
SampleType: LCS	TestCode: Total Organic Carbon (TOC) SW9060A	BatchID: R224427	Analysis Date: 07/03/2012	Seq No: 4695296							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Organic Carbon, Total 26.17 1.00 25 0 105 90 110 0 0 0

Sample ID: 1207059-006CMS	Client ID: TNB-0612-MW6	Units: mg/L	Prep Date:	Run No: 224427							
SampleType: MS	TestCode: Total Organic Carbon (TOC) SW9060A	BatchID: R224427	Analysis Date: 07/03/2012	Seq No: 4695302							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Organic Carbon, Total 25.90 1.00 25 2.060 95.4 80 120 0 0 0

Sample ID: 1207059-006CMSD	Client ID: TNB-0612-MW6	Units: mg/L	Prep Date:	Run No: 224427							
SampleType: MSD	TestCode: Total Organic Carbon (TOC) SW9060A	BatchID: R224427	Analysis Date: 07/03/2012	Seq No: 4695303							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Organic Carbon, Total 26.72 1.00 25 2.060 98.6 80 120 25.90 3.12 20

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	



APPENDIX C



MILESTONE SCHEDULE

Voluntary Investigation and Remediation Plan Application Form and Checklist

VRP APPLICANT INFORMATION

COMPANY NAME	Thomasville National Bank		
CONTACT PERSON/TITLE	Hollie Lloyd/Senior Vice President		
ADDRESS	P.O. Box 1999 Thomasville, Georgia 31799		
PHONE	FAX	E-MAIL	
229.226.3300	229.226.9288	hollie@tnbank.com	

GEORGIA CERTIFIED PROFESSIONAL GEOLOGIST OR PROFESSIONAL ENGINEER OVERSEEING CLEANUP

NAME	John P. Martiniere	GA PE/PG NUMBER	11858
COMPANY	Peachtree Environmental		
ADDRESS	3040 Business Park Drive, Suite E, Norcross, Georgia 30071		
PHONE	FAX	E-MAIL	
770.449.6100	770.449.6119	jmartiniere@peachtreeenvironmental.com	

APPLICANT'S CERTIFICATION

In order to be considered a qualifying property for the VRP:

- (1) The property must have a release of regulated substances into the environment;
- (2) The property shall not be:
 - (A) Listed on the federal National Priorities List pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act, 42 U.S.C. Section 9601.
 - (B) Currently undergoing response activities required by an order of the regional administrator of the federal Environmental Protection Agency; or
 - (C) A facility required to have a permit under Code Section 12-8-66.
- (3) Qualifying the property under this part would not violate the terms and conditions under which the division operates and administers remedial programs by delegation or similar authorization from the United States Environmental Protection Agency.
- (4) Any lien filed under subsection (e) of Code Section 12-8-96 or subsection (b) of Code Section 12-13-12 against the property shall be satisfied or settled and released by the director pursuant to Code Section 12-8-94 or Code Section 12-13-6.

In order to be considered a participant under the VRP:

- (1) The participant must be the property owner of the voluntary remediation property or have express permission to enter another's property to perform corrective action.
- (2) The participant must not be in violation of any order, judgment, statute, rule, or regulation subject to the enforcement authority of the director.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I also certify that this property is eligible for the Voluntary Remediation Program (VRP) as defined in Code Section 12-8-105 and I am eligible as a participant as defined in Code Section 12-8-106.

APPLICANT'S SIGNATURE	
APPLICANT'S NAME/TITLE (PRINT)	Hollie Lloyd / SVP
DATE	12-7-12

	<p>after enrollment as a participant, must update the schedule in each semi-annual status report to the director describing implementation of the plan during the preceding period. A Gantt chart format is preferred for the milestone schedule.</p> <p>The following four (4) generic milestones are required in all initial plans with the results reported in the participant's next applicable semi-annual reports to the director. The director may extend the time for or waive these or other milestones in the participant's plan where the director determines, based on a showing by the participant, that a longer time period is reasonably necessary:</p>		
5.a.	<p>Within the first 12 months after enrollment, the participant must complete horizontal delineation of the release and associated constituents of concern on property where access is available at the time of enrollment;</p>	Refer to Appendix G	
5.b.	<p>Within the first 24 months after enrollment, the participant must complete horizontal delineation of the release and associated constituents of concern extending onto property for which access was not available at the time of enrollment;</p>	Refer to Appendix G	
5.c.	<p>Within 30 months after enrollment, the participant must update the site CSM to include vertical delineation, finalize the remediation plan and provide a preliminary cost estimate for implementation of remediation and associated continuing actions; and</p>	Refer to Appendix G	
5.d.	<p>Within 60 months after enrollment, the participant must submit the compliance status report required under the VRP, including the requisite certifications.</p>	Refer to Appendix G	
6.	<p>SIGNED AND SEALED PE/PG CERTIFICATION AND SUPPORTING DOCUMENTATION:</p> <p>"I certify under penalty of law that this report and all attachments were prepared by me or under my direct supervision in accordance with the Voluntary Remediation Program Act (O.C.G.A. Section 12-8-101, et seq.). I am a professional engineer/professional geologist who is registered with the Georgia State Board of Registration for Professional Engineers and Land Surveyors/Georgia State Board of Registration for Professional Geologists and I have the necessary experience and am in charge of the investigation and remediation of this release of regulated substances.</p> <p>Furthermore, to document my direct oversight of the Voluntary Remediation Plan development, implementation of corrective action, and long term monitoring, I have attached a monthly summary of hours invoiced and description of services provided by me to the Voluntary Remediation Program participant since the previous submittal to the Georgia Environmental Protection Division.</p> <p>The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."</p> <p>JOHN P. MARTINEZ, JR. 11858 <u>12/13/2012</u> Printed Name and GA PE/PG Number Date</p> <p><i>John P. Martinez</i> Signature and Stamp</p> 		