

# Voluntary Investigation and Remediation Plan Application Form and Checklist

## VRP APPLICANT INFORMATION

COMPANY NAME	Georgia Department of Transportation (GDOT)			
CONTACT PERSON/TITLE	T. Dale Brantley, State Maintenance Engineer			
ADDRESS	One Georgia Center, 600 W. Peachtree Street, 10 <sup>th</sup> Floor, Atlanta, GA, 30308			
PHONE	404-631-1390	FAX 404-631-1932	E-MAIL	Tbrantley@dot.ga.gov

### GEORGIA CERTIFIED PROFESSIONAL GEOLOGIST OR PROFESSIONAL ENGINEER OVERSEEING CLEANUP

NAME	Felix Nchako, Senior Geoscientist		GA PE/PG NUMBER	0873
COMPANY	AECOM			
ADDRESS	1360 Peachtree St NE #500, Atlanta, GA 30309			
PHONE	678-808-8921	FAX 404-965-9605	E-MAIL	Felix.nchako@aecom.com

## APPLICANT'S CERTIFICATION

In order to be considered a qualifying property for the VRP:



- (1) The property must have a release of regulated substances into the environment;
- (2) The property shall not be:
  - (A) Listed on the federal National Priorities List pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act, 42 U.S.C. Section 9601.
  - (B) Currently undergoing response activities required by an order of the regional administrator of the federal Environmental Protection Agency; or
  - (C) A facility required to have a permit under Code Section 12-8-66.
- (3) Qualifying the property under this part would not violate the terms and conditions under which the division operates and administers remedial programs by delegation or similar authorization from the United States Environmental Protection Agency.
- (4) Any lien filed under subsection (e) of Code Section 12-8-96 or subsection (b) of Code Section 12-13-12 against the property shall be satisfied or settled and released by the director pursuant to Code Section 12-8-94 or Code Section 12-13-6.

In order to be considered a participant under the VRP:

- (1) The participant must be the property owner of the voluntary remediation property or have express permission to enter another's property to perform corrective action.
- (2) The participant must not be in violation of any order, judgment, statute, rule, or regulation subject to the enforcement authority of the director.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I also certify that this property is eligible for the Voluntary Remediation Program (VRP) as defined in Code Section 12-8-105 and I am eligible as a participant as defined in Code Section 12-8-106.

APPLICANT'S SIGNATURE			
APPLICANT'S NAME/TITLE (PRINT)	 Timothy D. Brantley, STATE MAINT. ENGR	DATE	12/7/16

QUALIFYING PROPERTY INFORMATION (For additional qualifying properties, please refer to the last page of application form)			
HAZARDOUS SITE INVENTORY INFORMATION (if applicable)			
HSI Number	10025	Date HSI Site listed	July 1, 1994, July 25, 1997
HSI Facility Name	GA Dept of Trans – Dist 4 Main HQ (Former)	NAICS CODE	
PROPERTY INFORMATION			
TAX PARCEL IDs	D011 220	PROPERTY SIZE (ACRES)	13.6
PROPERTY ADDRESS	213 Walker Street	COUNTY	Coffee
CITY	Douglas	ZIPCODE	31533
STATE	Georgia	LONGITUDE (decimal format)	-82.853333
LATITUDE (decimal format)	31.517778		
PROPERTY OWNER INFORMATION			
PROPERTY OWNER(S)	GDOT	PHONE #	404-631-1390
MAILING ADDRESS	One Georgia Center, 600 W. Peachtree Street, 10 <sup>th</sup> Floor		
CITY	Atlanta	STATE/ZIPCODE	Georgia 30308
ITEM #	DESCRIPTION OF REQUIREMENT	Location in VRP (i.e. pg., Table #, Figure #, etc.)	For EPD Comment Only (Leave Blank)
1.	\$5,000 APPLICATION FEE IN THE FORM OF A CHECK PAYABLE TO THE GEORGIA DEPARTMENT OF NATURAL RESOURCES. (PLEASE LIST CHECK DATE AND CHECK NUMBER IN COLUMN TITLED "LOCATION IN VRP." PLEASE DO NOT INCLUDE A SCANNED COPY OF CHECK IN ELECTRONIC COPY OF APPLICATION.)		
2.	WARRANTY DEED(S) FOR QUALIFYING PROPERTY.	Appendix A	
3.	TAX PLAT OR OTHER FIGURE INCLUDING QUALIFYING PROPERTY BOUNDARIES, ABUTTING PROPERTIES, AND TAX PARCEL IDENTIFICATION NUMBER(S).	Appendix A	
4.	ONE (1) PAPER COPY AND TWO (2) COMPACT DISC (CD) COPIES OF THE VOLUNTARY REMEDIATION PLAN IN A SEARCHABLE PORTABLE DOCUMENT FORMAT (PDF).	Attached "Preliminary Remediation Plan and VRP Application"	
5.	The VRP participant's initial plan and application must include, using all reasonably available current information to the extent known at the time of application, a graphic three-dimensional preliminary conceptual site model (CSM) including a preliminary remediation plan with a table of delineation standards, brief supporting text, charts, and figures (no more than 10 pages, total) that illustrates the site's surface and subsurface setting, the known or suspected source(s) of contamination, how contamination might move within the environment, the potential human health and ecological receptors, and the complete or incomplete exposure pathways that may exist at the site; the preliminary CSM must be updated as the investigation and remediation progresses and an up-to-date CSM must be included in each semi-annual status report submitted to the director by the participant; a <b>PROJECTED MILESTONE SCHEDULE</b> for investigation and remediation of the site, and after enrollment as a participant, must update the schedule in each semi-	Appendix B	

	<p>annual status report to the director describing implementation of the plan during the preceding period. A Gantt chart format is preferred for the milestone schedule.</p> <p>The following four (4) generic milestones are required in all initial plans with the results reported in the participant's next applicable semi-annual reports to the director. The director may extend the time for or waive these or other milestones in the participant's plan where the director determines, based on a showing by the participant, that a longer time period is reasonably necessary:</p>		
5.a.	Within the first 12 months after enrollment, the participant must complete horizontal delineation of the release and associated constituents of concern on property where access is available at the time of enrollment;		
5.b.	Within the first 24 months after enrollment, the participant must complete horizontal delineation of the release and associated constituents of concern extending onto property for which access was not available at the time of enrollment;		
5.c.	Within 30 months after enrollment, the participant must update the site CSM to include vertical delineation, finalize the remediation plan and provide a preliminary cost estimate for implementation of remediation and associated continuing actions; and		
5.d.	Within 60 months after enrollment, the participant must submit the compliance status report required under the VRP, including the requisite certifications.		
6.	<p><b>SIGNED AND SEALED PE/PG CERTIFICATION AND SUPPORTING DOCUMENTATION:</b></p> <p>"I certify under penalty of law that this report and all attachments were prepared by me or under my direct supervision in accordance with the Voluntary Remediation Program Act (O.C.G.A. Section 12-8-101, <i>et seq.</i>). I am a professional engineer/professional geologist who is registered with the Georgia State Board of Registration for Professional Engineers and Land Surveyors/Georgia State Board of Registration for Professional Geologists and I have the necessary experience and am in charge of the investigation and remediation of this release of regulated substances.</p> <p>Furthermore, to document my direct oversight of the Voluntary Remediation Plan development, implementation of corrective action, and long term monitoring, I have attached a monthly summary of hours invoiced and description of services provided by me to the Voluntary Remediation Program participant since the previous submittal to the Georgia Environmental Protection Division.</p> <p>The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."</p> <p><u>FELIX NCHAKO, PG# 0873</u>      <u>12/5/2016</u>  <small>Printed Name and GA PE/PG Number</small>  <small>Date</small></p> <p><u>Felix N. Nchako (0873)</u>  <small>Signature and Stamp</small></p>	<b>Page iii</b>	

**ADDITIONAL QUALIFYING PROPERTIES (COPY THIS PAGE AS NEEDED)**

<b>PROPERTY INFORMATION</b>			
TAX PARCEL ID		PROPERTY SIZE (ACRES)	
PROPERTY ADDRESS			
CITY		COUNTY	
STATE		ZIPCODE	
LATITUDE (decimal format)	LONGITUDE (decimal format)		
<b>PROPERTY OWNER INFORMATION</b>			
PROPERTY OWNER(S)		PHONE #	
MAILING ADDRESS			
CITY	STATE/ZIPCODE		

<b>PROPERTY INFORMATION</b>			
TAX PARCEL ID		PROPERTY SIZE (ACRES)	
PROPERTY ADDRESS			
CITY		COUNTY	
STATE		ZIPCODE	
LATITUDE (decimal format)	LONGITUDE (decimal format)		
<b>PROPERTY OWNER INFORMATION</b>			
PROPERTY OWNER(S)		PHONE #	
MAILING ADDRESS			
CITY	STATE/ZIPCODE		

<b>PROPERTY INFORMATION</b>			
TAX PARCEL ID		PROPERTY SIZE (ACRES)	
PROPERTY ADDRESS			
CITY		COUNTY	
STATE		ZIPCODE	
LATITUDE (decimal format)	LONGITUDE (decimal format)		
<b>PROPERTY OWNER INFORMATION</b>			
PROPERTY OWNER(S)		PHONE #	
MAILING ADDRESS			
CITY	STATE/ZIPCODE		



Environment

Prepared for:  
Georgia DOT

Prepared by:  
AECOM  
Atlanta, Georgia  
60440866  
November 2016

# Preliminary Remediation Plan and Voluntary Remediation Program (VRP) Application

Former Georgia Department of Transportation District 4 Maintenance  
Headquarters

Douglas, Georgia



Environment

Prepared for:  
Georgia DOT

Prepared by:  
AECOM  
Atlanta, Georgia  
60440866  
November 2016

# Preliminary Remediation Plan and Voluntary Remediation Program (VRP) Application

Former Georgia Department of Transportation District 4 Maintenance  
Headquarters (HSI #10025)

Douglas, Georgia

---

Prepared By: John-Paul Vigil, E.I.T.

---

Reviewed By: Felix Nchako, P.G.

## Contents

<b>CERTIFICATION.....</b>	<b>iii</b>
<b>1.0 INTRODUCTION.....</b>	<b>1</b>
<b>2.0 LEGAL DESCRIPTION.....</b>	<b>1</b>
<b>3.0 SITE DESCRIPTION AND HISTORY .....</b>	<b>2</b>
3.1 Site Location and Description .....	2
3.2 Site History and Use .....	2
3.3 Adjacent Properties Information.....	2
<b>4.0 PREVIOUS INVESTIGATIONS AND REMEDIAL ACTIVITIES.....</b>	<b>3</b>
4.1 1994-1997 Site Characterizations.....	3
4.2 2002 Supplemental Site Characterization.....	3
4.3 Soil Corrective Action.....	4
4.4 Groundwater Corrective Action.....	4
4.5 Surface Water Characterization.....	5
<b>5.0 CONCEPTUAL SITE MODEL.....</b>	<b>5</b>
5.1 Surface Setting .....	6
5.2 Subsurface Setting .....	6
5.3 Regulated Substances.....	7
5.3.1 Soil.....	7
5.3.2 Groundwater .....	7
5.4 Known or Suspected Source Areas .....	8
5.5 Contaminant Migration Pathways .....	8
5.6 Soil and Groundwater Impacts.....	8
<b>6.0 ENVIRONMENTAL COVENANT .....</b>	<b>9</b>
<b>7.0 VRP COMPLIANCE STATUS REPORT PREPARATION.....</b>	<b>9</b>
7.1 Surface Water Investigation.....	9
7.2 Groundwater Monitoring .....	9
7.3 Potential Human Health and Ecological Receptor Evaluation.....	9
7.4 Fate and Transport Pathways.....	10
7.5 Recalculation of Risk Based Clean-up Standards / Instream Water Qualities.....	10
<b>8.0 MILESTONE SCHEDULE.....</b>	<b>11</b>
<b>9.0 REFERENCES.....</b>	<b>11</b>

## List of Tables

- |         |  |
|---------|--|
| Table 1 | December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data |
| Table 2 | December 2015 and Historical Volatile Organic Groundwater Analytical Data                        |

## List of Figures

- |           |  |
|-----------|--|
| Figure 1  | Site Location Map  |
| Figure 2  | Properties/Parcels Comprising HSI #10025   |
| Figure 3  | Current Site Conditions and Monitoring Well Locations  |
| Figure 4  | 2003-2004 Soil Excavation Locations  |
| Figure 5  | September 2012 and May/September 2014 Excavation Limits  |
| Figure 6  | First Event Injection Locations  |
| Figure 7  | Second Event Injection Locations   |
| Figure 8  | Geologic Cross Section Locations   |
| Figure 9  | Geologic Cross Section A-A'  |
| Figure 10 | Geologic Cross Section B-B'  |
| Figure 11 | December 2015 – Shallow Water Table Elevation and Contour Map  |
| Figure 12 | December 2015 – Intermediate Water Table Elevation and Contour Map                                     |
| Figure 13 | December 2015 – Deep Zone Groundwater Elevation and Contour Map  |
| Figure 14 | Site Schematic (Before Excavation & Building Demolition Activities)                                    |
| Figure 15 | SVOCs Analytical Results in Shallow Zone Groundwater and Surface Water from June 2007 to December 2015 |
| Figure 16 | SVOCs Analytical Results in Intermediate and Deep Zone Groundwater from June 2007 to December 2015     |
| Figure 17 | December 2015 Iso-concentration Map for Benzene in Shallow Zone Groundwater                            |
| Figure 18 | December 2015 Iso-concentration Map for Benzene in Intermediate Zone Groundwater                       |

## List of Appendices

- |            |                            |
|------------|----------------------------|
| Appendix A | Warranty Deed and Tax Plat |
| Appendix B | Milestone Schedule         |


## Certification

"I certify under penalty of law that this report and all attachments were prepared by me or under my direct supervision in accordance with the Voluntary Remediation Program Act (O.C.G.A. Section 12-8-101, et seq.). I am a professional engineer/professional geologist who is registered with the Georgia State Board of Registration for Professional Engineers and Land Surveyors/Georgia State Board of Registration for Professional Geologists and I have the necessary experience and am in charge of the investigation and remediation of this release of regulated substances.

The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

FELIX NCHAKO PG# 0873  
Printed Name and GA PE/PG Number

1/12/2017  
Date

  
Signature and Stamp

## 1.0 Introduction

This Preliminary Remediation Plan, including a Preliminary Conceptual Site Model (CSM), has been prepared on behalf of Georgia Department of Transportation (GDOT) as part of the Georgia Voluntary Remediation Program (VRP) application submittal for the former GDOT Maintenance Facility (Tax Parcel D011 220), hereafter referred to as the “site.” The site is located at 213 Walker Street in Coffee County, Douglas, Georgia (**Figure 1**). The purpose of the Preliminary Remediation Plan and CSM is to provide available current information to the extent known, as required by the VRP application, with regard to:

- The site’s surface and subsurface setting;
- The known or suspected source of contamination;
- How contamination might move within the environment;
- Potential human health and ecological receptors;
- Complete or incomplete exposure pathways that may exist at the site; and
- A projected milestone schedule for investigation and remediation of the site.

The site is currently listed on the Georgia Hazardous Site Inventory (HSI #10025) pursuant to the Hazardous Site Response Act (HSRA) program administered by the Georgia Department of Natural Resources (DNR), Environmental Protection Division (EPD), due to a release of creosote along with the related polycyclic aromatic hydrocarbons (PAHs). GDOT has remediated soils at the site to the Type 2 Risk Reduction Standards (RRSs), and recently conducted a full-scale in-situ chemical oxidation (ISCO) injection to address groundwater impacts at the site. This plan proposes to investigate potential surface water impacts from groundwater discharge at the site into an adjoining eastern drainage ditch and utilize groundwater use controls/limitations and natural attenuation processes to protect human health and the environment.

## 2.0 Legal Description

The former GDOT District 4 Maintenance Headquarters is located in Douglas, Coffee County, Georgia (also referenced herein as “the site”). As a consequence of groundwater and related studies conducted by the EPD, the site was listed on the state’s Hazardous Site Inventory (HSI) as HSI #10025. Three parcels are sub-listed under HSI #10025, as described below and depicted graphically on **Figure 1**.

1. Former GDOT Maintenance Facility. The former maintenance facility is Parcel D011 220.
2. Lott Property. The Lott Property, used in a variety of applications related to a commercial building materials and supply business, is Parcel D010 013.
3. Sharma Hospitality (formerly Motels of America). This property, formerly a Motels of America motel, is used as a motel/hotel that provides overnight lodging on a short-

term basis since 1990. It is identified as Parcel D011 215. It is currently owned by Georgia Hospitality Investments.

This VRP application and Preliminary Remediation Plan is for the inclusion of the site (Parcel D011 220) into the VRP program. The warranty deed and tax plat are included in **Appendix A**.

## 3.0 Site Description and History

### 3.1 Site Location and Description

The Walker Street site is a 13.6-acre property located in Douglas, Coffee County, Georgia (**Figure 1**). It is bounded by Walker Street to the south, drainage ditches to the east and north, and the City of Douglas bike path on the west. **Figure 2** shows the site schematics prior to the soil excavation and building demolition activities completed in August of 2004. The site is relatively flat with the greatest amount of relief at the drainage ditch located on the eastern side of the site. Currently, the site is grassed with scattered pine trees and is completely surrounded by a 10-foot security fence. Prior to remedial activities, approximately 11 buildings were present, as well as two roofed sheds, a washing shed, and two wooden loading docks. Two off-site properties (Sharma Hospitality and the Lott Property) were included in HSI #10025 as associated with the Walker Street site.

### 3.2 Site History and Use

The site was historically used since the 1950s to provide maintenance support to GDOT's 13-county District 4 area. According to GDOT, past operations included wood preserving, asphalt manufacturing, heavy equipment and vehicle repairs, sign manufacturing, and painting. Wood treating was reportedly done only with creosote and only in the central part of the site. The treated wood was stored on bare ground (i.e., without a drip pad) in the northern section of the property. The site was also used for storage of materials and products needed to support highway maintenance activities. GDOT discontinued use of the site and deeded the property to Coffee County, which subsequently transferred ownership to Mr. Francis Lott in 1990. After 1990, the only activities at the site included the storage of building materials in the former Automotive Shop and the operation of a feed and seed store at the former Heavy Maintenance Headquarters. The property was reacquired by GDOT in 2001.

### 3.3 Adjacent Properties Information

The surrounding land uses and distance to residential property are as follows:

<b>North</b>	Commercial and light-industrial. Residential land use is greater than one mile north of the subject property. The Lott Property adjoins the site to the north and northeast of the site.
<b>East</b>	Commercial. Residential land use is approximately 600 feet east of the subject property. Sharma Hospitality adjoins the site to the east.

**South** Walker Street, followed by retail land use. The closest residential land use is approximately 100 feet southwest of the subject property.

**West** Bicycle path followed by commercial and light-industrial structures. Residential property is located approximately 675 feet west of the subject property.

A separate VRP application process is being prepared for the Lott Property. The Sharma Hospitality Property has opted to remain in the HSRA program.

## 4.0 Previous Investigations and Remedial Activities

### 4.1 1994-1997 Site Characterizations

The initial site characterizations of the site and surrounding properties were conducted by EMCON on behalf of GDOT. The initial site soil characterization occurred in three stages between 1994 and 1996, as follows:

Initial Sampling, 1994. Analytical testing of soils recovered from both on-site and off-site (background) locations showed the soils to be affected by metals and PAHs. Soils near former tankage were affected by releases from that tankage. None of the samples were classified as a Resource Conservation and Recovery Act (RCRA) characteristic hazardous waste.

Supplemental Sampling, 1995. After results from the initial sampling were analyzed, additional sampling was conducted by EMCON in 1995 to better define both the horizontal and vertical extent of contamination.

Supplemental Sampling, 1996. A third soil sampling event was conducted in August and September of 1996 on Parcel D011 220 to both (i) better define the vertical and horizontal extent of contamination, and (ii) better define the occurrence of soil and groundwater units at the site.

Characterization of the groundwater was initiated at the same time as the soil sampling. During the period 1994 to 1996, an aggregate of 21 temporary Geoprobe® and 31 permanent groundwater monitoring wells were installed across the contiguous area of HSI #10025, including wells monitoring the “shallow,” “intermediate,” and “deep” groundwater zones.

The wells were sampled during the period 1995 through 1997. The groundwater sampling indicated that the shallow groundwater has been affected by PAHs in areas consistent with the soil contamination described above.

### 4.2 2002 Supplemental Site Characterization

In a September 17, 1996 letter from the EPD, it was agreed that the extent of contamination could be completed during a planned corrective action and reported to the EPD in a subsequent Compliance Status Report (CSR). URS, an AECOM legacy firm, was retained by GDOT as its environmental consultant in 2002. A 2002

compliance investigation by URS was aimed at meeting this objective. The May/June 2002 investigation by URS included extensive soil and groundwater sampling at the former maintenance facility and at the former Motels of America (Sharma Hospitality) and Lott Properties. The intent of this sampling and related analytical testing was to complete soil delineation efforts across the site.

Upon completion of the 2002 supplemental investigation, the lateral and vertical extent of semi-volatile organic compounds (SVOCs) and metals contamination in the soils on the site was considered defined by GDOT.

#### **4.3 Soil Corrective Action**

In accordance with the Consent Order requirements, GDOT completed soil removal corrective actions at the GDOT Walker Street site (Parcel D011 220) from August 13, 2003 to August 26, 2004. Soils exhibiting SVOCs and metals contamination in concentrations in excess of the Type 1 RRSs were excavated and transported to off-site landfills. Demolition debris and soils containing SVOCs and metals contamination in concentrations exceeding the approved cleanup levels were excavated and disposed of at Republic's Broadhurst Landfill in Screven, Tattnall County, GA and Onyx's Pecan Row Landfill in Valdosta, Lowndes County, GA. Based on truck weights measured at the landfill facilities, approximately 110,000 tons of soil were removed from the GDOT Walker Street and Lott properties (Parcels D011 220 and D010 013, respectively). **Figure 4** illustrates the locations of the 2003 to 2004 soil excavations.

Confirmation sampling and limited soil investigation activities conducted in December 2009 and January 2010 generated additional soil data that showed that the extent of soils impacted by lead above the Type 2 RRS occurred near surface in two general areas on the GDOT site (Parcel D011 220).

Additional soil excavation activities were completed in September 2012, May 2014, and September 2014 to bring the GDOT Property (Parcel D011 220) in compliance with the soil standards. **Figure 5** illustrates the areas where the additional soil corrective action was conducted.

In correspondence dated July 14, 2010, the EPD acknowledged that soil at Tax Parcel D011 220 (i.e., the Old District Four Maintenance Facility) meets the Type 2 RRS, appropriate for residential land use (Georgia EPD, 2014).

#### **4.4 Groundwater Corrective Action**

Following the soil excavation activities to eliminate source areas and soil contamination above RRSs, GDOT shifted its focus to addressing the groundwater contamination extent and cleanup.

The 1994 to 2000 groundwater investigation activities showed a distinct groundwater plume. This plume extends eastward from the center of the GDOT Property onto the former Motels of America Property (now Sharma Hospitality) (Parcel D011 215). The plume includes low levels of PAH.

In order to address PAH and benzene, toluene, ethylbenzene, and xylenes (BTEX) impacts in the groundwater of the site, a full-scale corrective action was conducted from March 17 through June 27, 2016. The groundwater corrective action consisted of performing full-scale corrective action activities to remediate PAH- and BTEX-impacted groundwater using the ISCO remedial technology. The decision to select this technology was based on a successful field-scale ISCO Pilot Test conducted at the site in May 2012 and September 2012. The two injection events (Phase I and Phase II) consisted of 37 days of on-site field operations. Reagent injections were completed across three treatment areas covering approximately 83,900 square feet. A total of 623 injection screens were installed during the two injection events to receive a total of 166,340 gallons of reagent into the subsurface. **Figures 6 and 7** illustrate the locations of the Phase I and Phase II injections, respectively.

#### 4.5 Surface Water Characterization

After suspecting that site shallow-zone groundwater could be discharging into the eastern drainage ditch, which flows along the eastern property line, two surface water samples at locations SW-1 and SW-2 (see **Figure 3**) were taken as part of the 2006 annual groundwater monitoring event. Beginning in 2011 annual groundwater monitoring event, five surface water samples at specific locations (SW-1 through SW-5) along the drainage ditch have been analyzed to assess whether PAH and BTEX impacted groundwater is impacting the surface water (see **Table 1**).

In 2006, the initial sampling results show detections of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, and chrysene at locations SW-1 and SW-2. However, SW-1 is considered an up-stream location and results may be mostly attributed to non-site related contributions.

The post-2006 sampling results show relatively low detections of primarily the same compounds plus indeno(1,2,3-cd)pyrene in surface water samples at concentrations that exceeded the Georgia Instream Water Quality Standards. These samples were collected in December and January and may not be representative of low-flow conditions within the eastern drainage ditch. Additional ditch flow characterization activities are being proposed during the Voluntary Investigation and Remediation Plan (VIRP) activities to quantify actual mass discharge into the ditch from the on-site groundwater plume.

### 5.0 Conceptual Site Model

A Conceptual Site Model (CSM) has been developed for the site. The purpose of the CSM is to:

- Integrate technical data from various sources;
- Support the selection of sample locations;
- Identify data needs; and
- Evaluate risks to human health and the environment.

Development of the CSM required consideration of the site setting, regulated substances, suspected source, and possible contaminant pathways, each of which is described more fully in the following subsections. The CSM will be refined based on data obtained during the implementation of the VIRP, specifically performance monitoring groundwater data following implementation of the full-scale groundwater corrective action at the site between March 17 and June 27, 2016. The following sections in conjunction with **Figures 8** through **18** comprise the current 3-D CSM.

## 5.1 Surface Setting

The site is currently vacant. Eleven buildings were historically located on the property; however, these were removed prior to the site's remedial activities. The building demolition and soil excavation activities were completed in August 2004. Final soil excavation was completed in May 2014. The site is relatively flat with a drainage swale extending west to east across the center portion of the site and discharging into the eastern drainage ditch, a drainage ditch that extends along the site's eastern property boundary. The immediate site vicinity consists primarily of commercial and light-industrial properties, beyond which are residential properties. No sensitive receptors (e.g., playgrounds, schools, etc.) are located in the immediate vicinity of the site.

## 5.2 Subsurface Setting

The site is located in the Florida Platform of the Coastal Plain Physiographic Province of Georgia. According to mapping by the Georgia Geologic Survey, the site is underlain by geologic formations belonging primarily to the Hawthorne Group. The Hawthorne Group was formed in a shallow-water marine environment and is primarily composed of dolostone and limestone. The surface soils of the property are characterized by the United States Department of Agriculture Soil Survey website as belonging primarily to the Wicksburg loamy sand series. Soils at the site were explored to depths of approximately 70 feet below ground surface (bgs) during site assessment activities. Samples from the borings show that the site soils consist mainly of sand and clay layers, with the percentage of sand increasing with depth. A layer of heterogeneous fill is present in the upper 4 to 15 feet of the site. **Figure 8** provides a cross section location map of the GDOT site, and **Figures 9** and **10** illustrate the geological cross sections.

Shallow groundwater at the site is typically first encountered at an average depth of 5 feet bgs, and has been found to occur in two separate water-bearing zones. The first, Aquifer 1, consists of interconnected shallow and intermediate zones. The shallow water-bearing zone extends from a depth of 4 to 15 feet bgs. The intermediate water-bearing zone is unconfined and extends to a depth of approximately 35 feet bgs. The second aquifer, Aquifer 2, consists of sands and cemented sands at a depth of 55 to 70 feet bgs and is separated from the intermediate water-bearing zone by an impermeable layer of clay and cemented sands. The direction of groundwater flow is generally to the east/northeast; however, due to the extensive soil excavation, backfill, and compaction activities completed at the site, slight changes to the depth and apparent groundwater flow direction may be observed in the shallow and intermediate water table elevations.

**Figures 11, 12, and 13** depict the most recent groundwater elevation and contour maps for the shallow, intermediate, and deep water tables, respectively.

### 5.3 Regulated Substances

#### 5.3.1 Soil

Regulated substances historically found in soils above the HSRA Type 1 RRS include the PAHs and the RCRA metals listed in the table below. However, soil corrective action has remediated the site's soils to be certified below the Type 2 RRS (Residential, site-specific).

#### **Regulated Substances Historically Found in On-Site Soils in Excess of Type 1 RRS (Residential Use Scenario)**

<b>PAHs</b>		<b>RCRA Metals</b>
acenaphthene	dibenzo(a,h)anthracene	antimony
anthracene	floranthene	arsenic
benzo(a)anthracene	fluorene	chromium
benzo(a)pyrene	indeno(1,2,3-cd)pyrene	lead
benzo(b)fluoranthene	naphthalene	nickel
benzo(g,h,i)perylene	phenanthrene	zinc
chrysene	pyrene	

#### 5.3.2 Groundwater

Groundwater sampling and analysis began in August 2004 and has identified regulated PAHs and volatile organic compound (VOC) analytes. Detections have included 2,4-dimethylphenol, 2,4-dinitrotoluene, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, naphthalene, pyrene, 1,2-dichloroethane, benzene, toluene, ethylbenzene, and xylenes in varying concentrations in the wells sampled. In addition, five other PAHs (1-methylnaphthalene, 2-methylnaphthalene, acenaphthylene, anthracene, and phenanthrene) with no assigned regulatory standards have historically been detected. However, only the regulated chemicals listed in the table below have been detected at concentrations exceeding the Type 1 RRS.

#### **Regulated Substances Historically Detected in On-Site Groundwater Samples in Excess of Type 1 RRS**

<b>PAHs</b>		<b>BTEX</b>
acenaphthene	fluoranthene	benzene
benzo(a)anthracene	fluorine	
benzo(a)pyrene	indeno(1,2,3-cd)pyrene	
benzo(b)fluoranthene	naphthalene	
chrysene	pyrene	

PAHs	BTEX
dibenzo(a,h)anthracene	

The most recent assessment activities were performed in December 2015, prior to the full-scale groundwater corrective action, and were performed on thirty-three (33) monitoring wells and five (5) surface water samples.

#### 5.4 Known or Suspected Source Areas

The Walker Street site was operated as a GDOT maintenance facility from the 1950s to the late 1980s. According to GDOT, past site operations included wood preserving, asphalt manufacturing, heavy equipment and vehicle repairs, sign manufacturing, and painting. **Figure 14** provides the historical layout of the maintenance facility prior to the 2004 demolition activities. Wood treating was reportedly done only with creosote and only in the central part of the site. The treated wood was stored on bare ground (i.e., without a drip pad) in the northern section of the property. The contamination of the soils and groundwater on site is an apparent result of the past site activities. The on-site contaminated soils were excavated between 2003 and 2014.

#### 5.5 Contaminant Migration Pathways

A preliminary evaluation of the contaminant migration pathways indicates the following potential pathway:

- Horizontal and vertical migration within the shallow and intermediate groundwater zones at the site (Aquifer 1), with transport driven by hydraulic properties of the local groundwater flow system, and as impacted by soil excavation and filling activities.

The prior groundwater monitoring results indicate that the groundwater contamination appears to be laterally stable. A final evaluation of the contaminant migration pathways will be performed during the implementation of the Preliminary Remediation Plan and included in the VRP CSR.

#### 5.6 Soil and Groundwater Impacts

Soil impacts have been certified to below the Type 2 RRS.

The extent of groundwater impacts prior to the recent full-scale ISCO groundwater corrective action has been compiled for this report. Historical groundwater sampling analysis results are summarized in **Tables 1** and **2**, and illustrated on **Figures 15** and **16** for the shallow and intermediate/deep groundwater zones, respectively. **Figures 17** and **18** provide the lateral extent of the groundwater contamination prior to the groundwater corrective action by illustrating iso-concentrations of benzene, the most mobile of the constituents of concern, in the shallow and intermediate groundwater zones, respectively. The vertical extent of the contamination can be seen on the geologic cross sections (**Figures 9** and **10**), which show the historical groundwater results for all detected regulated substances.

Surface water impacts are not fully understood at this time. However, surface water results are summarized in **Table 1**, and illustrated on **Figure 15**.

## 6.0 Environmental Covenant

GDOT anticipates recording an environmental covenant pursuant to the Georgia Uniform Environmental Covenants Act, OCGA § 44-16-1, et seq. The environmental covenant will be prepared and implemented prior to the submittal of the VRP CSR. The environmental covenant will subject the site to such use limitations as may be necessary to protect human health and the environment. The covenant will be filed with the Coffee County Recorders of Deeds and a stamped copy of the environmental covenant will be provided to the EPD within thirty (30) days of recording.

## 7.0 VRP Compliance Status Report Preparation

The following activities will be completed at the site in order to prepare the VRP CSR for the site.

### 7.1 Surface Water Investigation

The eastern drainage ditch will be investigated to evaluate if the ditch has been impacted above the Georgia Instream Water Quality Standards by the discharge of on-site impacted groundwater. The objective of the sampling is to evaluate whether constituents of concern (COCs) are detected at concentrations exceeding Georgia Instream Water Quality Standards under average annual ditch flow conditions from groundwater discharging to the ditch. This investigation is anticipated to include the collection of six (6) water samples quarterly for one year, to be analyzed for PAHs + Selective Ion Monitoring (SIM) utilizing USEPA SW-846 Method 8270D, and the monitoring of flow in the eastern drainage ditch to establish the average annual flow and low-flow conditions.

To assess the dry-weather base ditch flow, travel time, and groundwater seepage inflows to the ditch, a flow meter will be installed and monitored for at least one year. The resulting ditch flow and chemical concentrations detected will be used to determine the instream mass flow of COCs and evaluate whether there are indications of influx of impacted groundwater to the eastern drainage ditch.

### 7.2 Groundwater Monitoring

Groundwater at the site will continue to be monitored over the next two years to confirm the performance of the recent full-scale groundwater corrective action and to obtain necessary data to properly model the fate and transport of the remaining impacts.

### 7.3 Potential Human Health and Ecological Receptor Evaluation

A preliminary evaluation of potential receptors, including tentatively identified groundwater users, occupants of nearby structures due to potential vapor intrusion, and surface water bodies which may receive groundwater discharge will be performed. An

updated water well survey will be performed to refine potential groundwater receptors. Similarly, surface water bodies in the vicinity of the site will be identified and assessed. Based on these surveys, potential human and ecological receptors will be identified to determine if any potentially complete pathways are present at or adjacent to the site.

A preliminary evaluation of potential exposure pathways and receptors was conducted for the site based upon the data collected to date. The exposure pathways evaluated include:

- Potential exposure to COI in groundwater;
- Potential exposure to COI in surface water; and
- Potential exposure to COI in sediment.

Preliminary conclusions show that the following exposure pathways are currently incomplete:

- Exposure to COI in soil due to the impacted soil area being covered by gravel, asphalt, and/or concrete;
- Exposure to COI in groundwater because there are no groundwater users in the area overlying the groundwater plume;
- Exposure to COI in surface water because several rounds of surface water samples collected adjacent to and along the eastern drainage ditch have not detected COI; and
- Exposure to COI in sediment because sediments samples collected at the site did not detect COI.

In addition, it has been assumed that the exposure pathway for vapor-phase COI into the lumber supply storage shed property is incomplete because of the open plan and high ceiling of the building. If an exposure pathway is complete, and human exposure is possible, engineering controls and/or institutional controls will be implemented under the VRP to mitigate any exposure pathway. A description of potentially complete and incomplete exposure pathways will be presented in the VRP CSR, as necessary.

#### **7.4 Fate and Transport Pathways**

Based on the results of the receptor survey, fate and transport modeling utilizing the BioScreen groundwater model will be conducted. The results of any modeling, along with supporting backup, will be incorporated into the VRP CSR, as necessary.

#### **7.5 Recalculation of Risk Based Clean-up Standards / Instream Water Qualities**

The development of the RRSs for the site will be completed based on the results of the exposure assessment and fate and transport modeling for groundwater. The revised RRSs will be presented in the VRP CSR, as necessary. In addition, the instream mass flow of COCs will be obtained and compared against Georgia Instream Water Quality Standards.

## 8.0 Milestone Schedule

A projected milestone schedule is included in **Appendix B**. The projected milestone schedule may be revised as necessary and will commence with the effective date of the VIRP approval.

## 9.0 References

- AECOM, February 2016. December 2015 Surface Water and Annual Groundwater Sampling Report, Walker Street Maintenance Facility, Douglas, Coffee County, Georgia.
- Georgia Department of Natural Resources (GA DNR) Environmental Protection Division (EPD), March 2005. Approval of Groundwater Corrective Action Plan, Former GA DOT, District 4 Maintenance Headquarter, HSI #10025.
- GA DNR EPD, June 2015. Underground Injection Control Permit #GAW000639 for Injection of Hydrogen Peroxide/ISOTEC Catalyst 4260 at Former Georgia DOT, District 4 Maintenance Facility in Douglas, Georgia (EPD-HIS ID#10025).
- EMCON, November 1996. Revised Compliance Status Report for Walker Street Site, Douglas, GA.
- Herrick, S.M., and Vorhis, R.E., 1963. Subsurface Geology of the Georgia Coastal Plain: Georgia Geological Survey Information Circular 25, 80 pp.
- Huddlestun, Paul F., 1988. A Revision of the Lithostratigraphic Units of the Coastal Plain of Georgia: The Miocene through Holocene, Bulletin 104 (Atlanta: Georgia Geologic Survey, 1988).
- U.S. Environmental Protection Agency (US EPA), Region IV, Environmental Investigations: Standard Operating Procedures, and Quality Assurance Manual. November 2001.
- US EPA, 1999. Use of Monitored Natural Attenuation at Superfund, RCRA Corrective Action, and Underground Storage Tank Sites, OSWER Directive 9200.4-17P, Office of Solid Waste and Emergency Response Act.
- URS Corporation (URS), November 2004. Compliance Status Report Addendum, Walker Street Site Maintenance Facility, Douglas, Coffee County, Georgia.
- URS, January 2005. Corrective Action Plan, Walker Street Site, Douglas, GA.

URS, September 2005. Groundwater Flow & Fate and Transport Modeling, Walker Street Site Maintenance Facility, Douglas, Coffee County, Georgia.

URS, November 2011. Corrective Action Plan Addendum, Walker Street Site Maintenance Facility, Douglas, Coffee County, Georgia.

URS, March 2013. December 2012 Surface Water and Annual Groundwater Sampling Report, Walker Street Site Maintenance Facility, Douglas, Coffee County, Georgia.

URS, August 2013. In-Situ Chemical Oxidation Field Activities and Performance Monitoring Report, Walker Street Maintenance Facility, Douglas, Coffee County, Georgia.

URS, April 2014. January 2014 Surface Water and Annual Groundwater Sampling Report, Walker Street Maintenance Facility, Douglas, Coffee County, Georgia.

URS, December 2014. Full-Scale Groundwater Corrective Action Work Plan, Georgia Department of Transportation, Former Walker Street Maintenance Facility, Douglas, Coffee County, Georgia.

## **TABLES**

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	
Type 1 RRS (Groundwater)						700						0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000	
IWQS (Surface Water)						9.1				2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000	
GW-01I	GW-01I	μg/L	14-Dec-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5	
	GW-01I		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5	
	GW-01I		30-Dec-97	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5	
	GW-01I		14-Apr-98	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5	
	WS-W-GW-001I		19-Apr-04	<10					<10		<10				<10	<10	<10							<10	<10	<10	<10	<10	<10	
	WST-G-GW01I		28-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10	
	WST-G-GW-O1I		15-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10	
	WST-G-GW1I		31-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10	
	WST-G-DUP4		14-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10	
	WST-G-GW01I		14-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10	
	WST-G-GW 01I		12-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10	
	WST-G-GW01I		12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10	
	GW-0II		02-Dec-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	GW-0II		12-Dec-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	GW-0II		16-Jan-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	GW-II		07-Dec-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
GW-01S	GW-01S	μg/L	07-Dec-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5	
	GW-01S		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	6	<5	<5	
	GW-01S		30-Dec-97	14					24		<5				<5	<5	<5							<5	<5	<5	71	<5	<5	
	GW-01S		14-Apr-98	8					10		<5				<5	<5	<5							<5	<5	<5	29	<5	<5	
	GW-01S		28-Jun-00	8					11		<5				<5	<5	<5							<5	<5	<5	27	<5	<5	
	WS-W-GW1S		13-Feb-03	7.1	<10	<10	<10	<10	<10	<10	<0.5	<1	<0.05	<0.05	<0.1	<0.1	<0.05	<10	<10	<0.05	<0.1	<10	<10	<0.1	<0.1	<0.05	21	<0.05	<0.05	
	WS-W-GW-001S		12-Apr-04	<10					<10		<10				<10	<10	<10							<10	<10	<10	11	<10	<10	
	WST-G-GW01S		28-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10
	WST-G-GW-O1S		15-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10
	WST-G-GW1S		31-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	13	<10	<10
	WST-G-GW01S		14-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1</td								

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benz(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2					0.2	0.3			1000	1000	0.4	20		1000	
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000
GW-03I	GW-03I	μg/L	28-Jun-00	5			<5			10	<5	<5		<5	<5	<5	<5			<5			7	8	<5	14	8	<5	
WS-W-GW-3I			19-Feb-03	<0.5	<10	<10	<10	<0.5	<10	<10	<0.5	<1	<10	<0.05	<0.05	<0.1	<0.1	<0.05	<10	<10	<0.1	<10	<10	<10	<0.05	<0.5	<10	<10	
WS-W-GW-003I			13-Apr-04	<10			<10			110,000		0.0311		0.0311		0.0311								<10	<10	<10	<10	<10	<10
WST-G-GW03IR			22-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
03IR			13-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
WST-G-GW03IR			23-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
WST-G-DUP1			15-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
WST-G-GW03I			15-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
WST-G-GW03IR			19-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10
03IR			30-Nov-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
03IR			28-Feb-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.38	0.10	0.15	<10	<10	<10	<10	0.20	0.10	<10	<10	<10	0.12	<10	<10	
WSFG-GW03IR			08-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
WST-G-DUP 1			08-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
03IR			08-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
WST-G-GW03IR			12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
IR			11-Dec-07	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
WST-G-DUP2			11-Jun-08	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10
WST-G-GW3I			11-Jun-08	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
Dupe-2			05-Feb-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
WST-G-GW3I			05-Feb-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	0.32	0.15	0.31	<10	<10	NA	NA	0.13	0.14	NA	NA	<10	<10	0.15	<10	<10
Dupe-2			02-Jul-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	0.28	<0.050	<0.10	<0.10	<10	NA	NA	0.15	<0.10	NA	NA	<10	<10	0.050	<10	<10
WST-G-GW3IR			02-Jul-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	0.34	0.10	0.12	<10	<10	NA	NA	0.18	0.11	NA	NA	<10	<10	0.12	19	<10
DUP-2			10-Dec-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	0.11	0.050	<0.10	<0.10	<10	NA	NA	0.10	<0.10	NA	NA	<10	<10	<0.050	10	<10
WST-G-GW 3I			10-Dec-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	0.11	<0.050	<0.10	<0.10	<10	NA	NA	0.070	<0.10	NA	NA	<10	<10	<0.050	&lt	

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,6-Dinitrotoluene	2-Methylnaphthalene	2-Methylphenol	4-Methylphenol	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)																															
IWQS (Surface Water)																															
GW-05I	GW-05I	µg/L	07-Nov-94	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05I		23-Mar-95	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05I		15-Apr-98	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05I		02-Feb-00					<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	WS-W-GW-005I		13-Apr-04	<10				<10				<10	<10	<10			<10	<10	<10						<10	<10	<10	<10	<10	<10	
	WST-G-GW05IR		28-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	WST-G-DUP1		14-Dec-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	05IR		14-Dec-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	WST-G-GW05IR		23-Mar-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	WST-G-GW05IR		14-Jun-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	WST-G-GW05IR		22-Aug-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	05IR		30-Nov-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	05IR		28-Feb-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<b>0.18</b>	<0.050	<0.10						<10	<10	0.060	<10	<10	<10	
	05IR		08-Jun-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	05IR		07-Dec-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	WST-G-DUP 3		11-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	WST-G-GW05IR		11-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
GW-05S	GW-05S	µg/L	05-Oct-94	<5			10				9	<5	<5				<5	<5	<5						<5	<5	<5	18	10	<5	
	GW-05S		23-Mar-95	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05S		31-Dec-97	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05S		15-Apr-98	<5				<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	GW-05S		02-Feb-00					<5				<5	<5	<5			<5	<5	<5						<5	<5	<5	<5	<5	<5	
	WS-W-GW-005S		13-Apr-04	<10				<10				<10	<10	<10			<10	<10	<10						<10	<10	<10	<10	<10	<10	
	WST-G-DUP1		28-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	GW05SR		28-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	05SR		14-Dec-04	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	GW05SR		23-Mar-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	0.12	<10	<10	<10	
	GW05SR		14-Jun-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	GW05SR		22-Aug-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.05	<0.05	<0.1						<10	<10	<0.05	<10	<10	<10	
	05SR		30-Nov-05	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	05SR		28-Feb-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	05SR		08-Jun-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	05SR		07-Dec-06	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	WST-G-DUP-02		07-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	
	SR		07-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10			<0.050	<0.050	<0.10						<10	<10	<0.050	<10	<10	<10	

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	4-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)				700									0.1	0.2	0.2						0.2	0.3		1000	1000	0.4	20		1000	
IWQS (Surface Water)					9.1							2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311		370	14000	0.0311			11,000
GW-06D	GW-06D	µg/L	15-Apr-98	<5					<5			<5	<5		<5	<5	<5	<5						<5	<5	<5	<5	<5	<5	
GW-06D	06-Feb-00								<5			<5	<5	<5		<5	<5	<5						<5	<5	<5	<5	<5	<5	
GW06DR	23-Mar-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
GW06DR	15-Jun-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
GW06DR	22-Aug-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
06DR	01-Dec-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
06DR	01-Mar-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
06DR	07-Jun-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
WST-G-DUP-02	11-Dec-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<b>0.41</b>	<10	<10	<10	<10	0.23	<10	<10	<10
DR	11-Dec-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
DR	05-Jun-07		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	0.070	<0.10	<10	<10	<10	<10	<0.050	<b>0.40</b>	<10	<10	<10	<10	0.38	<10	<10	<10
WST-G-DUP 1	12-Dec-07		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<b>0.52</b>	<b>0.49</b>	<b>0.57</b>	<10	<10	NA	NA	<b>0.52</b>	<b>0.51</b>	NA	NA	<10	<10	<b>0.51</b>	<10	<10	<10
WST-G-GW 6DR	12-Dec-07		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.070	0.070	<0.10	<10	<10	NA	NA	0.080	<0.10	NA	NA	<10	<10	0.070	<10	<10	<10
06DR	10-Jun-08		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
WST-G-GW6D	04-Feb-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
WST-G-GW6DR	02-Jul-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
WST-G-GW6D	09-Dec-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<b>0.13</b>	0.12	0.11	<10	<10	NA	NA	0.13	0.12	NA	NA	<10	<10	0.12	<10	<10	<10
GW-6D	30-Nov-11		NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.50	<0.050
GW-6D	13-Dec-12		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-6D	16-Jan-14		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	0.06	<10	<10	<10
GW-6D	10-Dec-15		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene			
Type 1 RRS (Groundwater)				700	9.1	210	400	2700	2000	110,000	0.0311	0.0311	0.0311	5.92	0.0311	0.0311	0.0311	0.0311	0.0311	0.0311	0.0311	1000	1000	0.4	20		1000					
IWQS (Surface Water)																													11,000			
GW-06I	GW-06I	μg/L	07-Nov-94	210			400		88	<5	12			<5	<5	<5	<5	<5	<5	<5	<5	<5	25	76	<5	4000	170	14				
GW-06I	GW-06I		23-Mar-95	250			500		200	<5	<5			<5	<5	<5	<5	<5	<5	<5	<5	<5	93	<5	7000	66	<5					
GW-06I	GW-06I		15-Apr-98	690			1300		660	10	9			<5	<5	<5	<5	<5	<5	<5	<5	<5	10	290	<5	9700	190	8				
GW-06I	GW-06I		09-Feb-00				120		<5	<5	<5			<5	<5	<5	<5	<5	<5	<5	<5	<5	8	6	<5	1700	14	<5				
WS-W-GW6I	WS-W-GW6I		13-Feb-03	340	<10	<10	<10	740	<10	<10	440	<1	<10	<0.05	<0.05	<0.1	<0.1	<0.05	10	390	<0.05	<0.1	250	<10	<10	180	<0.05	9100	150	<10		
WS-W-GW 006I	WS-W-GW 006I		14-Apr-04	71			100		61	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	41	<10	1400	49	<10					
WST-G-GW6IR	WST-G-GW6IR		23-Sep-04	15	61	<10	<10	<10	120	<10	<10	12	<10	<10	0.24	0.050	<0.1	<10	<10	<10	<10	0.22	<0.1	36	<10	11	17	<0.05	2100	43	<10	
06IR	06IR		09-Dec-04	24	87	<10	<10	<10	150	<10	<10	14	<10	<10	0.12	<0.05	<0.1	<10	<10	<10	<10	0.13	<0.1	47	<10	11	20	<0.05	2100	49	<10	
WST-G-GW06IR	WST-G-GW06IR		24-Mar-05	<10	49	<10	<10	<10	49	<10	<10	<10	<10	<10	0.27	<0.05	<0.1	<10	<10	<10	<10	0.070	<0.1	21	<10	<10	12	<0.05	1100	21	<10	
WST-G-GW06IR	WST-G-GW06IR		15-Jun-05	<10	16	<10	<10	<10	10	<10	<10	<10	<10	<10	0.08	0.05	<0.1	<10	<10	<10	<10	0.06	<0.1	<10	<10	<10	<10	<0.05	390	<10	<10	
WST-G-GW06IR	WST-G-GW06IR		23-Aug-05	10	64	<10	<10	<10	87	<10	<10	<10	<10	<10	0.19	<0.05	<0.1	<10	<10	<10	<10	0.15	<0.1	33	<10	<10	15	<0.05	1400	29	<10	
06IR	06IR		01-Dec-05	19	75	<10	<10	<10	130	<10	<10	<10	<10	<10	0.16	<0.050	<0.10	<10	<10	<10	<10	0.10	<0.10	39	<10	<10	13	<0.050	1300	38	<10	
06IR	06IR		01-Mar-06	16	56	<10	<10	<10	83	<10	<10	<10	<10	<10	0.41	0.050	0.29	<10	<10	<10	<10	0.19	0.28	29	<10	<10	11	0.36	1200	23	<10	
06IR	06IR		07-Jun-06	12	75	<10	<10	<10	130	<10	<10	<10	<10	<10	0.17	<0.050	<0.10	<10	<10	<10	<10	0.14	<0.10	38	<10	<10	12	<0.050	1800	28	<10	
IR	IR		11-Dec-06	18	45	<10	<10	<10	120	<10	<10	<10	<10	<10	0.16	<0.050	<0.10	<10	<10	<10	<10	0.11	<0.10	38	<10	<10	<10	0.050	1400	31	<10	
WST-G-GW 6IR	WST-G-GW 6IR		05-Jun-07	30	120	<10	<10	<10	270	<10	<10	55	<10	<10	0.83	0.060	0.17	<10	<10	<10	<10	29	0.44	<0.10	60	<10	<10	28	<0.050	4100	39	<10
WST-G-DUP1	WST-G-DUP1		12-Dec-07	NA	49	NA	NA	NA	93	NA	NA	<10	<10	<10	0.24	<0.050	0.11	<10	NA	NA	NA	0.24	<0.10	NA	NA	<10	<10	<0.050	1500	20	<10	
06IR	06IR		10-Jun-08	NA	45	NA	NA	NA	53	NA	NA	<10	<10	19	0.47	<0.050	<0.10	<10	NA	NA	NA	0.14	<0.10	NA	NA	<10	10	<0.050	870	18	<10	
DUPE-1	DUPE-1		10-Jun-08	NA	48	NA	NA	NA	61	NA	NA	<10	<10	10	0.86	0.41	0.35	<10	NA	NA	NA	0.40	0.34	NA	NA	<10	10	0.39	990	20	<10	
WST-G-GW6I	WST-G-GW6I		04-Feb-09	NA	61	NA	NA	NA	89	NA	NA	<10	<10	<10	0.34	0.070	0.11	<10	NA	NA	NA	0.35	<0.10	NA	NA	<10	<10	0.090	1200	23	<10	
WST-G-GW6I	WST-G-GW6I		04-Feb-09	NA	70	NA	NA	NA	100	NA	NA	<10	<10	<10	0.41	0.060	<0.10	<10	NA	NA	NA	0.32	<0.10	NA	NA	<10	13	<0.050	1100	28	<10	
Dupe-1	Dupe-1		01-Jul-09	NA	200	NA	NA	NA	420	NA	NA	160	<10	<10	0.60	<0.050	<0.10	<10	NA	NA	NA	0.28	<0.10	NA	NA	<10	63	<0.050	5700	57	<10	
WST-G-GW6I	WST-G-GW6I		01-Jul-09	NA	210	NA	NA	NA	440	NA	NA	150	<10	<10	0.89	0.10	0.14	<10	NA	NA	NA	0.45	<0.10	NA	NA	10	62	0.080	5200	61	<10	
WST-G-GW6I	WST-G-GW6I		09-Dec-09	NA	110	NA	NA	NA	160	NA	NA	11	<10	<10	0.27	<0.050	<0.10	<10	NA	NA	NA	0.18	<0.10	NA	NA	<10	15	<0.050	2200			

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benz(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene				
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2					0.2	0.3			1000	1000	0.4	20		1000					
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000				
GW-06S	GW-06S	μg/L	23-Mar-95	300			600			300	7	<5			<5	<5	<5	<5			<5			<5	76	<5	7000	60	<5				
	GW-06S		21-Apr-98	72			110			89	<5	<5			<5	<5	<5	<5			<5			<5	35	<5	1800	25	<5				
	GW-06S		08-Feb-00				65			160	5	<5			<5	<5	<5	<5			<5			<5	32	<5	1400	12	<5				
WS-W-GW 006S	WS-W-GW 006S		14-Apr-04	230			360			180	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	62	<10	3300	23	<10				
WST-G-GW6SR	WST-G-GW6SR		23-Sep-04	35	260	300	<10	<10	460	47	30	240	<10	<10	0.11	<0.05	<0.1	<0.1	<10	<10	<10	120	<0.05	<0.1	110	<10	<10	85	<0.05	5900	52	<10	
WST-G-GW-6SR	WST-G-GW-6SR		10-Dec-04	64	330	280	<10	<10	610	48	35	300	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	110	<0.05	<0.1	130	<10	<10	110	<0.05	6400	89	<10	
WST-G-DUP2	WST-G-DUP2		23-Mar-05	<10	140	210	<10	<10	160	34	23	150	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<0.05	<0.1	60	<10	<10	58	<0.05	2400	35	<10	
GW06SR	GW06SR		23-Mar-05	13	150	210	<10	<10	190	<10	25	160	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	44	<0.05	<0.1	64	<10	<10	60	0.060	2800	32	<10	
GW06SR	GW06SR		15-Jun-05	<10	110	250	<10	<10	150	35	25	110	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	35	<0.05	<0.1	38	<10	<10	43	<0.05	2700	27	<10	
GW06SR	GW06SR		22-Aug-05	<10	130	130	<10	<10	160	30	16	110	<10	<10	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	63	<0.05	<0.1	47	<10	<10	47	<0.05	1500	30	<10	
WST-G-DUP 01	WST-G-DUP 01		01-Dec-05	18	220	270	<10	<10	390	32	<10	150	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	140	<0.050	<0.10	75	<10	<10	66	<0.050	5000	40	<10	
06SR	06SR		01-Dec-05	<10	260	340	<10	<10	440	35	<10	160	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	150	<0.050	<0.10	77	<10	<10	70	<0.050	6000	43	<10	
06SR	06SR		01-Mar-06	14	150	260	<10	<10	270	23	<10	180	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	66	<10	<10	63	<0.050	3700	42	<10	
SR	SR		07-Jun-06	<10	200	300	<10	<10	330	24	20	240	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	67	<10	<10	74	<0.050	4200	43	<10	
SR	SR		11-Dec-06	<10	32	50	<10	<10	52	<10	<10	57	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	21	<10	<10	23	0.060	760	17	<10	
WST-G-GW 6SR	WST-G-GW 6SR		07-Jun-07	11	46	49	<10	<10	66	<10	<10	65	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<0.050	<0.10	21	<10	<10	24	<0.050	410	11	<10	
06SR	06SR		12-Dec-07	NA	110	NA	NA	NA	120	NA	NA	110	<10	<10	0.080	0.060	<0.10	<0.10	<10	NA	NA	NA	0.080	<0.10	NA	NA	<10	41	0.060	2200	25	<10	
WST-G-GW6S	WST-G-GW6S		10-Jun-08	NA	70	NA	NA	NA	34	NA	NA	67	<10	<10	0.090	<0.050	<0.10	<0.10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	36	<0.050	1100	13	<10	
WST-G-GW6S	WST-G-GW6S		04-Feb-09	NA	24	NA	NA	NA	<10	NA	NA	27	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	NA	0.050	<0.10	NA	NA	<10	15	<0.050	370	12	<10	
WST-G-GW6S	WST-G-GW6S		01-Jul-09	NA	47	NA	NA	NA	<10	NA	NA	58	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	26	<0.050	120	<10	<10	
WST-G-GW6S	WST-G-GW6S		09-Dec-09	NA	51	NA	NA	NA	<10	NA	NA	70	<10	<10	0.35	0.29	0.31	<0.10	<10	NA	NA	NA	0.29	0.32	NA	NA	<10	38	0.29	700	17	<10	
GW-6S	GW-6S	μg/L	30-Nov-11	NA	33	NA	NA	NA	1.1	NA	NA	32	<1.0	1.1	<0.050	<0.050	<0.10	<0.10	<0.10	<0.050	NA	NA	NA	<0.050	<0.10	NA	NA	0.99	12	<0.050	290	15	0.45
GW-6S	GW-6S		14-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	NA	<0.050	<0.10</td										

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)						700						0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000
IWQS (Surface Water)						9.1				2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000
GW-08D	GW-08D	μg/L	14-Dec-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-08D		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-08D Dup		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-08D		14-Apr-98	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	WST-G-GW08D		14-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	
	WST-G-GW-8D		09-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
	WST-G-GW08D		12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
	5		12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
GW-08S	GW-08S	μg/L	07-Dec-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-08S		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-08S		14-Apr-98	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	WST-G-GW08S		14-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	
	WST-G-GW-8S		09-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
	WST-G-DUP-4		08-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
	WST-G-GW-8 S		08-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	
GW-09I	GW-09I	μg/L	07-Nov-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09I		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09I		08-Feb-00	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
GW-09S	GW-09S	μg/L	07-Nov-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09S		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09S		16-Apr-98	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09S		08-Feb-00						<5		<5				<5	<5	<5							<5	<5	<5	<5	26	<5
	GW-09S		28-Jun-00	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-09S Dup		28-Jun-00	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
GW-10I	GW-10I	μg/L	03-Nov-94	<5					<5		<5				<5	<5	<5							<5	<5	<5	5	<5	<5
	GW-10I		23-Mar-95	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	GW-10I		30-Dec-97	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5
	WST-G-GW10I		21-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	&lt							

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700	9.1	2000						0.1	0.2	0.2	5.92				0.2	0.3		1000	1000	0.4	20		1000				
IWQS (Surface Water)											110,000	0.0311	0.0311	0.0311					0.0311	0.0311		370	14000	0.0311			11,000				
GW-11D	WST-G-GW11D	µg/L	12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	0.27	0.070	0.26	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	0.10	<10	<10	<10				
GW-11I	GW-11I	µg/L	07-Nov-94	110		91		12	<5	<5		<5	<5	<5	<5							<5	32	<5	1100	47	<5				
	GW-11I		23-Mar-95	87		200		<5	<5	<5		<5	<5	<5	<5							<5	28	<5	1900	43	<5				
	GW-11I		31-Dec-97	120		260		<5	<5	<5		<5	<5	<5	<5							<5	33	<5	2400	60	<5				
	GW-11I		22-Apr-98	160		320		6	<5	<5		<5	<5	<5	<5							<5	37	<5	3000	66	<5				
	GW-11I		04-Feb-00			300		6	<5	<5		<5	<5	<5	<5							<5	30	<5	4200	96	<5				
	WS-W-GW11I		14-Feb-03	140	<10	<10	<10	200	<10	<10	12	<10	<10	<10	<10	<10	<10	<10	26	<10	<10	97	<10	<10	34	<10	2300	71	<10		
	WS-W-GW-11I		13-Apr-04	150		260		21	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10		<10	<10		<10	35	<10	2800	60	<10			
	WST-G-GW11I		29-Sep-04	18	68	<10	<10	<10	100	<10	<10	<10	<10	<0.05	0.050	<0.1	<10	<10	<10	21	<0.05	<0.1	40	<10	<10	16	0.070	1300	28	<10	
	WST-G-DUP2		16-Dec-04	36	110	<10	<10	<10	160	<10	<10	19	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	26	<0.05	<0.1	74	<10	<10	29	<0.05	2100	45	<10
	WST-G-GW-11I		16-Dec-04	36	110	<10	<10	<10	170	<10	<10	19	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	26	<0.05	<0.1	75	<10	<10	29	<0.05	2300	45	<10
	WST-G-GW11I		29-Mar-05	23	87	<10	<10	<10	97	<10	<10	18	<10	<10	0.050	0.080	0.16	<10	<10	<10	28	0.080	<0.1	58	<10	1.7	21	0.10	1800	35	<10
	WST-G-GW11I		21-Jun-05	46	160	<10	<10	<10	190	<10	<10	33	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	45	<0.05	<0.1	94	<10	<10	38	<0.05	3000	54	<10
	WST-G-GW11I		29-Aug-05	38	150	<10	<10	<10	190	<10	<10	30	<10	<10	<0.05	<0.05	0.1	<10	<10	<10	41	0.06	<0.1	85	<10	<10	34	0.05	2500	51	<10
	WST-G-GW 1II		06-Dec-05	42	160	<10	<10	<10	220	<10	<10	33	<10	<10	<b>0.13</b>	0.11	<b>0.28</b>	<10	<10	<10	40	0.13	<0.10	91	<10	<10	37	0.16	2700	58	<10
	WST-G-GW 1II		07-Mar-06	40	130	<10	<10	<10	140	<10	<10	35	<10	<10	<0.050	<0.050	0.19	<10	<10	<10	38	0.070	<0.10	89	<10	<10	37	0.13	2100	50	<10
	WST-G-GW-1II		15-Jun-06	36	100	<10	<10	<10	130	<10	<10	34	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	33	<0.050	<0.10	73	<10	<10	32	<0.050	1500	41	<10
	WST-G-GW 1II		14-Dec-06	38	92	<10	<10	<10	120	<10	<10	38	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	31	<0.050	<0.10	86	<10	<10	36	0.050	1600	49	<10
	WST-G-GW 1II		13-Jun-07	40	120	<10	<10	<10	160	<10	<10	43	<10	<10	0.090	0.14	<b>0.34</b>	<10	<10	<10	35	0.16	<0.10	87	<10	<10	39	0.14	2900	48	<10
	WST-G-GW 1II		13-Dec-07	NA	120	NA	NA	NA	87	NA	NA	35	<10	<10	<b>0.10</b>	0.13	<b>0.25</b>	<10	<10	NA	NA	0.15	<0.10	NA	NA	<10	33	0.14	2000	45	<10
	WST-G-GW11I		12-Jun-08	NA	200	NA	NA	NA	140	NA	NA	66	<10	<10	<b>0.18</b>	0.12	<b>0.21</b>	<10	<10	NA	NA	0.10	<0.10	NA	NA	<10	66	0.13	3100	81	<10
	WST-G-GW11I		03-Feb-09	NA	150	NA	NA	NA	98	NA	NA	52	<10	<10	<b>0.63</b>	<b>0.54</b>	<b>0.65</b>	<10	<10	NA	NA	<b>0.61</b>	<b>0.51</b>	NA	NA	<10	48	<b>0.57</b>	1500	65	<10
	WST-G-GW11I		30-Jun-09	NA	120	NA	NA	NA	76	NA	NA	43	<10	<10	<b>0.29</b>	0.17	0.18	<10	<10	NA	NA	0.16	<b>0.31</b>	NA	NA	<10	41	0.27	1900	51	<10
	WST-G-GW 1II		09-Dec-09	NA	120	NA	NA	NA	86	NA	NA	53	<10	<10	0.050	0.10	<b>0.20</b>	<10	<10	NA	NA	0.12	<0.10	NA	NA	<10	54	0.12	1100	64	<10
	GW-11I		29-Nov-11	NA	110	NA	NA	NA	12	NA	NA	35	1.4	<0.																	

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	4-Methylphenol	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)				700									0.1	0.2	0.2						0.2	0.3		1000	1000	0.4	20		1000	
IWQS (Surface Water)					9.1							2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311		370	14000	0.0311			11,000
GW-11S	GW-11S	μg/L	07-Nov-94	<5					<5		<5		<5		<5		<5				<5			<5	<5	<5	<5	<5	<5	<5
GW-11S	GW-11S		23-Mar-95	<5					<5		<5		<5		<5		<5				<5			<5	<5	<5	<5	<5	<5	<5
GW-11S	GW-11S		22-Apr-98	<5					<5		<5		<5		<5		<5				<5			<5	<5	<5	<5	<5	<5	<5
GW-11S	GW-11S		04-Feb-00						<5		<5		<5		<5		<5				<5			<5	<5	<5	<5	<5	<5	<5
WST-G-DUP 2	WST-G-DUP 2		29-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	0.050	0.14	<10	<10	<10	<10	0.080	<0.1	<10	<10	<10	<10	0.060	<10	<10	
WST-G-GW11S	WST-G-GW11S		29-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW-11S	WST-G-GW-11S		16-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW11S	WST-G-GW11S		29-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	0.090	<0.1	<10	<10	<10	<10	<0.05	0.19	<10	<10	<10	<10	0.15	<10	<10	
WST-G-GW11S	WST-G-GW11S		21-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW11S	WST-G-GW11S		29-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW 11S	WST-G-GW 11S		06-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	
WST-G-GW 11S	WST-G-GW 11S		07-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	
WST-G-GW-11S	WST-G-GW-11S		15-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	
WST-G-GW 11S	WST-G-GW 11S		14-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	
WST-G-GW-11S	WST-G-GW-11S		13-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	
WST-G-GW 11S	WST-G-GW 11S		13-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW11S	WST-G-GW11S		12-Jun-08	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<b>0.13</b>	0.13	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW11S	WST-G-GW11S		03-Feb-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.060	0.070	<0.10	<10	<10	NA	NA	0.060	<0.10	NA	NA	<10	<10	0.080	<10	<10	
WST-G-GW11S	WST-G-GW11S		30-Jun-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW11S	WST-G-GW11S		09-Dec-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<b>0.10</b>	0.080	0.11	<10	<10	NA	NA	0.090	<0.10	NA	NA	<10	<10	0.10	<10	<10	
GW-11S	GW-11S		29-Nov-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	
GW-11S	GW-11S		11-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
GW-11S	GW-11S		14-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
GW-11S	GW-11S		08-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<b>0.18</b>	<b>0.29</b>															

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	4-Methylphenol	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700									0.1	0.2	0.2						0.2	0.3		1000	1000	0.4	20		1000			
IWQS (Surface Water)					9.1							2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311		370	14000	0.0311			11,000		
GW-12D		μg/L	09-Feb-95	<5					<5			<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5		
GW-12D			06-Jan-97	<5					<5			<5	<5	<5		<5	<5	<5							<5	<5	<5	<5	<5	<5		
GW-12D			03-Feb-00	<5					<5			<5	<5	<5		<5	<5	<5							<5	<5	<5	<5	<5	<5		
WS-W-GW 012D			14-Apr-04	<10					<10			<10	<10	<10	<10	<10	<10	<10							<10	<10	<10	<10	<10	<10		
GW12DR			30-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10			
I2DR			14-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
GW12DR			30-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
GW12DR			22-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
GW12DR			30-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
WST-G-DUP 2			06-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
I2DR			06-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
I2DR			08-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
GW-12D			13-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
DR MS/MSD			13-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
WST-G-GW-12D			14-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
WST-G-GW 12D			13-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<0.050	<10	<10	<10		
DUP 3 120			13-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.48	0.50	0.51	<10	<10	NA	NA	NA	0.52	0.58	NA	NA	<10	<0.55	<10	<10	<10	
GW12DR			12-Jun-08	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	1.2	0.64	0.51	<10	<10	NA	NA	NA	0.67	0.61	NA	NA	<10	<10	0.67	<10	<10	<10
WST-G-GW12D			04-Feb-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.25	0.21	0.24	<10	<10	NA	NA	NA	0.27	0.18	NA	NA	<10	<10	0.19	18	<10	<10
WST-G-12DR			01-Jul-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.46	0.17	0.19	<10	<10	NA	NA	NA	0.27	0.17	NA	NA	<10	<10	0.18	<10	<10	<10
WST-G-GW12D			08-Dec-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-12D			01-Dec-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	<0.050
GW-12D			11-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-12D			14-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050</td																	

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700	9.1	2700	110,000	0.0311	0.0311	0.0311	5.92						0.0311	0.0311	0.2	0.3				1000	1000	0.4	20		1000		
IWQS (Surface Water)																								370	14000	0.0311				11,000	
GW-12I	GW-12I	μg/L	03-Nov-94	600		1300		700	18	32		<5	<5	<5	<5	<5			<5				55	350	<5	5000	350	28			
GW-12I	GW-12I		06-Jan-97	190		400		240	13	15		<5	<5	<5	<5	<5			<5				35	170	<5	1900	220	16			
GW-12I	21-Apr-98		220		380		240	17	16		<5	<5	<5	<5	<5			<5				43	170	<5	2200	220	20				
GW-12I	03-Feb-00			500		330	20	15		<5	<5	<5	<5	<5			<5				45	160	<5	4400	300	20					
WS-W-GW12I	14-Feb-03		110	<10	<10	<10	86	<10	<10	120	<10	<10	<10	<10	<10	<0.1	<10	10	80	<10	<0.1	99	<10	28	89	<0.05	1200	110	13		
WS-W-GW-012I	15-Apr-04		<10			<10		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10		
WST-G-GW12IR	30-Sep-04		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
I2IR	13-Dec-04		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	11	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
WST-G-GW12IR	31-Mar-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
WST-G-GW12IR	22-Jun-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
WST-G-GW12IR	30-Aug-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	
I2IR	06-Dec-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
I2IR	08-Mar-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
I2IR	13-Jun-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
IR	13-Dec-06		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
I2IR	13-Jun-07		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	
I2IR	13-Dec-07		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.88	0.91	0.99	<10	<10	NA	NA	NA	0.88	1.0	NA	NA	<10	<10	0.98	<10	<10	<10	
WST-G-GW12IR	12-Jun-08		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.14	0.14	0.14	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
WST-G-GW12I	04-Feb-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.10	<0.10	<0.10	<0.20	<10	<10	NA	NA	NA	0.10	<0.20	NA	NA	<10	<10	<0.10	<10	<10	<10
WST-G-12IR	01-Jul-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.42	0.050	0.050	<0.10	<10	<10	NA	NA	NA	0.20	<0.10	NA	NA	<10	<10	0.050	<10	<10	<10
WST-G-GW12I	08-Dec-09		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-12I	01-Dec-11		NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	<0.050
GW-12I	11-Dec-12		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-12I	14-Jan-14		NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.053	0.051	0.051																

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene			
Type 1 RRS (Groundwater)				700	9.1	2700	110,000	0.0311	0.0311	0.0311	5.92						0.0311	0.0311	0.2	0.3				1000	1000	0.4	20		1000			
IWQS (Surface Water)																									370	14000	0.0311			11,000		
GW-12S	GW-12S	μg/L	03-Nov-94	400		850		550	20	24		<5	<5	<5	<5	<5			<5					65	300	<5	3000	350	33			
GW-12S	GW-12S		06-Jan-97	220		360		280	7	12		<5	<5	<5	<5	<5			<5					24	130	<5	1900	150	13			
GW-12S	22-Apr-98		400		680		440	18	17		<5	<5	<5	<5	<5			<5					47	220	<5	3800	240	24				
GW-12S	03-Feb-00			21		43	<5	<5			<5	<5	<5	<5	<5			<5					6	25	<5	180	42	<5				
WS-W-GW 012S	14-Apr-04		290		250		250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	99	<10	2800	63	<10					
GW12SR	12SR		29-Sep-04	30	230	<10	<10	<10	300	<10	130	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	89	<10	<10	64	<0.05	2900	59	<10		
GW12SR	12SR		14-Dec-04	79	360	<10	<10	<10	540	<10	<10	330	12	<10	<0.05	<0.05	<0.1	<10	<10	<10	120	<0.05	<0.1	220	<10	<10	130	<0.05	5200	110	<10	
GW12SR	12SR		30-Mar-05	85	330	<10	<10	<10	510	<10	<10	320	13	<10	<0.05	<0.05	<0.1	<10	<10	<10	220	<0.05	<0.1	210	<10	<10	120	<0.05	5000	100	<10	
GW12SR	12SR		22-Jun-05	69	320	<10	<10	<10	470	<10	<10	270	13	<10	<0.05	<0.05	<0.1	<10	<10	<10	210	<0.05	<0.1	190	<10	<10	120	<0.05	3800	110	<10	
GW12SR	12SR		30-Aug-05	69	310	<10	<10	<10	480	<10	<10	310	14	<10	<0.05	<0.05	<0.1	<10	<10	<10	210	0.07	0.11	210	<10	<10	120	0.05	4800	110	<10	
GW12SR	12SR		06-Dec-05	72	340	<10	<10	<10	440	<10	<10	300	12	<10	<0.050	<0.050	<0.10	<10	<10	<10	230	<0.050	<0.10	200	<10	<10	110	<0.050	5400	99	<10	
GW12SR	12SR		08-Mar-06	83	340	<10	<10	<10	420	<10	<10	380	14	<10	<0.050	<0.050	<0.10	<10	<10	<10	100	<0.050	<0.10	230	<10	<10	130	<0.050	5500	100	<10	
GW12SR	12SR		13-Jun-06	45	320	<10	<10	<10	400	<10	<10	370	10	<10	<0.050	<0.050	<0.10	<10	<10	<10	130	<0.050	<0.10	130	<10	<10	98	<0.050	4800	83	<10	
GW12SR	12SR		13-Dec-06	46	150	<10	<10	<10	64	<10	<10	240	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	120	<0.050	<0.10	130	<10	<10	92	<0.050	3100	69	<10	
GW12SR	12SR		13-Jun-07	69	250	<10	<10	<10	120	<10	<10	290	12	<10	<0.050	<0.050	<0.10	<10	<10	<10	160	<0.050	<0.10	180	<10	<10	140	<0.050	2600	99	<10	
WST-G-GW 12S	NA		13-Dec-07	NA	210	NA	NA	NA	86	NA	NA	260	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	110	<0.050	3000	87	<10	
GW12SR	NA		12-Jun-08	NA	370	NA	NA	NA	150	NA	NA	360	<10	<10	<b>0.16</b>	0.15	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	180	<0.050	4900	140	<10	
WST-G-GW12S	NA		04-Feb-09	NA	340	NA	NA	NA	88	NA	NA	340	12	<10	0.090	0.070	<0.10	<10	<10	NA	NA	NA	0.10	<0.10	NA	NA	<10	160	0.080	4100	110	<10
GW12SR	NA		01-Jul-09	NA	240	NA	NA	NA	70	NA	NA	270	12	<10	<b>0.36</b>	<b>0.26</b>	<b>0.25</b>	<10	<10	NA	NA	NA	<b>0.23</b>	0.28	NA	NA	<10	140	0.31	3500	110	<10
WST-G-GW12S	NA		08-Dec-09	NA	340	NA	NA	NA	84	NA	NA	340	12	<10	0.090	0.070	<0.10	<10	<10	NA	NA	NA	0.090	<0.10	NA	NA	<10	150	0.070	3800	120	<10
GW-12S	NA		01-Dec-11	NA	280	NA	NA	NA	67	NA	NA	250	<10	3.3	<0.50	<0.050	<0.10	<1.0	<0.50	NA	NA	NA	<0.50	<0.10	NA	NA	4.1	110	<0.050	4600	98	1.6
GW-12S	NA		11-Dec-12	NA	390	NA	NA	NA	110	NA	NA	320	11	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	150	<0.050	5500	140	<10
GW-12S	NA		14-Jan-14	NA	210	NA	NA	NA	43	NA	NA	190	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	0.09	NA	NA	<10	100	0.18	2700	91	<10
GW-12S	NA		07-Dec-15	NA	410	NA	NA	NA	51	NA	NA	450	10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	200				

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,6-Dinitrotoluene	2-Methylnaphthalene	2-Methylphenol	4-Methylphenol	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benz(g,h,i)perylene	Benz(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
Type 1 RRS (Groundwater)																															
IWQS (Surface Water)																															
GW-13S	GW-13S	μg/L	09-Feb-95	<5				<5				<5	<5	<5		<5	<5	<5	<5							<5	<5	<5	<5	<5	
	GW-13S		07-Jan-98	<5				<5				6	<5	<5		<5	<5	<5	<5							<5	<5	<5	<5	<5	
	GW-13S		21-Apr-98	<5				<5				7	<5	<5		<5	<5	<5	<5							<5	<5	<5	<5	<5	
	GW-13S		03-Feb-00					<5				11	<5	5		<5	<5	<5	<5							<5	<5	<5	<5	<5	
	WS-W-GW 013S		14-Apr-04	<10				<10				<10	<10	<10	<10	<10	<10	<10	<10						<10	<10	<10	<10	<10		
	WST-G-GW13S		30-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW-13S		20-Dec-04	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW13S		22-Jun-05	<10	<10	<10	<10	<10	<10			11	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW 13S		14-Jun-06	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	0.060	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	
	WST-G-GW-13S		14-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	
	WST-G-GW 13S		13-Dec-07	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<0.050	<10	<10		
	WST-G-GW13S		11-Jun-08	NA	<10	NA	NA	<10	NA	NA	12	<10	<10	<10	<b>0.10</b>	0.080	<0.10	<10	<10	NA	NA	NA	0.060	<0.10	NA	NA	<0.070	<10	<10		
	WST-G-GW13S		04-Feb-09	NA	<10	NA	NA	<10	NA	NA	16	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	0.050	<0.10	NA	NA	<0.050	<10	<10		
	WST-G-GW13S		01-Jul-09	NA	<10	NA	NA	<10	NA	NA	11	<10	<10	<10	<b>0.48</b>	<b>0.36</b>	<b>0.37</b>	<10	<10	NA	NA	NA	<b>0.32</b>	<b>0.44</b>	NA	NA	<0.43	<10	<10		
	WST-G-GW13S		08-Dec-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<b>0.18</b>	0.090	0.10	<10	<10	NA	NA	NA	0.090	0.10	NA	NA	<0.11	<10	<10		
	GW-13S		01-Dec-11	NA	0.92	NA	NA	<0.50	NA	NA	22	<1.0	1.5	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	NA	<0.050	<0.10	NA	NA	1.6	1.1	<0.050	0.79	2.3	
	GW-13S		11-Dec-12	NA	<10	NA	NA	<10	NA	NA	17	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<0.050	<10	<10		
	GW-13S		13-Jan-14	NA	<10	NA	NA	<10	NA	NA	15	<1.0	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<0.050	<10	<10			
	GW-13S		08-Dec-15	NA	<10	NA	NA	<10	NA	NA	19	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<0.050	<10	<10		
GW-14I	GW-14I	μg/L	09-Feb-95	<5			<5				<5	<5	<5		<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		
	GW-14I		21-Apr-98	<5			<5				<5	<5	<5		<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		
	GW-14I		03-Feb-00				<5				<5	<5	<5		<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		
	WS-W-GW-014I		15-Apr-04	<10			<10				<10	<10	<10	<10	<10	<10	<10	<10	<10						<10	<10	<10	<10	<10		
	WST-G-DUP3		30-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW14I		30-Sep-04	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW-14I		20-Dec-04	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW14I		30-Mar-05	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW14I		24-Jun-05	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW14I		29-Aug-05	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<0.05	<10	<10	
	WST-G-GW14I		08-Dec-05	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	
	WST-G-GW14I		07-Mar-06	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.11	<10	<10	<0.13	<10	<10	
	WST-G-GW14I		13-Jun-06	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	
	WST-G-GW-14I		12-Dec-06	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	
	WST-G-GW-14I		13-Jun-07	<10	<10	<10	<10	<10	<10			<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<0.050	<10	<10	

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	
Type 1 RRS (Groundwater)				700							0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000		
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000	
GW-14S	GW-14S	μg/L	09-Feb-95	<5					<5		<5				<5									<5	<5	<5	<5	<5	<5	
	GW-14S		21-Apr-98	<5					<5		<5		<5		<5	<5	<5							<5	<5	<5	<5	<5	<5	
	GW-14S		03-Feb-00						<5		<5		<5		<5	<5	<5							<5	<5	<5	<5	<5	<5	
	WS-W-GW-014S		15-Apr-04	<10					<10		<10		<10		<10	<10	<10							<10	<10	<10	<10	<10	<10	
	WST-G-GW14S		30-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	
	WST-G-GW-14S		17-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	
	WST-G-DUP3		30-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	0.12	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.20	<10	<10	
	WST-G-GW14S		30-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10		
	WST-G-DUP 03		23-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10		
	WST-G-GW14S		23-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10		
	WST-G-GW14S		29-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10		
	WST-G-GW 14S		06-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	WST-G-DUP2		07-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	WST-G-GW 14S		07-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	DUP-02		13-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	WST-G-GW-14S		13-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	S		12-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
	WST-G-GW-14S		13-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10		
GW-15I	GW-15I	μg/L	09-Feb-95	<5					<5		<5				<5	<5	<5								<5	<5	<5	<5	<5	<5
	GW-15I		21-Apr-98	<5					<5		<5		<5		<5	<5	<5								<5	<5	<5	<5	<5	<5
	WST-G_GW15I		31-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10			
	WST-G-GW15I		22-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10			
	WST-G-GW15I		30-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<10	<10			
	WST-G-GW 15I		06-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10			
	WST-G-GW 15I		07-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10			
	WST-G-GW-15 I																													

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700							0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000			
IWQS (Surface Water)				9.1						2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000		
GW-17I	GW-17I	μg/L	22-Apr-98	<5					<5		<5				<5																
	GW-17I		04-Feb-00						<5		<5		<5		<5	<5	<5														
	WS-W-GW-017I		13-Apr-04	<10					<10		<10		<10		<10	<10	<10														
	WST-G-DUP4		29-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW17I		29-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	0.070	<0.1	<10	<10	<10	<10	<0.05	0.19	<10	<10	<10	<10	0.21	<10	<10	<10		
	WST-G-GW-17I		15-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW17I		21-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW 17I		14-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW-17I		14-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW 17I		13-Dec-07	'	<10	'	NA	NA	<10	'	NA	<10	<10	1.1	1.2	1.4	<10	<10	NA	NA	NA	1.2	1.2	NA	NA	<10	<10	1.2	<10	<10	<10
	WST-G-GW17I		11-Jun-08	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.29	0.32	0.22	<10	<10	NA	NA	NA	0.28	0.24	NA	NA	<10	<10	0.26	<10	<10	<10
	WST-G-GW17I		03-Feb-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	12	<10	<10
	WST-G-GW17I		30-Jun-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.85	0.55	0.63	<10	<10	NA	NA	NA	0.64	0.56	NA	NA	<10	<10	0.57	<10	<10	<10
	WST-G-GW 17 I		10-Dec-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-17 I		29-Nov-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.10	<10	<0.050	NA	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	<0.050
	GW-17I		10-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-17I		13-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-17I		08-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-17S	GW-17S	μg/L	22-Apr-98	<5					<5		<5		<5		<5	<5	<5									<5	<5	<5	<5	<5	<5
	GW-17S		04-Feb-00	<5					<5		<5		<5		<5	<5	<5									<5	<5	<5	<5	<5	<5
	WS-W-GW-017S		13-Apr-04	<10					<10		<10		<10		<10	<10	<10								<10	<10	<10	<10	<10	<10	
	WST-G-GW17S		28-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW-17S		15-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW17S		21-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW 17S		14-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10</td						

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene				
Type 1 RRS (Groundwater)						700						0.1	0.2	0.2						0.2	0.3				1000	0.4	20		1000				
IWQS (Surface Water)						9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000			
GW-19I	GW-19I	μg/L	22-Apr-98	<5				<5			<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5				
	WST-G-GW19I		20-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10				
	WST-G-GW 19I		12-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10				
	WST-G-GW19I		12-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10				
GW-19S	GW-19S	μg/L	22-Apr-98	<5				<5			<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5				
	WST-G-GW19S		20-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10				
	WST-G-GW 19S		12-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10				
	S		08-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10				
GW-20I	GW-20I	μg/L	14-Apr-98	<5				<5			<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5				
	GW-20I		05-Feb-00					<5			<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5				
	WST-G-GW20IR		22-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	0.14	<10	<10	<10	<10	0.15	<10	<10	<10				
	20IR		09-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10				
	WST-G-GW20IR		24-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	0.16	<10	<10	<10	<10	0.22	49	<10	<10				
	WST-G-GW20I		16-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10				
	WST-G-GW20I		23-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	56	<10	<10				
	20IR		01-Dec-05	<10	17	<10	<10	33	<10	<10	13	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	16	<10	<10	13	<0.050	210	24	<10	<10			
	WST-G-DUP 1		01-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	29	<10	<10				
	WST-G-GW 20I		01-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	120	20	<10	<10			
	20IR		07-Jun-06	<10	17	<10	<10	31	<10	<10	10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	15	<10	<10	11	<0.050	270	16	<10	<10			
	R		06-Dec-06	<10	11	<10	<10	13	<10	<10	11	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	10	<10	<10	<10	<0.050	100	12	<10	<10			
	WST-G-GW20IR		11-Jun-07	<10	<10	<10	<10	13	<10	<10	<10	<10	0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	10	<10	<10	<10	<0.050	120	20	<10	<10			
	WST-G-GW 20I		12-Dec-07	NA	<10	NA	NA	NA	12	NA	NA	<10	<10	<10	0.060	<0.050	<0.10	<10	<10	NA	NA	NA	0.070	<0.10	NA	NA	<10	11	0.050	120	20	<10	
	WST-G-GW20IR		11-Jun-08	NA	11	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.22	0.15	0.12	<10	<10	NA	NA	NA	0.18	0.11	NA	NA	<10	<10	0.12	88	11	<10	<10
	WST-G-GW20I		05-Feb-09	NA	<10	NA	NA	NA	<10	NA																							

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benz(g,h,i)perylene	Benz(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000		
IWQS (Surface Water)				9.1						2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000		
GW-20S	GW-20S	μg/L	14-Apr-98	<5					<5		<5				<5	<5	<5							<5	<5	<5	<5	<5	<5		
GW-20S	GW-20S		05-Feb-00						<5		<5		<5		<5	<5	<5							<5	<5	<5	7	<5	<5		
WS-W-GW-020S			15-Apr-04	160				310			100	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10					<10	<10	71	<10	3100	34	<10	
GW20SR	22-Sep-04		46	190	<10	<10	<10	360	<10	<10	130	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	33	<0.05	<0.1	130	<10	<10	76	<0.05	3800	74	<10	
20SR	09-Dec-04		<10	210	<10	<10	<10	330	<10	<10	100	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	42	<0.05	<0.1	98	<10	<10	63	<0.05	4400	52	<10	
GW20SR	24-Mar-05		12	120	<10	<10	<10	150	<10	<10	77	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	23	<0.05	<0.1	81	<10	<10	50	0.10	2500	52	<10	
WST-G-GW20S	16-Jun-05		23	150	<10	<10	<10	220	<10	<10	81	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	21	<0.05	<0.1	87	<10	<10	57	<0.05	2600	66	<10	
GW20SR	23-Aug-05		28	160	<10	<10	<10	280	<10	<10	69	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	23	<0.05	<0.1	89	<10	<10	55	<0.05	2800	71	<10	
20SR	01-Dec-05		20	100	<10	<10	<10	190	<10	<10	57	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	16	<0.050	<0.10	65	<10	<10	46	<0.050	2400	50	<10	
20SR	02-Mar-06		50	220	<10	<10	<10	390	<10	<10	100	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	25	<0.050	<0.10	97	<10	<10	72	<0.050	4700	63	<10	
20SR	07-Jun-06		16	77	<10	<10	<10	130	<10	<10	57	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	16	<0.050	<0.10	52	<10	<10	41	<0.050	1400	34	<10	
20SR	06-Dec-06		19	37	<10	100	<10	24	<10	<10	36	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	10	<0.050	<0.10	53	<10	<10	33	0.050	640	48	<10	
SR	07-Jun-07		63	160	<10	<10	<10	270	<10	<10	120	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	33	<0.050	<0.10	140	<10	<10	94	<0.050	3600	120	<10	
WST-G-GW 20S	12-Dec-07		NA	43	NA	NA	NA	<10	NA	NA	38	<10	<10	0.34	0.29	0.34	<10	<10	NA	NA	NA	0.31	0.32	NA	NA	<10	44	0.27	580	64	<10
GW20SR	11-Jun-08		NA	160	NA	NA	NA	20	NA	NA	99	<10	<10	0.10	0.080	<0.10	<10	NA	NA	NA	0.060	<0.10	NA	NA	<10	96	0.090	1400	83	<10	
WST-G-GW20S	05-Feb-09		NA	170	NA	NA	NA	38	NA	NA	95	<10	<10	<0.050	<0.050	<0.10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	87	<0.050	3200	57	<10	
GW20SR	01-Jul-09		NA	100	NA	NA	NA	15	NA	NA	73	<10	<10	0.17	0.070	<0.10	<10	NA	NA	NA	0.070	<0.10	NA	NA	<10	79	0.090	1300	59	<10	
WST-G-GW 20 S	10-Dec-09		NA	46	NA	NA	NA	<10	NA	NA	56	<10	<10	0.27	0.23	0.23	<10	<10	NA	NA	NA	0.25	0.21	NA	NA	<10	60	0.19	920	26	<10
GW-20 S	30-Nov-11		NA	32	NA	NA	NA	<5.0	NA	NA	35	<10	1.0	<0.50	<0.050	<0.10	<1.0	<0.50	NA	NA	NA	<0.050	<0.10	NA	NA	2.7	50	<0.050	490	29	0.95
GW-20 S	13-Dec-12		NA	29	NA	NA	NA	<10	NA	NA	50	<10	<10	<0.050	<0.050	<0.10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	59	<0.050	430	37	<10	
GW-20 S	14-Jan-14		NA	41	NA	NA	NA	<10	NA	NA	46	<10	<10	<0.050	<0.050	<0.10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	<10	49	<0.050	740	16	<10	
GW-20S	09-Dec-15		NA	44	NA	NA	NA	<50	NA	NA	58	<10	<10	0.19	<0.050	<0.10	<10	<10	NA	NA	NA	0.058	<0.10	NA	NA	<10	71	<0.050	840	38	<10
GW-21I	GW-21I	μg/L	15-Apr-98	<5				<5			<5		<5		<5	<5	<5							<5	<5	<5	<5	<5	<5		
GW-21I	GW-21I		06-Feb-00					<5			<5		<5		<5	<5	<5							<5	<5	<5	<5	<5	<5		
WST-G-GW21I	17-Jun-05		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05</td										

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	2-Methylphenol	4-Methylphenol	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benzog,h,i)perylene	Benz(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	
Type 1 RRS (Groundwater)																																	
IWQS (Surface Water)																																	
GW-22I	GW-22I	µg/L	15-Apr-98	<5					<5			<5			0.1	0.2	0.2																
GW-22S	WST-G-GW22S	µg/L	23-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.10	0.11	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW-22S		10-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW22S		29-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW22S		20-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW22S		25-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW 22S		07-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW 22S		03-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW-22S		06-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW-22 S		06-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW22S		06-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
GW-23I	GW-23I	µg/L	21-Apr-98	<5					<5						<5	<5	<5																
	GW-23I		08-Feb-00						<5						<5	<5	<5																
	WS-W-GW-023I		20-Apr-04	<10					<10						<5	<5	<5																
	WST-G-GW23I		30-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-DUP3		21-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW-23I		21-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW23I		29-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	0.080	<0.1	<10	<10	<10	<10	<10	<0.05	0.23	<10	<10	<10	<0.19	<10	<10	<10	<10	
	WST-G-GW23I		22-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW23I		31-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10	<10	
	WST-G-GW 23I		08-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW23I		03-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW 23I		14-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW-23 I		11-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW-23I		14-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10	<10	
	WST-G-GW23I		13-Dec-07	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	0.11	0.11	0.12	<10	<10	NA	NA	NA	0.12	<0.10	NA	NA	<10	<10	0.080	<10	<10	<10	<10
	WST-G-GW23I		11-Jun-08	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	0.50	0.54	0.29	<10	<10	NA	NA	NA	0.50	0.26	NA	NA	<10	<10	0.29	<10	<10	<10	<10
	WST-G-GW23I		04-Feb-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	0.14	0.10	<0.10	<10	<10	NA	NA	NA	0.15	<0.10	NA	NA	<10	<10	0.090	<10	<10	<10	<10
	WST-G-GW23I		01-Jul-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	0.18	0.080	<0.10	<10	<10	NA	NA	NA	0.090	0.10	NA	NA	<10	<10	0.090	<10	<10	<10	<10
	WST-G-GW23I		08-Dec-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	0.12	NA	NA	<10	<10	0.15	<10	<10	<10	<10
	GW-23I		01-Dec-11	NA	<0.50	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.10	<0.10	<0.10	<0.50	NA	NA	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0				

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene			
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000			
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92					0.0311	0.0311			370	14000	0.0311			11,000		
GW-23S	GW-23S	μg/L	21-Apr-98	<5					<5		<5				<5	<5	<5								<5	<5	<5	<5	<5	<5		
GW-23S	GW-23S		08-Feb-00						<5		<5		<5		<5	<5	<5								<5	<5	<5	<5	<5	<5		
WS-W-GW-023S			19-Apr-04	<10					<10		<10		<10		<10	<10	<10								<10	<10	<10	<10	<10	<10		
WST-G-GW23S			30-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	<0.05	<10	<10	<10		
WST-G-GW-23S			21-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	<0.05	<10	<10	<10		
WST-G-GW23S			29-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	<0.05	<10	<10	<10		
WST-G-GW23S			22-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	<0.05	<10	<10	<10		
WST-G-GW23S			31-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.05	<0.1	<0.1	<10	<10	<10	<10	<10	<10	<0.05	<10	<10	<0.05	<10	<10	<10		
WST-G-GW 23S			08-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10	<0.050	<10	<10	<10		
WST-G-GW 23S			08-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10	<0.050	<10	<10	<10		
WST-G-GW 23S			14-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10	<0.050	<10	<10	<10		
WST-G-GW-23 S			11-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10	<0.050	<10	<10	<10		
WST-G-GW-23S			14-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	<10	<10	<10	<10	<0.050	<10	<10	<0.050	<10	<10	<10		
WST-G-GW 23S			13-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.17	0.15	0.17	<10	<10	NA	NA	NA	NA	0.16	0.15	NA	NA	<10	<10	0.16	<10	<10	<10
WST-G-GW23S			11-Jun-08	NA	<10	NA	NA	<10	NA	NA	<10	<10	0.55	0.42	0.30	<10	<10	NA	NA	NA	NA	0.30	0.30	NA	NA	<10	<10	0.34	<10	<10	<10	
WST-G-GW23S			04-Feb-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	16	<10	<10	
WST-G-GW23S			01-Jul-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	0.63	0.51	0.61	<10	<10	NA	NA	NA	NA	0.45	0.66	NA	NA	<10	<10	0.62	<10	<10	<10	
WST-G-GW23S			08-Dec-09	NA	<10	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	16	<10	<10	
GW-23S	GW-23S		01-Dec-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	0.33	<0.10	<0.050	0.80	0.083	0.21	
GW-23S	GW-23S		10-Dec-12	NA	<10	NA	NA	<10	NA	NA	<10	<10	0.059	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10		
GW-23S	GW-23S		13-Jan-14	NA	<10	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10		
GW-23S	GW-23S		07-Dec-15	NA	<10	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10		
GW-24I	GW-24I	μg/L	08-Feb-00						240			<5	<5	<5		<5	<5	<5							8	110	<5	2800	180	<5		
WS-W-GW-24I	WS-W-GW-024I		19-Feb-03	130	<10	<																										

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	2-Naphthalene	4-Methylphenol	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Diphenofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)																																		
IWQS (Surface Water)																																		
GW-24S	GW-24S	μg/L	07-Feb-00						<5				<5	<5	<5		<5	<5	<5								<5	<5	<5	<5	<5			
	WS-W-GW-024S		15-Apr-04	<10					<10				<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10			
	GW24SR		22-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.070	0.14	0.20	<10	<10	<10	<10	<10	0.060	0.44	<10	<10	<10	0.47	<10	<10	<10		
	24SR		10-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-DUP1		28-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.060	0.070	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	0.080	<10	<10	<10		
	GW24SR		28-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW24S		15-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	GW24SR		23-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	24SR		30-Nov-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
	24SR		01-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	0.070	<10	<10	<10		
	24SR		08-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.050	0.070	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	0.080	<10	<10	<10		
	WST-G-GW 24S		07-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
	SR		07-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW 24S		12-Dec-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<0.050	<10	<10	<10		
	24SR		10-Jun-08	NA	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.080	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<0.050	<10	<10	<10		
	WST-G-GW24S		05-Feb-09	NA	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<0.050	<10	<10	<10		
	GW24SR		01-Jul-09	NA	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.050	<0.050	0.46	0.30	0.29	<10	<10	NA	NA	NA	0.27	0.36	NA	NA	NA	<0.050	<10	<10	<10
	WST-G-GW 24 S		10-Dec-09	NA	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.050	<0.050	0.16	0.12	0.13	<10	<10	NA	NA	NA	0.14	0.12	NA	NA	NA	<0.050	<10	<10	<10
	GW-24 S		01-Dec-11	NA	460	NA	NA	NA	780	NA	NA	250	17	<0.50	<0.50	<0.50	<1.0	<1.0	<0.50	NA	NA	NA	<0.50	<1.0	NA	NA	NA	15	130	<0.50	7100	250	1.6	
	GW-24 S		13-Dec-12	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-24 S		15-Jan-14	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-24S		09-Dec-15	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<10	<10	<0.050	<10	<10	<10
	DUP-2		09-Dec-15	NA	<10	NA	NA	<10	NA	NA	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	NA	<0.050	<0.10	NA	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-25I	GW-25I	μg/L	07-Feb-00						<5				<5	<5	<5		<5	<5	<5								<5	<5	<5	<5	<5			
	WS-W-GW-025I		16-Apr-04	<10					<10				<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10		
	WST-G-GW25I		28-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-GW-25I		07-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW25I		24-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-DUP2		16-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW25I		25-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10</															

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2					0.2	0.3			1000	1000	0.4	20		1000		
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000	
GW-25S	GW-25S	μg/L	02-Feb-00					<5			<5	<5	<5		<5	<5	<5	<5					<5	<5	<5	<5	<5	<5	<5	
WS-W-GW-025S	WS-W-GW-025S		16-Apr-04	<10		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10		
WST-G-GW25S	WST-G-GW25S		24-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.16	0.39	0.62	<10	<10	<10	<10	0.070	1.3	<10	<10	<10	<10	1.4	<10	<10	
WST-G-GW-25S	WST-G-GW-25S		07-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	0.080	<10	<10	
WST-G-GW25S	WST-G-GW25S		28-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW25S	WST-G-GW25S		16-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-DUP3	WST-G-DUP3		29-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW25S	WST-G-GW25S		29-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	
WST-G-GW 25S	WST-G-GW 25S		07-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10		
WST-G-GW 25S	WST-G-GW 25S		02-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10		
WST-G-GW 25S	WST-G-GW 25S		07-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10		
WST-G-GW-25 S	WST-G-GW-25 S		06-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10		
WST-G-GW25S	WST-G-GW25S		06-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10		
WST-G-GW 25S	WST-G-GW 25S		12-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW-25S	WST-G-GW-25S		10-Jun-08	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW25S	WST-G-GW25S		05-Feb-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.20	0.17	0.19	<10	<10	<10	<10	0.21	0.14	NA	NA	<10	<10	0.16	<10	<10	
WST-G-GW25S	WST-G-GW25S		02-Jul-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	
WST-G-GW 25S	WST-G-GW 25S		10-Dec-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.070	0.060	<0.10	<10	<10	<10	NA	NA	0.050	<0.10	NA	NA	<10	<10	0.060	<10	<10
GW-25S	GW-25S		29-Nov-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.10	<10	<10	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	0.13	<0.050		
GW-25S	GW-25S		11-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
GW-25S	GW-25S		14-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
GW-25S	GW-25S		08-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10
GW-26I	GW-26I	μg/L	02-Feb-00					<5			<5	<5	<5		<5	<5	<5	<5					<5	<5	<5	<5	<5	<5	<5	
WST-G-GW26I	WST-G-GW26I																													

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700							0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000			
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000		
GW-26S	GW-26S	$\mu\text{g/L}$	02-Feb-00					<5		<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5	<5		
	WST-G-GW26S		24-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW-26S		07-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW26S		24-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW26S		16-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW26S		25-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<10	<10	<10	<10	<0.05	<0.1	<10	<10	<10	<10	<0.05	<10	<10	<10		
	WST-G-GW 26S		02-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	03		02-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW 26S		02-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	GW DUP3		02-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW 26S		07-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW-26 S		06-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
	WST-G-GW-26 S		07-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	<10	<10	<0.050	<0.10	<10	<10	<10	<10	<0.050	<10	<10	<10		
GW-27I	GW-27I	$\mu\text{g/L}$	08-Feb-00				1400			420	9	8		<5	<5	<5								<5	180	<5	1100	180	<5		
	WS-W-GW27I		14-Feb-03	320	<10	<10	<10	550	<10	<10	410	13	11	<10	<0.05	<0.1	<0.1	<0.05	<10	160	<10	<0.1	210	<10	12	210	<0.05	6100	150	<10	
	WS-W-G-027I		19-Apr-04	370				630			230	<10	<10	<10	<10	<10	<10	<10						<10	100	<10	5900	79	<10		
	WST-G-GW27I		23-Sep-04	68	470	<10	<10	<10	890	<10	<10	470	<10	10	<b>0.20</b>	<0.05	<0.1	<10	<10	<10	290	0.18	<0.1	310	<10	11	270	<0.05	11000	150	<10
	WST-G-GW-27I		08-Dec-04	59	420	<10	<10	<10	760	<10	<10	400	<10	11	<b>0.14</b>	<0.05	<0.1	<10	<10	<10	220	0.12	<0.1	250	<10	11	200	<0.05	7900	130	<10
	WST-G-GW27I		24-Mar-05	61	240	<10	<10	<10	350	<10	<10	200	<10	<10	<b>0.22</b>	<0.05	<0.1	<10	<10	<10	150	0.050	<0.1	120	<10	<10	130	<0.05	5000	88	<10
	WST-G-GW27I		15-Jun-05	68	350	<10	<10	<10	650	<10	<10	310	<10	<10	0.09	<0.05	<0.1	<10	<10	<10	240	0.06	<0.1	160	<10	<10	130	<0.05	7700	88	<10
	WST-G-GW27I		25-Aug-05	90	430	<10	<10	<10	780	<10	<10	350	<10	<10	<b>0.20</b>	<0.05	<0.1	<10	<10	<10	220	0.14	<0.1	230	<10	<10	180	<0.05	8800	130	<10
	WST-G-GW 27I		07-Dec-05	85	460	<10	<10	<10	900	<10	<10	400	<10	<10	<b>0.24</b>	<0.050	<0.10	<10	<10	<10	230	0.11	<0.10	260	<10	<10	150	<0.050	8800	120	<10
	WST-G-GW 27I		06-Mar-06	95	450	<10	<10	<10	920	<10	<10	440	<10	11	<b>0.39</b>	<b>0.29</b>	<b>0.33</b>	<10	<10	<10	150	<b>0.21</b>	<b>0.97</b>	300	<10	10	160	<b>0.84</b>			

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benz(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene		
Type 1 RRS (Groundwater)				700						2000		0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000		
IWQS (Surface Water)					9.1					2700		110,000	0.0311	0.0311	0.0311	5.92					0.0311	0.0311			370	14000	0.0311			11,000	
GW-27S	GW-27S	μg/L	07-Feb-00						<5		<5	<5			<5	<5	<5							<5	<5	<5	<5	<5	<5		
	WS-W-GW-027S		19-Apr-04	<10		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10			
	WST-G-GW27S		22-Sep-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1		
	WST-G-GW-27S		09-Dec-04	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1		
	WST-G-GW27S		25-Mar-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1		
	WST-G-GW27S		15-Jun-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1		
	WST-G-GW27S		23-Aug-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1		
	WST-G-GW 27S		07-Dec-05	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10		
	WST-G-GW 27S		06-Mar-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10		
	WST-G-GW-27S		08-Jun-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-DUP 01		07-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-GW 27S		07-Dec-06	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-DUP01		06-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.050	<0.050	0.12	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-GW27S		06-Jun-07	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	0.050	<0.050	0.11	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-GW 27S		12-Dec-07	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.050	<0.10	<0.10	<0.10			
	WST-G-GW-27S		10-Jun-08	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<b>0.42</b>	<b>0.36</b>	<b>0.36</b>	<10	<10	NA	NA	<b>0.26</b>	0.26	NA	NA	<10	<10	0.32	<10	<10		
	WST-G-GW27S		05-Feb-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.080	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	0.080	<0.10	NA	NA	<10	<10	<0.050	12	<10	<10
	WST-G-GW27S		02-Jul-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<b>0.25</b>	0.13	0.15	<10	<10	NA	NA	0.13	0.16	NA	NA	<10	<10	0.17	<10	<10	<10	
	S		10-Dec-09	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	0.070	0.060	<0.10	<0.10	<0.10	<0.10	NA	NA	0.060	<0.10	NA	NA	<10	<10	0.070	<10	<10	<10
	GW-27 S		30-Nov-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	0.17	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	1.1	<0.050	<0.050
	GW-27 S		12-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-27 S		16-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	GW-27S		10-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10														

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene			
Type 1 RRS (Groundwater)						700						0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000			
IWQS (Surface Water)						9.1				2700		110,000	0.0311	0.0311	0.0311	5.92				0.0311	0.0311			370	14000	0.0311			11,000			
GW-30I	GW-30I	μg/L	02-Dec-11	NA	47	NA	NA	NA	83	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	0.21	2.1	<0.050	300	8.7	<0.050	
	GW-30I		13-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	GW-30I		16-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	0.06	<0.10	<0.10	<0.10	<0.10	NA	NA	0.067	0.11	NA	NA	<10	<10	0.14	<10	<10	<10	
	GW-30I		10-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
GW-30S	GW-30S	μg/L	02-Dec-11	NA	38	NA	NA	NA	19	NA	NA	22	<1.0	0.28	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	1.5	6.8	<0.050	170	14	0.56	
	GW-30S		13-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	GW-30S		16-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	GW-30S		10-Dec-15	NA	10	NA	NA	NA	<10	NA	NA	12	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
	DUP-3		10-Dec-15	NA	<100	NA	NA	NA	<10	NA	NA	<100	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10
GW-31I	GW-31I	μg/L	02-Dec-11	NA	150	NA	NA	NA	280	NA	NA	40	<10	<0.50	<0.50	<0.50	<1.0	<1.0	<0.50	NA	NA	<0.50	<1.0	NA	NA	2.2	16	<0.50	2700	52	<0.50	
	GW-31I		14-Dec-12	NA	240	NA	NA	NA	330	NA	NA	81	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	33	<0.050	4300	96	<10	
	GW-31I		15-Jan-14	NA	240	NA	NA	NA	240	NA	NA	81	87	<10	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	62	<0.050	3600	100	<10	
	GW-31I		09-Dec-15	NA	220	NA	NA	NA	190	NA	NA	77	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	59	<0.050	3800	90	<10	
GW-31S	GW-31S	μg/L	02-Dec-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	1.4	0.12	<0.050	
	GW-31S		14-Dec-12	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	0.064	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	GW-31S		15-Jan-14	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	GW-31S		09-Dec-15	NA	<10	NA	NA	NA	<10	NA	NA	<10	<10	<0.050	<0.050	<0.10	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
GW-32I	GW-32I	μg/L	02-Dec-11	NA	<0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	0.14	<0.10	<0.050	<0.50	0.056	0.23	
	GW-32I		13-Dec-12	NA	380	NA	NA	NA	740	NA	NA	220	12	<10	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	14	100	<0.050	6200	220	<10	
	GW-32I		15-Jan-14	NA	400	NA	NA	NA	820	NA	NA	250	12	<10	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	13	120	<0.050	6200	230	<10	
	GW-32I		09-Dec-15	NA	330	NA	NA	NA	370	NA	NA	190	<10	170	<0.050	<0.050	<0.10	<0.10	<0.10	NA	NA	<0.050	<0.10	NA	NA	<10	100	<0.050	4600	160	<10	
GW-33I	GW-33I	μg/L	02-Dec-11	NA	170	NA	NA	NA	220	NA	NA	43	<10	3.6	<0.50	<0.050	<1.0	<1.0	<0.50	NA	NA	<0.50	<1.0	NA	NA	13	45	<0.50	2500	140	5.8	
	GW-33I		12-Dec-12	NA	220	NA	NA	NA</																								

**Table 1. December 2015 and Historical Semi-Volatile Organic Groundwater and Surface Water Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

MW ID	SAMPLE ID	UNITS	SAMPLE DATE	1,1'-Biphenyl	1-Methylnaphthalene	2,4-Dimethylphenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Methylnaphthalene	Acenaphthylene	Acenaphthene	Anthracene	Benz(a)anthracene	Benz(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-ethylhexyl)phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Dimethyl phthalate	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	
Type 1 RRS (Groundwater)				700									0.1	0.2	0.2						0.2	0.3			1000	1000	0.4	20		1000	
IWQS (Surface Water)						9.1					2700		110,000	0.0311	0.0311	0.0311	5.92					0.0311	0.0311			370	14000	0.0311			11,000
SW-1	SW-1	$\mu\text{g/L}$	05-Sep-06												0.050	0.17	0.21														
	SW-1		02-Dec-11	NA <0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<0.10	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	<0.050	
	SW-1		14-Dec-12	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	SW-1		17-Jan-14	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
	SW-1		03-Dec-15	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
SW-2	SW-2	$\mu\text{g/L}$	05-Sep-06										0.070	0.060	0.17													0.060			
	SW-2		14-Dec-12	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.13	0.15	0.32	<10	<10	NA	NA	0.24	<0.10	NA	NA	<10	<10	0.14	<10	<10	<10	
	SW-2		17-Jan-14	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	0.056	<10	<10	<10	
	SW-2		03-Dec-15	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
SW-3	SW-3	$\mu\text{g/L}$	02-Dec-11	NA <0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	<0.10	<0.050	<0.50	<0.050	<0.050	
	SW-3		14-Dec-12	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.13	0.15	0.32	<10	<10	NA	NA	0.24	<0.10	NA	NA	<10	<10	0.14	<10	<10	<10	
	SW-3		17-Jan-14	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	0.082	<10	<10	<10	
	SW-3		03-Dec-15	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
SW-4	SW-4	$\mu\text{g/L}$	02-Dec-11	NA <0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	0.18	<0.050	2.3	0.096	<0.050	
	SW-4		14-Dec-12	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.13	0.15	0.32	<10	<10	NA	NA	0.24	<0.10	NA	NA	<10	<10	0.056	<10	<10	<10	
	SW-4		17-Jan-14	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	0.064	<0.10	NA	NA	<10	<10	0.082	<10	<10	<10	
	SW-4		03-Dec-15	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	<0.050	<0.10	NA	NA	<10	<10	<0.050	<10	<10	<10	
SW-5	SW-5	$\mu\text{g/L}$	02-Dec-11	NA <0.50	NA	NA	NA	<0.50	NA	NA	<0.50	<1.0	<0.050	<0.050	<0.050	<0.10	<0.10	<0.050	NA	NA	<0.050	<0.10	NA	NA	<0.10	0.18	<0.050	2.3	0.096	<0.050	
	SW-5		14-Dec-12	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.13	0.15	0.32	<10	<10	NA	NA	0.24	<0.10	NA	NA	<10	<10	0.056	<10	<10	<10	
	SW-5		17-Jan-14	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	<0.050	<0.050	<0.10	<10	<10	NA	NA	0.064	<0.10	NA	NA	<10	<10	0.082	<10	<10	<10	
	SW-5		03-Dec-15	NA <10	NA	NA	NA	<10	NA	NA	<10	<10	<10	0.12	0.098	0.16	<10	<10	NA	NA	0.22	0.20	NA	NA	<10	<10	0.23	<10	<10	<10	

**Notes:**

**Bold** cell indicates detections above the Groundwater Type 1 Risk Reduction Standards (RRSs).

**Bold** cell indicates detections above the Georgia In-stream Water Quality Standards (IWQS) for Surface Water.

NA - Not Analyzed: Groundwater samples were analyzed only for the 18 priority PAHs using Method 8270D SIM.

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-01I	μg/L	14-Dec-94	2		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	2								
		30-Dec-97	2		<1	<1					<1
		14-Apr-98	1		<1	<1					<1
		19-Apr-04			<5	<5		<10	<5		<5
		28-Sep-04			<5	<5		<10	<5	<5	<5
		15-Dec-04	6.7		<5	<5		<10	<5	<5	<5
		31-Mar-05	7.7		<5	<5		<10	<5	<5	<5
		14-Jun-05	8		<5	<5		<10	<5	<5	<5
		12-Jun-06	12	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	12	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	11	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		11-Jun-08	15	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		03-Feb-09	5.9	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		30-Jun-09	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		10-Dec-09	12	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		02-Dec-11	13	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	16
		12-Dec-12	13	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		26-Jan-14	14	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Dec-15	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-01S	μg/L	07-Dec-94	<1		1	4					<1
		23-Mar-95			11	15					2
		25-Mar-95	<1								
		30-Dec-97	<1		8	17					3
		14-Apr-98	<1		4	13					1
		13-Feb-03	<2		<5	<5		<5	<5		<5
		12-Apr-04			<1	1.4		1.1	<1		<1
		28-Sep-04			<5	<5		<10	<5	<5	<5
		15-Dec-04	<5		<5	<5		<10	<5	<5	<5
		31-Mar-05	<5		<5	<5		<10	<5	<5	<5
		14-Jun-05	<5		<5	<5		<10	<5	<5	<5
		12-Jun-06	<5.0	<50	<5.0	<5.0	17	<10	<5.0	<5.0	<5.0
GW-03D	μg/L	12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Dec-94	2		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
GW-03I	μg/L	16-Apr-98	<1		<1	<1					<1
		19-Feb-03	<2		<5	<5		<5	<5		<5
		15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		19-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		02-Jul-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		02-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		02-Dec-11 (DUP-3)	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		12-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		DUP-2	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		15-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		08-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-03S	μg/L	05-Oct-94	<10		20	20					20
		23-Mar-95			58	34					73
		25-Mar-95	<1								
		07-Jan-98	<1		2	<1					2
		16-Apr-98	<1		1	4					2
		15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		19-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-05I	μg/L	07-Nov-94	<1		<1	<1					<1
		25-Mar-95	<1								
		15-Apr-98	<1		<1	<1					<1
		13-Apr-04			<1	<1		<1	<1	<1	<1
		28-Sep-04			<5	<5		<10	<5	<5	<5
		14-Dec-04	<5		<5	<5		<10	<5	<5	<5
		14-Jun-05	<5		<5	<5		<10	<5	<5	<5
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		11-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-05S	μg/L	05-Oct-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		31-Dec-97	<1		<1	<1					<1
		28-Jun-00			<1	<1					<1
		13-Apr-04			<1	<1		<1	<1	<1	<1
		28-Sep-04			<5	<5		<10	<5	<5	<5
		14-Dec-04	<5		<5	<5		<10	<5	<5	<5
		14-Jun-05	<5		<5	<5		<10	<5	<5	<5
		08-Jun-06	<5.0	51	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-06D	μg/L	15-Apr-98	<1		<1	<1					<1
		23-Mar-05	<5		<5	<5		<10	<5	<5	<5
		15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		22-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		01-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		01-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		11-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		05-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-06I	μg/L	07-Nov-94	<1		<b>26</b>	11					8
		23-Mar-95			<b>100</b>	11					40
		25-Mar-95	<1								
		15-Apr-98	<1		<b>110</b>	47					39
		13-Feb-03	<2		<b>150</b>	61		190	67		31
		24-Mar-05	<5		<b>19</b>	<5		18	9.8	<5	11
		15-Jun-05	<5		<b>14</b>	<5		14	5.3	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		01-Dec-05	<5.0	<50	<b>15</b>	<5.0	<5.0	<10	11	<5.0	9.2
		01-Mar-06	<5.0	<50	<b>17</b>	<5.0	<5.0	<10	8.9	<5.0	8.1
		07-Jun-06	<5.0	<50	<b>18</b>	<5.0	<5.0	<10	9.0	<5.0	6.1
		11-Dec-06	<5.0	<50	<b>15</b>	<5.0	<5.0	<10	8.0	<5.0	<5.0
		05-Jun-07	<5.0	<50	<b>39</b>	24	<5.0	63	31	<5.0	30
		12-Dec-07	NA	NA	<b>15</b>	7.8	NA	7.6	11	NA	4.5
		10-Jun-08	NA	NA	<b>29</b>	9.0	NA	8.1	13	NA	8.6
		04-Feb-09	NA	NA	<b>17</b>	5.5	NA	2.4	9.2	NA	2.1
		01-Jul-09	NA	NA	<b>67</b>	43	NA	110	45	NA	56
		09-Dec-09	NA	NA	<b>39</b>	19	NA	34	24	NA	23
		30-Nov-11	NA	NA	<b>39</b>	20	NA	39	24	NA	20
		30-Nov-11 (DUP-2)	NA	NA	<b>38</b>	20	NA	38	23	NA	19
		14-Dec-12	NA	NA	1.1	<1.0	NA	2.5	1.1	NA	<1.0
		DUP-3	NA	NA	1.2	<1.0	NA	3.3	1.4	NA	<1.0
		16-Jan-14	NA	NA	2.5	1.7	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-06S	μg/L	23-Mar-95			<b>89</b>	38					140
		25-Mar-95	<1								
		16-Apr-98	<1		<b>10</b>	5					15
		23-Mar-05	<5		<b>130</b>	26		73	23	<5	62
		15-Jun-05	<5		<b>160</b>	27		76	26	<5	82
		22-Aug-05	<5	<50	<b>110</b>	18	<5	48	19	<5	62
		01-Dec-05	<5.0	<50	<b>190</b>	39	<5.0	120	46	<5.0	120
		01-Mar-06	<5.0	<50	<b>160</b>	28	<5.0	69	27	<5.0	74
		07-Jun-06	<5.0	<50	<b>190</b>	38	<5.0	96	39	<5.0	100
		11-Dec-06	<5.0	<50	<b>91</b>	19	<5.0	40	16	<5.0	62
		07-Jun-07	<5.0	<50	<b>38</b>	8.8	<5.0	21	8.7	<5.0	16
		12-Dec-07	NA	NA	<b>62</b>	16	NA	33	15	NA	40
		10-Jun-08	NA	NA	<b>34</b>	8.4	NA	17	9.0	NA	3.6
		04-Feb-09	NA	NA	<b>9.6</b>	2.4	NA	5.0	2.6	NA	2.3
		01-Jul-09	NA	NA	<b>36</b>	8.4	NA	15	7.9	NA	3.8
		09-Dec-09	NA	NA	<b>35</b>	8.9	NA	15	8.0	NA	4.4
		30-Nov-11	NA	NA	<b>7.3</b>	2.4	NA	3.0	1.6	NA	<1.0
		14-Dec-12	NA	NA	4.0	2.2	NA	6.0	2.8	NA	2.2
		16-Jan-14	NA	NA	1.5	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	3.9	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-07I	μg/L	14-Dec-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		22-Apr-98	<1		<1	<1					<1
		20-Jun-05	<5		<5	<5		<10	<5	<5	<5
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-08D	µg/L	14-Dec-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		14-Jun-05	<5		<5	<5		<10	<5	<5	<5
		09-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-08S	µg/L	07-Dec-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		28-Jun-00			<1	<1					<1
		14-Jun-05	<5		<5	<5		<10	<5	<5	<5
		09-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-09I	µg/L	07-Nov-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
GW-09S	µg/L	07-Nov-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
GW-10I	µg/L	03-Nov-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		30-Dec-97	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-10S	µg/L	03-Nov-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		22-Apr-98	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-11D	µg/L	08-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Nov-94	<1		<1	<1					<1
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-11I	μg/L	07-Nov-94	<1		3	<1					1
		23-Mar-95			15	<1					<1
		25-Mar-95	<1								
		31-Dec-97	<1		32	<1					1
		22-Apr-98	<1		21	<1					<1
		14-Feb-03	<2		23	<5		<5	12		<5
		29-Mar-05	<5		22	<5		<10	6.4	<5	<5
		21-Jun-05	<5	<20	21	<5	3.5	<10	9.4	<5	<5
		29-Aug-05	<5	<50	22	<5	<5	<10	8.6	<5	<5
		06-Dec-05	<5.0	<50	24	<5.0	<5.0	<10	12	<5.0	<5.0
		07-Mar-06	<5.0	<50	24	<5.0	<5.0	<10	11	<5.0	<5.0
		15-Jun-06	<5.0	<50	25	<5.0	<5.0	<10	8.9	<5.0	<5.0
		14-Dec-06	<5.0	<50	19	<5.0	<5.0	<10	7.9	<5.0	<5.0
		13-Jun-07	<5.0	<50	25	<5.0	<5.0	<10	11	<5.0	<5.0
		13-Dec-07	NA	NA	21	<1.0	NA	2.9	11	NA	1.0
		12-Jun-08	NA	NA	22	<1.0	NA	2.2	8.0	NA	<1.0
		03-Feb-09	NA	NA	22	2.6	NA	3.6	10.0	NA	<1.0
		30-Jun-09	NA	NA	21	<1.0	NA	2.9	8.2	NA	1.0
		09-Dec-09	NA	NA	21	<1.0	NA	3.1	9.0	NA	<1.0
		29-Nov-11	NA	NA	19	<1.0	NA	1.5	5.1	NA	<1.0
		11-Dec-12	NA	NA	15	<1.0	NA	1.1	4.6	NA	<1.0
		14-Jan-14	NA	NA	13	<1.0	NA	1.5	5.1	NA	<1.0
		08-Dec-15	NA	NA	8.9	<1.0	NA	<1.0	2.6	NA	<1.0
		08-Dec-15 (DUP-1)	NA	NA	8.8	<1.0	NA	<1.0	2.8	NA	<1.0
GW-11S	μg/L	07-Nov-94	<1		<1	<1					<1
		23-Mar-95			<1	<1					<1
		25-Mar-95	<1								
		29-Mar-05	<5		<5	<5		<10	<5	<5	<5
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		29-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		06-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		15-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-12D	μg/L	09-Feb-95	<1		<1	<1					<1
		06-Jan-97	<1		<1	<1					<1
		30-Mar-05	<5		<5	<5		<10	<5	<5	<5
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-12I	µg/L	03-Nov-94	<1		<1	6					3
		06-Jan-97	<1		<1	3					<1
		21-Apr-98	<1		<1	4					1
		14-Feb-03	<5		<5	<5		7.1	9.6		<5
		31-Mar-05	<5		<5	<5		<10	<5	<5	<5
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Dec-07	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		12-Jun-08	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		04-Feb-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		01-Jul-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		08-Dec-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		01-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		11-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		14-Jan-14	NA	NA	<1.0	<1.1	NA	<1.0	<1.1	NA	<1.0
		07-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-12S	µg/L	03-Nov-94	<1		<b>9</b>	9					7
		06-Jan-97	<1		1	4					3
		22-Apr-98	<1		2	6					12
		30-Mar-05	<5		<b>29</b>	22		120	54	26	41
		22-Jun-05	<5		<b>24</b>	18		120	51	22	35
		06-Dec-05	<5.0	<50	<b>24</b>	21	<5.0	130	61	25	32
		13-Jun-06	<5.0	<50	<b>22</b>	16	<5.0	100	46	19	26
		13-Dec-06	<5.0	<50	<b>22</b>	16	<5.0	73	50	17	25
		13-Jun-07	<5.0	<50	<b>28</b>	21	<5.0	82	57	22	31
		13-Dec-07	NA	NA	<b>23</b>	18	NA	81	50	NA	25
		12-Jun-08	NA	NA	<b>23</b>	19	NA	100	55	NA	27
		04-Feb-09	NA	NA	<b>21</b>	18	NA	70	41	NA	23
		01-Jul-09	NA	NA	<b>20</b>	16	NA	68	43	NA	24
		08-Dec-09	NA	NA	<b>22</b>	22	NA	56	49	NA	27
		01-Dec-11	NA	NA	<b>23</b>	16	NA	62	50	NA	29
		11-Dec-12	NA	NA	<b>20</b>	18	NA	48	48	NA	23
		14-Jan-14	NA	NA	<b>19</b>	20	NA	57	46	NA	25
		07-Dec-15	NA	NA	<b>15</b>	14	NA	39	37	NA	18
GW-13I	µg/L	09-Feb-95	<1		<1	<1					<1
		07-Jan-98	<1		<1	<1					<1
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-13S	µg/L	09-Feb-95	<1		<1	<1					<1
		07-Jan-98	<1		<1	<1					<1
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-14I	μg/L	09-Feb-95	<1		<1	<1					<1
		21-Apr-98	<1		<1	<1					<1
		24-Jun-05	<5		<5	<5		<10	<5	<5	<5
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-14S	μg/L	09-Feb-95	<1		<1	<1					<1
		21-Apr-98	<1		<1	<1					<1
		23-Jun-05	<5		<5	<5		<10	<5	<5	<5
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-15I	μg/L	09-Feb-95	<1		<1	<1					<1
		21-Apr-98	<1		<1	<1					<1
		31-Mar-05	<5		<5	<5		<10	<5	<5	<5
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-15S	μg/L	09-Feb-95	<1		<1	<1					<1
		21-Apr-98	<1		<1	<1					<1
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		13-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-16I	μg/L	09-Feb-95	<1		<1	<1					<1
		16-Apr-98	<1		<1	<1					<1
		16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-16S	μg/L	09-Feb-95	<1		<1	<1					<1
		31-Dec-97	<1		<1	<1					<1
		16-Apr-98	<1		<1	<1					<1
		20-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-17I	μg/L	22-Apr-98	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-17S	μg/L	22-Apr-98	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-18I	μg/L	22-Apr-98	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		15-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-18S	μg/L	22-Apr-98	<1		<1	<1					<1
		21-Jun-05	<5	<20	<5	<5	<5	<10	<5	<5	<5
		15-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		13-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-19I	µg/L	22-Apr-98	1		<1	<1					<1
		20-Jun-05	<5		<5	<5		<10	<5	<5	<5
		12-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-19S	µg/L	22-Apr-98	<1		<1	<1					<1
		20-Jun-05	<5		<5	<5		<10	<5	<5	<5
		12-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		08-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-20I	µg/L	14-Apr-98	<1		<1	<1					<1
		24-Mar-05	<5		<5	<5		<10	<5	<5	<5
		16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		01-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		01-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		11-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		11-Jun-08	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		05-Feb-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		01-Jul-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		30-Nov-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		12-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		14-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		09-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-20S	µg/L	14-Apr-98	<1		<1	<1					<1
		24-Mar-05	<5		<5	<5		12	8.9	<5	9.4
		16-Jun-05	<5		<5	<5		12	5.7	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	12	6.6	<5	6
		01-Dec-05	<5.0	<50	<b>5.4</b>	12	<5.0	32	14	<5.0	16
		02-Mar-06	<5.0	<50	<5.0	10	<5.0	27	10	<5.0	<5.0
		07-Jun-06	<5.0	<50	<5.0	5.1	<5.0	10	<5.0	<5.0	<5.0
		06-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<b>5.8</b>	11	<5.0	21	11	<5.0	<5.0
		12-Dec-07	NA	NA	1.6	<1.0	NA	<1.0	1.2	NA	<1.0
		11-Jun-08	NA	NA	3.8	6.6	NA	3.7	4.2	NA	<1.0
		05-Feb-09	NA	NA	4.8	7.6	NA	3.9	7.7	NA	1.1
		01-Jul-09	NA	NA	3.7	5.7	NA	2.5	3.1	NA	<1.0
		10-Dec-09	NA	NA	2.7	4.6	NA	2.6	3.3	NA	<1.0
		30-Nov-11	NA	NA	2.3	<1.0	NA	<1.0	<1.0	NA	<1.0
		13-Dec-12	NA	NA	2.4	<1.0	NA	<1.0	<1.0	NA	<1.0
		14-Jan-14	NA	NA	3.2	2.1	NA	2.5	2.9	NA	<1.0
		09-Dec-15	NA	NA	1.1	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-21I	µg/L	15-Apr-98	<1		<1	<1					<1
		17-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-21S	µg/L	14-Apr-98	<1		<1	<1					<1
		17-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-22D	µg/L	15-Apr-98	<1		<1	<1					<1
		16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-22I	µg/L	15-Apr-98	<1		<1	<1					<1
GW-22S	µg/L	20-Jun-05	<5		<5	<5		<10	<5	<5	<5
		06-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-23I	µg/L	21-Apr-98	<1		<1	<1					<1
		22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		08-Dec-09			<1.0	<1.0		<1.0	<1.0		<1.0
		01-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		11-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		14-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		07-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		21-Apr-98	<1		<1	<1					<1
GW-23S	µg/L	22-Jun-05	<5		<5	<5		<10	<5	<5	<5
		14-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		14-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		19-Feb-03	<2		<b>7.0</b>	<5		<5	<5		<5
GW-24I	µg/L	28-Mar-05	<5		<5	<5		<10	<5	<5	<5
		15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		30-Nov-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		01-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	NA	NA	<b>5.9</b>	<1.0	NA	4.8	2.8	NA	<1.0
		10-Jun-08	NA	NA	<5	<10	NA	22	15	NA	<10
		05-Feb-09	NA	NA	2.7	<1.0	NA	2.5	1.4	NA	<1.0
		01-Jul-09	NA	NA	2.7	1.2	NA	4.6	2.7	NA	<1.0
		10-Dec-09	NA	NA	3.3	1.1	NA	4.2	2.2	NA	<1.0
		01-Dec-11	NA	NA	4.1	<1.0	NA	2.0	1.1	NA	1.5
		13-Dec-12	NA	NA	3.9	1.1	NA	3.5	2.2	NA	<1.0
		16-Jan-14	NA	NA	4	<1.0	NA	3.0	1.6	NA	<1.0
		09-Dec-15	NA	NA	3.2	<1.0	NA	<1.0	<1.0	NA	<1.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-24S	µg/L	28-Mar-05	<5		<5	<5		<10	<5	<5	<5
		15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		30-Nov-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		01-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		02-Jan-00	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Jun-08	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		05-Feb-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		01-Jul-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		01-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		13-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		15-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		09-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		09-Dec-15 (DUP-2)	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-25I	µg/L	16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-25S	µg/L	16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		05-Feb-09	NA		<1.0	<1.0		<1.0	<1.0		<1.0
GW-26I	µg/L	16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-26S	µg/L	16-Jun-05	<5		<5	<5		<10	<5	<5	<5
		07-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
GW-27I	µg/L	14-Feb-03	<2		57	27		140	58		130
		24-Mar-05	<5		49	33		100	42	<5	69
		15-Jun-05	<5		47	37		120	46	<5	86
		25-Aug-05	<5	79	43	30	<5	91	39	<5	54
		07-Dec-05	<5.0	120	46	41	<5.0	140	58	<5.0	63
		06-Mar-06	<5.0	58	50	41	<5.0	130	50	<5.0	72
		08-Jun-06	<5.0	110	51	44	<5.0	140	55	<5.0	91
		07-Dec-06	<5.0	150	48	42	<5.0	130	53	<5.0	82
		06-Jun-07	<5.0	240	53	44	<5.0	150	56	<5.0	110
		12-Dec-07	NA	NA	41	41	NA	120	52	NA	94
		10-Jun-08	NA	NA	35	51	NA	180	58	NA	100
		05-Feb-09	NA	NA	45	57	NA	180	58	NA	120
		02-Jul-09	NA	NA	44	29	NA	93	41	NA	26
		10-Dec-09	NA	NA	43	39	NA	120	53	NA	50
		30-Nov-11	NA	NA	47	40	NA	130	53	NA	66
		12-Dec-12	NA	NA	39	26	NA	81	35	NA	44
		16-Jan-14	NA	NA	39	26	NA	81	37	NA	31
		10-Dec-15	NA	NA	32	20	NA	70	30	NA	23

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	μg/L		5	4000	5	700				100	1000
GW-27S	μg/L	15-Jun-05	<5		<5	<5		<10	<5	<5	<5
		23-Aug-05	<5	<50	<5	<5	<5	<10	<5	<5	<5
		07-Dec-05	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Mar-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		08-Jun-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		07-Dec-06	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		06-Jun-07	<5.0	<50	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0
		12-Dec-07	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Jun-08	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		05-Feb-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		02-Jul-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-09	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		30-Nov-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		12-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		16-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-28S	μg/L	28-Jun-00			<b>6</b>	36					44
		13-Feb-03	<2		<b>14</b>	190		170	15		22
GW-28D	μg/L	02-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		13-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		16-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		09-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-28I	μg/L	09-Dec-15	NA	NA	<b>1.6</b>	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-29I	μg/L	02-Dec-11	NA	NA	1.6	<1.0	NA	<1.0	<1.0	NA	<1.0
		13-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		16-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-29S	μg/L	02-Dec-11	NA	NA	<b>76</b>	16.0	NA	54	21	NA	18
		13-Dec-12	NA	NA	<b>5.1</b>	3.1	NA	9.5	3.5	NA	2.3
		16-Jan-14	NA	NA	<b>34</b>	16.0	NA	53	22	NA	7.7
		10-Dec-15	NA	NA	<b>12</b>	3.5	NA	2.0	4.3	NA	<1.0
GW-30I	μg/L	02-Dec-11	NA	NA	<b>8.5</b>	<1.0	NA	5.8	2.0	NA	<1.0
		01-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		16-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-30S	μg/L	02-Dec-11	NA	NA	<b>20</b>	2.7	NA	2.6	5.2	NA	1.8
		13-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		16-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		10-Dec-15 (DUP-3)	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-31I	μg/L	02-Dec-11	NA	NA	<b>7.6</b>	7.1	NA	27	13	NA	3.3
		14-Dec-12	NA	NA	<b>6.4</b>	8.7	NA	14	11	NA	4.7
		15-Jan-14	NA	NA	<b>6.4</b>	8.9	NA	15	9.4	NA	5.1
		09-Dec-15	NA	NA	<b>5.4</b>	7.7	NA	17	8.6	NA	3.9
GW-31S	μg/L	02-Dec-11	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		14-Dec-12	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		15-Jan-14	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
		09-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0

**Table 2. December 2015 and Historical Volatile Organic Groundwater Analytical Data (ug/L)**  
**Walker Street Site, Former GDOT Maintenance Facility**  
**Douglas, Georgia**

Well ID	Units	Date	1,2-Dichloroethane	Acetone	Benzene	Ethylbenzene	Isopropylbenzene	m,p-Xylene	o-Xylene	Styrene	Toluene
Type 1 RRS	µg/L		5	4000	5	700				100	1000
GW-32I	µg/L	02-Dec-11	NA	NA	<b>15</b>	4.0	NA	47	19	NA	4.2
		13-Dec-12	NA	NA	<b>19</b>	7.4	NA	58	27	NA	2.0
		15-Jan-14	NA	NA	<b>14</b>	7.2	NA	50	22	NA	1.8
		09-Dec-15	NA	NA	<b>11</b>	4.9	NA	36	16	NA	2.1
GW-33I	µg/L	02-Dec-11	NA	NA	<b>18</b>	<1.0	NA	5.8	5.1	NA	1.1
		12-Dec-12	NA	NA	<b>17</b>	<1.0	NA	3.6	4.2	NA	1.0
		15-Jan-14	NA	NA	<b>12</b>	<1.0	NA	3.9	3.7	NA	1.4
		10-Dec-15	NA	NA	<b>7.0</b>	2.2	NA	7.0	3.2	NA	1.1
GW-41S	µg/L	10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-42I	µg/L	10-Dec-15	NA	NA	<1.0	<1.0	NA	<1.0	<1.0	NA	<1.0
GW-43I	µg/L	10-Dec-15	NA	NA	<b>7.7</b>	2.0	NA	9.1	5.6	NA	1.1
GW-44I	µg/L	09-Dec-15	NA	NA	1.2	3.5	NA	10	4.4	NA	4.4

**Notes:**

µg/L - micrograms per liter

NA - Not analyzed

RRS - Risk Reduction Standard

Bold cell indicates detection above the Type 1 RRS.

## **FIGURES**

**Source:** ChartTiff.com  
Douglas North Quadrangle  
Georgia, 2014  
7.5 Minute Series (Topographic)



CLIENT

# **Georgia Department of Transportation**

## PROJECTS

## **Walker Street Site, Former GADOT Maintenance Facility**

**DATE:**

February 2010

## SCALE:

1.2 1,000

**FILE:** \_\_\_\_\_ **CHECKED BY:** \_\_\_\_\_

1

J. Gross

J. Vigni

The AECOM logo consists of the word "AECOM" in a bold, sans-serif font. The letters are dark blue, except for the letter "E" which features a horizontal gradient bar transitioning from light blue to green.


**PROJ NO.:**

**TASK:**

4

1

1






#### LEGEND

- GW-S = Groundwater Monitoring Well (Shallow Zone)
- GW-I = Groundwater Monitoring Well (Intermediate Zone)
- GW-D = Groundwater Monitoring Well (Deep Zone)
- SW-1 = Surface Water Sample Location

GW-17I  GW-17S




CLIENT:	Georgia Department of Transportation	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility	
DATE:	January 2016	DESIGNED BY: AECOM
SCALE:	As Shown	DRAWN BY: K. Seo
FILE:	FIG 03, 04, 07, 08, 09, 10.DWG	CHECKED BY: J.P. Vigil


**AECOM**

PROJ NO: 60440866  
TASK: 4  
FIGURE: 3

AS - BUILT OF CONFIRMATION SAMPLE LOCATIONS  
AT THE GEORGIA DEPARTMENT OF TRANSPORTATION  
SITE LYING NORTH OF WALKER STREET  
IN THE CITY OF DOUGLAS, GEORGIA



1. THE BOUNDARY INFORMATION SHOWN HEREON IS A REPRESENTATION OF THAT SURVEY COMPLETED BY STATEWIDE SURVEYING COMPANY DATED 9-3-94. THIS DRAWING REPRESENTS NO BOUNDARY SURVEY BY THIS FIRM.
2. THE ELEVATIONS SHOWN HEREON AND IN THE TABLE FOR GROUNDWATER MONITORING WELLS ARE BASED ON THE TOPOGRAPHIC SURVEY DESCRIBED IN NOTE 1.
3. NO UNDERGROUND INSTALLATIONS OR IMPROVEMENTS HAVE BEEN LOCATED EXCEPT AS SHOWN HEREON.
4. THERE MAY BE ADDITIONAL RESTRICTIONS NOT SHOWN HEREON WHICH WERE NOT KNOWN TO THIS FIRM.



CLIENT:	Georgia Department of Transportation		TITLE:	2003-2004 Soil Excavation Locations	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility				
DATE:	11/03/2004	DESIGNED BY:			
SCALE:	As Shown	DRAWN BY:		Earth Tech	
FILE:	R:\jamie\proj\GADOT\WalkerSt\Fig 18_PE ConfSampLoc.ai	CHECKED BY:		F. Nchako	

**URS**


PROJ NO.: 15260257  
TASK: 20000  
FIGURE: 4


MW-GW27S  
MW-GW27C  
MW-GW27B  
MW-GW27A

ACTUAL EXCAVATION AREAS (09/18/14)			
EXCAVATION LOCATION	AREA (SF)	DEPTH (FT)	TOTAL VOLUME (CF)
1	540	4	2160
2	570	2	1140
3	415	2.5	1038
4	215	2	430
5	1330	2.5	3325
6	215	2.5	538
7A	~1570	2.5	~3925
7B	~2395	12	~28740
TOTAL			~41296

TOTAL AREA OF IMPACTED SOILS:  
 ~41296 cubic feet  
 ~1530 cubic yards (CY)  
 ~874 tons (@1.75 tons per CY)

- LEGEND:**
- = TREE
  - = LOCATION WITH SOIL EXCEEDANCE FOR LEAD
  - ◎ = PROPOSED SOIL BORING LOCATION
  - = PROPOSED LEAD EXCAVATION AREA
  - ☒ = PROPOSED PAH EXCAVATION AREA
  - = ACTUAL LEAD EXCAVATION AREA
  - = ACTUAL PAH EXCAVATION AREA







In-Situ Oxidative Technologies, Inc.  
**ISOTEC** 6452 Fig Street, Suite C  
Arvada, Colorado 80004  
www.insituoxidation.com  
(303) 843-9079

FIRST EVENT INJECTION LOCATIONS  
ISCO REMEDIATION PROGRAM  
Walker Street Site  
Former GDOT Maintenance Facility  
Douglas, Georgia

DRAWN BY: KH	DATE: 3/6/2016
CHECKED BY: SH	PROJECT NO: 901114




**Injection Screen Intervals**

"A"	Shallow Zone – 3 to 8 feet bgs
"B"	Shallow Zone – 8 to 16 feet bgs
"C"	Intermediate Zone – 16 to 24 feet bgs
"D"	Intermediate Zone – 24 to 32 feet bgs

In-Situ Oxidative Technologies, Inc.  
**ISOTEC** 6452 Fig Street, Suite C  
Arvada, Colorado 80004  
www.insituoxidation.com  
(303) 843-9079

SECOND EVENT INJECTION LOCATIONS  
ISCO REMEDIATION PROGRAM  
Walker Street Site  
Former GDOT Maintenance Facility  
Douglas, Georgia


DRAWN BY: KH	DATE: 5/17/2016	FIGURE
CHECKED BY: SH	PROJECT NO: 901114	7



NOTE: Wells GW-28I, GW-41S, GW-42I, GW-43I, and GW-44I have not been surveyed, and therefore are approximate locations.

#### LEGEND

- ⊗ GW-S = Groundwater Monitoring Well (Shallow Zone)
- ⊗ GW-I = Groundwater Monitoring Well (Intermediate Zone)
- ⊗ GW-D = Groundwater Monitoring Well (Deep Zone)
- ⊗ SW-1 = Surface Water Sample Location



CLIENT:	Georgia Department of Transportation		TITLE:	Geologic Cross Section Locations	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility		PROJ NO:	60440866	
DATE:	January 2016	DESIGNED BY:	AECOM		
SCALE:	As Shown	DRAWN BY:	K. Seo		
FILE:	FIG 03, 04, 07, 08, 09, 10.DWG	CHECKED BY:	J.P. Vigil		

**AECOM**

FIGURE: 8


## **GDOT SITE —**

## LOTT PROPERTY —

GW-06S	4603	5320	1135.06	651.5	2542.22	1288.09	445.95	275.1	434.05	343.3	22	29.5	219.9
SVOCs (µg/L)	03/01/06	06/07/06	12/11/06	06/07/07	12/12/07	06/10/08	02/04/09	07/01/09	12/09/09	11/30/11	12/14/12	01/16/14	12/10/15
2,4-Dimethylphenol	260	300	50	49	—	67	27	58	70	32	ND	ND	30
Acenaphthene	180	240	57	65	110	—	—	—	—	—	ND	ND	ND
Fluorene	63	74	23	24	41	36	15	26	38	12	ND	ND	ND
Phenanthrene	42	43	17	11	25	13	12	ND	17	15	ND	ND	16
Indeno(1,2,3-cd)pyrene	ND	ND	0.06	ND	0.06	ND	ND	ND	0.29	ND	ND	ND	ND
Chrysene	ND	ND	ND	ND	0.08	ND	0.05	ND	0.29	ND	ND	ND	ND
Naphthalene	3700	4200	760	410	2200	1100	370	120	270	270	22	28	170
Benz(a)anthracene	ND	ND	ND	ND	0.08	0.09	ND	ND	0.35	ND	ND	ND	ND
Benzene	160	190	91	38	62	34	9.6	36	7.3	7.3	ND	ND	3.9
Ethylbenzene	28	38	19	8.8	16	8.4	2.4	8.4	8.9	2.4	ND	ND	ND
p,p'-xylenes	68	95	45	21	33	17	5	15	15	30	ND	ND	ND
Oxyaromatics	27	39	15	8.7	15	9.0	2.6	7.9	1.6	1.6	ND	ND	ND
Toluene	74	100	62	16	40	3.6	2.3	3.8	4.4	ND	ND	ND	ND
Benz(c)pyrene	ND	0.29	ND	ND	ND	ND							
Benz(a)anthracene	ND	0.32	ND	ND	ND	ND							
Benz(b)fluoranthene	ND	0.31	ND	ND	ND	ND							

GW-061	1246.58	1845.41	1423.32	4371.50	1566.49	1095.45	1177.99	5795.66	2403.45	4823.64	21	314.2	ND
SVOCs (µg/L)	03/01/06	06/07/06	12/11/06	06/05/07	12/12/07	06/10/08	02/04/09	07/01/09	12/09/09	11/30/11	12/14/12	01/16/14	12/10/16
Aceanaphthalene	ND	ND	55	ND	ND	ND	ND	150	11	85	ND	ND	ND
Chrysene	0.19	0.14	0.11	0.44	0.24	0.40	0.32	0.45	0.18	ND	ND	ND	ND
Dibenzo(a,h)anthracene	0.28	ND	ND	ND	ND	0.34	ND						
Fluoranthene	ND	4.4	ND	ND	ND								
Fluorene	11	12	ND	28	ND	10	13	62	15	53	ND	ND	ND
Phenanthrene	ND	ND	ND	ND	20	20	28	61	38	39	ND	ND	ND
Indeno[1,2,3-d]pyrene	0.36	ND	0.05	ND	ND	0.39	ND	0.08	ND	ND	ND	ND	ND
Naphthalene	1200	1800	1400	4100	1500	990	1100	5200	2200	4500	21	310	ND
Benz[a]anthracene	0.41	0.17	0.16	0.83	0.24	0.86	0.41	0.89	0.27	0.24	ND	ND	ND
Benz[ a ]pyrene	0.05	ND	ND	0.06	ND	0.41	0.06	0.10	ND	ND	ND	ND	ND
Benz[b]fluoranthene	0.29	ND	ND	0.17	0.11	0.35	ND	0.14	ND	ND	ND	ND	ND
Benz[e]anthracene	17	18	15	35	15	30	17	67	39	39	2.5	ND	ND
Ethylbenzene	ND	ND	ND	24	7.8	9.9	5.5	43	19	20	ND	1.7	ND
M,p-xylenes	ND	ND	ND	63	7.6	8.4	2.4	110	34	39	ND	ND	ND
O-xylenes	8.9	9.0	8.0	31	11	14	9.2	45	24	24	ND	ND	ND
Toluene...	8.1	6.1	ND	30	4.5	9.4	2.1	56	23	20	ND	ND	ND

GW-161	1.44	13	ND	1.64	ND	310	ND
SVOCs ( $\mu\text{g/L}$ )	02/05/09	07/02/09	12/10/09	12/01/11	12/12/12	01/14/14	12/08/15
Benz(a)anthracene	0.27	ND	ND	ND	ND	ND	ND
Benz(a)pyrene	0.22	ND	ND	ND	ND	ND	ND
Benz(b)fluoranthene	0.26	ND	ND	ND	ND	ND	ND
Chrysene	0.30	ND	ND	ND	ND	ND	ND
Dibenzo(a,h)anthracene	0.18	ND	ND	ND	ND	ND	ND
Indeno(1,2,3cd)pyrene	0.21	ND	ND	ND	ND	ND	ND
Naphthalene	ND	13	ND	0.56	ND	310	ND
Fluorene	ND	ND	ND	0.26	ND	ND	ND
Phenanthrene	ND	ND	ND	0.82	ND	ND	ND



W-6D	0.73	ND	ND	0.06	ND
O/Cs (ug/L)	12/09/09	11/30/11	12/13/12	01/16/14	12/10/15
benzo(a)anthracene	0.13	ND	ND	ND	ND
pyrene	0.13	ND	ND	ND	ND
benzo(b)fluoranthene	0.11	ND	ND	ND	ND
benzo(k)fluoranthene	0.12	ND	ND	ND	ND
benzo(1,2,3-cd)pyrene	0.12	ND	ND	0.06	ND
benzo(a,h)perylene	0.12	ND	ND	ND	ND

-12D	ND	ND	ND	ND	ND	3.14	4.30	19.34	1.44	ND	ND	ND	ND	ND	ND
0Cs (ug/l)	Q3/08/06	06/3/06	12/13/06	06/14/07	12/13/07	06/12/08	02/04/09	01/07/09	12/08/09	12/01/11	12/11/12	01/14/14	12/07/14	ND	ND
zod(a)anthracene	ND	ND	ND	ND	0.48	1.2	0.25	0.46	ND	ND	ND	ND	ND	ND	ND
zod(a)pyrene	ND	ND	ND	ND	0.50	0.64	0.21	0.17	ND	ND	ND	ND	ND	ND	ND
zod(b)fluoranthene	ND	ND	ND	ND	0.51	0.51	0.24	0.19	ND	ND	ND	ND	ND	ND	ND
pyrene	ND	ND	ND	ND	0.52	0.67	0.27	0.27	ND	ND	ND	ND	ND	ND	ND
enzo(a,h)anthracene	ND	ND	ND	ND	0.58	0.61	0.18	0.17	ND	ND	ND	ND	ND	ND	ND
benz(a)anthracene	ND	ND	ND	ND	0.59	0.77	0.20	0.19	ND	ND	ND	ND	ND	ND	ND

<b>W-12I</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>5.64</b>	<b>0.28</b>	<b>0.01</b>	<b>0.72</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>0.157</b>	<b>ND</b>
<b>OCa (ug/L)</b>	<b>03/08/06</b>	<b>06/13/06</b>	<b>12/13/06</b>	<b>06/13/07</b>	<b>12/13/07</b>	<b>06/12/08</b>	<b>02/04/09</b>	<b>01/07/09</b>	<b>12/08/09</b>	<b>12/01/11</b>	<b>12/11/12</b>	<b>01/14/14</b>	<b>12/02/15</b>
<b>benzo(a)anthracene</b>	ND	ND	ND	ND	0.88	0.14	ND	0.42	ND	ND	ND	0.053	ND
<b>benzo(a)pyrene</b>	ND	ND	ND	ND	0.91	0.14	ND	0.05	ND	ND	ND	0.051	ND
<b>benzo(b)fluoranthene</b>	ND	ND	ND	ND	0.99	ND							
<b>benzo(a,h)anthracene</b>	ND	ND	ND	ND	0.98	ND	0.01	0.00	ND	ND	ND	0.053	ND
<b>denoc(1,2,3c)phenanthrene</b>	ND	ND	ND	ND	1.0	ND							
<b>denoc(1,2,3c)phenanthrene</b>	ND	ND	ND	ND	0.98	ND	0.05	ND	ND	ND	ND	ND	ND

**NOTES:**

1. Distances between Well Pairs exaggerated to show detail.
2. Well GW-41S has not been surveyed, and therefore are approximate locations.

All Results in  $\mu\text{g/L}$

**LEGEND**

- ① FILL, silty SANDS & CLAYS, gray, brown, black, orange, tan, some inorganic debris, trace rock fragment, moist to wet, plastic to non-plastic, (SM-ML) or (CL-ML)
- ② Sandy CLAY or Clayey SAND, tan, red, gray, trace rock & silt, moist to wet, low plasticity, Coastal Plain (SC)
- ③ CLAY, gray, brown, white, some sand and silt, moist to wet, plastic, FILL or COASTAL PLAIN (CL-CH)
- ④ SAND, light gray, gray, tan, white, some silt, trace clay, dry to wet, non-plastic, COASTAL PLAIN (SM)
- ⑤ SAND (cemented) very dense, white, some rock, moist, non-plastic, COASTAL PLAIN (ML-SP)
- ⑥ Sandy SILT or Silty SAND, gray, brown, black, white trace clay, moist to wet, low to non-plastic, FILL or COASTAL PLAIN (ML-SM)
- ⑦ CLAY/CLAY SAND (fill material)

**VERTICAL SCALE  
SCALE IN FEET**


**HORIZONTAL SCALE  
SCALE IN FEET**


- |   |   |                       |
|---|---|-----------------------|
|  | = Water Table   | Benz(a)pyrene         |
| ND  | = Non-Detect  | Benz(b)fluoranthene   |
| NS  | = Not Sampled (Soil Boring)   | Chrysene              |
| -   | = Not Analyzed  | Dibenz(a,h)anthracene |
|  | = Detection Above Type 1 RRS  | Indeno(1,2,3cd)pyrene |
|  | = Location where groundwater was<br>pilot tested in July and September<br>2012 using Modified Fentons Reagent |                       |

NOTES:

1. Distances between Well Pairs exaggerated to show detail.
2. Well GW-41S has not been surveyed, and therefore are approximate locations.

CLIENT:	Georgia Department of Transportation			TITLE:	Geologic Cross Section A - A'		
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility						
DATE:	January 2016	DESIGNED BY:	AECOM				PROJ. NO:
SCALE:	As Shown	DRAWN BY:	K. See				60440868
FILE:	FIG 05-GELOGIC CROSS SECTION A-A'DWG			CHECKED BY:	J.P. Vigil		TASK:
							4
							FIGURE:
							9






#### LEGEND

- GW-3S** = MONITORING WELL I.D.
- (205.60) = WATER TABLE ELEVATION
- = WATER TABLE ELEVATION CONTOUR (DASHED WHERE INFERRED)
- = GROUNDWATER FLOW
- \* = SUSPECTED WATER LEVEL


CLIENT:	Georgia Department of Transportation	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility	
DATE:	January 2016	DESIGNED BY: AECOM
SCALE:	As Shown	DRAWN BY: K. Seo
FILE:	FIG 03, 04, 07, 08, 09, 10.DWG	CHECKED BY: J.P. Vigil

TITLE:	December 2015 – Shallow Water Table Elevation and Contour Map	
PROJ NO:	60440866	
TASK:	4	
FIGURE:	11	
<b>AECOM</b>		



CLIENT:	Georgia Department of Transportation		
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility		
DATE:	02/28/14	DESIGNED BY:	AECOM
SCALE:	As Shown	DRAWN BY:	K. Seo
FILE:	FIG 03, 04, 07, 08, 09, 10.DWG	CHECKED BY:	J.P. Vigil


TITLE:	December 2015 - Intermediate Water Table Elevation and Contour Map		
PROJ NO:	60440866		
TASK:	4	FIGURE:	12
<b>AECOM</b>			



#### LEGEND


- GW-3S** = MONITORING WELL I.D.
- (205.60) = WATER TABLE ELEVATION
- = WATER TABLE ELEVATION CONTOUR (DASHED WHERE INFERRED)
- = GROUNDWATER FLOW
- \* = SUSPECT WATER LEVEL

GW-17I GW-17S




CLIENT:	Georgia Department of Transportation	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility	
DATE:	January 2016	DESIGNED BY: AECOM
SCALE:	As Shown	DRAWN BY: K. Seo
FILE:	FIG 03, 04, 07, 08, 09, 10.DWG	CHECKED BY: J.P. Vigil


TITLE: December 2015 - Deep Zone Groundwater Elevation and Contour Map



CLIENT:	Georgia Department of Transportation			TITLE:	Site Schematic (Before Excavation & Building Demolition Activities)	
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility			PROJ NO.:	60440866	
DATE:	03/29/2005	DESIGNED BY:	EMCON	TASK:	4	
SCALE:	As Shown	DRAWN BY:	J. Anderson	FIGURE:	14	
FILE:	R:\jamie\proj\GADOT\WalkerStjan 2005\Fig 2_Site Schematic.ai	CHECKED BY:	F. Nchako			

**AECOM**








## NOTE:

1. Well GW-28I, GW-41S, GW-42I, GW-43I, and GW-44I have not been surveyed and therefore are approximate locations.
  2. Wells will be surveyed during Stage 1 full-scale corrective action activities.

2. Wells will be surveyed during Stage 1 full-scale corrective action activities.

## LEGEND

GW-3D	= MONITORING WELL I.D.
	= WELL LOCATION
	= BENZENE ISOCONCENTRATION CONTOUR
24	= CONCENTRATION IN ug/L
ND	= NON DETECT
NS	= NOT SAMPLED OR ANALYZED



CLIENT:	Georgia Department of Transportation		TITLE:	December 2015
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility			Iso-concentration Map for Benzene in Shallow Zone Groundwater
DATE:	01/11/16	DESIGNED BY:	URS	PROJ NO: 60440866
SCALE:	As Shown	DRAWN BY:	K. Seo	TASK: 4
FILE:	FIG 14, 15, 16, 17.DWG	CHECKED BY:	J.P. Vigil	FIGURE: 17

**AECOM**



## NOTE:


1. Well GW-28I, GW-41S, GW-42I, GW-43I, and GW-44I have not been surveyed, and therefore are approximate locations.
  2. Wells will be surveyed during Stage 1 full-scale corrective action activities.

2. Wells will be surveyed during Stage 1 full-scale corrective action activities.

## LEGEND

GW-3D	= MONITORING WELL I.D.
⊗	= WELL LOCATION
	= BENZENE ISOCONCENTRATION CONTOUR
24	= CONCENTRATION IN ug/L
ND	= NON DETECT
NS	= NOT SAMPLED

GW-171  
ND  
 $\otimes$   $\otimes$  GW-1




CLIENT:	Georgia Department of Transportation		
PROJECT:	Walker Street Site, Former GADOT Maintenance Facility		
DATE:	01/11/16	DESIGNED BY:	URS
SCALE:	As Shown	DRAWN BY:	K. Seo
FILE:	FIG 14, 15, 16, 17.DWG	CHECKED BY:	J.P. Vigil

December 2015

# Iso-concentration Map for Benzene in Intermediate Zone Groundwater

**APPENDIX A**  
**Warranty Deed and Tax Plat**

GRID NORTH - GA. WEST ZONE



N/F PROPERTY OF  
**JERRY P. HARPER**  
DEED BOOK 829 / PAGE 143  
ZONED M-2


N/F PROPERTY OF  
**LOTT BUILDERS SUPPLY HQ**  
DEED BOOK 900 / PAGE 47  
ZONED M-2

### LEGEND

#### STANDARD ABBREVIATIONS

CMF CONCRETE MONUMENT FND  
CTP CRIMPED TOP PIPE  
FND FOUND  
OTP OPEN TOP PIPE  
POB POINT OF BEGINNING  
POC POINT OF COMMENCING  
RBR REBAR FOUND  
RBS 5/8"RBR SET

### VICINITY MAP



N/F PROPERTY OF  
**ELMER J. MILLER, SR.**  
DEED BOOK 879 / PAGE 156  
ZONED R-3

N/F PROPERTY OF  
**THE CITY OF DOUGLAS**  
DEED BOOK 805 / PAGE 151

N/F PROPERTY OF  
**BILLY BURKE, EZRA BURKE,  
CURTIS F. BURKE & JOHN M. BURKE**  
DEED BOOK 1357 / PAGE 144  
ZONED M-2

N/F PROPERTY OF  
**DEPARTMENT OF TRANSPORTATION**  
DEED BOOK 849 / PAGE 330  
ZONED M-2

SITE AREA  
13.823 Acres  
602,136 sf  
ZONED M-2

N/F PROPERTY OF  
**SHARMA HOSPITALITY, LLC**  
DEED BOOK 1214 / PAGE 197  
ZONED B-4

N/F PROPERTY OF  
**ARK SELF STORAGE GROUP, LLC**  
DEED BOOK 901 / PAGE 86

### GENERAL NOTES

THIS SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE PERSON OR ENTITIES NAMED HEREON. NO EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE INFORMATION SHOWN HEREON IS TO BE EXTENDED TO ANY PERSONS OR ENTITIES OTHER THAN THOSE SHOWN HEREON.

A PORTION OF THIS PROPERTY IS LOCATED IN A 100 YEAR FLOOD HAZARD AREA BASED ON THE FLOOD INSURANCE RATE MAP FOR THIS AREA. THE MAP NUMBER FOR THIS AREA IS 13069C0213D, AND THE DATE OF SAID MAP IS SEPTEMBER 11, 2009. THIS DETERMINATION WAS MADE BY GRAPHICALLY DETERMINING THE POSITION OF THIS SITE ON SAID FIRM MAPS UNLESS OTHERWISE NOTED.

THE HORIZONTAL DATUM FOR THIS SURVEY IS BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD'83) FROM GPS OBSERVATIONS PERFORMED BY GEOSURVEY, LTD.

THE VERTICAL DATUM FOR THIS SURVEY IS BASED ON THE NORTH AMERICAN DATUM OF 1988 (NAVD'88) FROM GPS OBSERVATIONS PERFORMED BY GEOSURVEY, LTD.

THE SITE IS ZONED "M-2" (INDUSTRIAL DISTRICT).  
THE MINIMUM YARD SETBACKS ARE: FRONT - 10 FEET;  
SIDE - 15 FEET (25 FEET FROM ADJACENT BLD); AND REAR - 25 FEET.

PLEASE NOTE: ZONING AND SETBACKS SHOULD BE CONFIRMED AND VERIFIED BY PLANNING AND ZONING PRIOR TO DESIGN OR CONSTRUCTION ACTIVITIES.

PLEASE NOTE: TREES (6"DBH AND LARGER) WERE LOCATED FOR THIS SURVEY.

### SURVEY REFERENCES

1> SURVEY FOR LOTT PROPERTIES, LTD, DBA ARK SELF STORAGE PREPARED BY SOUTHERN SURVEYING ASSOCIATES, DATED DECEMBER 13, 2001.

2> SURVEY FOR GEORGIA, COFFEE COUNTY, DATED MAY 20, 1970 PREPARED BY FARRELL CAUSSON.

3> SURVEY FOR WAUNELL SIMS PREPARED BY CARLTON EVANS DATED JULY 6, 1972.

4> SURVEY FOR ELMER J. MILLER, SR. PREPARED BY M. RHETT ROYAL DATED AUGUST 16, 2001.

5> SURVEY FOR JERRY P. HARPER PREPARED BY M. RHETT ROYAL DATED NOVEMBER 6, 2000.

### LEGAL DESCRIPTION

All that tract or parcel of land lying and being in Land Lots 177 and 178 of the 6th District, Coffee County, Georgia, and being more particularly described as follows:

Beginning at a point along the North right of way line of Walker Street having a 60 foot right of way at the intersection of the East right of way of a 20 foot alley that border East right of way of the Southern Railroad having a 100' right of way and thence leaving said right of way and run along a curve to the right having an arc length of 702.70 feet, with a radius of 2940.33 feet, being subtended by a chord bearing of North 02 degrees 20 minutes 32 seconds West, for a distance of 701.03 feet to a 5/8-inch rebar found; Thence North 03 degrees 55 minutes 27 seconds East a distance of 100.75 feet to a 5/8-inch rebar found; Thence North 85 degrees 49 minutes 58 seconds West a distance of 20.00 feet to a 5/8-inch rebar found; Thence North 03 degrees 59 minutes 36 seconds East a distance of 509.43 feet to a concrete monument found; Thence South 70 degrees 50 minutes 07 seconds East a distance of 387.75 feet to a concrete monument; Thence South 12 degrees 08 minutes 54 seconds East a distance of 105.95 feet to a 5/8-inch rebar found; Thence South 48 degrees 19 minutes 52 seconds East a distance of 41.00 feet to a 5/8-inch rebar found; Thence South 86 degrees 32 minutes 52 seconds East a distance of 82.09 feet to a 5/8-inch rebar set; Thence South 02 degrees 54 minutes 51 seconds West a distance of 1062.49 feet to a 5/8-inch rebar set; Thence North 88 degrees 14 minutes 11 seconds West a distance of 441.09 feet to a concrete monument found and the point of beginning.

Said tract or Parcel to contain 13.823 Acres

This survey has been prepared in conformity with The Technical Standards for Property Surveys in Georgia as set forth in Chapter 180-7 of the Rules of the Georgia Board of Registration for Professional Engineers and Land Surveyors and as set forth in the Georgia Plat Act O.C.G.A. 15-6-67.

### PARCEL PLAT OF


### Walker Street Department of Transportation Parcel

FOR

**DEPARTMENT OF TRANSPORTATION,  
an agency of the State of Georgia**

GS JOB NO:	20103877	DRAWING SCALE:	1" = 40'	SURVEY DATE:	04-01-2010
FIELD WORK:	JG	CITY:	DOUGLAS	STATE:	GEORGIA
PROJ MGR:	CAJ	COUNTY:	COFFEE	REVISIONS	
REVIEWED:	TDT	LAND LOT:	177 & 178	No. Date	Description
DWG FILE:	20103877.dwg	DISTRICT:	6th		

### GRAPHIC SCALE



### IF YOU DIG




Know what's below.  
Call before you dig.

Dial 811  
Or Call 800-282-7411

### CLOSURE STATEMENT

THE FIELD CLOSURE UPON WHICH THIS PLAT IS BASED HAS A CLOSURE PRECISION OF ONE FOOT IN .56,847, AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. A TOPCON 8005 ROBOTIC TOTAL STATION AND TDS RANGER DATA COLLECTOR WERE USED TO COLLECT THIS FIELD DATA.

THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND WAS FOUND TO BE ACCURATE WITHIN ONE FOOT IN 150,749 FEET. CAJ INIT.



Land Surveying & Mapping

1660 Barnes Mill Road  
Marietta, Georgia 30062

Phone: (770) 795-9900  
Fax: (770) 795-8880

www.geosurvey.com

Certificate of Authorization LSF# 000621



2055 East Rio Salado Parkway, Suite 201  
Tempe, Arizona 85281  
Phone: (480) 967-6752  
Fax Number: (480) 966-9422  
Web Site: [www.netronline.com](http://www.netronline.com)

## HISTORICAL CHAIN OF TITLE REPORT

**GDOT-DISTRICT 4 MAIN HQ (FORMER)**  
**206 WEST WALKER STREET**  
**DOUGLAS, GEORGIA**

**Submitted to:**

**URS CORPORATION**  
1000 Abernathy Road, NE  
Atlanta, Georgia 30328  
**Attention: Felix Nchako**  
**Project No. N07-09559**  
**Thursday, November 8, 2007**

**NETR - Real Estate Research & Information** hereby submits the following ASTM historical chain-of-title to the land described below, subject to the leases/miscellaneous shown in Section 2. Title to the estate or interest covered by this report appears to be vested in:

**GEORGIA DEPARTMENT OF TRANSPORTATION**

The following is the current property legal description:

Beginning at a point along the North right of way line of Walker Street having a 60 foot right of way at the intersection of the East right of way of a 20 foot alley that border East right of way of the Southern Railroad having a 100' right of way, said point being the Southwest corner of the property described herein. From the point of beginning and running Northwest along the East right of way of the 20' alley North 4 degrees 27' 04" West for 701.06 feet along a curve having a radius of 2940.33 feet to a point on the boundary; thence continuing along the East right of way of said 20 foot alley North 1 degree 47' 49" East for 100.71 feet to a point on the boundary, thence North 88 degrees 12' 09" West for 20.00 feet to a point on the boundary, said point being on the East right of way of the Southern Railroad right of way, thence North 1 degree 47' 51" East for 510.29 feet along the East right of way line of said railroad right of way to a point on the boundary, thence South 72 degrees 59' 36" East for 387.37 feet to a point on the boundary, thence South 14 degrees 42' 36" East for 107 feet to a point on the boundary, thence South 50 degrees 27' 36" East for 41.00 feet to a point on the boundary, thence South 88 degrees 40' 36" East for 82.09 feet to a point on the boundary, thence South 0 degrees 48' 28" West for 1062.00 feet to a point on the boundary, said point being on the North right of way line of Walker Street, thence South 89 degrees 32' 04" West for 441.09 feet along the North right of way line of Walker Street to the point of beginning. Containing 13.83 acres more or less. Said property is more particularly delineated upon a plat of survey entitled "Topographic and Boundary Survey for EMCN SOUTHEAST of the Former Georgia Department of Transportation Maintenance Headquarters" made by Statewide Surveying Company dated 09/03/1994, of Land Lots 177, 178, 191 and 192, Land District 6, situated and lying in the City of Douglas, Coffee County, State of Georgia

## **1. HISTORICAL CHAIN OF TITLE**

### **1. WARRANTY DEED**

RECORDED: 12/07/1926  
GRANTOR: J. C. Brown  
GRANTEE: Mrs. Frances Victoria Brown  
INSTRUMENT: Volume 45, Page 554

### **2. WARRANTY DEED**

RECORDED: 06/09/1948  
GRANTOR: J. W. Brown, Administrator for the Estate of Mrs. Frances Victoria Brown  
GRANTEE: Mary Brown Boyd  
INSTRUMENT: Volume 777, Page 245

### **3. WARRANTY DEED**

RECORDED: 02/10/1955  
GRANTOR: Mary Brown Boyd  
GRANTEE: Ardis Collier Brown  
INSTRUMENT: Volume 102, Page 261

### **4. WARRANTY DEED**

RECORDED: 05/13/1994  
GRANTOR: Ardis Collier Brown  
GRANTEE: Luke E. Morgan  
INSTRUMENT: Volume 485, Page 101

### **5. WARRANTY DEED**

RECORDED: 05/20/1994  
GRANTOR: Luke E. Morgan  
GRANTEE: Francis Lott  
INSTRUMENT: Volume 485, Page 279

### **6. WARRANTY DEED**

RECORDED: 12/28/1995  
GRANTOR: Francis Lott  
GRANTEE: Lott Properties  
INSTRUMENT: Volume 558, Page 283

**7. WARRANTY DEED**

RECORDED: 04/16/2001  
GRANTOR: Lott Properties  
GRANTEE: Georgia Department of Transporation  
INSTRUMENT: Volume 849, Page 330

**2. LEASES AND MISCELLANEOUS**

1. No leases were found of record

## **LIMITATION**

This report was prepared for the use of URS Corporation, exclusively. This report is neither a guarantee of title, a commitment to insure, or a policy of title insurance. NETR- Real Estate Research & Information does not guarantee nor include any warranty of any kind whether expressed or implied, about the validity of all information included in this report since this information is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

**APPENDIX B**

**Milestone Schedule**

## Projected Milestone Schedule Former GDOT Maintenance Facility Site

ID	Task Name	Duration	Start	Finish	Predecessors	Timeline
1	Surface Water	358 days	Wed 1/11/17	Fri 5/25/18		2017 Jan   Mar   May   Jul   Sep   Nov   2018 Jan   Mar   May   Jul   Sep   Nov   2019 Jan   Mar   May   Jul   Sep   Nov   2020 Jan   Mar   May   Jul   Sep   Nov   2021 Jan   Mar   May   Jul   Sep   Nov
2	Groundwater Monitoring	550 days	Wed 1/11/17	Tue 2/19/19		
3	Potential Human Health	90 days	Mon 4/2/18	Fri 8/3/18	1	
4	Fate and Transport	60 days	Wed 1/11/17	Tue 4/4/17	1	
5	RRS and Instream Water	60 days	Wed 1/11/17	Tue 4/4/17	1	
6	Environmental Covenant	180 days	Wed 1/11/17	Tue 9/19/17		
7	Updated CSM Submittal	90 days	Mon 8/6/18	Fri 12/7/18	3	
8	Remediation Plan (if)	365 days	Wed 1/11/17	Tue 6/5/18	1	
9	Remediation Activities (if)	300 days	Thu 2/6/20	Wed 3/31/21	8	
10	CSR Submittal	285 days	Wed 10/28/20	Tue 11/30/21	9	

