






Figures




Legend








 Site Boundary





Title	Site Location		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	06/15/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-1




Legend


-  Site Areas
-  Former wastewater lines
-  Former aeration basin
-  Former first flush basin
-  Former PCE Drum Area
-  Former process wet well
-  Site Boundary




Title	Site Map		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	08/16/2017	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-2



Legend

 Site Boundary










Title	Site Boundary and Vicinity		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	06/15/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-3


Figure 2-4 - Topographic Map








Legend






-  Site Boundary
- FEMA Flood Hazard Zones**
-  1% ANNUAL CHANCE FLOOD HAZARD
-  0.2% ANNUAL CHANCE FLOOD HAZARD
-  AREA OF MINIMAL FLOOD HAZARD





Title	FEMA Flood Zones		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080		
Date	08/21/2017	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-5





Legend




-  Surface Drainage
-  First Flush Basin
-  Former PCE Drum Storage (not to scale)
-  Process Wet Well
-  Site Boundary





Title	Surface Drainage		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	06/15/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-6




Legend

-  Extraction Groundwater Wells
-  1 mile buffer
-  Site Boundary



Title		Groundwater Extraction Wells	
Project		Colons Island Brunswick, Georgia	
		 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	
Date	06/10/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-7




Site Entry Point


Entrance Gate and Guard Station

Legend







- Type**
- X-X Fenceline
 - X-X Gate
 - X-X Emergency Gate
 - Site Boundary





Title		Site Fence and Access Control	
Project		Colonels Island Brunswick, Georgia	
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	
Date	06/10/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	2-8



Legend

-  NFA SWMUs
-  Former First Flush Basin
-  Former PCE Drum Storage (not to scale)
-  Former Process Wet Well
-  Former underground wastewater lines
-  Site Boundary



Title	Site Areas Included In 2020 RFA		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	06/10/2021	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	3-1






Former Process Wet Well




Former PCE Drum Area




Former First Flush Basin

Title		Photographs of Former WW Units and AOC	
Project		Colonels Island Brunswick, Georgia	
Date		08/21/2017	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 3-2
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080	





Legend

- Former underground wastewater lines
- Former First Flush Basin
- Former Process Wet Well




Title	Former Wastewater System		
Project	Colonels Island Brunswick, Georgia		
	Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080		
Date	08/21/2017	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	3-3





Legend


- Former underground wastewater lines
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Site Areas



Title		Former PCE Drum AOC	
Project		Colonels Island Brunswick, Georgia	
		<small>Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080</small>	
Date	08/21/2017	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	3-4






Title	PCE Dechlorination Pathway		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080		
Date	08/21/2017	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	3-5



¹ Modified from Weems and Edwards, 2000

Figure from Leeth, D.C. et al, 2005


Title	General Hydrogeologic Cross-section for Brunswick, GA	
Project	Colonels Island Brunswick, Georgia	
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080	
Date	09/01/2017	Rev. No. 1
MXD	/CIO/GIS/CIO.mxd	Figure No. 4-1



Note: Most recent result from each well is displayed


Legend


- + April2020_gwelevs
- GW Contour (ft)**
 - 6.25 - 6.50
 - 6.51 - 6.75
 - 6.76 - 7.00
 - 7.01 - 7.25
 - 7.26 - 7.50
 - 7.51 - 7.75
 - 7.76 - 8.00
 - 8.01 - 8.25
- Former underground wastewater lines
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Site Boundary





Title		April 2020 Groundwater Elevations	
Project		Colonels Island Brunswick, Georgia	
Date		09/28/2020	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 4-2


NewFields
Two Midtown Plaza
1349 West Peachtree Street, Suite 2000
Atlanta, Georgia 30309
Tel: 404-347-9050 ~ Fax: 404-347-9080







Title		Former First Flush Area Water Levels	
Project		Colonels Island Brunswick, Georgia	
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	
Date	09/23/2018	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	4-3





Title		PCE Drum Area Water Levels	
Project		Colonels Island Brunswick, Georgia	
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	
Date	09/23/2018	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	4-4



Title	Ditch Area Water Levels		
Project	Colonels Island Brunswick, Georgia		
	 Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	09/23/2018	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	4-5

A

A'



Legend

- cis-1,2-DCE (ug/L)**
- ND
 - 0.1 - 70 (MCL)
 - 71 - 500
 - 501 - 1000
 - > 1000
- ⊕ GW Wells
 - ▼ August 2018 GW Elev
 - Ditch Water Level
 - Ground Surface
 - ⋯ August 2018 GW
 - Casing
 - ▨ Screen

Notes: Horizontal distance units are measured in feet.

Vertical distance units are measured in feet below ground surface.

Title		Former PCE Drum Area Groundwater Levels	
Project		Colonels Island Brunswick, Georgia	
Date		09/23/2018	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 4-6


NewFields
Two Midtown Plaza
1349 West Peachtree Street, Suite 2000
Atlanta, Georgia 30309
Tel: 404-347-9050 ~ Fax: 404-347-9080

**Figure 4-7
Benzene Concentration Trends**

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: 15-Apr-21	Job ID: _____
Facility Name: Symrise Colonels Island	Constituent: Benzene
Conducted By: ND	Concentration Units: ug/L

Sampling Event	Sampling Date	BENZENE CONCENTRATION (ug/L)					
		MW-38A	MW-39	MW-47A	MW-55	MW-51	MW-49
1	17-Jul-15	900	89	1100	0	100	170
2	25-Jul-16	1300	1100	1200		26	170
3	13-Dec-16	1200	1200	1000			160
4	26-Mar-17	1400	720	1100	1.4	31	61
5	14-Jun-17	1100	840	990			3.3
6	29-Sep-17	878	711	755	19	958	114
7	1-Dec-17	870	340	468	11.4	394	45
8	23-Feb-18	544	453	177	29.8	113	5
9	11-May-18	803	201	178	21.6	904	5
10	3-Aug-18	377	4.3	192	8.3	6.9	2
11	18-Oct-18	341	442	345	16	367	
12	25-Apr-19	401	207	324	2.3	124	0
13	22-Nov-19	203	131	256	1.8	199	0
14	29-Apr-20	289		52.7	0	169	0
15	27-Oct-20	65.3		163	0	89.8	
16							
17							
18							
19							
20							
Coefficient of Variation:		0.60	0.79	0.76	1.10	1.18	1.26
Mann-Kendall Statistic (S):		-85	-38	-74	-17	2	-63
Confidence Factor:		>99.9%	98.9%	>99.9%	86.0%	52.4%	>99.9%
Concentration Trend:		Decreasing	Decreasing	Decreasing	No Trend	No Trend	Decreasing



Notes:

- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

**Figure 4-8
DCE Concentration Trends**


GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: 21-Feb-19 Job ID: _____
 Facility Name: Symrise Colonels Island Constituent: cis-DCE
 Conducted By: ND Concentration Units: ug/L

Sampling Point ID: MW-14 MW-62A MW-63A MW-64A MW-65A


Sampling Event	Sampling Date	CIS-DCE CONCENTRATION (ug/L)				
		MW-14	MW-62A	MW-63A	MW-64A	MW-65A
1	25-Mar-17	1800	780	100	130	210
2	14-Jun-17	850	780	130	57	190
3	30-Sep-17	812	520	146	79	217
4	1-Dec-17	1610	941	19.5		88.4
5	24-Feb-18	2570	1230	211	89.9	220
6	11-May-18	2700	768	248	44.3	172
7	4-Aug-18	2260	696	335	6.6	89.2
8	26-Apr-19	2870	650	633		223
9	22-Nov-19	1110	259	220	461	151
10	29-Apr-20		435	217	371	222
11	28-Oct-20		186	59.5	31.6	151
12						
13						
14						
15						
16						
17						
18						
19						
20						

Coefficient of Variation:	0.43	0.46	0.79	1.14	0.29
Mann-Kendall Statistic (S):	12	-32	17	-4	0
Confidence Factor:	87.0%	99.4%	89.1%	61.9%	45.1%
Concentration Trend:	No Trend	Decreasing	No Trend	No Trend	Stable



- Notes:**
- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
 - Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
 - Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.


DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.
 GSI Environmental Inc., www.gsi-net.com



Note: Wells that are non-detect for all four compounds are not displayed.

Legend

- PCE_ppb_I
- TCE_ppb_I
- cis12DCE_ppb_I
- vc_ppb_I
- Former underground wastewater lines
- Former PCE Drum Storage (not to scale)
- Site Boundary



Title		Former PCE Drum Area cVOC Ratios - April 2020	
Project		Colonels Island Brunswick, Georgia	
Date		09/28/2020	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 4-9

NewFields
 Two Midtown Plaza
 1349 West Peachtree Street, Suite 2000
 Atlanta, Georgia 30309
 Tel: 404-347-9050 ~ Fax: 404-347-9080





Figure 4-10
Vinyl chloride trends

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: 28-Oct-20	Job ID:
Facility Name: Symrise Colonels Island	Constituent: Vinyl Chloride
Conducted By: ND	Concentration Units: ug/L

Sampling Point ID:		MW-14	MW-62A	MW-64A	MW-65A	MW-63A		
Sampling Event	Sampling Date	VINYL CHLORIDE CONCENTRATION (ug/L)						
1	25-Mar-17	14	28	1.3	0	2.7		
2	14-Jun-17	6.7	28	0	3.3	3.8		
3	30-Sep-17	23.5	15	1.3	0	4.9		
4	1-Dec-17	18.9	36.4		0	0		
5	24-Feb-18	18.2	34.2	1.7	1.2	6.8		
6	11-May-18	30.1	39.6	1.1	4	8.7		
7	4-Aug-18	14.5	16.7	0	3.8	7		
8	26-Apr-19	19.6	14	5.4	1.8	10.1		
9	22-Nov-19	12	8	8.9	3	3.5		
10	29-Apr-20		10.3	0	0	0		
11	28-Oct-20		4.1	0	0	1.5		
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.39	0.58	1.49	1.08	0.76		
Mann-Kendall Statistic (S):		2	-28	-2	1	2		
Confidence Factor:		54.0%	98.4%	53.5%	50.0%	53.0%		
Concentration Trend:		No Trend	Decreasing	No Trend	No Trend	No Trend		



Notes:


1. At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
2. Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
3. Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.




Legend

- + Monitoring Wells
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Former underground wastewater lines




Title		Monitoring Well Locations	
Project		Colonels Island Brunswick, Georgia	
Date		06/10/2021	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-1
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	





Legend

- Temporary Boring
- Former underground wastewater lines
- Former PCE Drum Storage (not to scale)
- Site Boundary



Title		Temporary Groundwater Boring Locations	
Project		Colonels Island Brunswick, Georgia	
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 - Fax: 404-347-9080	
Date	09/19/2018	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	6-2




Note: Most recent result from each well is displayed.


Labels for wells that are non-detect display the detection limit followed by a 'U' lab flag.


Legend

- Benzene (ug/L)**
- ▲ ND
 - ▲ 0.1 - 5.0 (MCL)
 - ▲ 5.1 - 100.0
 - ▲ 100.1 - 500.0
 - ▲ > 500
 - ⊕ Monitoring Wells
 - Former underground wastewater lines
 - ▨ Former First Flush Basin
 - ▨ Former PCE Drum Storage (not to scale)
 - ▨ Former Process Wet Well
 - Site Boundary



Title	Benzene in Groundwater 2019-2020		
Project	Colonels Island Brunswick, Georgia		
	Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	09/28/2020	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	6-3





Note: Most recent result from each well is displayed.


Labels for wells that are non-detect display the detection limit followed by a 'U' lab flag.

Legend

PCE (ug/L)


- ND
- 0.1 - 5.0 (MCL)
- 5.1 - 100.0
- > 100
- ⊕ Monitoring Wells


- Former underground wastewater lines
- ▨ Former First Flush Basin
- ▨ Former PCE Drum Storage (not to scale)
- ▨ Former Process Wet Well
- Site Boundary



Title		PCE in Groundwater 2019-2020	
Project		Colonels Island Brunswick, Georgia	
Date		09/28/2020	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-4

NewFields
 Two Midtown Plaza
 1349 West Peachtree Street, Suite 2000
 Atlanta, Georgia 30309
 Tel: 404-347-9050 ~ Fax: 404-347-9080






Note: Most recent result from each well is displayed.

Labels for wells that are non-detect display the detection limit followed by a 'U' lab flag.

Legend



TCE (ug/L)

- ND
- 0.1 - 5.0 (MCL)
- 5.1 - 100.0
- > 100
- + Monitoring Wells
- Former underground wastewater lines
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Site Boundary



Title		TCE in Groundwater 2019-2020	
Project		Colonels Island Brunswick, Georgia	
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	
Date	09/28/2020	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	6-5






Note: Most recent result from each well is displayed.


Labels for wells that are non-detect display the detection limit followed by a 'U' lab flag.



Legend

- cis-1,2-DCE (ug/L)**
- ND
 - 0.1 - 70.0 (MCL)
 - 70.1 - 500.0
 - 500.1 - 1000.0
 - > 1000
 - + Monitoring Wells
 - Former underground wastewater lines
 - Former First Flush Basin
 - Former PCE Drum Storage (not to scale)
 - Former Process Wet Well
 - Site Boundary



Title	cis-1,2-DCE in Groundwater 2019-2020		
Project	Colonels Island Brunswick, Georgia		
	Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080		
Date	09/28/2020	Rev. No.	1
MXD	/CIO/GIS/CIO.mxd	Figure No.	6-6





Note: Most recent result from each well is displayed.


Labels for wells that are non-detect display the detection limit followed by a 'U' lab flag.

Legend

Vinyl chloride (ug/L)


- ND
- 0.1 - 2.0 (MCL)
- 2.1 - 10.0
- > 10
- + Monitoring Wells


- Former underground wastewater lines
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Site Boundary





Title		Vinyl chloride in Groundwater 2019-2020	
Project		Colonels Island Brunswick, Georgia	
Date		09/28/2020	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-7

NewFields
 Two Midtown Plaza
 1349 West Peachtree Street, Suite 2000
 Atlanta, Georgia 30309
 Tel: 404-347-9050 ~ Fax: 404-347-9080








Title		BIOSCREEN Model Output	
Project		Colonels Island Brunswick, Georgia	
Date		09/23/2018	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-8
		Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080	




Title		BIOCHLOR Model Output cis-1,2-DCE	
Project		Colonels Island Brunswick, Georgia	
Date		09/23/2018	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-9


 Two Midtown Plaza
 1349 West Peachtree Street, Suite 2000
 Atlanta, Georgia 30309
 Tel: 404-347-9050 ~ Fax: 404-347-9080





Legend

- + Monitoring Well Network
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Former underground wastewater lines




Title		Groundwater Monitoring Network	
Project		Colonels Island Brunswick, Georgia	
		<small>Two Midtown Plaza 1349 West Peachtree Street, Suite 1950 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080</small>	
Date	12/13/2021	Rev. No.	1
MXD	GISICIO.mxd	Figure No.	6-10






Legend

- + Monitoring Wells
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Former underground wastewater lines
- Site Boundary




Title		Background Well Location	
Project		Colonels Island Brunswick, Georgia	
Date		06/10/2021	
Rev. No.		1	
MXD		/CIO/GIS/CIO.mxd	
Figure No.		6-11	
<p>NewFields Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080</p>			





Legend

- Proposed POC Wells
- GW Contour (ft)**
- 6.50
- 6.51 - 6.75
- 6.76 - 7.00
- 7.01 - 7.25
- 7.26 - 7.50
- 7.51 - 7.75
- 7.76 - 8.00
- 8.01 - 8.25
- Former underground wastewater lines
- Former First Flush Basin
- Former PCE Drum Storage (not to scale)
- Former Process Wet Well
- Site Boundary



Title		POC Wells November 2019 GW Elevations	
Project		Colonels Island Brunswick, Georgia	
Date		07/27/2020	Rev. No. 1
MXD		/CIO/GIS/CIO.mxd	Figure No. 6-12
Two Midtown Plaza 1349 West Peachtree Street, Suite 2000 Atlanta, Georgia 30309 Tel: 404-347-9050 ~ Fax: 404-347-9080			

