



GEORGIA
DEPARTMENT OF NATURAL RESOURCES

ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

Watershed Protection Branch

2 Martin Luther King, Jr. Drive
Suite 1152, East Tower
Atlanta, Georgia 30334
404-463-1511

**Notice of Draft Groundwater Withdrawal Permit –
DPW Environmental Division – Fort Stewart – February 22, 2017**

The Georgia Environmental Protection Division (EPD) announces its intent to issue a Modified Groundwater Withdrawal Permit No. 089-0003 for water withdrawal of 5.231 MGD/ 4.231 MGD (Monthly Average/Annual Average in million gallons per day) from twenty wells in the Upper Floridan aquifer for the purpose of a central water supply. The modification will increase the number of wells from nineteen wells to twenty wells. The current permit limits and permit limit reduction schedule will remain unchanged.

MODIFIED GROUNDWATER WITHDRAWAL PERMIT

Permittee's Name: DPW Environmental Division – Fort Stewart

Permittee's Address: Fort Stewart, GA 31314

River Basin: Ogeechee

Comment Period Expires: March 22, 2017

Additional Information: The draft permit and all information used to develop the draft permit are available for review. The information includes the application and all relevant supporting materials available to the permitting authority used in the permit review process. This information is available for review at the office of the Watershed Protection Branch, 2 Martin Luther King Jr. Dr., S.E., East Floyd Towers, Suite 1152, Atlanta, Georgia 30334. All comments received prior to or on the comment period expiration date above will be considered in the formulation of final determinations regarding the permit.

Persons wishing to comment on the draft Permit are required to submit their comments, in writing, to:

Bill Frechette, Unit Manager
Water Supply Program – **Groundwater Withdrawal Unit**
2 Martin Luther King Jr. Dr., S.E.
East Floyd Towers, Suite 1362
Atlanta, Georgia 30334

A public hearing may be held if the Director of the EPD finds a significant degree of public interest in a draft permit.