

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 1, 2015
Advisory Issue Date

Dooly County
City/County

October 31, 2015
Advisory Close Date

BV-046-07-01 Addition 2
Control Number

GDOT Project IMNH0-0075-01(227)
PI 311665
SR 27 and I-75 Interchange Improvements
Activity

This advisory is issued to inform the public of a receipt of an application for a variance submitted pursuant to a state environmental law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr. Dr. S.W., Suite 1462, Atlanta, Georgia 30334.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: a, h

Description and Location of Proposed Activity:

Application proposes to impact 491.9 linear feet (15,289.4 square feet) of stream buffer to one open water and one intermittent stream (unnamed tributary to Sandy Mount Creek) for improvements to the SR 27 at I-75 interchange and the replacement of a structurally deficient bridge. Disturbance activities will consist of clearing and grading, fill, and the installation of silt fence. The project is located east of Vienna, Georgia in Dooly County.

Name and Address of Permit Applicant:

Ms. Hiral Patel
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

William F. Smith, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
2 MLK, Jr. Dr. S.W., Suite 1462 East
Atlanta, Georgia 30334
Telephone: 404-651-8553 FAX: 404-651-8556