## ENVIRONMENTAL PROTECTION DIVISION PUBLIC NOTICE WATERSHED PROTECTION BRANCH

January 15, 2019Lowndes CountyNotice Issue DateCity/CountyFebruary 14, 2018BV-092-18-01Notice Close DateControl Number

## Naylor Public Recreational Boat Ramp Activity

This notice is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Site Plans are available for review and are located in the following EPD office: Watershed Protection Branch 200 Piedmont Avenue, S.W. Suite 418 West Atlanta, Georgia 30334. Please contact Ms. Clara Davis at (404) 463-2382 or e-mail <a href="mailto:clara.davis@dnr.ga.gov">clara.davis@dnr.ga.gov</a> to schedule an appointment to review the plans. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: \_\_\_A

Description and Location of Proposed Activity:

Applicant proposes to impact 65 linear feet (1,625 ft²) of stream buffer along the Alapaha River to construct a boat ramp for public recreational use. The project is located on Hwy 84 east passing through Naylor approx. 2.5-miles on the left.

Name and Address of Permit Applicant: Chad McCleod

Project Manager

**Lowndes County Board of Commissioners** 

327 North Ashley St. Valdosta, Georgia 31601

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist EPD, Watershed Protection Branch NonPoint Source Program 2 MLK Jr., Dr., SW Suite 1462 East Atlanta, Georgia 30334

Telephone: 404/651-8549 FAX: 404/651-8455