

ENVIRONMENTAL PROTECTION DIVISION  
PUBLIC ADVISORY  
WATERSHED PROTECTION BRANCH

December 29, 2015  
Advisory Issue Date

City of Thomson  
City/County

January 28, 2016  
Advisory Close Date

BV-097-15-02  
Control Number

City of Thomson CDBG  
Forest Clary Drive Stormwater Drainage Improvements  
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 2 MLK Jr., Dr., SW Suite 1462 East, Atlanta, Georgia 30334

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-J)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact a total of 1,190 linear feet (70,912 ft<sup>2</sup>) of stream buffer along an unnamed tributary to Whites Creek to perform stormwater drainage improvements by laying back and reshaping the existing stream banks to prevent further erosion and flooding of private property. Upon completion, the banks will be re-seeded with a native seed grass mix to allow the banks to naturally vegetate. Project is located off Jackson St. within the City limits of Thomson.

Name and Address of Permit Applicant:

Mr. Don Powers  
City of Thomson  
210 Railroad St.  
Thomson, Georgia 30824

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist  
EPD, Watershed Protection Branch  
NonPoint Source Program  
2 MLK Jr., Dr., SW  
Suite 1462 East  
Atlanta, Georgia 30334  
Telephone: 404/651-8549 FAX: 404/651-8455