

# **Georgia Department of Natural Resources**

Environmental Protection Division • Watershed Protection Branch  
2 Martin Luther King Jr. Drive • Suite 1152 East • Atlanta • Georgia 30334  
(404) 463-1511; Fax (404) 656-2453  
Richard E. Dunn, Director

June 30, 2016

Persons who commented on  
Draft NPDES Permit No. GAR100002

RE: Comments Received for  
NPDES General Construction Storm  
Water Permit No. GAR100002

Dear Sir/Madam :

Thank you for your letter regarding the GAR100002 Infrastructure Permit. After consideration of your comments, EPD has determined that the permit is protective of water quality and we have issued the permit.

We have included an attachment, which addressed the comments submitted during the public comment period. We appreciate your interest in this matter.

If you have any questions, please contact Michael Berry of my staff at 404-651-8554 or [Michael.Berry@dnr.ga.gov](mailto:Michael.Berry@dnr.ga.gov).

Sincerely,



Glen Behrend, Manager  
NonPoint Source Program

GB/mkb  
Enclosure(s)

**GEORGIA ENVIRONMENTAL PROTECTION DIVISION**

**RESPONSE TO COMMENTS**

**NPDES GENERAL PERMIT NO. GAR100002 FOR  
STORMWATER DISCHARGES ASSOCIATED WITH CONSTRUCTION ACTIVITY**

**June 30, 2016**

<i><b>NPDES GENERAL PERMIT NO.</b></i>	<i><b>PERMIT REFERENCE</b></i>	<i><b>COMMENTS</b></i>	<i><b>RESPONSES</b></i>
GAR100002	Part IV. (iii)(5)	There is an apparent typographical error in the Aerial Utility Line exemption language for the coastal marsh buffer. The proposed language restricts the exemption to new utility line rights of way of 100 feet wide or less, but that is not consistent with the general state waters buffer aerial utility line exemption for utility line rights of way of 200 feet or less.	The typographical error has been corrected.